



AGRICULTURAL RESEARCH INSTITUTE

PUSA







JOURNAL  
OF THE  
Agricultural & Horticultural Society  
OF  
INDIA

5. SEP. 1921

EDITED BY  
THE COMMITTEE

315823  
IARI

VOL. X.  
PART I.—JANUARY, 1857, TO JUNE, 1859.

ORIGINAL COMMUNICATIONS.

"A body of men engaged in the same pursuit, form a joint stock of their information and experience, and thereby put every individual in possession of the sum total acquired by them all."—REV. DR. WILLIAM CAREY

Calcutta:

BISHOP'S COLLEGE PRESS.

M.DCCC.LIX.



# Contents

## OF PART I, VOLUME X.

### No. 1.

	<i>Page.</i>
ART. I.—The Indigenous Plants of Bengal. Notes on peculiarities in their structure, functions, use in medicine, domestic life, arts and agriculture : By the Rev. J. Long, ..	1
II.— Production of Palm sugar in the province of Pegu, ..	43
III.—Note on Lac Wax : By Geo. Evans, Esq., .. ..	40
IV.—Report on specimens of Fibre, &c., from Arracan, Berhampore, Gorruckpore, and the vicinity of Calcutta,	53
V.—Note on two samples of Potatoes raised in Tirhoot by J. Finch, Esq., from acclimated Darjeeling seed, ..	63
VI.—Report on “Tewra” Oil from Gorruckpore, and on an Aromatic Oil from Benares, .. .. .	63
VII.—A Few additional remarks on experiments with Silkworms, with a view to improve the present silk-yielding species of Bengal, by engrafting on them the very superior properties of the best French and Italian races, but without altering the rapid succession of generations of the Indian insect : By F. Bashford, Esq., .. .. .	70
VIII.—On the cultivation of the Dahlia in and around Calcutta : By the late Mr. John McMurray, Head-Gardener of the Society, .. .. .	74
IX.—On the culture of English vegetables in the environs of Calcutta : By Capt. H. B. Weston, .. .. .	79
X.—Report on samples of Flax raised in the Punjab and N. Berar, .. .. .	96
XI.—Memorandum on a sample of Farina prepared from the Tenasserim yam ( <i>Dioscorea fasciculata</i> ) ; and on a sample of Molasses from date juice : By G. Evans, Esq., Surgeon, .. .. .	99

	<i>Page.</i>
<b>XII.</b> —Report on raw silk from the mulberry worm raised in the Punjab, and on cocoons of wild silk 10ths from Moulmein, .. .. .	100
<b>XIII.</b> —Notes regarding an useful substance from Moulmein, called “Pwai-nyet,” and the bee which produces it, .. .. .	103
<b>XIV.</b> —Report on Tea grown at Tugvor and manufactured at Darjeeling, .. .. .	107
<b>XV.</b> —Report on certain descriptions of Indian grasses, in reference to their applicability for Paper making, .. .. .	110
<b>XVI.</b> —On the mode of drying the Indigo leaf and manufacturing it, as pursued in the Madras Presidency, .. .. .	111
<b>XII.</b> —Report on Coffee raised at Jorehaut in Upper Assam, .. .. .	113
<b>XVIII.</b> —Report on Vanilla pods, the produce of the Society’s Garden, .. .. .	115
<b>XIX.</b> —Notice regarding the Moreton Bay Chesnut, introduced into the Government Garden at Bangalore: By H. Cleghorn, M. D., .. .. .	116

## No. 2.

<b>ART. I.</b> —Some account of the Silk trade and Silk manufactures of the Punjab, and especially of Lahore: By Henry Cope, Esq., .. .. .	117
<b>II.</b> —Correspondence regarding the introduction of the Quiniferous Cinchonas of South America into India, .. .. .	128
<b>III.</b> —Remarks on Mr. Bashford’s experiments on cross-breeding the Indian with the Europe silk-worm: By C. E. Blechynden, Esq.; with a few Notes thereon by F. Bashford, Esq., .. .. .	146
<b>IV.</b> —A few remarks on Munjeet as a dye-stuff; localities where grown, export, &c.: By Henry Cope, Esq., .. .. .	151
<b>V.</b> —The Bael Tree ( <i>Ægle Marmelos</i> );—its valuable properties: By Lieut. J. F. Pogson, .. .. .	157
<b>VI.</b> —On the introduction of the Silk-worm into the Punjab: By Henry Cope, Esq., .. .. .	161
<b>VII.</b> —On the Progress of Tea cultivation in Cachar: By Lieut. Robert Stewart, Officiating-Superintendent of Cachar, .. .. .	193
<b>VIII.</b> —Summary of papers on the subject of the effect of artificial irrigation on Cotton Crops, .. .. .	206

## Contents.

v

	Page.
IX.—The Gardener's Note Book,—No. 3. Culture of the Strawberry in Lower Bengal : By E. Chardon, Esq.,	214
X.—Remarks on a sea-weed called "Gillur-ka-putta : " By H. Cope, Esq. ; with a note thereon by Dr. T. Thomson,	216
XI.—Report on Flax straw raised at Allyghur by C. Gubbins, Esq., from Riga seed, in season 1855-56 : Communicated by the Chamber of Commerce, Dundee, ..	220
XII.—Note on the oil of the Kurrungah seed ( <i>Pongamia glabra</i> ) : By G. H. Grose, Esq., : with a report thereon by C. B. Wood, Esq., .. .. .	223
XIII.—Report on Coffee raised by Colonel Hannay, at Debrooghur, in Upper Assam, .. .. .	224
XIV.—Report on Tea grown and manufactured by Capt. J. Masson, at Tugvor, near Darjeeling, .. .. .	227
XV.—On the progress of Tea cultivation at Darjeeling : Communicated by Dr. A. Campbell, Superintendent of Darjeeling, .. .. .	229
XVI.—Report on Silk experiments at Lahore : By D. F. McLeod, Esq., Financial-Commissioner for the Punjab,	238

## No 3.

ART. I.—The Date Tree ; a Prize Essay on its Cultivation, and the Manufacture of its Juice into Sugar ; By S. H. Robinson, Esq., .. .. .	243
II.—The Green Dye of China and Green Dyeing of the Chinese ; by Monsieur Natalis Rondot, with sundry papers on the same subject by other authors ; Translated from the French by Henry Cope, Esq., of Umritsur, .. .. .	275
III.—The Indigenous Plants of Bengal. Notes on peculiarities in their structure, functions, use in medicine, domestic life, arts and agriculture : By the Rev. J. Long, ..	338

# Index

## TO PART I, VOLUME X.

	<i>Page.</i>
Bael tree ( <i>Ægle Marmelos</i> ); its valuable properties, .. .. .	157
Coffee from Jorhaut, in Upper Assam,—Report on, .. .. .	113
----- from Debrooghur in Upper Assam,—Report on, .. .. .	224
Chesnut, (Moreton Bay) its introduction into the Government Garden at Bangalore, .. .. .	116
Cinchonas, (Quiniferous) of South America, their introduction into India, .. .. .	138
Cotton crops,—Effect of artificial irrigation of, .. .. .	206
Dahlia, its Cultivation in and around Calcutta, .. .. .	74
Date tree, its Cultivation, and the manufacture of its juice into Sugar, .. .. .	243
Dye, (Green) of China, and Green Dyeing of the Chinese, .. .. .	275
Fibres from Arracan, Berhampore, Gorruckpore, and the vicinity of Calcutta,—Report on, .. .. .	53
Flax raised in the Punjab, and North Berar,—Report on, .. .. .	96
— Straw, raised at Allyghur, Report on, .. .. .	220
Farina from the Tenasserim yam ( <i>Dioscorca fasciculata</i> );—Note on, .. .. .	99
Grasses, (Indian),—Applicability of certain descriptions of, for Paper-making, .. .. .	110
“Gillur-ka-putta,” a description of sea-weed,—Remarks on, .. .. .	216
Indigo-leaf,—Mode of drying and manufacturing in the Madras Presidency, .. .. .	111
Lac Wax,—Note on, .. .. .	50
Molasses from Dato juice,—Note on, .. .. .	99
Munjeet as a dye stuff, localities where grown, export, &c., .. .. .	151
Oil, (“Tewra”) from Gorruckpore, .. .. .	65
— (Aromatic kind) from Benares, .. .. .	<i>ib.</i>
— of the Kurrungah seed, ( <i>Pongamia glabra</i> );—Report on, .. .. .	223
Plants, (Indigenous) of Bengal, notes on peculiarities in their structure, use of in medicine, &c., .. .. .	1—338
Pegu, —Palm sugar of, .. .. .	43
Potatoes raised in Tirhoot from acclimated Darjeeling seed, .. .. .	63

	<i>Page.</i>
"Pwai-nyet," an useful substance from Moulmein, produced by a	
Bee, .. .. .	103
Sugar, (Palm) of Pegu, .. .. .	43
Silk-worms, experiments on cross-breeding the Bengal with Europe	
stock, .. .. .	70—146
-----, its introduction into the Punjab, .. .. .	161
----- (raw) from the Punjab,—Report on, .. .. .	100
----- (wild) from Moulmein,—Note on, .. .. .	<i>ib.</i>
----- trade, and Silk manufactures of the Punjab,—Some account of,	119
----- experiments at Lahore,—Report on, .. .. .	238
Strawberry in Lower Bengal,—Culture of the, .. .. .	214
Sea-weed called "Gillur-ka-putta,"—Remarks on a, .. .. .	216
Tea from Tugvor near Darjeeling,—Report on, .. .. .	107—227
----- Cultivation in Cachar,—Progress of, .. .. .	193
-----, at Darjeeling, Progress of, .. .. .	229
Vegetables, (English), their cultivation in the environs of Calcutta, ..	79
Vanilla pods, the produce of the Society's Garden,—Report on, ..	115
Wax, (Lac)—Note on, .. .. .	50



# INDEX TO NAMES OF CONTRIBUTORS

## TO PART I, VOLUME X.

	<i>Page.</i>
Bashford, F.,—A few additional Remarks on experiments with Silk-worms, with a view to improve the silk-yielding species of Bengal, by engrafting on them the very superior properties of the best French and Italian races, but without altering the rapid succession of generations of the Indian insect, .. .. .	70
Blechynden, C. E.,—Remarks on Mr. Bashford's experiments on cross-breeding the Indian with the Europe Silk-worm, .. ..	146
Cheek, Dr. A. H.,—On an aromatic Grass Oil from Benares, ..	67
Cleghorn, Dr. H.,—Notice regarding the Moreton Bay Chesnut, introduced into the Government Garden at Bangalore, .. ..	116
Cope, Henry,—Some account of the Silk Trade and Silk Manufactures of the Punjab, and especially of Lahore, .. .. .	117
—————, —A few remarks on Munjeet as a dye stuff, &c., ..	151
—————, —On the introduction of the Silk-worm into the Punjab,	161
—————, —Remarks on a Sea-weed called "Gillur-ka-putta",	216
—————, —Translation of Monsr. Natalis Rondot's paper on the Green Dye of China and Green Dyeing of the Chinese, ..	275
Chardon, E.,—On the Culture of the Strawberry in Lower Bengal, ..	214
Campbell, Dr. A.,—On the progress of Tea cultivation at Darjeeling,	229
Evans, Dr. Gedrg, —Note on Lac Wax, .. .. .	50
—————, —Memorandum on a sample of Farina prepared from the Tenasserim yam ( <i>Dioscorea fasciculata</i> ); and on a sample of Molasses from Date juice : .. .. .	99
Finch, Justin,—Note on Potatoes raised in Tirhoot from acclimated Darjeeling seed, .. .. .	63
Fischer, J.,—On the mode of drying the Indigo leaf and manufacturing it, as pursued in the Madras Presidency, .. .. .	111
Grose, G. H.—On the oil of the Kurrungah seed ( <i>Pongamia glabra</i> ):	223
Long, Rev. J.,—Notes on the indigenous plants of Bengal, peculiarities in their structure, functions, use in medicine, domestic life, arts, and agriculture, .. .. .	1—338
McMurray, John,—On the cultivation of the Dahlia in and around Calcutta, .. .. .	74

JOURNAL  
OF THE  
**Agricultural & Horticultural Society**  
OF  
INDIA.

---

EDITED BY  
*THE COMMITTEE OF PAPERS.*

---

VOL. X.  
PART II.—JANUARY, 1858, TO JUNE, 1859.

CORRESPONDENCE AND SELECTIONS.

**Calcutta:**

BISHOP'S COLLEGE PRESS.

M.DCCC,LIX.



	<i>Page.</i>
McLeod, D. F.,—Report on Silk experiments at Lahore, .. ..	238
Phayre, Col. A. P.,—On the production of Palm Sugar in Pegu, ..	43
Pepe, J.,—Note on the Tewra Oil of Gorruckpore, .. ..	67
Parish, Rev. C. S. P.,—On an useful substance from Moulmein, called "Pwai-nyet," and the bee which produces it, .. ..	103
Piddington, H.,—On the introduction and successful cultivation of the Quiniferous Cinchona plants in India, .. ..	140
Pogson, Lieut. J. F.,—the valuable properties of the Bael Tree ( <i>Egle Marmelos</i> ), .. ..	157
Robinson, S. H.,—The Date Tree; a Prize Essay on its Cultivation, and the manufacture of its Juice into Sugar, .. ..	243
Stewart, Lieut. Robert,—On the Progress of Tea cultivation in Cachar, .. ..	193
Weston, Capt. H. B.,—On the culture of English vegetables in the environs of Calcutta, .. ..	79



## **I n d e x**

### **TO PART II, VOLUME X.**

---

	<i>Page.</i>
<b>Assam (Upper), its Flora, and Vegetable Products, .. .. .</b>	<b>1—15</b>
<b>Cotton Plant, its Chemical investigation, .. .. .</b>	<b>6</b>
<b>Cotton Cake, its composition, .. .. .</b>	<b>10</b>
<b>Gutta Percha trees at Singapore, destruction of, .. .. .</b>	<b>13</b>
<b>Mammoth-tree of Upper California. .. .. .</b>	<b>29</b>
<b>Niger seed cake, its composition, .. .. .</b>	<b>10</b>

---



# Contents

## OF PART II, VOLUME X.

### No. 1.

	<i>Page.</i>
ART. 1.—Particulars regarding certain specimens forwarded during 1857, for the Garden and Museum of the Society; with notices respecting the Flora and Vegetable Products of Upper Assam: By Capt. W. H. Lowther, ..	1
2.—Chemical investigation of the Cotton plant, .. ..	9
3.—Composition of Cotton and Niger-seed Cake: By Professor Anderson, Chemist to the Highland and Agricultural Society of Scotland, .. .. .	14
4.—Destruction of the Gutta Percha Trees at Singapore, ..	30
5.—Monthly Proceedings of the Society, from January to December, 1857, .. .. .	i
6.—Report from the Council to the Annual General Meeting, of the 15th January, 1858, .. .. .	lxii
7.—Statement of Receipts and Disbursements of the Agricultural and Horticultural Society of India, from 1st to January to 31st December, 1857, .. .. .	lxxi
8.—List of Members of the Agricultural and Horticultural Society of India on 31st December, 1857, .. ..	i—xx
9.—Index to Transactions, Vols. I to VIII, ... ..	1—33
„ „ Journal, Vols. I to IX, .. .. .	1—95

### No. 2.

ART. 1.—Monthly Proceedings of the Society, from January to November, 1858, .. .. .	lxv
---	-----

### No. 3.

ART. 1.—Particulars regarding certain specimens forwarded during 1858-59, for the Garden and Museum of the Society; with notices respecting the Flora and Vegetable Products of Upper Assam: By Capt. W. H. Lowther, ..	15
---	----



	<i>Page.</i>
2.—On the Mammoth-tree of Upper California : By Berthold Seeman, .. .. .	29
3.—Monthly Proceedings of the Society, for December, 1858,	clxv
4.—Report from the Council to the Annual General Meeting of the 12th January, 1859, .. .. .	clxxv
5.—Statement of Receipts and Disbursements of the Agricultural and Horticultural Society of India, from 1st January to 31st December, 1858, .. .. .	clxxxiv
6.—List of Members of the Agricultural and Horticultural Society of India, 31st December, 1858, .. .. .	i—xx

THE JOURNAL  
OF THE  
Agricultural & Horticultural Society  
OF  
INDIA.

---

THE INDIGENOUS PLANTS OF BENGAL.

*Notes on peculiarities in their structure, functions, use in medicine, domestic life, arts and agriculture: By the REV. J. LONG.*

(Continued from page 424 of PART III, VOL. IX.)

29. TEREBINTHACEÆ.—Turpentine tribe. Varnishers.

*Am (Mangifera Indica).—Mango.* Belongs to an order which yields the varnish, hence resinous matter abounds so much in some mangoes that they taste like tar and turpentine. The mango tree is held sacred by the Hindus, and is worshipped on Thursday, because Lakshmi, the patroness of wealth, loves its shade. Its Sanskrit name is *chûla*, i. e., the juicy—*madhudut*, or the messenger of spring, when it blossoms—*madhycaganda*, moderate scent. The hardness of the stone is caused by the thickening of the membranous sides of cells by a hard sedimentary matter called sclerogen; the stones must be sown soon after they are taken from the fruit. The yellow flowers have one fertile stamen. Fl. C.S. Fr. H.S. Some old trees are fifteen feet in circumference. The lower branches spread horizontally to a great extent, the upper ones gradually ascend

till they become nearly erect in the centre. Leaf-stalks thickish at the base. Petals five, as also sepals; anthers oval, purple. A gum from the bark, which age renders very hard, burns with a cracking noise, and is of a pungent taste. The fruit of its seedling is so liable to change, that if not propagated by grafting, the seedling of a sweet mango will bear sour fruits. Forty varieties in Java. Introduced into England 1690. Boils caused by eating too many, hence its Sanskrit name *amrā*, sickness.

*Āmrā (Spondias Mangifera).—Hog-plum.* Grows to a large tree in the Coromandel mountains. Fl. H. S. Leaves feather-shaped, with an odd one, have a very peculiar smell when bruised. Leaflets five pair. A gum from the bark in the hot season; it seems very like gum-arabic. Fruit eaten raw when ripe; before being ripe it is used in curries. Sanskrit name *madhuramlak*, sweet and sour.

30. CUCURBITACEÆ.—*Gourds*; annuals. Climb by claspers attached to the stalks; hairy, drastic, pulpy and refreshing; seeds yield oil, and are scattered in a fleshy substance.

*Rákhlá Sasá (Karivia umbellata).*—Stem five-sided; roots and fruit eaten by the natives.

*Turmuḡ (Cucurbita citrullus).*—*Water-melon.* Contains a red, pale juice, used much by natives in the hot season. The stem is furrowed, hairy, with lateral two-notched tendrils; its leaves are much divided. The fruit is 1½ foot long, extensively cultivated in the Indian Archipelago. To the Egyptians it is both food and physic. In Senegal, the fruit sometimes weighs 60 lbs.

*Mákhál (Trichosanthes palmata).*—The fruit is a greenish, striped gourd; on being ripe it becomes yellow; pounded and blended with warm cocoa-nut oil, it is used for diseases in the ears. The pulp is a powerful purgative, yet at the Cape of Good Hope the gourd is rendered so mild by being pickled, that it is eaten; in the West Indies it is used for killing rats, and in Bengal by boys in games. The

plant is common on the sandy lands of the Coromandel coast; in Northern Africa stuffings for mattresses are made of it by Europeans.

*Uchheá (Momordica muricata).—Indian cucumber.* Much used in curries. Sanskrit name *susavi*. Fruit covered with small sharp points, with tubercles between: found in every market. The *karolla* also belongs to this genus, but the fruit requires to be steeped in salt water before it is used, as it is bitter. The *golkánkrá (Momordica mixta)*, has a red fruit and yellow pulp; the tuberous roots are eaten.

*Jjinga (Luffa fætida).*—Leaves five-angled; fruit ten-angled; much used in curries served up with butter, pepper and salt. Another species, the *karala or luffa amra*, is violently cathartic, and emetic, and its ripe seeds are used for that purpose; the natives apply the juice of the young fruit to their temples to cure head-ache. The *dhundul, or Luffa pentandra*, has the lower leaves five-angled, the higher ones palmate; seeds black, irregularly pitted.

*Kumará (Cucurbita Pepo).*—Leaves very downy; fruit when young very hairy, when ripe the hair is gone, and it becomes covered with a white powder; the seeds are white; tendrils three cleft.

*Kadu (Lagenaria vulgaris).—Pumpkin.* Bottles are made from this; it is naturally very drastic, some sailors were once poisoned from drinking beer out of a flask made from the rind of this gourd; but cultivation, as in the potato, removes these bad properties: from one variety of this is made the stringed instrument *sítár*, and a buoy for swimming across rivers, hence its Sanskrit name *alavu, i.e.*, what does not sink. The stamens are curiously lobed and twisted; leaves tomentose, *i.e.*, densely hairy; scent musky. In good soil it sends out shoots 40 or 50 feet long. On the continent of Europe it is used to feed cattle, its seeds yield an oil.

*Chichingá (Trichosanthes anguina).—Snake Gourd.* Fruit used universally; tapering shape. There is a wild species, the *banchichinga*, but not eaten.

*Patol (Trichosanthes dioica).—*Leaf-stalks woolly, channelled, tube of the corolla trumpet-shaped. Though universally cultivated in Bengal, it was unknown on the Coromandel coast in Roxburgh's time. Sanskrit name *Karkásh chhada*, hard leaf. An useful purgative.

*Bhui Kumrá (Tricosánthes cordata).—*Grows wild at the mouth of the Megna. The root, which grows to the size of a man's head, is eaten.

*Khurbuj (Cucumis melo).—Melon.* Originally from Persia. It is a creeper with palmate leaves; grows naturally in every desolate place. When the proportion of heat to light is considerable, a greater number of staminiferous flowers are developed, if otherwise, of pistilliferous. Melons are better in the N. W. P. than in Bengal; those of the melon tribe in Agra, which are cultivated on the sandy flats left by the subsiding waters of the Jumna, are famous.

*Sasá (Cucumis sativa).—Cucumber.* The seeds used in cholera.

*Phanti (Cucumis momordica).—*The fruit is from four to eight pounds weight; very like the common cucumber, but larger: when ripe it tastes like a melon, and bursts slowly in various portions. The fruit of the *khirá*, another species, contains sugar, and yields a mild oil.

*Kámkur (Cucumis utilisissimus).—*The fruit is yellow, the size of an ostrich's egg; will keep for months if not bruised. The seeds are ground into meal; oil expressed from them is very nourishing; the powder of the toasted seeds is a powerful diuretic, much cultivated in the Guntoor Circars, where they form a considerable article of commerce.

*Saphari Kumrá (Cucurbita maxima).—Squash gourd.* The fruit tastes much like a carrot. Torose, *i. e.*, elevated and depressed: leaves angular-toothed, hairy. It grows very

rapidly, sending out shoots forty feet long, which will cover nearly half a biggah in a season. On the continent of Europe it is extensively cultivated for the feeding of cattle and hogs, while the seed yields an oil, suitable both for food and burning. In England it is eaten baked.

*Telá Kuchá* (*Coccinia grandis*).—A native of every hedge. Stems five-sided; leaves five-angled, with a few minute teeth round the margin; berry before ripe marked with streaks of white. Crows are fond of the fruit. The fruit is eaten raw. Its Sanskrit names are *bimba*, disk of the sun, which its red fruit is like—*raktaphalá*, red-fruited: it is used much as a simile in Hindu poetry, to denote pretty lips.

### 31. PAPAYACEÆ.

*Pepiaya* (*Carica Papaya*).—A native of the banks of the Mississippi, introduced by the Portuguese into India three centuries ago. On the West coast of Africa the sickening smell emitted by the flowers is considered the cause of much sickness. Each male flower has a rudimentary ovary, capable of becoming fertile. It seldom has branches; the stem is milk-yielding, succulent, cylindrical, hollow, and often, eighteen months after the seed is sown, it bears fruit. The leaves are lobed, sinuous shaped like the hand with the fingers expanded; the leaf-stalk is hollow. The ripe seeds when chewed have the flavour of Indian cress. The acrid milky juice of the unripe fruit is used generally in the Mauritius and Malay countries as a cure against worms in young children. The flesh of old fowl which feed on its leaves or fruit become tender. In Barbadoes the flesh of animals hung to its branches becomes soft.\* The Javanese regard the seeds as valuable against worms, and use them very much. The female tree will not yield ripe fruit if the

\* Dr. John Davy however observes that the trials he made afforded "negative results, tending to prove that the effect on the meat was owing to other and incidental circumstances, rather than to any special power possessed by the plant."—(*Edin. New Phil. Journal*, Oct. 1855.

male is not near it, though at Malacca it is common for the male tree to give fruit. In the West Indies, the fruit is eaten with pepper and sugar; in the French West Indies, the negroes use the leaves to wash their clothes, instead of soap. In Barbadoes, the juice of the fruit is given to horses to reduce buffy blood. There are buds which give lateral branches if the top fail, showing how the tree can adapt itself to circumstances. It has a five-toothed calyx, corolla five-lobed: stamens ten, anthers turned inwards, stigmas five-lobed, placentas five, testa pitted, placentas spread over the whole surface of the carpels. The frost in the northern part of India is sometimes so severe as to destroy in a single night large *pepiayas*, its texture being loose. From its resemblance to the castor-oil plant, it is called *arankhurbuy*. The fruit is eaten both raw, boiled, pickled, and preserved. The tree is ornamental like the palm, the size and beauty of the leaf much admired by strangers.

32. PASSIFLORÆ.—Usually climbers. South America their head-quarters, where one of them, the *Passiflora carulea* grows thirty or forty feet high in a single season, and has a stem as thick as a man's arm.

*Jumká* (*Passiflora citriflora*).—Flowers very fragrant. *Passiflora edulis* and *quadrangularis* succeed well in various parts of Bengal, and appear to be naturalized in Ceylon.

33. MORINGACÆ.—*Horse-radish tribe*.

*Shajiná* (*Moringa pterygosperma*).—*Horse-radish tree*. The legume is an excellent pot vegetable; the leaves and flowers are eaten in curries; flowers used as a pickle in oil. The green root has the appearance, taste and qualities of the radish. It is pungent; used as a stimulant in paralysis, and an oil from the seeds is applied in rheumatism and in dropsy. The leaves are irregularly tripinnate, *i. e.*, twice or thrice pinnate, with an odd leaflet; the leaflets stand on slender purplish leaf-stalks, waving beautifully in the wind. The flowers white, tinged with yellow at the base. The

Javanese prize this tree very much for its legume, root, and seeds; in Jamaica the wood is used for dyeing a blue colour; the Koles in Orissa hold this tree in high veneration. Half the stamens sterile. A red-flowered species, *madhushigru*, found near Malda. India and Arabia the native countries, but now introduced into the West Indies, where a very pure sweet oil is extracted from their seeds, known in commerce as the oil of Ben; it is used by watch-makers, as it does not quickly freeze. A little of the juice added to mustard, makes it almost too pungent to taste. A gum made from its wounded bark. Its Sanskrit name *shigrumul*, sharp root—*gandha* scent, *i. e.*, its flower smells like honey—*shobánjan*, beautiful anointment, *i. e.*, its oil is good for the gout.

34. PORTULACÆ.—*Juicy plants*; insipid; no smell, dull green; half belong to the Cape of Good Hope.

*Barabuniyá* (*Portulaca oleracea*).—All over India, Ceylon, and Java. Leaves wedge-shaped, fleshy; flowers open at noon, and shut at two. In Cochin-China the seed considered emollient.

35. CRASSULACÆ.—Fleshy stems and leaves. Out of three hundred species in this order not more than two are found in the plains of India. Like cacti, resisters of heat, live on air; fleshy succulent leaves. Soil more of use for keeping them stationary than for nourishment.

*Himsúgar* (*Kalanchoe laciniata*).—An African plant. It has a wonderful power of resisting heat. One of this order, *Briophyllum calycinum*, was introduced into Bengal in 1799 by Lady Clive; it is now spread over the country. Its leaves are said to be acid in the morning, tasteless at noon, and bitter in the evening, this is owing to the light causing the oxygen to exhale from the plant. If the growing leaf is suspended in the air, it will keep green for several weeks, and in the mean time yield from its glandular serratures a crop of young plants. *Echeveria* has the



same property, so certain *Arums*, and *Gesneria*. It grows on dry spots, where even moss cannot grow, and draws moisture from the air. The succulent leaves are used by Mahommedans to clean ulcers and allay inflammation.

36. CACTACEÆ.—*Indian figs*. All natives of America. Leafless stems, some of which are flat as *Opuntia*, triangular as *Cereus*, cord-like as *Rhipsalis*, or melon-shaped as *Melo-cactus*. In Linnæus' time only 12 species of *Cactus* were known, now there are 400. Has a beautiful but short-lived flower; no distinction between calyx and corolla. One species supplies the red lue which tinges the Cochineal insect red. 70,000 form one pound of lac, 400,000 lbs. weight of which are sent from Mexico to England.

*Phani manasá* (*Cactus Indica*).—This is probably not indigenous to India, but, like the rest, South American. Joints proliferous; the little caduceous bodies over the joints are leaves, which are sub-conical. Thorns very strong; their insertions are surrounded with numerous sharp bristles, flowers from the upper edges of the joints, of a beautiful yellow, opening only in the day. Its chief nourishment is from the air, hence it flourishes in the hot deserts of South America, the thick skin and few pores, enabling it to retain a store of moisture, as the camel holds water in its stomach. On Mount Etna and its volcanic fields it is this *Phani manasá* which the Sicilians employ to render those desolate regions susceptible of cultivation, as its roots readily strike into the fissures of the lava, bursting the largest blocks asunder, and by their gradual increase making the soil capable of being worked. It yields a large cooling fruit sold there in considerable quantity. The donkeys in South America extract the juice when thirsty, stripping off the dangerous spines with their hoofs. It is used as a hedge plant in the Deccan, but it excludes air, and harbours venomous animals. Cultivators have an

objection to it, as it spreads so wide, and impoverishes land. The stems are used in cases of tooth-ache and for corns.

37. UMBELLIFERÆ.—*Flowers umbrella-shaped.* Leaves much divided, sheathing, hollow; furrowed and hollow stem; seeds have aromatic oil; narcotic, acrid, but rendered, like the potato, mild by cultivation. 900 species.

*Thalkuri (Hydrocotyle Asiatica).*—Native parsley. Creeping in shady places.

*Joán (Ptychotes ajowan).*—Seeds taste like carraway, used in flatulent colic, and cooking. Anthers redish. Sanskrit name *Bráhma-darbá*, Brahma's sacrificial grass. There is also the *ban joán*, the seeds of which are used as a medicine for cattle.

*Rándhani (Pimpinella involucrata).*—Seeds used in medicine, in disease and diet; three ribbed on the back.

*Pántorási (Uenanthe stolonefera).*—Roots jointed.

*Pánmahuri (Fœniculum panmori).*—Seeds eaten in curries; an annual of four or five months duration. Sanskrit name *madhuricá*, i. e., sweet-tasted seeds.

*Shulphá (Anethum sowa).*—Seed used for curries, flatulence and colic. Sanskrit name *mishreya*.

*Dhanyéá (Coriandrum sativum).*—Fruit carminative; when unripe has the smell of bugs.

*Gájár (Daucus carota).*—Carrot. Introduced from Persia.

38. LORANTHACEÆ.—*Parasites with a stringent bark.*

*Chhota mandá (Loranthus globosus).*—Leaves three-fold; when ripe the pulp of the fruit is yellow, clammy and elastic, which makes it adhere to the branches of trees, where it germinates; petals-shaped like a thong.

*Bara mandá (Loranthus longiflorus).*—Common on mango trees.

39. RUBIACEÆ (or *Coffee tribe*).—Febrifuges; emetic; two stipules at the base of the leaf; 330 Indian flowering plants compose this order, to which quinine belongs.

*Kadam (Nauclea cadamba).*—Noted for its pleasant shade, erect trunk, horizontal leaves, and beautiful orange coloured flowers; the large white clubbed stigmas project from the corolla, forming a large orange head: used as a medicine. Its capsules shaped like a ship (*nauclea*.) The holiest of Indian trees, fruit size of a small orange, eaten by the natives; stipules are triangular, seeds angular. Its Sanskrit names are *halipriya*, Vishnu's favourite—*jirnaparna*, old leaves, *i. e.*, rough—*karnapurak*, *i. e.*, leaves resembling the ear-drops of a Hindustani earring. Fruit used in a game. There is also the *kali kadam*, with beautiful wood.

*Gandha rāj (Gardenia florida).*—A native of China. The seeds nestle in a firm deep orange coloured pulp used for dyeing. The flowers pure white, are generally double; the petals of a fleshy substance, which gives the corolla a peculiar wax-like appearance. Berries turbinate, *i. e.*, the figure of a top, with as many sharp ridges as there are divisions in the calyx. Another of this family, *G. lucida*, yields a resin which exudes in transparent drops, or tears, from the extremities of the young shoots, and especially from the flower buds. This resin is chiefly useful for its medicinal properties, which resemble those of myrrh; it is employed by the natives as an anti-spasmodic to children attacked with convulsions during dentition.

*Khet páprá (Hedyotis Burmanniana).*—Leaves of one species are ear-shaped: another species yields the Indian mudâr.

*Ach (Morinda tinctoria).*—The bark of the roots is used to dye red, the green fruits are eaten with curries; wood hard and durable, variegated with red and white, and is preferred to any other for gun-stocks; there is also the *ban ach*.

*Mayná (Vangueria spinosa).*—Armed with three-fold thorns, leaves and stipules three-fold. Fruit and berry edible.

*Ranjan (Ixora bandhuca).*—Jungle geranium. Flowers the whole year; when they first open, they are scarlet, then they change to crimson. There is no stem, but there are many branches, which spread close to the ground in a hemispherical form. Its botanic name *Ixora* is the name of a Malabarian idol, to which were offered the flowers of some of the species. Its Sanskrit names are *raktaka*, i. e., red-blossomed—*bandhujib*, a friend of life. One species of this is called “the flame of the woods.”

*Jui (Pavetta tomentosa).*—Branches cross-armed, ascending. The *kukurchura*, belonging to this genus, has leaves smooth on both sides: the *páluk jui*.

*Káoyá ban (Coffea Bengalensis).*—A native of Sylhet.

40. COMPOSITÆ.—Flowers in clusters, so as to form one which is apparently single, generally yellow, with united petals; anthers adhere in a tube. Oil in some. Tonics. One tenth of the plants in the world belong to this order, which comprises 1000 species; they have hairs which brush the pollen out of the anthers, and thus contribute to fecundity. Many bitter and aromatic, some poisonous, others nutritive.

*Koksim (Vernonia cinerea).*—Every soil and situation suits it, it is in flower the whole year; stem finely furrowed; seed hairy; leaves lyre-shaped: the *bara-koksim* has a smell of turpentine.

*Somráj (Vernonia anthelmintica).*—Pappus of hairy bristles. Fl. CS. Stem clouded with elevated purple spots, tube curved, seeds hairy. All parts of this plant bitter; the powdered seeds are used as a worm medicine.

*Ban okrá (Xanthium orientale).*—Fl. CS. Two to three feet high. Found near rubbish and rivulets. Sanskrit name *arishta*.

*Surjeamukti (Helianthus annuus).*—Sun-flower. Originally from Peru, where the Peruvians considered its flowers as emblems of the sun, they made golden images of the flower, and with them decorated their priests at the temples. The

Spaniards were surprised at the riches shown on these occasions; when they afterwards saw the plants glistening in the fields, they thought they were of gold. The sun-flower is said to turn its flowers in the direction of the sun, hence it has been called the Sultan of flowers—Moore writes—

The heart that has foldly loved never forgets  
But truly loves on to the close,  
As the sun flower turns to her god when he sets  
The same look which she turned when he rose.

Oil is extracted from the seeds, which also afford nutritious food for poultry and cakes for the North American Indians; leaves 3 nerved.

*Hingchá (Enhydra heloncha)*.—Extending itself considerably over the surface of the adjoining pools of water.

*Gendú (Tagetes erecta)*.—*African marygold*. Originally from Mexico like tobacco, though now considered as indigenous in Persia, China, and India. It is a great favourite with Indian gardeners, and also with the Chinese; and in Germany it is called the golden flower. The African marygold denotes rain if its corolla shuts after eight in the morning; the barley also forewarns of it by lengthening its awns. In Holland, when the monarchical party sided with the Prince of Orange, the republican party, in their hostility, rooted up all the oranges and marygolds in the gardens, and even prohibited the sale of oranges and carrots in the markets, on account of their colour. The true marygold, called *Calendula*, was thought to flower in the Calends of every month. In warm summer evenings flashes of phosphoric light have been seen to play round the petals. It opens its flowers *with the sun*. The modest yet glowing marygold was named so in honor of the Virgin Mary, hence also the name of the flower called our Lady's slipper. There are two species; the French marygold, *chhotá-genda*, and the African, *bara-genda*.

*Chandra mul* (*Pyrethrum Indicum*).—A native of China ; root biennial, has no stem ; roots fragrant but bitter ; used as a medicine and perfume ; seeds with a margin round the apex ; flowers impress a peculiar pricking sensation on the tongue when chewed.

*Háncuti* (*Miriogyne minuta*).—Seeds used by natives for snuff.

*Náy dáná* (*Artemisia vulgaris*).—Indian worm-wood ; named after the goddess Diana (*Artemis*) ; stalks channelled ; leaves whitish below, green above, when rubbed have an agreeable smell. Employed by the ancient Greeks, and by the Chinese in medicine. Common in England. The *dáná* has bitterish leaves.

*Kusum* (*Carthamus tinctorius*).—Safflower ; flowers used by dyers, the seeds for oil, and also in rheumatism.

### 3RD. SUB-DIVISION. COROLLIFLORÆ.

*The stamens adhere to the corolla, which has all its petals united.*

41. SAPOTACEÆ.—Milky ; flowers hermaphrodite. 200 species. Gutta-percha belongs to this order.

*Bakul* (*Mimusops elengi*).—Named *Mimusops elengi* from a fancied resemblance of its flowers to an ape's face. Leaves a deep shining green ; noted for its drooping very fragrant flowers ; it grows wild only in the Rajmundry Sircar. Branches very numerous, with the extremities ascending, so as to form a most elegant globular thick head. The bark is astringent, used in medicine ; two rows of sepals, two wheels of lobes to the corolla. Fruit sweet and astringent ; which improve the colour of the skin. Musalmans plant this tree round their mausoleums.

*Muawia* (*Bassia latifolia*).—Flowers distilled yield an intoxicating spirit drank very much in Behar ; seeds produce an oil used in making native soap.

42. EBENACEÆ.—Ebony tribe. Bark febrifuge. Black hard wood in some.

*Ban gáb* (*Diospyros cordifolia*).—Berry eight-seeded. Fl. HS. Another species, the *gáb*, (or *Diospyros tomentosa*) is a large tree; the astringent viscid mucus of the fruit is used for paying the bottom of boats. Fishing nets are steeped in an infusion of the fruit, to make them more durable.

43. JASMINEÆ.—*Night scenters*. Fragrant oil from the flowers; corolla salver-shaped, five or more cleft, yet only two stamens; petals fold over each other like tiles of a house. Have a tendency to ramble or climb.

*Ban-mallika* (*Jasminum sambac*).—*Arabian jasmine*. Very common in every jungle, owing to birds eating the berry, and dropping the seeds, which vegetate; the berries are a beautiful shining black. In the axils of the veins on the back of the leaves are tufts of down, as in certain *Gardenias*. The flowers offer a rich cup to the gay butterfly. In Tuscany, the damsels on their wedding-day deck themselves with a nosegay of jasmine, in memory of a girl betrothed to the Duke of Tuscany's gardener, who made a fortune by the sale of this jasmine, then known only to the Duke, who forbade any to be given away; but the gardener gave in a nosegay a sprig to his betrothed on her birth-day; to keep it fresh, she put it in the earth; shoots came up, a demand arose for it, she made a fortune, which she presented to her lover on her marriage-day. Hence the ladies in Tuscany have a proverb, "she who is worthy to wear jasmine flowers is a fortune to her husband"—

Brides, as delicate, as fair,

As the white jasmin flowers they wear.

*Kunda* (*Jasminum hirsutum*).—Anthers beaked; stigma clubbed.

*Jui* (*Jasminum auriculatum*).—Branches cross-armed, ascending flowers open in succession; lower leaves in threes. Sanskrit names *majadhi*, produced in South Behar—*ganiká*, country—*yuthicá*, a mixture.

*Jati* (*Jasminum grandiflorum*).—Flowers white, externally suffused with purple ; commonly used to make *durbar* or wedding garlands. Climbing. Three or five leaflets, confluent, *i. e.*, running into one another. Sanskrit names *suman*, handsome—*málati*, presented to Vishnu. The corolla has purplish edges.

*Singáhar* (*Nycthanthes arbor tristis*).—Called the sorrowful tree, because its flowers, scentless by day, open at sunset, and at sunrise lie dead and scentless. Used by Indian ladies for garlands. In Bengal it flowers chiefly in the rainy season, but in Madras nearly all the year. The flower, is very fragrant, smelling like that of fresh honey. The orange tubes give a most beautiful dye, but it is not permanent. It is grown only from seed, hence there are few varieties. It was introduced into Pisa from Spain, and, to secure it, a sentinel was placed there by the Governor to guard it. Its Sanskrit name is *nishipushpa*, the flower of the night—

Plants which sleep while others wake,  
Like timid jasmin buds that keep  
Their odour to themselves all day,  
But, when the sun-light dies away,  
Let the delicious fragrance out  
To every breeze which rounds about.

Branches square; leaves fall off in the hot season ; used for polishing wood.

The *bela* and *bara-bel* also belong to this genus.

44. MYRSINÆ—Abound in insular localities.

*Ban jám* (*Ardisia humilis*).—One or more trunks from the same roots. Leaves glossy, wedge-shaped ; juice of the berries bright red, but on paper it changes to a durable brown.

45. APOCYNACEÆ.—*Dog-banes*. Some are milky shrubs, poisonous, though with beautiful flowers ; some are fibre-yielding. The embryo inverted. Corolla twisted before opening. Stigmas collected into a massive head, expanded at the base in the form of a ring, contracted in the middle. The Cow tree of Guiana belongs to this order.



*Shyeama latá (Ichnocarpus frutescens)*.—A twiner like the *malati*. Stalks and leaves used in the form of a decoction in fever. Roots currently employed in hospitals under the name of country sarsaparilla.

*Hápar máli (Vallaris dichotomas)*.—A twiner. Juice used in wounds by natives.

*Gulachin (Plumiera acuminata)*.—Every part is full of a tenacious white juice, which exudes plentifully on being wounded. Trunk crooked, eight feet high. Branches three-forked, swelled towards the ends. Leaves wedge-shaped, lanceolar, acute. Many straight veins run towards the circumference, and are lost in another waved vein, which surrounds the leaf within the margins; some one foot long. Leaf-stalks long, with a small channel on the upper side. Flowers succeed one another for a great length of time: on the outside tinged red, inside pale yellow: fragrance chiefly at night. Corolla funnel-shaped, divisions obovate. Seeds in thirty-five years once.

*Karabi (Nerium odorum)*.—*Oleander*. Called the laurel rose. It is poisonous, hence its Sanskrit name *ashvayna*, horse-destroying—*payari*, horse's enemy—*shatapras*, one hundred darts. A decoction of its leaves forms a wash used in the South of Europe to destroy vermin on the skin, in Bengal for a blood-shot eye: its powdered wood and bark served at Nice as the basis of an useful rat poison. Seven French soldiers were in 1809 poisoned near Madrid by eating meat roasted on sticks of oleander used as spits. Prussic acid is obtained from it. The root is often taken by Hindu women to destroy themselves when tormented by jealousy. The bark of the root, and the sweet smelling leaves, are applied to sores. In the South of France they cure the itch by a wash made from its leaves and bark. Leaves contain tannic acid; they have no pores, but, in lieu, cavities filled up or protected by hairs. The pith is triangular in shape. There are four varieties—the *rakta*, with red flowers, the *swet* with white, the *lál*

*padma* with double, and the *swet padma* which flowers the whole year.

*Chhátin* (*Alstonia scholaris*).—Bark powerfully tonic, used by villagers in bowel complaints. Its juice valued for spleen and tooth-ache. Wood as bitter as Gentian.

*Tagar* (*Tabernæmontana coronaria*).—Tube yellow; flower white, generally double; fragrant at night; forked two branches. Stipules within the leaves and resinous; pulp yields a very beautiful colour. *Phirki tagar*, the name of the single-flowered one—*hara tagar*, of the double-flowered. One of this genus has such beautiful fruit and flowers that the Ceylonese say it was the forbidden fruit.

*Karamchá* (*Carissa Carandas*).—Has a gray bark; the branches two-forked, stand at nearly right angles, having sharp thorns in pairs at their division, hence its Sanskrit name *karmarda*, hand-bruise. The flowers are like jasmine; the fruit is used to make pickles, tarts, &c. It forms an almost impassable fence. The berries are a shining black.

*China Karur* (*Cerbera Thevetia*).—A large shrub, or rather, a small tree, with oleander-looking leaves, and pretty bell-shaped, bright yellow, sweet scented flowers; fruit size of a crab apple: it is easily propagated from cuttings. A native of S. America and the W. Indies; naturalized in Bengal. The seeds yield a good limpid oil, valuable for lubricating fine descriptions of machinery.

46. ASCLEPIADEÆ.—*Acrid milky juice*. The grains of pollen in this order are collected into waxy masses. The medicinal effects of some species originated its name from *Æsculapius*, the Roman God of medicine. Generally twin-ing perennials. The seed-vessels are in pairs, and, on bursting, display a quantity of thistle-like down attached to each seed which floats them.

*Anta mul* (*Tylophora vomitoria*).—The root, given in a large dose, is an emetic; in a small one, purgative. A substitute for *ippecacuanha*.

*Ākhanda (Calotropis gigantea).—Madar.* Abounds every where in India. Famous for its root, which, is used in fevers, ringworm, leprosy, and rheumatism; also for making charcoal; it is often substituted for ipccacuanha. Tanners use its juice to take off the hair from skins, and the Rajputs to poison their daughters. The leaves are employed in dropsy, and, being warmed, are applied to any limb swollen with rheumatism; in Bahar, they are burnt for fumigating obstinate sores: the leaves are eaten by only three creatures with impunity—the grasshopper, caterpillar, and goat. A large cricket also feeds on its leaves. Each of the seeds in the large pod has cottony hair instead of a skin, and in Northern Africa a stuffing for mattresses is made from it by Europeans. Ten plants will yield one pound of a juicy substance like gutta-percha. The fibre is used for fishing nets on the Indus, and could yield a silky flax. This plant comes to maturity in a year, and requires neither water nor culture. Its flower has beautiful rosy purple points, and a fine white centre. The stamens have a kind of crown; the pollen is glutinous. The Arabs use the acrid milk to stupify monkeys which they wish to catch. The Nubians use the filament of the fruit as tinder. Sanskrit name *arkaparna*, sun-leaves—*pratápasha*, heat-destroyer—*ganarup*, many-formed. Grows in the most barren soils, and might be used to reclaim poor soils.

*Duda lata or kerui (Oxystelma esculenta).—*Leaves fall off in cold season. Sanskrit name *dughdiká*, as every part abounds in milk. Flowers furrowed with purple veins. The *shomlatá* of this genus yields a mild juice, used by thirsty travellers.

*Chágal Páti (Cynanchum pauciflorum).—*Juice very gummy; yields a very fine fibre. Its botanic name signifies the dog-strangler, *i. e.* it is poisonous.

*Chágal bánti (Dæmia extensa).—*Smell offensive. Furnishes a fine silky fibre. Follicles like a hedge-hog in shape, their native name means “like a goat’s nipples”.

*Ananta mul (Hemidesmus Indicus)*.—Roots used by Natives for the thrush. The anthers and stigma are only half attached, hence its name. An emetic, and said to be a good substitute for sarsaparilla.

47. GENTIANACEÆ.—*Bitter tonics*. Ribbed leaves. Found on snowy mountains, and hot sandy plains. The *chiratá* belongs to this order.

*Gimá (Erythraea centaurioides)*.—Stems four-sided.

*Páinchuli (Villarsia Indica)*.—*Indian buck bean*. Floats on sweet waterpools, its roots often do not reach the bottom.

48. PEDALIACEÆ.—*Oil seed tribe*. Leaves emollient. Africa their head-quarters.

*Til (Sesamum Indicum)*.—Leaves emollient; the upper always narrower. Sown in February, crop got three months after; depends much on the dew for moisture. On the 11th of Magh, when there are ceremonies in honor of Bhima, water and oil of *tila*, offered to the *pitris*, are considered equal to obsequies continued for one hundred years. Sanskrit name *atul*, unequal. The *krishna til* of a large size, and a dark color, is sown in June; it yields the gingely oil of commerce largely employed to adulterate olive oil.

49. CONVULVULACEÆ or *Jalap tribe*.—*Bind-weeds*. Herbs; twining; many with a purgative milky juice, arising mostly from the roots. Corolla plaited. 660 species.

*Kalmi latá (Rivea bona nox)*.—Leaves used as a pot-herb. Found in abundance in Midnapore. Flowers expand at night, perfuming the air with the scent of cloves.

*Bich Tárak (Argyreia speciosa)*.—Its Bengali name means destroyer of poison, i. e., it heals wounds. Climbs to the tops of the highest trees. Veins parallel; under-side of the leaves covered with a silky silver colored down; leaves applied to boils, the upper side used in Madras to disperse boils, the lower to ripen them. The *chhota-bich-tárak*

(*Argyreia argentea*) or elephant-creeper, called also *samudra-shok*, ocean's joy, has pink flowers.

*Bhui Kumrā* (*Bátatas paniculata*).—Root purgative; flowers dark red purple. Eaten by cattle. Seeds woolly all round: powder of root used in spleen.

*Lál Shakar Kunda álú.* (*Batatas edulis*).—Sweet potato. Roots nutritious; this vegetable is cultivated in Scinde, and also by the New Zealanders. The *saphed* has white tubers.

*Nil Kalmi*, or *Kálá danná* (*Pharbitis Nil*).—Its seeds are an excellent and cheap purgative; they are roasted like coffee, and the powder given. Dr. O'Shaughnessy remarks of it—"In ten-grain doses it produces all the effects of jalap with certainty and speed; the taste is scarcely perceptible. The seeds sell four seers for one Rupec. We have thus a remedy of unparalleled cheapness, perfectly equal to jalap as a cathartic, superior to it in portability and flavor, occurring in all parts of India." Common through India during the rains. Its large blue flowers very beautiful, expand early in the morning, hence called in Virginia "morning glory."

*Dudhiya* or *Dál Kalmi* (*Calonyction Roxburghii*).—Stem runs the height of ten or twenty feet; flowers, very large and fragrant, open at sunset and close up the following morning. In the Circars it flowers in the cold season; in Bengal in the rains. Bark of the roots employed by Natives as a purgative; the root has been found to contain resin, fatty matter, volatile oil, albumen, starch, fibre, malic acid, and various salts.

*Kalmi Shák* (*Ipomea reptans*).—Forms a net work of vegetation on the surface of fresh water jheels. Stem piped, jointed, many fathoms long; flowers rose-color. Stigma two-headed. The tender top and leaves are eaten in curries.

*Chhágál Kuri* (*Ipomea pes capræ*).—Leaves two lobed like *Bauhinia*, boiled and applied externally by natives in colic.

In sandy beaches it binds the loose soil, and renders it fit to bear new grass.

*Teori (Ipomea Turpethum)*.—Roots rubbed up with milk used by natives as a purgative.

*Bhuí Kámri (Ipomea Gangetica)*.—Stems strike innumerable roots from the joints; flowers a bright yellow, open late in the forenoon, and shut early in the evening.

*Ban kalmí (Ipomea striata)*.—Fruit the whole year.

50. BORAGINACEÆ.—*Rough leaved*. Herbs having hairs rough to the touch; mucilaginous. Some contain nitre, and crack when thrown on the fire. The *Boraginaceæ* have round stems, while the *Labiataæ* have them square.

*Hátsurá (Tiaridium Indicum)*.—May be seen at all seasons, with its blue lilac flower; it delights in rubbish and bye-ways. Its Sanskrit names are—*bhurundi*, earth-grower—*shrihas-tini*, what is held in the hands of the Goddess of Fortune. Stem dichotomous, *i. e.*, ramifies in pairs; juice of the leaves applied to painful gumboils, and to repel pimples on the face, and in Jamaica mixed with castor oil to relieve the pain of scorpion stings. Leaves wrinkled, margins curled. Flowers have no stalk, arranged in two rows on the upper side of the spike.

51. LABIATÆ (or *Mint Order*).—*Aromatic oil*. Lavender belongs to this order. Corolla two-lipped, and tube-shaped; stem square; tonics; aromatic oil in their leaves, which remains for years, even after the plants are dried.—Not so with the Jasmine order. Favorites with cooks and perfumers. Herbaceous plants; 1700 species.

*Kála Tulsi (Ocimum sanctum)*.—This is a very sacred plant with the Hindus, being usually placed on a pedestal near a house or a temple of Vishnu. The myth goes that Tulasi, a female, wished to become the spouse of Vishnu, but Lakshmi (his wife) in jealousy changed her into the Tulsi shrub; Vishnu however promised to be with her under the form of a *salagram* or holy stone, this stone

is accordingly placed by Hindus near it. In the month of May the tulsi is watered from a pot placed over it. In the Eastern islands, it is cultivated with great care for the purpose of strewing on graves. On the Srirámnavami festival, 9th of Chaitra, the birth of Ram Chandra, ceremonies are to be performed with the tulsi leaves. The Native doctors render the poison of snakes fit for use by stirring it with the filtered juice of tulsi leaves. Ten ounces of the juice with one drachm of quicksilver, half an ounce of sublimed sulphur, half an ounce of dhunes, one drachm of sohage, two drachms of goat's milk, made into a thin paste with vinegar, and rubbed over ring-worm, are found very useful. The stem and flower are dark purple; all fragrant. The Sanskrit name is *parnáśá*, beautiful leaved. In England, the *rosemary*, one of this order, is used as a symbol of fidelity, for wedding garlands, and to spread over graves.

*Bábuí Tulsí (Ocimum basilicum).*—Its Latin name means *royal spice*. Sanskrit name, *mangoriká*, the beautiful. Flowers white. Seeds steeped in water swell into a pleasant jelly, used by Natives in cough and dysentery, very nourishing and demulcent.

*Gulál Tulsí (Ocimum glabratum).*—Flowers white.

*Rám Tulsí (Ocimum gratissimum).*—Flowers pale yellow, the most fragrant of all. The Chinese flavor many of their dishes with it.

*Rám Tulsí (Ocimum ascendens).*—No scent; flower pale rose-colored; stamens twice the length of the corolla.

*Tulsí (Ocimum villosum).*—Flower pale greenish rose-colored. Tender shoots clothed with much white soft hair. Juice of the leaves mixed with ginger and black pepper is given during the cold stage of intermittent fever; it is also prescribed to allay vomiting arising from irritation produced by worms. Sanskrit name, *arjáka*, the gainer.

*Páthar Chur (Coleus amboinicus).*—The juice is used in colic, dyspepsia, producing an intoxicating effect; in

Cochin China in cases of convulsion or epilepsy. Flowers pale blue; rarely found in flower; stems creeping, succulent, fragrant, and eaten with butter.

*Pání Kalá (Dysophylla verticillata)*.—Indian mint. Flower purple; filaments woolly. The *jal latú* or *Mentha fruticosa*, with its hairy stamens, belongs to this genus.

*Pudíná (Mentha viridis)*.—Spear-mint. Like the pepper-mint (*Mentha piperita*) does not flower in Bengal.

*Bhu Tulsi (Salvia plebeia)*.—Found also in New Holland and China.

*Gobará (Anisomeles ovata)*.—Fl. CS. Leaves downy; flowers reddish purple. The whole plant has a strong camphoreous smell.

*Svet básanta (Leucas procumbens)*.—Creeping stem; calyx funnel shaped, ten furrows.

*Chhota halkasá (Leucas aspera)*.—Leaves used as a pot-herb. The plant has a considerable degree of a peculiar fragrance.

*Bara halkasá (Leucas cephalotes)*.—Calyx ten divisions.

*Halkasá (Leucas linifolia)*.—Flowers used to decorate idols. The Ceylonese attribute almost miraculous curative powers to this plant. The leaves are bruised and a tea-spoonful of juice given, which is snuffed up the nostrils, and used by natives in the N. W. as a remedy against snake-bites; the mongoose also eats it. The fresh juice is employed as a remedy against head-aches and cold.

52. VERBENACEÆ.—In cold climates mere herbs but includes in India the *Clerodendron*, four feet high, and the teak two hundred feet.

*Ban jám (Clerodendron inerme)*.—Flourishes near the sea.

*Bámanháti (Clerodendron siphonanthus)*.—Fl. HS. Greenish white, with very long tubes.

*Bhánt (Clerodendron viscosum)*.—It is generally found under the shade of large trees, in consequence of birds dropping their seeds there. Stamens curved, ascend until fecundation is over, then decline; calyx red, stem quadrangular;



leaves egg-shaped, but, when old, approach more to the lance form.

*Nishindá (Vitex negunda)*.—Leaves bruised are applied to the temples in head-ache; and to the leaves of books to prevent attacks of insects. Pillows are stuffed with them to remove catarrh. Sanskrit name *sinduvára*, near the sea—*indrasuras*, the best juice.

*Segun (Tectona grandis)*.—*Teak*. Introduced into Bengal by Col. Kyd and Lord Cornwallis. Flowerstalk quadrangular; flint in abundance in its wood. Often rises to the height of 200 feet: the leaves 20 feet long by 16 broad.

*Bhui okrá, or chota okrá (Zapania nodiflora)*.—Found in Europe, North America and the isles of the Pacific. Sanskrit name, *vashira*.

*Biná (Avicennia tomentosa)*.—Sunderbunds. Bark used in Rio Janeiro for tanning.

53. ACANTHACEÆ.—Herbs and shrubs. Seeds attached to curious hooked projections; leaves gave the model of the Corinthian capital. Calyx shaped like tiles. Bitter. Inhabit alike the marsh and moist and arid ground, the sea beach and the tops of the highest mountains.

*Kántá kuliká (Asteracantha longifolia)*.—Flowers blue; stigma awl-shaped.

*Shádá Játí (Barleria dichotoma)*.—Flowers white.

*Játí (Barleria cristatá)*.—Flowers blue.

*Kántá Jánti (Barleria prionitis)*.—Flowers yellow, and all the year; thorns in the axis of the leaves; leaves decussate, *i. e.*, cross each other at right angles; stigma pitted. Very much like the common English holly.

*Hákuch kántá (Dilivaria ilicifolia)*.—Found near brackish water. It flowers all the year on the Coromandel coast; in Bengal only during the rains. Leaves dentate, *i. e.*, the margins having incisions like teeth. Calyx has three pair of leaflets; anthers very hairy. Very common in the swamps near Galle in Ceylon. Leaves spinous like holly. The veins

of the leaves are hardened at the extremity, and project in the form of thorns; the cause is that the development of the cellular part of the leaf is stopped, and a change takes place in the structure of the veins. Sanskrit name, *hankusa*.

*Bâkas (Adhatoda Vasica)*.—It is a native of Ceylon. Fl. CS. The flowers have small ferruginous dots, and the lower part of both lips is streaked with purple. The corolla *ringent*, i. e., like a dog snarling. The wood is used for making charcoal by the Sikhs, and the flowers, leaves, and roots for anti-spasmodic purposes. The juice of the leaves is given in a dose of 2 drachms, with 1 drachm of the juice of fresh ginger, as an expectorant in coughs. Its Sanskrit names are *vajidântas*, flowers like a horse's tooth—*vaid-eamâtri*, physician's mother—*vaideasingha*, medical lion, i. e., its flowers, leaves, root are anti-spasmodic, and are given in asthma and intermittent fever.

*Jagatmadan, or Gandaras (Gendarussa vulgaris)*.—Bark, veins and leaves dark purple; the lower anthers have a spur-like process, projecting downwards and upwards. Leaves have, when rubbed, a strong, not unpleasant, smell, and are used, when roasted, in cases of chronic rheumatism.

*Kâla Jânti (Eranthemum nervosum)*.—Stems many. Flowers bright purple.

*Udu Jâti (Justicia dentata)*.—Flowers azure. To this genus belong the *chota michetâ*.

*Jui pânâ (Rhinacanthus communis)*.—Roots rubbed with lime-juice and pepper used to cure ring-worm: never ripens its seeds: supposed to be a snake antidote. Sanskrit name *Yuthakâ parni*.

*Bet rang (Peristrophe tinctoria)*.—Flowers in October.

54. SOLANEACEÆ.—*Potato tribe*. Nârcotics or stimulants. Plaited corolla. Used as food, medicine, or poison. Cooking or blanching destroys the poisonous properties, as in the potato, whose leaves and berries are narcotic.

*Kúphri Marich* (*Capsicum grossum*).—Flowers white. There is also the *lál langká marich*, with an orange fruit, the *haldi langká* with yellow, and the *dhán langká* called *chili*, because of its American origin. They are in Mexico to food what salt is in India.

*Gorkhi* (*Solanum rubrum*).—A common weed in Bengal, but in the Mauritius it is cultivated as a pot-herb. With flowers and ripe seed the whole year round.

*Aras* (*Solanum verbascifolium*).—In the Telinga country this is a tree; berry the size of a cherry.

*Gotu begun* (*Solanum torvum*).—Leaves have flattened prickles. The *Godh begun* (tomato or love-apple) is of foreign origin.

*Begun* (*Solanum melongena*).—*Brinjal* or *egg plant*. In a poor soil they have many prickles, but in a rich one, few. Blossom and bear fruit the whole year. Leaves obliquely egg-shaped. The plants are annually raised from seed, though all the varieties are perennial, but, like the *chilis*, they are not so productive after the first year. Called in Sanskrit *sinhi*, the lion or pre-eminent egg plant. There is a variety, the *kuli begun* (*Solanum longum*) which has its fruit cylindrical, whereas the *begun's* is oval.

*Byákur* (*Solanum indicum*).—Berries a deep orange yellow.

*Rám begun* (*Solanum ferox*).—Leaves double.

*Kantakári* (*Solanum Jacquini*).—Berries yellow when exposed to the sun, white when sheltered. Sanskrit name *kshurika*, the scratcher, *i. e.*, with its thorns. The seeds used in tooth-ache.

*Ashva Gandha* (*Physalis somnifera*).—Employed by the Telinga physicians as an antidote to poisons. Though naturally perennial, yet the plants are reared annually from seed, as they are not fruitful after the first year.

*Tepariyá* (*Physalis Peruviana*).—*Indian goose-berry*. Yellowish palatable berries, which yield an excellent preserve.

*Ban Tepariyá (Physalis minima).*—Branches furrowed.

*Dhutura or Thorn Apple (Datura-alba) Stramonium.*—  
Called the thorn-apple, as its fruit is a round ball surrounded with thorns. All over India, though not a native of India, but of South America. Of this Bishop Heber writes—

While to the cooler air confest  
The broad datura bares her breast  
Of fragrant scent, and virgin white,  
A pearl around the locks of night.

Of the same order with the potato, though so violent a poison, as to be called “the rogue’s friend,” the seeds being used by thieves to stupify persons whom they afterwards rob. Similarly, the Scots once being compelled to supply the Danes with food, mixed bella-donna juice with it, and, during the state of intoxication that ensued, cut off nearly their whole army. The Malays use it for stupifying their victims. Called in Sanskrit, *khal*, the wicked tree,—*már*, death—*unmatta*, making mad—*kitáva*, a gambler—*dhurta*, cheating as a jackal—*dhustura*, destroying elegance—*kanaká*, shining—*sumana*, beautiful. In France it is called *herbe aux sorciers*, as also *trompette de jugement*. The fruit has four valves; thorny. The corolla is shaped like a funnel or trumpet, and plaited as it was in the bud; the calyx is angular; the capsule is four-valved. Eleven different species, some in Abyssinia, others in America. The dried leaves and roots of the *kála dhuturá*, called in England herb tobacco, are smoked for asthma, and the powder is used for violent head-aches; it enlarges the pupil of the eye. Seeds made into pills good for a decayed tooth. Chinese use it in tricks in trade. The juice is mixed with arrack, to make it more intoxicating. The calyx five cleft, breaking off after the flowering, leaving a wide ring round the seed-vessel.

Stramonium in the deep and death like trance  
Thy potent spell the spirit binds.

The capsule encloses the stamens, and is covered with spines.

The *kāla dhutura* has the two sides of the leaves unequally ovate; pericarps tubercled, margins lobate, and flowers double. The leaf has several salient angles on the margin, and is angularly toothed. The dry root smoked removes spasmodic asthma. The seeds of the *kanak dhaturá* are never used medicinally, unless previously boiled with milk.

#### 4TH SUB-DIVISION.—MONOCHLAMYDEÆ.

*One floral envelope, i. e., single, not consisting of calyx and corolla. Some of the best timber trees belong to this sub-division.*

55. PLUMBAGINACEÆ.—Astringents. Corolla funnel-shaped.

*Chitá (Plumbago Zeylanica).*—Stems many-jointed; leaf-stalks channelled. The roots reduced to powder, and made into a paste, with a little congee, are applied to the skin to produce a blister; used in the South Seas also for the same purpose. The root used in combination with *bishtali* is applied in cases of enlarged spleen, and as a tonic in dyspepsias; in the Sandwich Islands it is employed to stain the skin permanently black. Corolla plaited, with a solitary seed, suspended in a curious manner by a spring, that arises from the base of the ovary, and twists over the seed. Sanskrit name *agnimukha*, fiery face. There is also the *rakta chita*, with red flowers; mixed with strong vinegar, it is rubbed on leprous sores.

56. PLANTAGINACEÆ.—Astringent.

*Isáph Gul (Plantago Isphagula).*—Seeds steeped in water used as an emollient for coughs; they are convex on the outside, concave within. Leaves three-nerved; flowers arranged like the tiles of a house.

57. NYCTAGINACEÆ.—Roots purgative. Flowers of some blow at night.

*Krishna (Keli Mirabilis jalapa)*.—A native of Peru ; introduced into the Calcutta botanical gardens about 1794. In Ceylon there are four varieties: purple, yellow, white, variegated. Called by the English “the marvel of Peru,” and by the French “the beauty of the night,” as it then expands its richly dyed corollas of various colours, yellow, white, red and white, red and yellow, hence from shunning the light of day, it was used as the emblem of timidity, as the sensitive plant was of modesty, which latter is affected by even a cloud passing over the sun. The females of Japan prepare with the powder of the seed a kind of white paint for their faces. The flower is only a petaloid expansion of the calyx, not a corolla. The stamens, inserted on the receptacle, grow from beneath the pistils, adhering together at the base, so as to form a kind of cup. If a skin of the leaf be lifted up a little, spots are observable, these are *raphides*, or needle-shaped transparent crystalline bodies, which are to plants what calculi are to animals ; they are made of phosphate of lime. The base of its thin membranous calyx is converted into a tough or bony shell, which acts as a pericarp to the seed. The natives think its root is aperient ; Europeans once thought that it was the true Jalap plant.

*Gádá purná (Boerhaavia erecta)*.—Purgative and emetic, but heat removes those principles ; common through India ; its spindle-shaped root strikes so deep as to render it difficult to eradicate. Sanskrit name *purarnava*.

58. AMARANTHACEÆ.—Flowers in dense clusters ; called the undying ones, because their flowers retain their bright colors even when dead, the closed calyx retains the leaves even when dead. Leaves sweet, gummy. Few in cold countries. Some of this species have high medical repute ; and in Brazil they have a name which means good for every thing—as if everlasting flowers could confer immortality on man—yet they are mere pot-herbs.

*Lata Mahuriya (Digera muricata).*—Stem, when young, erect, ever afterwards prostrate. Leaves and tender tops used by the natives in their curries.

*Ghol mahini (Deeringia Indica).*—A climber, has bright red berries; one of this genus, the *viridis*, used in Java for measles.

*Ghintí Nati or Jil Chumli Chukni. (Amaranthus tenuifolius).*—Leaves wedge-shaped, no stem, but lateral fibres of a bright pink.

*Cheru Nati or Chila Nati. (Amaranthus polygonoides).*—Leaves obovate, grows wild; used very much by native convalescents as a pot herb.

*Champa Nati (Amaranthus polygamus).*—Branches furrowed; leaves thin, shape of rhombus, bristly. Used in bilious disorders, and as an aperient. Sanskrit name *alpamarish*, a little enemy. There is also the *lál champa natiyá*, a reddish variety.

*Gobará Nati (Amaranthus lividus).*—Stem and leaf-stalks bright red, leaves dull greenish purple.

*Shádú Nati (Amaranthus oleraceus).*—Leaves vary in shape, from broad rhomboidal to egg-shaped and spear-shaped. The tops of the young stems and branches were formerly brought to table in India, as a substitute for asparagus.

*Lál or Ranga Shák (Amaranthus Gangeticus).*—Various shades of red, like the species the English call “love lies bleeding.” If cut, no crop from the same root.

*Báns pát Nati (Amaranthus lanceolatus).*—Means the bam-bu-leaved amaranth; capsule circumcised and wrinkled.

*Lál Nati, or Rangá ká Nati (Amaranthus atropurpureus).*—Leaves above a shining crimson, below purple.

*Tun tun Nati, or Ban Nati (Amaranthus fasciatus).*—Green in every part, with the exception of a crescent-shaped fillet of paler green crossing the centre of the leaves.

*Kántá Nati (Amaranthus spinosus).*—Sharp spines in the axils of the leaves.

*Chháyá* (*Æruá lanata*).—Woolly branches, roots given in decoction, in strong whey.

*Nuriyá* (*Æruá scandens*).—A climber.

*Shvet murgá* (*Celosia argentea*).—Cockscomb, i. e., crested flowers. Some of the species appear as if they were *singed*, hence the name *Celosia*. Assumes very different appearances according to the soil or situation. Plants from the same seed have leaves of very various breadths.

*Lal Murgá* (*Celosia aristata*).—Cultivated for the sake of its strange looking, beautiful, crested flowers. There is also the *haldi* or yellow sort. The flowers are astringent, and are used in diarrhœa.

*Lálgul Makmal* (*Gomphrena globosa*).—At first erect, by age spreading. Flowers crimson; the *saphed* is white. Sanskrit name *ámáná*. The native women wear them in their hair: in Catholic Europe they are used for decorating churches. Thus Milton—

Immortal amaranth, a flower which once  
In Paradise, fast by the tree of life,  
Began to flower.

*Rakta shelenchi* (*Psilotrichum ferrugineum*).—Stem four or five-sided and rust-colored.

*Apáng* (*Achyranthes aspera*).—Its botanic name so called, because its floral envelopes resemble chaff. Sanskrit name *madhukar*, honey-maker—*apamarga* the washerman, as the ashes are used in washing linen. Flowers bent back. Fruit nearly the whole year. Leaves green on both sides, dotted underneath, taken fresh and rubbed to a pulp are applied externally to the bites of scorpions. Root used on the Coromandel coast for a tooth-brush, in Bengal for snake-bites, and also in dropsical cases; given in an infusion as a mild astringent in bowel complaints. The flowering spike made into pills, with a little sugar, is a popular preventive medicine in Bahar for persons bitten by mad dogs. The



whole plant, when macerated, yields a considerable quantity of potash.

*Daiya khaiyā* (*Desmochata atropurpurea*).—Biennial. The flowers grow as if in a sheath.

59. CHENOPODIACEÆ.—*Indian cabbage tribe*. Leaves fancied to be shaped as a goose's foot, hence the name; no corolla. Sugar made in France from the beet, one of this order. Leaves of another of this order used in Mexico for tea.

*Jadupálang* (*Salicornia Indica*).—In salt marshes. Yield an ash valuable in making soap and glass. This genus *Salicornia* has but one stamen.

*Pinish* (*Spinacia tetrandia*).—Used as a pot-herb. Leaves have triangular lobes; stem reddish.

*Pálang Shák* (*Beta Bengalensis*).—Belongs to the beet root genus, from which 9,000,000, lbs. of sugar are annually produced in France. The leaves are used by natives in curries. The mangel-wurzel belongs to this genus, and might be used in feeding cattle, as the roots often weigh 60 lbs.

*Betu Shák* (*Chenopodium viride*).—Leaves trowel-shaped. There are also the *lál betu*, the angles of the stem and branches are of a fine purple colour, and the *chandan betu*. The leaves of another kind, the *C. album*, stink like putrid salt fish.

*Pui Shák* (*Basella cordifolia*).—A valuable pot-herb, the Indian spinage. A climber. Its succulent branchlets and fleshy leaves protect native houses from the sun. The wild species, *rakta ban pui*, is also a climber, has its stem red; the beautiful purple juice afforded by the fruit might be used as a dye. There are also the *rakta pui*, *saphed pui*, and *ban saphed pui*.

60. POLYGONACEÆ.—*Sorrel Tribe*. Ditch growers; some however grow on sandy soils. Herbaceous. Leaves sheathing with large stipules, boot shape, acid; fruit a triangular nut. No calyx. Its jointed stems give the order the name *Polygonum*, i. e., many knees. Roots nauseous purgatives,

though the leaves are acid and agreeable; no petals. The rhubarb belongs to this order, and the buck-wheat,—the rice of America.

*Páni Marich (Polygonum flaccidum)*.—The sheaths which surround the stem are shaped like a boot. Leaves lance-shaped, but their base heart-shaped; seeds three-sided. In the *bara páni marich* the ends of the succulent branches, on being wetted, become covered with a gummy substance. The *svet páni marich* has white flowers, woolly leaves, and a stem red internally, the stem below procumbent, striking root from the joints that rest on the ground. The leaves of one species give a good indigo dye, and those of another are smoked like tobacco.

*Ban pálang (Rumex Wallichianus)*.—In Bengal abundant in dry weather, but perishes at the first approach of the rains. Calyx 3 leaved; petals 3; seeds 3. Bitter and astringent.

*Chuk pálang (Rumex vesicarius)*.—*Indian sorrel*. A favorite medicine in Arabia, cultivated all over Asia. Used in food for an acid curry, and as medicine. Sanskrit name *shatavedhin*, i. e., piercing one hundred times.

59. LAURACEÆ.—*Aromatic tonic tribe*. The camphor and cinnamon belong to it. Anthers burst by recurved valves. Naked fruit. Scarcely any species found on the continent of Africa.

*Kukur Chitá (Tetranthera Roxburghii)*.—A native of the northern Circar hills, where it grows to be a middle sized tree; anthers four-celled, with an oval lid to each cell; leaves above shining; bark astringent; fruit yields a greasy exudation. The *bara kukur chitá* has the leaves downy beneath.

*Ákásh valli (Cassyta filiformis)*.—*Air plant* or *Laurel dodder*. A leafless parasite. Anthers, when ripe, spring from their enclosures.

60. ARISTOLOCHIÆ.—*Bitters and Climbers*. They form a link between Endogens and Exogens. Famous in South

America and Egypt for stupifying snakes with. In South America the flowers of one species are so large that the children use them for hats.

*Ishwar Mul (Aristolochia Indica).*—Root very bitter, used in dyspepsia and for snake-bites; also the juice for coughs and asthma. The leaves, stalks, bark and root, are bitter; capsule hexagonal; flowers have one lip much longer than the other; the tube takes an abrupt bend near the middle. There are 6 anthers fixed very curiously on the outside of a club-shaped column, split into 6 lobes at the point. In the centre of this column is a style with a 6 rayed stigma.

61. EUPHORBIACEÆ.—*Acrid milky juice.* Purgative. Used also for lining cloaks, named after Euphorbus, physician to a king of Mauritania, who first used them in medicine. Some of them thorny. About 2,500 species. Stamens and pistils not on the same flower; fruit ordinarily splits into three divisions when ripe; succulent stems.

*Nabári (Cicca disticha).*—*Indian cherry.* Leaves sudorific; seeds purgative; fruit eaten as pickles or preserves.

*Ámlá (Embllica officinalis).*—Leaves bifarious, *i. e.*, placed in two rows; flowers in the beginning of the hot season; fruit ripe in eight or nine months after; bark used to cure diarrhœa and tan leather; fruit pickled; wood durable under water.

*Shádú hájár Mani (Phyllanthus Niruri).*—Fresh root astringent; a good remedy in jaundice. Leaves diuretic. In some of the species the flowers grow on the leaves.

*Pánsioli (Phyllanthus multiflorus).*—A climber. Juice used in ear-ache.

*Khudiokrah (Crotophora plicata).*—Seen on rice fields at the end of the cold season. Cloth, moistened with the juice of the green capsules, soon becomes blue, after exposure to the open air. Covered with white hairs, which gives it a hairy look.

*Jaypál (Croton tiglium).*—*Croton oil plant.* A native of China and India. A very strong purgative; one grain is sufficient as a dose, and five hundred doses may be contained in a small wafer box, and purchased for half a rupee. Hence its Sanskrit names *jaypál*, nourisher of victory—*danti*, subduing seed. In the *Rasa Ratnákár*, one drop of the oil of the *jaypál* seed in betel-nut, is recommended as a ready purgative for princes. The seeds are convex on one side, bluntly angular on the other. The resemblance of some of them to a tick, gave the name *croton*, so also of *ricinus*, as in the castor-oil plant. The lower flowers are female, the upper ones male and pale coloured. The leaves have a very nauseous taste.

*Akkash (Rottlera laccifera).*—A climber. Named from a Danish missionary in South India.

*Bheránda (Ricinus communis).*—*Castor-oil tree.*—Five seeds of castor-oil nuts yield one quart of oil. The “gourd” under which Jonah sat near Nineveh was this tree, which was called by the monks, the great botanists of the middle ages, “*Palma Christi*”; they similarly gave to three hundred English plants religious names, such as “*Lady’s Slipper*,” “*Mary-gold*”; the Chinese use the oil for food, divesting it of its medical properties. The bark of the root is a powerful purgative. The tree often grows fifteen feet high, and thrives equally well on the burning plains and cold mountains of India. The stem is jointed, furrowed, of a heavy gray colour at the lower part, gradually acquiring a purplish hue towards the top; the calyx is reddish. The male and female flowers are placed on the same cluster; the male below, the female above. The leaves are shield-shaped, have the leaf-stalk fixed in their centre, instead of, as in other plants, on the margin, in divisions of from eight to twelve, of a bluish green colour, and are a favourite food of some silk-worms. The capsule contains three oblong flat seeds, which, when ripe, split *through the middle cells*. Seeds used to render colours

permanent. Sixty thousand maunds of castor-oil were exported from India to Great Britain and other parts of the world in one year during 1856-57. The name *Jatropha* signifies food and physic.

*Bágh Bheranda (Jatropha curcas).—Angular leaved physic nut.* The oil expressed from the seeds is used only by poor natives for lamps. The seeds are violent purgatives, hence its Bengali name signifies an oil fit only for tigers; it is used however externally in itch and pimples, as also a little diluted for chronic rheumatism. This oil, boiled with the oxide of iron, is used by the Chinese as a varnish for boxes. The milk juice dyes linen black, and is considered healing and cleansing. The leaves are five-angled, have a leaf-stalk five inches long; they are applied, warmed and rubbed, with castor-oil, to cause boils to break. On the Coromandel coast in fruit and flower all the year; wood useless, not even fit for burning. The trunk irregular, from being constantly kept low for hedges.

*Akhrot (Aleurites triloba).—Indian walnut.* Originally from the Malay countries; a native also of the Society Islands. The nuts are two, irregularly furrowed, have green veins; the kernels taste like fresh walnuts, and yield a pure palatable oil; in the Sandwich Islands they are employed for candles, 31½ gallons of the nut yield 10 gallons of oil. It is manufactured in Ceylon; the cake, after the expression of the oil, forms a good food for cattle, and also an useful manure. The seeds exude a gummy substance which the natives of Tahiti chew. The branches fall off soon, spread and ascend; the leaves are heart-shaped, the margins often scollop-toothed, when young covered with a down. The leaf-stalks have two hemispheric glands at their apex.

*Svet basanta or mukut juri (Acalypha Indica).—A singular cup-shaped involucre surrounds the flowers. Botanic name means not beautiful to the touch, i. e., it stings. Leaf-stalks as long as the leaves. A decoction of the leaves is laxative,*

rubbed on children's tongues excites vomiting. Cats are as much affected by the roots as by those of *Valerian*; bruised in hot water they are purgative. Sanskrit name *manshinká*.

*Bichati (Tragia involucrata)*.—The hair stings like the common nettle. Its root used by Hindu doctors for an inflammatory state. Twining.

*Batan or Huruya (Sapium Indicum)*.—Juices very poisonous; taste of the fruit excessively nauseous; seeds used to intoxicate fish.

*Mom Chiná or Chelát pipul (Stillingia sebifera)*.—China vegetable tallow. In China candles are prepared from the fatty matter which envelopes the seeds, the oil used for lamps.

*Sij (Euphorbia nivulia)*.—Common prickly pear. Stem irregularly angled like *phani manasá*; delights in a barren soil. The milky juice used as a purgative, and the pulp of the stem mixed with green ginger, is given to persons who have been bitten by mad dogs before the accession of hydrophobia.

*Manasá Sij (Euphorbia ligularia)*.—Sacred to Manasá, the snake goddess; in July and August, on Tuesdays and Thursdays, the Natives approach the tree with offerings of rice, milk, and sugar, praying to be delivered from snake-bites; however they employ a surer means, by mixing the root with black pepper, as a remedy in bites. There is a festival, *Manasa panchami*, in honour of Manasá, who, while the Gods were sleeping, sat in the shape of a snake on a bunch of *snuhi*, to preserve mankind from the venom of snakes. The Native doctors purify arsenic, by making a hole in the green trunk of the *manasá*, filling it up with solid arsenic, and, after being covered with the bark of the same plant, the whole is exposed to a good fire, until the external parts of the trunk are completely charred, when the arsenic is taken out, and becomes fit for use. The leaves have the shape of a wedge, and are waved, have few veins, and fall off in the cold season, but appear again in April.

The branches are five-angled. The young shoots of the branches are spirally disposed, and armed with elevations like the teeth of the largest saw, each of these supports a leaf, and a pair of black stipular thorns. The juice is used to remove warts. The *Nará Sij* (*Euphorbia antiquorum*) has triangular branches, the juice mixed with *tíl* seeds used in rheumatism and constipation. Sanskrit name *bagra*.

*Lanká Sij* (*Euphorbia Tiraculli*).—Milk bush. In Madras called the milk hedge. The acrid juice used as a blister, and yet goats eat the plant with impunity. Sanskrit name *bajra tunda*. Germans called it the Malabar wolf's milk.

*Chhota Kerui* (*Euphorbia Chamæsyce*).—Branches spread flat on the ground: the *bara kerui* is hairy. There is also the *shvet kerui*, another species is the *chágul patpati*.

*Rang Chitra* (*Pedilanthus tithymaloides*).—Introduced into Bengal about 1790, juice used in wounds: employed for hedges, as neither cows nor goats will touch the leaves. The green leafless branches look somewhat like gigantic rushes.

62. URTICACEÆ.—*Nettle tribe*; includes plants very opposite in nature, such as fig, jack, nettle. No corolla; the stamens erect at first, spring back with elasticity to discharge the pollen.

*Chundra Muli* (*Urticá interrupta*).—Loves a shady situation. Stems streaked; roots spindle-shaped, eaten raw, boiled or roasted; leaves three nerved.

*Lál Bichhati* (*Urtica interrupta*).—The snakes of the vegetable kingdom. Hairs sting like the common nettles. At Chittagong is a nettle, *Urtica scabrella*, which though rough to the touch, does not sting. The Botanic Garden, Calcutta, has nettles from Chittagong, Rohileund, Ceylon, Sumatra, Malabar, Circar Hills, Moluccas, Japan, Bareilly. In *Timor* is the *Urtica urentissima*, called the Devil's leaf, the pain from its sting lasts for years, and amputation of the limb is often necessary to avoid death, yet when dried, it is readily

eaten by sheep. The structure of the sting is like that of the rattle-snake's fang, each consisting of a tubular stilet perforated at or near the fine extremity, it widens at the lower end into a chamber at the bottom of which is seated a gland, which secretes an acrid juice, and when the finger presses the stilet its needle-like point enters the flesh, and the force required for this presses it down in the hollow chamber, so that the poison stored up there rises through the channel of the stilet, and is deposited beneath the cuticle. The tops of the English nettle are boiled and eaten. A decoction of nettles strongly salted coagulates milk readily. The roots boiled with alum will dye yarn of a yellow colour. In Siberia cords, cloth, and paper are made from the fibre of nettles.

*Kunchura* (*Urtica tenacissima*), of the Eastern districts of Bengal, *Rheea* of Assam. By the exertions of the A. and H. Society of India, this plant has been proved to be identical with that yielding the fibre of which the "grass cloth" of China is manufactured. The *Kunchura* is probably, the strongest fibre with which we are acquainted, excelling Russian hemp in strength, and equalling Irish flax in fineness of texture.

*Ganjá* (*Cannabis sativa*).—*Hemp*. *Bhang*. Leaves added to tobacco, increase its intoxicating power, hence its Arabic name, signifying increase of pleasure, cementer of friendship, exciter of desire, leaf of delusion. The Hindus and Chinese, Turks and Hottentots, use it instead of spirits. The fibre being very tenacious, is used in commerce, particularly by Russia. The hemp plant destroys almost every other plant that grows in its neighbourhood. In Nepal, linen is made of it. It is used in medicine in cases of diarrhœa: this medicine is procured from a resinous juice on the plant. The *gunja* is the dried plant used for smoking; the *bhang* is the larger leaves, one pice worth suffices for intoxication.

*Tul* (*Morus Indica*).—*Mulberry*. Cultivated to feed silkworms, stripped of its leaves twice in the year for that



purpose. The inner bark used by Chinese for paper, and also for ghee. Sanskrit name *tula*.

*Dumur (Ficus carica)*.—Leaves angular, lobate or palmate, three-nerved, rough above, downy below. The chief article of food near the Mediteranean, used also for poultices. In some climates it yields a treble crop. Sanskrit name *udeombar*. The *bhui dumur* is somewhat creeping. Thirty-four species in the Calcutta Botanic Garden. All plants of the genus *Ficus* make animal fibre tender.

*Bat (Ficus Indica)*.—*Banyan tree*. Called by the Portuguese the rooting tree; its Sanskrit name is also *shiphá ruha*, fibrous-rooted. The branching roots are merely props to the heavy branches, they never produce a single branch or leaf; in Kumaon, the mountaineers use the elastic fibrous roots for poles on the mountains, but they are not cut till the supposed indwelling arborescent god is appeased by the sacrifice of a goat. The fruit is of a pale red colour: the seeds are used by the Tamuls as cooling and tonic. The white glutinous juice, which issues when the stalks are bruised, is used for tooth-ache, also for cracked feet, and bird-lime, and has some of the properties of India-rubber. The bark is used as a tonic. One near the Nerbudda was so branchy that 7,000 persons sat under its shade; it had 350 trunks, and was 2,000 feet in circumference. On Vaisaki 16th, *Savitri britanta*, is a fast observed with ceremonies by Indian women at the root of this tree, to preserve them from widowhood. Milton's famous lines are beautifully descriptive:—

Branching so broad and long, that in the ground  
The bended twigs take root, and daughters grow  
About the mother tree, a pillared shade  
High overarched with echoing walks between.

The one in the Calcutta Botanic Garden is 550 in circumference. Birds sometimes drop the seeds of the *bat* in the Palmyra tree, the *bat* spreads till it covers all the Palmyra

except the top. The Hindus say this is a holy marriage instituted by God.

*Káshmir (Ficus elastica).—Indian-rubber tree.*—A native of Sylhet. Stipules nearly as long as the leaves, which are highly polished on both sides. The caoutchouc which comes from this tree, was discovered accidentally by Dr. Roxburgh in 1810. The natives of the Jaynti Hills have for ages used the juice for lining baskets, and for candles.

*Pipul or Aswath (Ficus religiosa).—The Indian aspen leaf,* its tremulous motion is owing to its long leaf-stalk, which is twisted by the weight of the leaf when acted on by the wind. It is sacred to the god Vishnu, who was born under its branches, hence the cutting it is counted an unpardonable sin, not to be atoned for even by sacrifice, fortunately the wood is useless, so there is little temptation. The Buddhists regard it as their holiest tree, and say that the egg-shaped leaves, suddenly tapering to a point, always tremble out of respect to Gotam, who sat under its branches. On the fleshy part of the leaf being removed, and the skeleton varnished, most beautiful drawings of insects, birds, and flowers, are made by the Chinese. In Candy the form of its leaves was allowed to be painted only on furniture employed exclusively for the king's use. Bird-lime is made from the juice of the stem; the leaves of this, as well as of the castor-oil plant, are given for feeding silk-producing worms, this is one cause of the strong wiry nature of Indian silk. The lac insect delights on its twigs. The fruit comes out on the branches. Its Sanskrit names are *chaladala*, quivering branches—*pippala*, the preserver—*kungarasan*, elephant's food—*ashvattha* not durable. The trunk, when old, has many ridges and hollows, as if many trunks were united: the bark is deemed a good tonic.

*Gayaswath (Ficus cordifolia).—Fruit black, perfectly round; leaves narrower, and with points much shorter than in the aswath.*

*Pákur* (*Ficus infectoria*).—Noted for its branching roots and beautiful head; bark very tough; stipules grooved with a coloured gland round their apices; fruit the size of a pea, when ripe, white.

*Yagya Dumur* (*Ficus glomerata*).—A tree loving water courses. The under side of the leaves taper equally towards each end, covered with minute green dots; leaf-stalks channelled; bark rough; fruit eaten by the natives. There is also the *kák dumur*, whose leaves are net-shaped, and beautiful; yields an abundance of milk juice.

*Kántál* (*Artocarpus integrifolius*).—*Jack*. Noted for its fruit, seventy or eighty pounds in weight, formerly a favorite with Europeans in India, though the scent is unpleasant. The yellow viscid, milky juice furnishes bird-lime. Its dark-green shining leaves and deep shade render it useful as a shelter. The wood, of a handsome yellow orange tinge, is used for furniture. Root, bark, wood yield a yellow dye. The finest fruits sometimes grow on the roots, when the tree gets old, but when middle-aged from the trunk, and will be found by observing the cracking of the earth above them; the fruit issues direct from the stem. In Ceylon, the trunk is sometimes twenty feet in circumference. The stamens grow on a sort of long cluster, the pistils on a round one. Sanskrit name *punasi*. The *Artocarpus incisa* (*bread-fruit tree*) grows near Bombay, its leaves are notched.

*Deophal* (*Artocarpus lacorcha*).—The fruit is eaten when unripe, contains much milky juice; roots give a yellow dye; bark very rough; the leaves have a beautiful net-work between the parallel veins.

*Sheorá* (*Trophis aspera*).—Milky juice applied by natives to sores and sand-cracks in the feet. Leaves used to polish ivory: and also for fuel. Berries greedily eaten by birds.

61. PIPERACEÆ.—*Pepper tribe*. Creepers. Burning taste, but aromatic smell. Several hundred species, but only two genera. 54,000,000lbs. of pepper produced annually.

*Pippul (Piper longum).*—Made from the dried fruiting spikes when unripe. A native of the Circar mountains. Sanskrit names *videhi chapala*, *ushana*. There is also the *choi* or *piperchaba*, Sanskrit name *chavi*.

*Pán (Piper betel).*—A native of the Indian Archipelago. Chewed with lime it is used for its intoxicating power, for allaying the calls of hunger, and for sweetening the teeth. Sanskrit names *nágaváli*, *tambulavali*.

62. SALICACEÆ.—*Willows*. Bark astringent, used in tanning and fevers. 200 species known; only one in India. Wood very good for charcoal.

*Páni Jamā* or *Báisi (Salix tentrasperma).*—The leaves are green above, hoary below. The bark gives a tonic substance.

(*To be continued.*)

*Production of palm sugar in the Province of Pegu.*

IN October, 1856, Mr. S. H. Robinson, a member of the Society's Sugar Committee, reporting on some sugar-cane from the interior of Sugeini and the islands round Moulmein, made the following suggestion:—

“If the Society has any members located at Toungoo or Prome they might probably be able and willing to furnish some interesting information, and also samples of the palm sugar produced in those parts. The American missionary, Malcolm, whilst travelling up the Irrawaddy in 1856, mentions the very large production of jaggry from two kinds of palms, viz., *Cocos Nypa* and a *Borassus*, and he says there are several varieties of the latter genus cultivated. The jaggry, he mentions, was of good quality, and selling at one-third of a penny per pound, equal to about one rupee two annas per Calcutta bazar maund. Looking at the rising importance of date sugar in Bengal,

the fact of an abundant supply of a similar product so near to us as the Irrawaddy, is certainly worthy of further attention and investigation."

The following correspondence furnishes the result of an enquiry made through Major Phayre, the Commissioner of Pegu, in accordance with the above suggestion:—

*To the SECRETARY OF THE AGRICULTURAL and HORTICULTURAL SOCIETY, CALCUTTA.*

SIR,—I have the honor to acknowledge the receipt of your letter dated 17th December, 1856, forwarding memo. regarding the production of palm sugar or jaggry in this Province.

2. In reply, I beg to inform you that the only part of the Province in which the sugar is manufactured to any extent is in the district of Prome, and I herewith forward copy of letter No. 152, dated 21st January, 1857, from Major Allan, Officiating Deputy-Commissioner, Prome district, and letter No. 63, dated 2nd March, 1857, from Captain Spilsbury, Assistant-Commissioner of Henzada, and letter from Assistant Commissioner of Toungoo, No. 12, dated 13th February, 1857, in which full particulars will be found regarding the nature and extent of the manufacture.

2. In two other districts only, viz., Toungoo and Henzada, are the palm trees yielding sugar planted by the inhabitants, and that only to a limited extent. The people of these districts manufacture raw sugar or jaggry sufficient for their own consumption, and not more.

3. The specimens of sugar mentioned in Major Allan's and Captain Spilsbury's letters will be forwarded by the steamer "Fire Queen" to your address.

I have, &c.,

A. P. PHAYRE,

PEGU COMR'S. OFFICE, RANGOON: *Comr. of Pegu and Agent*  
*April 7th, 1857.* *to the Govr.-Genl.*

To the COMMISSIONER OF PEGU, and AGENT TO THE GOVERNOR-GENERAL.

SIR,—I have the honor to acknowledge the receipt of your Revenue Letter, No. 327 of the 3rd December, 1856, annexing extract from proceedings of the Agricultural and Horticultural Society, on the subject of sugar procurable from palms, and desiring a report to be made on the following points :

The juice is extracted from two kinds of palms, a description of both is given at foot.

1st. Is the juice extracted from one description of palm or several ?

*Borassus flabelliformis*, (Palmyra palm,) in Burmese

2nd. What are the Botanical names of these palms ? *Tambur*.

The 2nd *Corypha taliera*, (Book palm,) Burmese name *Paybin*.

As nearly as can be ascertained 80,000 viss, is produced

3rd. What is the quantity of the raw sugar supposed to be produced in the Prome district ? yearly in the district of Prome. A viss equals 3.65½ avoirdupois.

Half, or 40,000 viss, is supposed to be used in the

4th. Is the sugar generally consumed in the district, or is a portion exported ? district, the other half is exported.

It is sold on both banks of the river, from Akauk-

5th. If any sugar is exported, state whereto ? Toung to Rangoon ; a portion finds its way to Moulmein, Showygyuen and Sitang, because little, if any, is manufactured south of Prome.

The price of jaggry made in the Prome district is at

6th. What is the ordinary price of the palm sugar per viss in the district ? present in the bazar 5 annas a viss, that made in the Burmese territory is 3 annas 3 pic the viss ; specimens

(2 viss) of both kinds are forwarded.

7. As before mentioned, there are two descriptions of palms from which the palm sugar is made—the *Borassus flabelliformis*, Common palmyra palm—and the *Corypha taliera*, or book palm; for commercial purposes the latter is of no account. Jaggry is almost entirely procured from the former. As a general rule, the palmyra takes in this district twenty-five years to arrive at maturity, unless the soil is a rich one when twenty will suffice. After these periods, it commences yielding juice, and continues to yield it for seventy or eighty years more; the tree may therefore be said to live one hundred years. The female palmyra palm is tapped in March and juice drawn from it till the end of May. The spathes being now too short from constant cutting, it is allowed to rest the whole of June, it is again drawn from July to the end of September; a second rest is allowed in October, and a third in February, so that for 9 months in the year the tree yields its fluid. A good female tree will yield 9 quarts a day, an indifferent one only 3. The quality also varies. The juice of some trees contains a larger amount of the saccharine ingredient than that of others, thus while ten quarts drawn from one tree will return

\* One ticul=252 grains troy. 20 ticuls\* weight of jaggry, that from another will only give half that quantity.

8. Toddy is drawn from the male palmyra palm for two months in the year only, January and February, the quantity equals that given by the female, but the saccharine matter is invariably less, estimated by the people at one-third.

9. The second description of palmyra, the *Corypha taliera*, produces juice after arriving at the age of 50 or 60 years, it yields it for 6 months of the year only, after which the tree dies; it will give as much as 20 quarts, but the jaggry produced, is much less in proportion than that given by the common palmyra. The tree is comparatively scarce, and, as mentioned before, is commercially of no account.

The leaves are used by the priests for their sacred writings, and by the common people for short documents of importance.

10. The palmyra is sometimes planted; many grow spontaneously from the fallen seed of surrounding trees; the nut of the young palmyra is sold in the market, and used as an edible by the people, who either roast or boil it.

11. The jaggry in the Prome district is produced principally on the east side of the Irrawaddy, hardly any comes from the west side, and very little if any is made to the southward of it. The tree becomes much more common and plentiful to the North. In Burmah proper last year 34,280 males, and 25,794 females, total 60,074, paid tax; but I should think this can hardly be more than one-tenth of the number of trees in the district.

12. The quantity of jaggry imported from Burmah Proper in 1855 amounted to 1,465,695 viss, it fell off in 1856 to 1,219,371 viss.\* The quality is not so good

\* Information received from Collector of Customs, Thayet-myo.

as that of Prome, the juice of the latter being 5 annas a viss while the former is only 3 annas 3 pie. The people in Upper Burmah boil with their juice, the bark of a tree,

† Botanical name not known. named by them the tanning tree.†

The bark gives the jaggry a dark, glassy look, but deteriorates the quality. Before the occupation of the province by the British, Prome jaggry sold in the bazar at from 1½ annas to 2 annas: jaggry manufactured above was hardly if ever used in this part of the country; increase of prices will of course insure the production, and this though of great consequence to the people themselves, yet the maximum amount of jaggry ever likely to be manufactured in the Prome district, can never materially affect the general consumption.

I have, &c., &c.,

PROME:

(Signed,) G. ALLAN,

January 21st, 1857.

Offg. Depy.-Comr.



48 *Production of palm sugar in the Province of Pegu.*

To the COMMISSIONER OF PEGU, and AGENT TO THE GOVERNOR-GENERAL.

SIR,—With reference to your letter, Revenue No. 327, dated 3rd December, 1856, I have the honor to reply that sugar is not made in the district, with the exception of a very small quantity occasionally in the Okpho township for immediate consumption. What is generally used there is imported from the up-country. In the other townships I am informed none is made. The trees from which the juice is extracted are two species of palm, called by the Burmese A-Ipobeng and A-Mabeng; in the latter the juice is more plentiful, and is extracted from the fruit by crushing and pounding; the A-Ipobeng or male tree yields far less, and that is extracted similarly from the suckers or shoots.

2. The trees are two species of the palm tree, but their botanical names I have been unable to discover.

3. The price of the sugar is 4 annas a viss, but it is so scarce that I have only been able to obtain one viss of it, made in the district, which I now transmit.

I have, &c.,

DY.-COMR'S. OFFICE, HENZADAH : E. J. SPILSBURY,  
March 2nd, 1857. (Sd.) *Assist.-Commissioner in charge.*

To MAJOR A. P. PHAYRE, *Commissioner of Pegu.*

SIR,—With reference to the subject of your letter per margin, I have the honor to inform you that sugar is not prepared from any of the palms of this district. From the juice of the “Khari” (*Borassus flabelliformis*) and the Kpai (*Corypha umbraculifera*) a coarse jaggry in a semi-fluid state is made for consumption in the place, but none is exported, and the article is so inferior as to bear no mercantile value for such a purpose.

I have, &c.,

TOUNGGOO : (Signed,) E. O'RILEY,  
February 13th, 1857. *Assistant-Commissioner.*

*To the MEMBERS OF THE SUGAR COMMITTEE.*

GENTLEMEN,—I have the pleasure to circulate, for a report thereon, two musters of “Goor or Jaggry” prepared in the districts of Prome and Henzada from the Palmyra tree, “Tal-gach,” (*Borassus flabelliformis*).

These musters have been sent by Major Playre, Commissioner of Pegu, whose letter and enclosures are circulated for your perusal.

Yours faithfully,

CALCUTTA :

A. H. BLECHYNDEN,

June 22nd, 1857.

Secretary A. and H. S.

*Minute by Mr. S. H. Robinson.*—These samples are of very inferior quality as raw material for making marketable sugar : that from Henzada I do not think could be used for such purpose at all ; and the Prome sample I do not think could be made to yield more than 25 per cent of clean crystallized sugar. As both appear to be made with the object only of being consumed in their present raw state, it is probable that if more carefully prepared, a much more valuable product for sugar manufacture might be produced from the same juices, inasmuch as these samples are very sweet, and free from any disagreeable flavour. As materials for distillation they would both be very valuable, and on the average of years would be well worth for that purpose, the usual market price of  $1\frac{1}{2}$  to 2 annas per viss (equal to about Rs. 2 to Rs. 2-12 per bazar md.) as quoted by Mr. Allan in his letter, although this is much higher than the price quoted by Malcolm in his “Travels,” where he says that between Poghon and Ava the price was  $\frac{1}{3}$  of a penny per pound, or about Rs. 1-2 per bazar md. As so large a quantity is imported “from Burmah Proper,” equal to 60 to 70,000 bazar mds. annually, it is probable that the price of this at the place of production may still be more approximate to Malcolm’s price above referred to, as current in 1836.

*Minute by Mr. James Cowell.*—I have examined these samples of goor or jaggry made from the Palm tree. The Henzada produce could not, I think, be converted into sugar, as it does not appear to possess any crystallizable property, probably from not being boiled until the juice had run into a state of incipient fermentation. The Prome muster is somewhat better, and might crystallize in the pan to a small percentage of sugar. Both the samples are replete with sweetness, and would yield largely of spirit to the distiller. It is difficult to quote a value for these samples, but in the present scarcity of all materials for the purposes of refining and distilling at Calcutta, I am of opinion that these goors would fetch Rs. 2 to 2-4 per bazar maund at least, and in ordinary times about one Rupee per maund for sweetmeats and other uses.

*May 27th, 1857.*

*Note on Lac Wax: By GEO. EVANS, Esq.*

I have to apologize for the delay in sending you the promised note on the lac wax I left for the Society's museum.

The specimen in question is a small portional result of a chemical process for which I obtained letters' patent in 1843, for treating the several sorts of unmanufactured gum lacs known in the English markets as distinct from shell lac, and which, from their impurity, were then, and are still, of little value compared with the latter prepared article. The object was to convert them into more saleable and higher priced shell-lacs of commerce, by a mode of preparation which freed them from their defects most effectually. At that time an increased demand had sprung up at home for shell-lacs of every description, consequent on the sundry novel uses to which this highly useful resinous gum had of late years been applied, more parti-

cularly in the manufacture of light silk hats in place of the nearly obsolete heavy beavers, now as seldom seen or heard of as an old tinder-box, or a superannuated Charley of our school-boy days' reminiscences, also in the fabrication of French polish, now so universally made use of to brighten up our modern furniture.

The process of manufacturing shell-lac in this country, though extremely simple, and most admirably adapted to the purpose, is wholly unattainable at home, where labour is expensive and the habits of the people so widely different. The want also of the smooth-surfaced, supple and moist plantain junk, on which the lamination is performed by the natives, is also an insuperable barrier to its preparation there; chemical aid was therefore resorted to, to obtain the object had in view, and by alkaline solutions, and subsequent decomposition with sulphuric acid, the lac was obtained in a perfectly pure state, differing only in colour from the most approved qualities, according to that of the article from which it was made. The plan so far succeeded, that a considerable quantity was manufactured and sold in the London market, realizing fair prices, but supplies failing to be regularly kept up from this country, and they often varying much in their properties, difficulties arose, and the prices shortly after not warranting a further extension of the manufacture, it was abandoned, after a considerable loss of money, as an unprofitable undertaking, though the fact of the possibility of making it was fully proved. The wax was obtained in the process of solution, and the boiling the crude lacs underwent, but not in sufficient quantity to make it an article of commercial value, one per cent being about as much as they would yield. It was therefore collected more as a matter of curiosity, than with any other specific object.

I cannot speak as to any peculiar properties it possesses, further than being of a harder, and more resinous con-

sistence than common bees' wax, having an agreeable aromatic odour, which it seems it is permanently retentive of, the specimen having now been made these last fourteen years, still retaining its perfume.

I have neither estimated its specific gravity, nor ascertained its melting point, but I found that it readily combined in any proportion with paraffine, spermaceti, bees' wax, some of the resins, tallow, and the animal and vegetable oils, with some of which, tallow in particular, it made very excellent candles, yielding a bright and pure light, but like most of the rich hydro-carbons, it gave off much smoke when burnt by itself.

The use to which it would appear to me to be best adapted, provided it could be obtained in quantity, would be for making castings, and taking impressions of coins, medallions, &c., the slight degree of contractility it possesses, its rapidity of setting, its peculiar hardness and freedom from stickiness, and other properties, causing it to quit freely the mould or object on which it has been applied, while its non-liability to be affected by atmospherical vicissitudes (after a slight admixture with bees' wax) would make it highly useful for large seals, such as are incommodiously attached to our patent right parchments, which appear to be made of common white resin, and by consequence are brittle, sticky and extremely unpleasant to handle.

These are the only characteristics of the article I can at present recollect as worthy of note. Could it be largely obtained, it would take up no second-rate place with the best of the above-named highly valuable articles of commercial and domestic economy.

By high distillation, I found it to yield a rich fluid hydro-carbon, so highly ethereal, that on pouring it from the mouth of a bottle it evaporated before reaching the ground, and had much the property of eupione.

In the course of my experiments I found some of the seed lacs to contain a gum analagous in some respects to basserine, and which resisted the chemical agents I had occasion to employ.

CALCUTTA:

April 18th, 1857.

---

*Report on specimens of Fibre, &c., from Arracan, Berhampore, Gorruckpore, and the vicinity of Calcutta.*

To the MEMBERS OF THE HEMP AND FLAX COMMITTEE.

GENTLEMEN,—I beg to circulate for the favor of your inspection and opinion, certain specimens of raw fibre, rope, matting, and straw, thirty-one in all, which have been received by the Society during the last six months. A detailed list of these specimens is annexed, and certain letters and printed papers explanatory thereof are circulated.

I am, &c.,

METCALFE HALL:

April 24th, 1856.

A. H. BLECHYNDEN,

Secy. A. and H. S.

*List of sundry specimens of Fibre received by the Agricultural and Horticultural Society from November, 1855, to April, 1856.*

First.—Specimens from Arracan forwarded by Lieut. F. W. Ripley, Asst.-Commissioner.

A 1. "Yaseng Shaw" (a species of *Sterculia*) two samples.

A 2. A piece of the bark of the "Nan" creeper, a species of *Gnetum*.

B 1. Fibre of "Nan Shaw."

B 2. "Koong Thenban Shaw."

B 3. "Panpeng-Shaw," a small kind of "*Hibiscus*."

B 4. Plantain fibre from *Musa Aranakensis*.

B 5. Pine-apple fibre.

B 6. Fibre of the "Ramturai," or "Beyndee," or "Dheeroos." (*Hibiscus* or *Abelmoschus esculentus*.)

54 *Report on specimens of Fibre, &c., from Arracan,*

C 1. A roll of sacking made from the "Shaw Ne."

CC 1. Bast matting made from ditto.

CC 2. Ditto, from do.

Some particulars respecting the above specimens will be found in the accompanying letters of Lieut. Ripley, dated respectively 3rd Sept., 1855, 8th Dec., 1855, 5th of Feb., 1856, and 7th March, 1856.

The above four specimens of "Shaw" (A 1, B 1, 2 and 3,) are new to us, with the exception of the "Thenban Shaw," which was sent by Lieut Ripley in 1854. (See notice of it in *Journal*, Vol. IX, Part. 1, pp. 143-145; a copy of which is circulated for reference.) The "Shaw Ne," or Red Shaw, of which the above specimens of sacking (C 1, and CC 1 and 2,) are made, is also noticed in the same number of the *Journal*, sec pp. 141-145.

*Second.*—Specimens from Berhampore, forwarded by Mr. Michael Betts, Superintendent Branch Society's Garden at that station, in a letter dated 26th Dec., 1855, of which the following is extract:—

D 1 and DD 1., the fibre of the "Ramturai" *cleaned* and *uncleaned*.

D 2. A sample of  $1\frac{1}{2}$  inch rope made of that fibre, and also of the fibre of

D 3. Which the natives call "Magnaut Paut," that the strength of both may be tried.

D 4. The fibre of an *Hibiscus* plant, and

D 5. The fibre of the Aloe plant.

*Third.*—(E).—A fibrous bark from Gorruckpore, received from J. H. Bridgman, Esq., whose letter dated 26th Feb., 1856, and Mr. W. Watson's letter of the 7th March, accompanies.

This bark is not unlike Lieut. Ripley's "Yaseng Shaw."

*Fourth.*—(F).—Fibre of *Sida Asiatica*, the produce of the Society's garden, prepared by Mr. McMurray in Dec., 1855.

The following is extract from the Gardener's Report for December, regarding the above fibre:—

“In my report of Nov., 1854, accompanied by the *Sida rhomboidea* fibre, I remarked that the *Sida Asiatica* plant was likely to yield a fine description of fibre, if brought under careful cultivation; this has been done on a small scale in the garden during the last season, and I now forward the produce for laying before the present Meeting.

Some particulars respecting the *Sida rhomboidia* fibre, (which appears to be superior to *S. Asiatica*,) will be found in the number of the *Journal* previously referred to, pp. 146-150. We have not yet received reports on the first named fibre from the Chamber of Commerce at Dundee, or Messrs. Marshall and Co., of Leeds.\*

*Fifth.*—Twelve specimens of flax straw and raw fibre, raised at Goosree by Mr. John Stalkartt from Agra, Dutch, and Saharunpore seed, received from the Society namely:—

G 1.—(Two samples).—*Unheckled* flax from Riga and Dutch seed steeped for 48 hours, the first week in March.

G 2.—The above in a *heckled* state.

G 3.—*Unheckled* flax from Dutch seed, steeped 36 hours, the first week in March.

G 4.—*Heckled* flax from Dutch seed, steeped 13 hours.

G 5.—Riga flax, white and green sorts, the former steeped 5 days, the latter 3, at end of February.

G 6.—Saharunpore *heckled* flax, steeped 3 days at end of February.

\* “Of all the likely plants I have seen, the *Sida rhomboidea* appears to be the best, and I sincerely trust India will send us plenty of it soon. Do use every exertion to have it cultivated, and sent home as a regular mercantile article, and I see no reason why we should not use as much of it as we now do of jute.” (*Extract of a letter from the Secretary Chamber of Commerce at Dundee, dated 27th February, 1857.*)



G 7.—Patna flax *unheckled*.

G 8.—The above in a *heckled* state.

G 9.—A specimen, *not steeped*, but dried in the sun 6 hours, and then crushed.

G 10, 11 and 12.—Specimens of flax straw from Dutch, Riga and Saharunpore seed respectively.

A few particulars respecting this flax straw are introduced from the proceedings of the Society for March, 1856.

*Sixth.*—H 1 and 2.—Specimens of flax straw raised in the Society's garden from Riga and Dutch seed. Pulled in March, 1856.

*Extract of a letter from Capt. F. W. RIPLEY, Sandoway, dated September 3rd, 1855.*

“Owing to the boat not having left before this with the  
\*A 1 and A. 2. box of tobacco samples, I have been able to add a small sample of the Yaseng Shaw, also a piece of a creeper,\* which you will observe has some very strong fibre in amongst the wood. I have not yet had any prepared, but as soon as it can be done, I will send a sample to you for the museum and trial; it is used for boat-cables, &c., being of great strength, and is called the Guan creeper.”

*Extract of a letter from Capt. F. W. RIPLEY, Sandoway, dated December 8th, 1855.*

“I send you by this day's dâk viâ Akyab, a small box, with a few samples of fibres.”

B 1. Nan-Shaw, the fibre of the piece of creeper sent up the other day. This appears to be the same as the Nandyoung sent last year from Akyab. I have got some young plants in of this, and will send them when I receive back my case.

B 2. Koong Thenban Shaw.

B 3. Panpeng Shaw. This is the fibre of a small kind of *Hibiscus*, which bears a pink flower; it is the greatest pest in the way of jungle in all the villages of this place, springing up during the rains to the height of four or five, even six feet. The specimens of fibre, both of this and No. 2, are not well cleaned, but this is owing to the bark being too old and dry when the same was cut. Young plants I will send with the Nan Shaw.

B 4. Is a small parcel of the fibre of the Arracan plantain.

B 5. Of Pine-apple fibre.

B 6. Of the Ramtarai or Beyndee.

I have got in sixteen kinds of plantains, but the weather is now too dry to send them up safely, so I must keep them until the beginning of the rains.

*Extract of a letter from Capt. F. W. RIPLEY, Sandoway,  
dated February 5th, 1856.*

I send you up by the *Hugh Lindsay* a roll\* of sacking  
\*C 1. made from the Shaw Ne bast in the Akyab jail,—as a specimen for the Society. This sells readily at Akyab at 20 Rs. per 100 bags.

There is I hear a perennial kind of indigo in this island, which is propagated by slips or cuttings. I have sent for some, and will if possible despatch them by next steamer. I see by the proceedings of the last meeting that some cordage, &c., from Moulmein has been sent up; it is I expect from the Panpeng-Shaw plant, which I spell wrong, calling it Poopeng in my letter to you, please correct it.

*Extract of a letter from Capt. RIPLEY, Kyouk Phyoo, dated  
March 7th, 1856.*

By this opportunity I send you, to lay before the Society, two mats made from the Shaw Ne.

C. C. No. 1. is I think the best of the two, and is made quicker and easier than

C. C. No. 2. The work in this finer and much closer than the specimen of Russia mat that you kindly sent me.

In the box I have put three small bags of seed of the plant which yields the fibre called Panpeng-Shaw, and which I take to be the kind of *Hibiscus* from which the sacking, &c., sent from Moulmein was made.

1. Is the red-flowered variety.
2. The yellow.
3. Mixed seed, gathered from both kinds.

This seed I recommend being sown in rather rich soil at the commencement of the rains, and closely scattered to prevent the plants branching, and thus increase the length of the main shoots and fibre. The natives here cut the plant when the bark begins to turn brown, then split the stem with a knife, and the bark easily separates from the wood. It is then soaked in clean water for a day or two, and exposed to dry in the sun, when with a little beating, the fibre is separated from the useless portions of the bark.\*

I return with many thanks the sample piece of mat which the Society kindly placed at my use.

I shall be glad to hear the opinion formed of these mats. I cannot as yet give any idea as to what they would cost; the men are new to the work, and it has taken ten men to make No. 1, and fourteen No. 2, but every day will improve this; they were made entirely by hand.

*Extract of a letter from J. H. BRIDGMAN, Esq., Newra, Gorruckpore, dated February 26th, 1856.*

"I send to-day, by dawk banghy, a small parcel of the fibrous bark which I mentioned that my neighbour

\* "The Papeng-Shaw was raised last year from acclimated seed, and is in about two and a quarter beegahs of land. I have already made two attempts to extract fibres out of this plant, but failed. I have put some more again and expect to be more successful this time. I am gathering as much seed as I can obtain." (*Extract of a letter from Officiating Gardener's note, dated February 17th, 1858.*)

Mr. Peppe had discovered in the jungles. This is not nearly so white as some that I have seen at a former time. I have not seen the tree from which it has been taken, but Mr. Peppe tells me that this substance forms the inner bark, between the wood and the outer bark, and is often to be found of an inch or more in thickness. The tree when cut down throws out shoots in a single season of several feet in length lined with this material. It does not appear to me to have sufficient strength for the purposes of cordage, but might answer very well for paper. I understand from Mr. Peppe, that a year or two ago he sent a large quantity to Messrs. Watson and Co., of Clive Street, and that he believes Mr. Watson sent it to a paper manufacturer in Scotland to experiment upon. It would be very interesting to ascertain what the result has been."

*Extract of a letter from W. WATSON, Esq., Calcutta, dated March 7th, 1856, regarding the above fibre.*

"This last mail brought us the report on the fibre Mr. Peppe sent us. We sent it in a vessel so soon as we received it, but the vessel was detained in Calcutta a long time on account of accidents; it was shipped in April, and we believe the vessel did not leave till August the Sand Heads. The report of the gentleman who has several factories in Dundee, states it is not well adapted to any of our manufactures. It appears to be the fine rind of some tree like the material of which the Russia mats are made, only much finer. It is too much of a woody nature for dressing and spinning by machinery."

---

*Extract from the Proceedings of the Society for March, 1856, respecting Mr. STALKARTT's three specimens of flax straw.*

"No. 1.—*From Dutch seed.* Stems measuring 4 feet in length, and perfectly free from branches. This seed was received from the Society, and sown in the first week in

December, 1855, with the chemical manure (excepting bone dust,) mentioned in the Secretary's communication on the cultivation and manufacture of flax, published in the Society's *Journal*, Volume IX, p. 64.

No. 2.—*From Riga seed.* Stems straight, and branches  $3\frac{1}{2}$  feet in length. This seed (also received from the Society) was sown about the 12th December, watered several times, and once with nitric acid, a very weak solution, 60 drops in water over 5 square feet; perhaps less would be sufficient.

No. 3.—*From Saharunpore seed.* Stems also straight, and branchless, 3 feet in length. This seed (likewise received from the Society) was sown in rather dry ground, and watered once to make it germinate, and manured once with a very weak solution of sulphate of potash, about 60 grains in water to about five square feet."

#### REPORT ON THE FOREGOING SPECIMENS.

##### *Specimens from Arracan.*

A 1.—"Yaseng Shaw." Of no possible use as a fibre. It is full of gum, which, if removed, would leave a fibre weak and worthless. In its present state it might be made into a kind of mat.

A 2.—A piece of the bark of the "Nan" creeper, used for boat cables, which shews how rude in their contrivances the Arracan people are; we in Bengal are not reduced to such shifts.

B 1.—Fibre of "Nan Shaw." In its present state quite unfit for being manufactured into any thing, unless Lieut. Ripley can devise some means of getting rid of the gum.

B 2.—"Koang Thenban Shaw." A very poor specimen of jute, not worth in ordinary times the cost of freight and charges to England.

B 3. "Panpeng Shaw." A small kind of *Hibiscus*. A tolerably clean sample of jute. Nos. 3 and 4 and rejections, all made together. Of very little value.

B 4. "Plantain fibre." A poor fibre, very harsh, brittle and weak. Of no appreciable value as an article of export.

B 5. "Pine-apple fibre." A very nicely prepared sample, but as an article of commerce it can never compete with flax.

B 6. Fibre of the "Ramturai." This fibre is stronger than jute, but from having so much of the gum left on it, is very harsh; although it were prepared with the utmost care, it could only be sold in the English market as jute.

C 1. CC 1. CC 2.—Of the value of these specimens I have no idea; but it is no doubt very small.

*Specimens from Berhampore.*

D 1. and DD 1. The fibre of the "Ramturai" cleaned and uncleaned, a very coarse, towy, weak, and worthless fibre.

D 2 and 3. Specimens of rope made from the above, and from the "Magnaut paut," probably of the same value as similar rope made from jute, if so good.

D 4. Fibre of the *Hibiscus* plant. A very badly prepared specimen of jute.

D 5. Fibre of the Aloe plant. Exceedingly brittle; not so good a fibre as B 4, although of the same class.

*Specimen from Gorruckpore.*

E. A fibrous bark, evidently of the same description as Lt. Ripley's "Yaseng Shaw" A 1, and certainly of no more value.

*Specimen from the Society's Garden.*

F. Fibre of *Sida Asiatica*. This and the *Sida rhomboidea* are only adapted for the same uses to which jute is applicable, and would consequently only sell as jute in England.

*Specimens raised at Goosree in the vicinity of Calcutta.*

G 1. Two samples of unhackled flax from Riga and Dutch seed; steeped 48 hours last week in March. In hackling flax like this the yield would be very small, probably not a

half of the whole, the remainder being tow. This most likely arises from too long steeping in a high temperature. Value in England say about £22 per ton.

G 2. The above in a hackled state. The fibre is very weak, and is altogether but a poor specimen of flax, being mixed, and a great deal of it very harsh, worth about 3*d.* per lb.

G 3 and 4. Unhackled and hackled flax from Dutch seed, steeped for 36 hours. These are superior to the two previous samples, and may be considered as of very fair quality, though still deficient in strength of fibre; probable value of No. 3 £27 @ £28 per ton, and No. 4 3*rd* @ 4*d* per lb.

G 5. Riga flax, white and green sorts, the former steeped five days, the latter three, at the end of February. The former appears to be over-steeped, and what it has gained in fineness, it has lost in freshness and strength of fibre. Four days' steeping would probably have answered better than either of the above periods. The value of the white may be stated at £27 @ 28 per ton. The green is not at all suitable, being excessively harsh.

G 6. Saharunpore hackled flax steeped three days at end of February. Dull coloured and deficient in strength and freshness of fibre, value say 3*d.* per lb.

G 7. Patna flax, unhackled. A very bad specimen, and the fibre almost rotten. If originally ever worth any thing, it must have been spoiled by over-steeping and in the preparation. If attempted to be hackled it would be nearly all converted into tow. This would be known in the home market as "Dutch Rayne," being worth not more than £10 a ton.

G 8. The above in a hackled state. A very poor sample of flax, and very weak. This cannot be valued at worth more than tow.

G 9. A specimen of flax not steeped, but dried in the sun and crushed. This sample has all its original strength, but is imperfectly prepared from the straw. Had it been

properly steeped, it would have been of excellent quality. In its present condition it is unsuited for the home market.

G 10, 11 and 12. Specimens of flax straw from Dutch, Riga, and Saharunpore seed respectively. All excellent, particularly the first and second, which are very fine. Had the seed been sown in the beginning of November instead of in December, the straw might have been pulled from the beginning to the middle of February, a better time for preparing the fibre than the beginning of March.

*Specimens from the Society's Garden.*

H 1 and 2. Specimens of flax straw raised in the Society's Garden from Riga and Dutch seed. These are very inferior in every respect to the above three specimens, being comparatively short, thin and branched; the last mentioned defect arising most likely from the seed not having been sown thick enough.

It may be remarked, with regard to all the hacked samples of flax, that the hackling has been very imperfectly performed, and in a way that would not pass muster in England. In other words all the tow has not nearly been hacked out. But this is not after all of much importance, as flax shipped from India would necessarily be unhackled.

CALCUTTA :

W. THOMSON.

*March 13th, 1857.*

I agree generally in Mr. Thomson's remarks on these specimens of fibres.

*March 16th, 1857.*

W. HAWORTH.

---

*Note on two samples of Potatoes raised in Tirhoot by J. FINCH, Esq., from acclimated Darjeeling seed.*

*(Communicated by Joseph Willis, Esq.)*

I have now the pleasure and satisfaction of laying before the Agricultural and Horticultural Society, to be exhibited



at the next meeting, a paper from Mr. Justin Finch of Shahpore, Oondee, Tirhoot, addressed to myself, with specimens of two potatoes of magnificent growth and appearance, Calcutta, dated February 13th, 1857.

The paper fully and nicely describes the particulars of the cultivation and cropping of the small piece of land employed for three successive years; and with a result of potato and indigo crops in each year, most highly remunerative.

Mr. Justin Finch has informed me that the said piece of land was excellent in itself, in all respects *ab origine*.

CALCUTTA:

February 16th, 1857. ●

These samples were grown upon the same piece of soil from which crops of potatoes have been raised and gathered for three successive years. They are the produce of the seed potato gathered from the above-mentioned piece of ground last year, *i. e.*, January, 1856; it was put down in the beginning of November, 1856, and the crop has been gathered in January, 1857.

The process of cultivation followed was an abundant manuring with stable manure in September, well ploughed into the soil, then a thick coat of *Indigo seet*, about a foot in thickness, laid over the land, and allowed to remain until very close to the sowing time, when it was well trodden down by cattle, all the sticky parts removed, and the remaining part well ploughed into the ground. This identical piece of land has given within the twelve months one crop of potatoes, and one crop of indigo. The produce from the potatoes was the 1st year 50 maunds, for the second year 40 maunds and for the third year 65 maunds. The extent of this piece of land is six cottas of the Tirhoot beegah (which measures 40,000 square feet.) After the potato crop had been gathered off the land, a crop of indigo was put in, which has always succeeded, and given two cuttings, and afterwards been quite in time to receive the potato crop: the average pro-

duce of these six cottahs of land, have been annually as below :

		mds.		seers.	
1854-55	or 1st year,	50	of potatoes.	12	indigo,
1855-56	2d year,	40	ditto.	12	ditto,
1856-57	3rd year,	65	ditto.	12	expected
		<hr/>		<hr/>	
		155		36	

Showing a result that this six cottahs of land has given in three years an yield of 155 maunds of potatoes, and 36 seers of indigo. The seed potato was originally from the Darjeeling stock ; the quantity usually sown about 4 maunds cut up, and the eyes sown.

The present samples were from the potato sown whole, without being cut.

These samples weighed when taken up respectively 10 chittacks and 9 chittacks each ; they were weighed this day by Mr. Joseph Willis, and were found to be 9 chittacks and 8 chittacks each, shewing a loss in weight of a chittack each.

The acclimated seed was not cut up for sowing, it having consisted chiefly of the very smallest potatoes of the crop. In dry seasons the crop was watered three or four times, but in the present (say *past*) moist season, it was only twice watered.

The flavour of the potatoes is unexceptionably fine, and to my taste equal to, if not superior to, the very best quality of potatoes to be had in Calcutta.

CALCUTTA :

February 13th, 1857.

---

*Report on "Tewra" oil from Gorruckpore, and on an aromatic oil from Benares.*

To the MEMBERS OF THE OIL AND OIL SEED COMMITTEE.

GENTLEMEN,—I have the pleasure to submit, for the favour of your opinion, a sample of an oil-yielding seed, and a

bottle of oil prepared from it, which have been forwarded by Mr. Peppe, Indigo-planter, Gorruckpore district. You will perceive from Mr. Peppe's letter, which is annexed, that this seed, which is unknown to him, is called by the natives of Gorruckpore, "Tewra." It differs in appearance from the common mustard seed and rape seed; it may prove to be the seed of *Sinapis glauca*. Mr. Peppe has not sent any dried specimens, but a small quantity of seed has been sown in the Society's garden, with the view of ascertaining to what species of *Sinapis* it belongs.\*

I take this opportunity to bring to your notice a specimen of a fragrant oil recently received from Dr. A. H. Cheek, Civil-Surgeon, Benares. Dr. Cheek remarks (see his letter annexed,) that it is *not* the "grass oil of Nimaaur," (*Andropogon calamus aromaticus*), known also as the "Roosa grass oil," (a specimen of which is circulated for comparison,) but "is more powerful." Dr. Cheek has also sent, at my suggestion, a specimen of the grass,† yielding this oil; but, not being in flower, Dr. Thomson is unable to name it. Several species of *Andropogon* are aromatic; the well-known *Kuskus* is obtained from *A. muricatum*, and the "lemon grass" from *A. Schænanthus*. Another species, named *A. nardus* is called "Ginger or spice grass;" and a fourth (which is probably identical with Dr. Cheek's) is called *A. Iwaruncusa*. Dr. Cheek observes that his grass is called "Hurdwar-i-koosah." Dr. Royle states (*Illustrations Himalayan Botany*) that *A. Iwaruncusa* is a native "of the country skirting the base of the Himalayas. Mr. Blane found it between the Hills and the Rapti; Dr. Boyd near Hurdwar, in which neighbourhood, in the Kheree Pass, and at Mohun, I have also found it." This grass, both in habit and taste, is stated by

\* The seeds germinated readily, but the plants withered before attaining maturity.—A. H. B.

† This is also put in the box.—A. H. B.

Dr. Roxburgh to come remarkably near to the "lemon grass."

Yours faithfully,

METCALFE HALL :

A. H. BLECHYNDEN,

March 27th, 1857.

Sec. A. and H. Society.

---

*Extract of a letter from Mr. PEPPE, of Gorruckpore, dated  
November 28th, 1856.*

"I should feel much obliged for your opinion on a sample of oil I am about despatching to your address. It was extracted from a seed called, by the natives here about, "Tewra." I am not certain where the seed came from, but two years ago I saw some plants of it in a field of linseed. The following year the same field was covered with the plant; I then had the seed collected. I observe that the seed left in the ground during the year vegetates in October and ripens in December. It appears to be a very hardy plant, and seeds abundantly. Some of the plants I saw were from five to seven feet in circumference. From five measures of seed I got one of oil. Should it be considered of a good quality, I think it might be grown much cheaper than any of the other oil-seeds. I will despatch in December a maund of the seed, and a seer or two of the oil, which you may dispose of as you think fit."

---

*Extract of letters from Dr. A. H. CHEEK, Benares, dated  
March 1st and 16th, 1857.*

"I have sent you a small bottle of oil, which I have procured from some grass procured in this and the Mirzapore districts, and found in large quantities at the foot of the Hills. About twelve ounces of the oil is obtained from the maund weight of grass. It resembles very much the "grass oil of Nimaure," but is more powerful. It is extremely pungent, transparent, and of a fine green colour. It has a different odour from the "Nimaure grass oil," but is equally

efficacious as a liniment in rheumatism, and also as an internal stimulant. The grass grows to about the height of two feet, and gives forth a strong aromatic smell. This oil was procured from the grass when nearly dry. If taken in October, when the plant is in bloom and fresh, I think a much larger quantity of oil could be extracted. I am not aware of *this* oil ever having been brought *publicly* forward, and I shall be much obliged by the opinion of the Society on it, as I consider it a very valuable oil, both as a stimulating liniment, and embrocation in rheumatism and neuralgic affections, and also as a stomachic stimulant of great efficacy."

"I have this day sent you by dawk Banghy (*paid*) two pieces of the grass from which I extracted the oil I sent you. The natives know *nothing* about this grass, but call it "Hurdwar-i-Koosah." All the Hills near Benares and Mirzapore are covered with it (at the foot of the Hills.) It is doubtless a valuable oil, and if of sufficient importance to introduce into the market, could be much improved on, and be had in *any quantity* required. What I sent you was from a SINGLE *distillation*."

*Report by Baboo Ramgopaul Ghose.*—Mr. Peppes' oilseed is well known by the natives by the name of "*Taurra bechee*." It is found more or less mixed with lin and rape seed. The sample of oil has a disagreeable odour and taste, which if inherent in it, will prevent its use in culinary purposes. I doubt also if it will prove a good lamp oil, for though it gives a fair light, there is much soot emitted from the flame. I am told also that the yield of oil is small, being only about one-fifth of the weight of seed. Bearing this in mind, and looking at the quality of the oil, I should be disposed to value the seed at half the price of good rape seed, or say Co.'s Rs. 1/12 @ 1/14  $\frac{1}{4}$  bazar maund.

I do not feel myself competent to pronounce an opinion on Dr. Cheek's "grass oil." Its medicinal virtues may make

it very valuable when well known, but it can never rank high as an article of commercial importance.

*April 16th, 1857.*

*Report by Mr. James Cowell.*—I concur in the remarks above. As Mr. Peppe has promised to send down a maund of the “Tewra” oil, I would recommend its being sent to Mr. Wilson, of the Belmont candle factory, near Vauxhall, London, and who, I think, promised to give us his practical opinion on any oils we sent him.\*

The “grass oil” from Dr. Cheek may have medical properties which can only be put to the test of experience.† It is acrid, has a disagreeable smell, which will unfit it for any culinary uses, but it may prove to be of utility for other purposes.

*April 17th, 1857.*

*Report by Mr. C. B. Wood.*—The “Tewra” oil sent by Mr. Peppe would, I think, make a fair lamp oil, if carefully prepared and refined; it is perhaps better adapted for machinery. It is like rape oil, which I believe is considered better suited for lubricating purposes than any other seed-oil. The “Tewra” is said to yield only 20 per cent. oil, but if the seed could be procured at half the price of good rape seed, I think it would answer.

The essential oil from Dr. Cheek is similar to the “Roosa or grass oil,” common in the S. and N. Territories, where it is used by the natives as an embrocation in “rheumatism.”

*April 18th, 1857.*

*Supplementary report by Mr. Wood.*—The “Tewra” oil received from Mr. Peppe, and which I refined as per sample,

\* Mr. Peppe was requested to send down a few gallons of the oil for this purpose, but the disturbed state of the country has probably prevented his doing so.—EDS.

† Dr. Cheek was requested to oblige the Society with a larger specimen, for transmission to the Pharmaceutical Society; but he has not been able, as yet, to send it down.—EDS.

burns very well in a small lamp; there is not enough to try on a larger scale.

In its present state the oil has a jingly disagreeable smell; this could be got rid of here as well as by refiners in England. I would however send forward the sample without any reference to its burning qualities, for I could not try my moderator lamp without two quarts of the oil.

*February 18th, 1858.*

Dr. J. B. Barry was also kind enough, (though not a Member of the Committee,) to report on the "grass oil" to the following effect:—

"The specimen of "grass oil" you submitted for examination some days since is very inferior. The aroma is very heavy and unpleasant; which detracts from its value in a medicinal point of view, as such oils are only used to give a pleasant smell to liniment and embrocations; it has not the slightest resemblance to the "grass oil" of Ceylon, and never could take its place in the market."

CALCUTTA:

*May 13th, 1857.*

*A few additional remarks on experiments with Silk-worms, with a view to improve the present silk-yielding species of Bengal, by engrafting on them the very superior properties of the best French and Italian races, but without altering the rapid succession of generations of the Indian insect: By F. BASHFORD, Esq.*

My last communication (*Journal*, Vol. IX., p. 259,) carried my experiments with silk-worms over a period of near three years, down to August in our rainy season of 1856. The few worms I then had feeding were very sickly, however we had fine weather afterwards, and they improved so much as to give a crop of very fair cocoons, from which I had a good supply of eggs, and all hatched on the tenth day, and as we had continued fine weather, and plenty of food,

the worms grew famously, and produced a crop of very fine cocoons, the report of which spread through the district, and the applicants for seed were far more numerous than I could satisfy ; a great many were supplied, and had very fair success with the worms. The whole native crop of the neighbourhood was more or less diseased, but not one of the cross-worms was attacked, the natives had confined them to too small a space, and stinted them in food, but still the cocoons were a vast improvement upon the indigenous worms, and I had the satisfaction of reeling some six bales of silk from them of a very superior quality ; a large quantity was also sold for seed, and spread far over the district ; however, I am sorry to say, that the crop this time was a great failure, the worms deteriorated, from being treated as natives rear their country species, became reduced in size and strength considerably, and the cocoons were light, flimsy, and a perfect disappointment. The natives discarded the breed at once, and I gave it up also, but I still retain the annual or irregular hatching eggs, and have now and then, as fine cocoons nearly from them as you see in Europe, from the pure worm, quite as good I think, but those crossed with the Bengal male not so good. The result of my experiments brings me to conclude that the worms of this country will not bear a permanent and beneficial cross with Europe stock, unless treated as the worms are in Europe, viz., well fed, and carefully kept in capacious and clean well-ventilated houses, with an even and moderate temperature. As we cannot expect this care and attention from the natives, I despair of seeing any improvement of our Bengal silk-producing worms by any cross with a strange species.

The Europe worm could be reared here as an annual, if we understood the artificial means adopted for making the eggs hatch all at once at any given time ; at present they produce so irregularly, as to be quite unsuited for profitable rearing.



*Suggestions on reading Mr. Bashford's experiments with Silk-worms in Bengal.\**

The silk-worm appears to have been greatly improved in its capability of producing silk, both in quality and quantity by modes of treatment adopted in some countries, and to have been injured in both respects in other countries by injudicious management.

The eggs may be hatched by artificial heat at any time of the year, but ought to be retarded by being kept in dark and cold places, until the mulberry is in leaf, for, as that is its natural food, clearly meant by Providence as such, (for no other insect will eat the leaf) the mulberry leaf should be grown before the insect is ready to feed upon it.

The silk-worms require great regularity of temperature, exposure to cold just before the time of spinning destroys their power of doing so, by congealing their gum. If the cold be severe, the gum becomes solid in the body of the worm, and it dies without spinning or passing into the chrysalis state, but a less degree of cold produces an inferior and flossy silk of uneven thread. For these reasons, rearing houses should be constructed, so as to equalize the temperature, which is easily done by the modern improvements in ventilation, flues, and heated air, or water-pipes led round the rooms.

Whether the Indian worms are distinct in species from the annual worms of Europe and China, or whether the difference of nature has been caused by influence of climate and treatment, are matters of less moment, than to know how to act by them as they are, so as to obtain the utmost possible in quantity and quality of silk.

Now it is evident that the Indian is a more ephemeral creature than the annual, as such a strength of constitution and

\* "I send you copy of a letter sent me from England on reading my previous paper, which you may wish to print in the *Journal*."—(*Extract of a letter from Mr. Bashford, dated January 19th, 1858.*)

power of production, equal to the annual, cannot be possible ; but its powers might be developed beyond what they now are, were they treated according to their natural instincts, as the annual worms are in China and Europe. The silk-worm is a creature of the bush, which light and pure air surrounds, but when immured in darkness, and the foul air of an un-ventilated building, its instincts and functions must suffer. But in Bengal, they are kept in foul dark dungeons, lest flies should destroy them, whereas wire gauze, or any cloth of open texture, for windows, would keep the flies out, and let light and pure air in, and better still, glass windows with lattice blinds, and for ventilation long pipes or boxes of a large size, say a foot diameter, and thirty feet long, led round the sides of the room, through which dark passages the flies would not enter, and similar boxes of pipes on the ceiling would carry out the foul heated air. The worms want light, equal warmth, pure air, room, and cleanliness, and also fresh gathered leaves, for they heat and ferment if kept in heaps, and so become rank and stimulating, and also, if wet, cause contagious and fatal diseases.

By thus restoring the creature to its natural condition, would be the first step toward giving it a better constitution than it has at present, but if that be sought by breeding in with the more healthy and hardy worm from Europe, the improvement sought would be short lived, seeing the European blood would be at once subjected to the weakening influence of the Indian modes of treatment, and degeneration would follow.

Again, if annual and monthly worms are distinct species, to amalgamate them in one is impossible, for the stronger stamina will prevail, still a small portion of annual blood might act beneficially, if the native stock be also improved by the treatment already alluded to.

So also, the worm from Europe (like men and animals) requires to be acclimatized, for which end the stock from

Europe should be kept pure, a small portion being retained wholly breeding within themselves, but from which, from time to time, crosses with the Indian worm should be made, from which crosses the breed obtained from the previous crosses should be strengthened. Thus the first cross paired with the Indian, that with the Indian again, and so twice more, would reduce the European blood to a fifth degree, or 32nd part, then if that stock were left to breed wholly within itself four or five generations more, the proportion of Indian and European blood, so to speak, would remain the same. Now would be the time for another cross, not with the pure European stock, but with another cross obtained from it as was the first, and kept distinct till this occasion. So the European blood by this means would not predominate, and a tendency to recur to the nature of annuals result, as hitherto appears the condition of the hasty crosses tried at Surdah in Bengal. In every case of breeding for stock select the strongest and healthiest moths, and from their eggs, the first lay only, say the first 50 or 100, for it is not natural that a moth parting with its substance or body, *i. e.*, its health and life, in so vast a number of eggs, should be other than enfeebled towards the end of her laying. The first eggs are likely to have the vigour of both male and female.

*The Gardener's Note Book,—No. 2.*

*On the cultivation of the Dahlia in and around Calcutta: By the late Mr. JOHN McMURRAY, Head-Gardener of the Society.*

The cultivation of the Dahlia plant in and around Calcutta is carried out in two ways; the one in the open ground and the other in pots, placed in the most favourable aspect for the plants and decoration to the garden. Under both methods the plants thrive and flower, but more so in the pots, though

only for a short time, which arises from the care and attention bestowed on the choice of soil, and the advantage of a free drainage, which the pot system affords to the bulbs, being raised above the level of the ground, which becomes saturated with water by the beginning or middle of August, which materially injures the tubers, when planted out in the ordinary open ground mode practised about Calcutta, without any preparation previously being made. But if the same attention was paid to the ground cultivation, as that bestowed on the pot system, the case would be materially in favour of the former, as the Dahlia is well known to be a perennial tuberous rooted plant, and may be continued or started into a second growth in the course of one year when the weather is favourable for that purpose, as is the case in this country during the rainy and cold seasons, when the bulbs are planted out in the open ground. For this purpose the beds which are intended for growing them in should be raised above the level of the adjoining ground two feet and a half; in order that no unnecessary water may lodge about their roots; the bulbs should be started in pots, as directed below, and the plants should be set out so as to slope upwards from all sides of the beds, as a great portion of the effect they produce depends upon their arrangement, both as regards size and colour.

The operation of potting should commence about the first of June, if the weather is not extremely hot and unfavourable; but it should not on any account be deferred later than the middle of the month. The pots chosen in the first instance should be of a small size, and half filled with compost, having previously had a good drainage placed over the hole in the centre of the bottom. After potting, the bulbs may be placed in a North aspect, out of the mid-day sun, until they begin to break or push out buds, when they should be shifted into a more open and exposed situation; and so soon as the tubers have made a stiff healthy growth of from six to nine inches in height, they should then be shifted into the open ground or

flowering pot, which on this occasion ought not to be less than from fifteen to twenty inches deep, and proportionately wide at the mouth.

The compost to be used for the first potting should be of a light, open, and sandy nature, without any manure, as the object then is to encourage the growth and formation of roots, but at the time of the second shifting or potting, there should be a liberal supply of well decomposed cow manure mixed with the compost, which at all times should be light, free and open, and the pots well drained to ensure a healthy growth of the plant.

At the time of the first potting, the crowns of the tubers should not be inserted underneath the soil more than half an inch, otherwise the bulbs are liable to damp off; water at the same time should be sparingly given, or it will cause the same effect, until the tubers commence to grow, after which a liberal supply is requisite to encourage a vigorous healthy growth. Liquid manure should occasionally be substituted, to throw colour and vigour into the plants. When the shoots have grown from ten to twelve inches high, it will be necessary to support them with sticks, forced into the earth in the centre of the pot, to which the shoots are to be loosely tied with small pieces of string. The sticks should be sufficiently strong, deep and firm in the soil, not be shaken loose by the wind, and they should be from three to six feet or more long, regularly tapering a little from the bottom to the top, and the thick end should be sharpened to a point, and that end inserted close to the shoot of the plants in the soil, bearing in mind to put down the long stakes to the tall plants, and *vice versa*.

As the shoots continue to advance in height, the tying, as mentioned above, should be also continued at intervals of about every six or eight inches of new growth. To do this, it is proper to look over and examine the plants every five or six days, as the stems are very brittle, and liable to be

broken by the weight of the leaves and the wind, if not supported in this manner.

The Dahlia plant is subject to the ravages of insects throughout its whole stage of growth, but more so when the leaves are in a young and tender state. At that time they invariably attack the young or folded leaves of the shoots, and conceal themselves in the centre of the bud, so that it is no easy matter to see them until a great deal of destruction has been done, and not unfrequently the bud being entirely destroyed. The grub should be effectually destroyed in its young state, and the surest way of doing that is to pick off all that may be visible, and then squeeze the young foliage gently between the finger and thumb, as the insect is very small, and may escape observation.

The rainy season growth of the Dahlia plant suffers materially at the end of the rains, and frequently die down altogether from the sudden change which takes place in the weather at that time, which might be remedied through the cultivators paying more attention to the natural habit of the plant, and remembering that the Dahlia is a perennial tuberous rooted plant, which may be rallied again, though it may have grown and flowered abundantly during one season. Why it should not be managed to do the same again, when the weather is equally as favourable, if not more so during the cold weather, is astonishing to me, as it has been shown on a small scale to be perfectly within the accomplishment of most cultivators, who give but slight attention to the subject. The Dahlia plant, as above stated, springs from a perenneal tuberous root, the stems of which are very succulent, and consequently liable to be damaged or totally destroyed by any sudden change which may take place in the weather, and which in most cases cannot be guarded against, but a second young growth may be encouraged, which will flower freely during the cold weather, by thinning out the tall, straggling, and useless branches, and only

leaving such of the young and tender growth near the ground as are likely to start into a fresh and vigorous growth. The pruning for this purpose should be commenced in September, so as to gradually harden the young growth; for the sudden change which may always be looked for in October, at which time the roots of the plants should be partially stripped, and a fresh rich compost substituted in place of that removed, and immediately afterwards watered, to settle the earth about the roots, after which the plants at all times should be managed the same as that stated above during its first growth, save that they should be artificially watered at intervals as may be deemed necessary.

By the middle of February, or soon after, the greater part of the plants will begin to appear brown and dry; vegetation has then ceased, and it is then the exact time to take up the tubers, because if they are suffered to remain in the ground till the spring showers ensue, they will begin to shoot afresh, and thereby sustain considerable injury. Before the tubers are taken up, their stems should be cut off close to the ground, the bulbs should then be lifted and placed in a dry airy godown, to dry gradually, but before this is perfectly accomplished, it will be proper to clean them, by rubbing off the soil which may adhere between the tubers. Nothing more remains to be done till the return of the potting season in June, except to see that the different kinds have been carefully named, with the colour of the flower each kind may produce, height and dimensions each plant may attain, the whole of which is requisite as a guide for the following season. As regards propagation, the tubers should be divided at the time of the first potting, and cuttings may be struck when sufficiently ripe during the whole stage of growth, care being taken not to place them under a damp bell-glass, otherwise they are sure to damp off.

CALCUTTA :

*August 11th, 1857.*

*On the culture of English vegetables in the environs of Calcutta: By Capt. H. B. WESTON.*

Having finished all my correspondence, I sit down to fulfil my promise, and, according to your request, give you my ideas on the culture of English vegetables in the environs of Calcutta.

On commencing from a new piece of ground, I should first examine and see the different sorts of grass that the turf was composed of, none of which I consider troublesome to get rid of but that called the "mootah" [*Cyperus rotundus*] and the "cassiah" [*Saccharum spontaneum*]. The "mootah" I think the worst, on account of the net-work it forms, and the rapid increase of its nuts or tubers, which also increase from each other, and prevent a free course for the roots of vegetables, bind the earth, and take away the chief strength of the ground.

In breaking up a new piece of ground, I think it advisable to do it two feet deep, as that will destroy all the annual weeds and grass; but if the "mootah" exists in a great degree, it is as well not to do it deeper than eighteen inches, the first year, as by digging it two feet you would place a great many of the nuts at that depth, to be dug down for afterwards, and the labour of removing them would be much greater than going down eighteen inches, and the great object is to remove this most obnoxious weed.

I dig a trench the depth I intend to break the earth up to, removing the material outside the ground I am digging up. I then take off the turf next to the trench, and lay the grass down inside it, and digging up the earth to the same depth as the trench, throw it all on the turf deposited at its bottom. This leaves another trench, into which the next turf and earth should be thrown, and the same thing carried out through the whole piece of ground intended to be brought into cultivation, and the trench left filled up in the same manner by the turf



and earth dug out of the first trench, which will level the whole ground as it was before it was commenced on.

The men while digging up the earth should take every bit of "cassiah," and of "mootah" nut (they see) out, and put it into a basket. Where "cassiah" is found, it should be removed three feet deep, which I think will destroy it. I have succeeded in doing it by these means or method.

The same year, and continuously till these two grasses are eradicated, whenever they shew themselves, the earth should be carefully removed round them, and the thread followed, till, in case of "mootah," the nut and any others that shoot from it be found and removed, and the "cassiah" to three feet deep. When the work is over for the day, the earth should be beaten off the roots, taken up, and left in the garden, the roots piled up in a separate place away from the garden, and, when a great number are collected, burnt with any other weeds that may have been collected that have flowered before being removed from the ground. Those that have not flowered should be put in the mould pit, as there is no chance of their generating fresh weeds, but when a weed has once flowered, it should be burnt, to prevent the possibility of its generating others; this may appear a very expensive way of going to work, but it will prove the cheapest in the end.

As it is impossible to get every piece of ground under any circumstances to bear a good crop of vegetables while hampered with weeds taking half of the strength of the ground, I deem it a matter of the first importance to remove those that exist, and prevent the new growth of them; it is therefore necessary that every one should be removed as soon as possible, and that none should be allowed to seed either in or near the garden, for each plant will produce its thousands, and of course so much more men and labour will be required to keep the ground clear, and valuable time for sowing or planting be lost also.

I have prevented an enormous increase of weeds merely by carrying a spud in my hand, when I take my rounds in the garden or compound, and, as I passed them, cut them up. This simple instrument and companion used in this way, will do the work of one *mali* in the course of the year, and it is very handy to dig into and see if the soil is in proper order in every way, and it is of little use a person's walking round his garden without it. The "mootah" or "cassiah" however cannot be destroyed in this way.

I look on weeds, red and white ants, and bad *malis*, the most inveterate enemies the gardener has to contend with in Bengal. The white ants are, I believe, easily got rid of by using pig manure; (this is not on my own trial, for I have never been annoyed by white ants, but I firmly believe it, having received the information from a source I can rely upon,) but care must be taken not to use too much of it, as, on account of its strength, it might be the means of destroying or burning some of the roots of the vegetable.

The usual way of getting rid of the red ant is, I believe, by powdered turmeric or *huldee*. I however found a plan my *mali* had, last year, more successful. When the seeds were sown, a cocoanut with the kernel in it was cut in halves, and laid near the seeds, the ants flocked to it, and when it was full of them, it was immersed in hot water. The nuts were watched during the day, and in three days no more made their appearance. A few days after they made their appearance again, when they were treated in the same way, and again similarly disposed of. My plan, when I find a nest of red ants in the road, or any part of the compound, is to bund the spot round with clay, and pour in boiling water, and I have found it most efficient in the destruction of the red ants. My house was full of them when I came to it, but there are very few of them now.

There is another great enemy the gentleman gardener has in India—his *mali*, who prefers sticking to the old routine

in preference to any thing you may wish to teach him. His caste also is frequently in the way. He seems to delight in keeping weeds till they seed, or doing any thing else that may cause the necessity of employing extra hands, that, if possible, he may make something out of them.

I have always tried to instil into my *mali's* mind that the first thing he has to learn is to destroy the weeds, and, until he does it, he can never be a good *mali* or have a good garden. I have been partly successful you know by what you have seen in my garden. The only way in which I have succeeded is by always sending for him (as I see a weed,) when he is smoking his *hookah*, or doing any thing he may take a delight in, to pull the weeds up, never losing an opportunity of doing so till he gets annoyed with the weeds himself.

I think the best time for breaking up a piece of ground is the latter part of the rains, while the turf is soft, and only sufficient moisture in the ground to rot the turf, and not sufficient water to ooze out and stand in the ground, so that the men are obliged to stand in water.

After digging the upper part, it should be let alone until it becomes partly dry, but not sufficiently so as to cake. Dust lime, or chunam, should be sown on it thinly, and a good quantity of bone charcoal dust. The former, both assists in pulverising and gives strength to the ground; the latter, I believe, only assists in pulverising or loosening it. I have used both of them successfully. Wood ashes are especially good for peas, and fine cinders for any part of the garden, and particularly for asparagus. The chief object in working Indian soil, is, I think, to keep it so loose that it cannot cake, as an earth that becomes so will retain least moisture, and the looser and moister the soil of a kitchen garden, the better.

I think the best crop to put in the ground first, is potatoes, which should be grown the same as in England. The drills should be opened out eighteen inches apart, and about six

or seven inches below the surface level, three inches of good stable manure put in, then, about one and a half inches of earth thrown on it. The potatoes put in, and covered three inches, which will make the ground level, and if planted in October or the earliest part of November, they will require no watering. I think, however, that should there be no rain in November or December, that they should be watered once, so as thoroughly to saturate the ground, which should be hoed the next day, to prevent its binding. They require nothing more after this than hoeing the earth up to them.

I tried an experiment one year with six rows of potatoes. Two I gave a large quantity of water to, two I gave half the quantity, and two none at all. When dug up, those that had had no water were best both in size and flavour, those that had the most water were the worst.

I am of opinion that the ground should always be dug up two feet *deep* for carrots, parsnip, beet, knole-kole; for all other vegetables twelve to fifteen inches. In turning up the ground a layer of manure should be put in at the bottom, and the earth thrown on it. As soon as the earth begins to dry, it should be broken fine till a good season is obtained, and the top frequently moved, to keep it till made use of. After every rain it should be fresh hoed, seed should not be sown until a good season has been obtained, and the day after, and, in case of rain, it is advisable to cover the seed with mats, to prevent its being washed up or caking the ground.

The time for sowing must be decided by the party himself and the state of the weather, but it should be as early after the rains have ceased as possible, and a good season to the ground has been obtained, much of the seed sown before will rot. Peas should not be sown till the rains are *positively* over.

I consider the native principle of raising a bed, and covering it with *hooglah*, the best for sowing such seeds, the plants of which are intended for planting out, and it can be done

earlier than in the ground. Sowing in these beds should be commenced in September.

*Asparagus*.—I have always sown in pots, and find it comes up best in October or November, being shaded at least half the day. When ready for transplanting, or planting out, holes should be dug from two and a half to three feet apart, and at least a foot deep; they should be filled with six or eight inches of stable manure, and ashes or fine cinders mixed and slightly pressed down, with a little earth put on it; the plant should then be put in, and kept well watered, the ground between them kept hoed loose, to prevent its drying up.

*Artichokes*.—Of these I can say nothing, for I have never succeeded in getting them to fruit.

*Beet*.—The best way of growing these, is by digging small trenches one foot apart and fifteen inches deep, fill in nine inches of stable manure and earth mixed, half and half; then fill in with earth four inches, and level the ground; make small drills about one and a half to two inches deep, put seed in a foot apart one by one, and leaving it open for the dew at night, cover in the earth in the morning. If any beet fails, the drills will do for transplanting leeks into. The seed should not be watered till three or four days after it has been sown, and not then if any of the seed is up. After they have come up, they should not be watered unless the plants droop, but the earth kept loose by hoeing between the rows. Beet may be sown in pots or beds, and transplanted with good effect. When young the ground however should be well manured, but it will not succeed so well as rows.

*Beans of different sorts*.—These should be sown in rows, about eighteen inches or two feet apart, but not till a good season has been obtained. They will come up well and quickly if the seed is good, (I have not succeeded with scarlett runners.) They should not be watered till after a fortnight. Sow in

October, the soil must be kept loose by hoeing between the rows, to prevent the ground drying, and trouble of watering much. So long as the ground is moist two inches below the surface, I do not consider they require any water. The rows should be North and South, as they grow better that way than when planted East and West. Peas and celery should also be sown North and South. When the Broad or Windsor Bean shews six or eight flowers, the extreme bud of the head should be cut off with a pen-knife from the opposite side to the flower. This is to prevent the plant from growing too much, and to send the strength of the plant into the pod. They will send up fresh stems when the first are done with, which should then be cut off. I have had these beans on my table the last five years. All beans should have the earth hoed up to them to about three inches high.

*Cabbage, Cauliflower and Broccoli.*—Should be sown in the nursery bed when the third leaf makes its appearance or has formed, (if they are not too thick, if so, it should be done before); they should be transplanted to another part of it, two to three inches apart, close up to the leaves, and there remain till ready to plant out in the ground. If they grow long, instead of the trouble of transplanting again, fill in with leaf mould up to the leaves, and so support them till ready to plant. As soon as the plants are large enough, I hoe out drills about eight inches deep, dig a small hole large enough for the hand to go in, fill it with half mould, half manure mixed. Fowls or pigeon manure is the best, but must be used in small quantities, or it will burn up the plant. I then fill the hole up with mould about three inches, in which I plant the young plants eighteen inches apart. The reason of my planting them so close, is that when nearly full grown they shade the whole of the ground, and prevent the sun from drying it up. The first three days they should be moderately watered (less every day) in the evening, and kept covered during the day with a pot or *cutchoo* leaf, which dries gradually, and on

the fourth is no longer of use or required ; watering should be continued sparingly, the plant may be left to the weather afterwards, and only watered when they droop for want of it, but less every time, this is to encourage the plant to root deep, instead of its depending on a supply of water artificially. The ground between the plant should be hoed up to the lower leaf the day after watering, and the ground kept loose, and by hoeing earth up to the lower leaf, fresh roots will form and absorb the nourishment from the fresh manure, which should be put in every time. Before hoeing up, the watering should be decreased, till it comes to once in seven days, the ground always being kept loose to retain the moisture. The watering these plants too much I consider an evil, for though you may get them larger, they will not have so good a flavour. Cauliflower will also be late by not being much watered.

When cabbages, cauliflowers, &c., are planted out in the garden, brandy or white claret bottles should be hung up on sticks in squares of about fifteen feet apart each. They prevent the appearance of the caterpillar on them. A field of cabbages opposite my garden had men all day picking them out, and my garden had not one in it.

*Chives*.—An invaluable vegetable in an Indian garden, should be grown the same as leeks.

*Carrots*.—These may be some of the earliest vegetable seeds sown, as well as turnips, parsnips, leeks, onions, and beet. I do not think they would be profitably grown in the seed-bed or pots, although they might ; for, if taken up with care, they transplant very well, but it must be done when they are young, and care must be taken not to break the tap root ; if it is broken, they will grow stumpy. When sown in the ground, a very fine season should be obtained first ; if the ground dries much before they come up, they should be watered at even. A white cloth laid over them for three days or four, after sowing, will much facilitate their coming up, as well as cause more of them to germinate. This plan may

be used also most successfully with onions, leeks, parsnips, parsley, indeed all Europe vegetables, the sun in the day being too strong for many that have germinated to come up before they have taken root, they are consequently parched up. After they are up, they should be watered, to bring the stragglers up. Carrots, to be grown to perfection, should not be nearer each other than six inches at the least, and they should be thinned out to this, leaving the finest ones; afterwards they should be watered as little as possible, but great care should be taken to keep the earth as loose as possible, and as far down as practicable, to allow the carrot to fill out. They will always go down for water, if they do not get it artificially. Carrots should not be scraped before cooking, as it takes away the best of the flavour and colour, they should be scrubbed clean with a brush.

*Celery*.—I have only been very successful in this for two years, 1855 and 1856. The seed should be sown under cover, and as early as possible, and only allowed about three hours of sun till they are well up, and then not more than half the day. When ready for planting, trenches should be dug at *least* two feet and a half deep, one foot wide at the bottom, and one and a half foot at top. At *least* six inches of solid stable manure should be put into the bottom of the trench, on that about two inches of leaf mould. They should be planted North and South, and not less than one foot apart. Kept well watered, the earth loose, and, as the earth is filled in, care should be taken that none goes between the leaves, as it will surely rot the plant. I have tried the native plan of the noll, but cannot say I like it.

I tried a plan late last year, of putting a split bamboo at the bottom of the trench, and putting the manure on it. It was too late, only being done at the end of January. The celery was very good, but small. I tried it again this year, but fear the *mali* has not put enough manure. In this plan water is only to be given by a noll at the end of the



bamboo, and the earth filled in dry or moist with dew in morning.

*Endive*.—Should be treated the same as lettuce in every way, excepting that it ought to be tied up, when the leaves are five inches long, and new ties should be put on as the plant grows, slacking each former one off as you put the upper one on, to allow the plant to expand; however I have had but little experience with this, and never succeeded so well as in this year by this plan, which I had not adopted before.

*Fennel*.—Grows wild in the garden when once introduced.

*Knole Kole*.—I have been in the custom of growing this vegetable the same way as I have cabbage, but from what I experienced this year in the large one you saw, I shall for the future plant them on a level with the surface, and give them as little water as possible, so that they do not droop, keeping the earth well loose about them continually; of course the hole in which they are planted should be well manured, being filled up before planting.

*Lettuce*.—Should be sown in the seed-bed, and in a light leaf-mould soil, and allowed but *very little* sun, watered moderately, and, when large enough, planted out not more than ten inches apart, or perhaps eight. When they grow to their size, they will not only keep the earth cool, and moist, but will commence turning each other into head. They should be allowed to spread well before tying up, and it should be tied higher as it grows, and only one band kept on, so that it may fill out well, and form a nice white heart, and large as well as solid.

*Leeks*.—Should be sown in a fine light leafy mould soil (well watered first) in the evening, and the seed raked in in the morning, and covered with a white cloth during the day for a week after being sown, unless several come up. In that case, the cloth had better be done away with, and copious watering used, which should be continued till all are up, which will perhaps take two months, the earth being kept

loose. When ready to plant out, a small trench nine inches deep should be dug, filled in with six inches of manure, and filled up with mould; plant them in this with a dibble. (Indeed, during planting, the *neerinee* or native weeding tool should be locked up, and only the dibble allowed to be used; the earth can be pressed much better against the root by the dibble.)

**Leeks** require plenty of water, and so do onions, and they like liquid manure. The earth should be kept loose, and, as the bulbs form, they should be hoed up.

**Marjoram.**—Should be sown in pots, in a shady position, it is also increased freely by cuttings, as well as thyme. The seedlings should be transplanted into leaf-mould when they commence branching out. It will survive the rains in pots, but they should be well drained, and I think they are longer lived and thrive better for being kept mostly under cover during the rainy season.

**Onions.**—Treatment for these is the same as for leeks, but they do not require so much earthing up.

**Parsley.**—This I sow as soon after the October gale as I can get a good season on the ground, watering the ground well first, sowing in the evening, and raking in in the morning, and covering it for the first three or four days, or till it comes up well. I transplant it as necessary afterwards, about eight inches apart, in squares. It can be raised in pots in the shade very well, and for choice sorts I think it preferable; the ground should be kept loose; it likes water, if the ground is loosened afterwards.

**Parsnips**—Should be sown in a shady place; where they cannot get the sun for more than three or four hours a day, and that in the morning; they should be thinned out to not less than a foot apart. Those taken up should be taken as young and as deep as possible, to prevent breaking the tap root. They should have no water after they are all up, but the ground be kept as loose as possible at top, and as far down

as can be managed, to allow the root to expand to its utmost. A sandy rich soil suits parsnips best.

*Potato Seed.*—I have this year raised potatoes from the seed received from the Society, but they were so small when I left I can say nothing more about them. I have also sown them in the ground, and succeeded in getting some of them up. I should much like to have watched them.

*Peas.*—Supposing of course that the ground has been prepared and manured, as stated in the former part of my letter, before I sow them, I will first of all get the ground well loosened, and as small as possible. I will then hoe in about four inches wide and half an inch thick of wood-ashes where I intend to sow, which should be saved from the cook room for this purpose. I will then water the ground in the afternoon, hoe it up fine by the evening, and open small drills two feet wide between the rows, and eighteen inches between the two rows. They should be from two to two and a half inches deep. Sow the peas about three-quarters of an inch apart promiscuously, leave them till the morning, and cover them with the earth taken out of the drills (N. B.—Have no pigeons near your garden, or they will take them all up.) Should the peas come up in three or four days, *good*, if not, water them gently for one or two evenings, when, if the seed is good, they will come up. After they *are* up, cease watering altogether, but keep the earth loose on each side of them, to preserve the moisture already in the ground, and allow it to absorb that part of the air which they require, as well as much of the dew as is necessary. When they are too high or tall to support themselves, they should have the earth hoed up to them on both sides. In the morning hoe them up so high as you can, till the earth between them is about three or four inches below that of the peas. The earth between them must be kept loose and peas sticked when the earth will support them no longer.

*Radishes.*—I do not think these can be grown really good if sown before the commencement of November. I have tried them frequently, both in pot and seed-bed, but always found them tough and hot. Like all other Europe vegetables they require a good season, and the earth kept loose, and moderate watering daily. The turnip species transplant very well if taken up young; and, if properly looked after, give much finer radishes than the seed-bed, being larger, milder, and more crisp. Another advantage is, that you can command a regular supply, by transplanting at different periods. They require water equal to an English summer. Wood-ashes and gravel improve a radish bed very much.

*Spinage.*—I have not found English spinage easy to raise, it may however be raised from seed, by covering it with a cloth, the same as other vegetables, I have mentioned,—indeed almost all English seed generates better and quicker by this method; the heat of the sun in this country is too powerful, I imagine, for the germ after it is started, before it takes root and shoots into leaf.

*Tomatos.*—Sown in a pot of light rich soil comes up very well, are very hardy, and planted in the outer edge of the garden will thrive, yield very well, and take up no room; between them I also plant chillies and brinjal.

*Turnips.*—May be sown in pots, or the ground, or seed-bed; in the latter and pots for first crop, for transplanting, as soon as the weather is favourable, after the rains are over. If they grow too fast, keep them back by spare watering. To keep them back, they are better for being transplanted, and you can command a succession by planting out at different times. They should only be watered sufficiently to keep them from drooping, but the earth must be kept nice and loose.

*Yam.*—Is best grown, I believe, from the trials I have made, in the following way. Dig a trench about twenty-two inches wide and two and a half feet to three feet deep, fill in on each side with six inches of manure six inches wide, and

the centre eight inches with leaves. After the manure is in fill up with earth on the side, and leaves in the centre, stamping them down; when level with the surface, cover up with the earth that has been dug out of the trench till all has been disposed of. When the seeds or tubers shoot, plant them in the centre of this ridge, the shoot not more than one and a half inches deep, and from one and a half to two feet apart. Place some stout stumps eight feet out of ground, two feet into the solid ground outside the trench (not in it), cross them with three or four slips of bamboo, to these you may guide two or three rows, by placing *goran* sticks in the ground close to the shoot, the other end against the posts, there will be lots of seed then on the plant, as well as tubers round the main root also, nothing else is required, but to loosen the earth now and then between them; give them no water. When the leaves all die away cut off the stem, and dig up the root; put the seeds and tubers in a box after drying, and keep them in a dry place, when the time for planting has come, they will throw out a small shoot.

The manures used in India by the natives, are, I believe, few; cow manure and *culley* or oil-cake; the latter I abominate as an impoverisher of the ground. The manure best adapted to the soil of the country is rotten stable manure. Fowl, pigeon and rotted pig's manure, ashes, loam and leaf-mould; peat is good for one year, but it impoverishes the ground for the next. The best way for procuring stable manure well rotted, is to dig a pit sufficiently large enough to hold what you have or can procure, and six feet deep; in the rains it will fill with water, which will completely rot it by the time it is required. When required to be used, dig down on one side, and take out such as is rotten, leaving that which is not to remain for next year. By this means you may make the best piece of ground out of the worst. I think

it would be advantageous to the A. and H. Society if they would have a pit of this sort, and get the residents in Garden Reach, that do not save their stable manure, to put it in this pit.

The soil of this part of India, as far as I can judge, is far from being a rich one, hence the necessity of flooding it, to procure large vegetables, and manuring with *culley*, which is of no good after the first year. I think pig's manure is first, fowl or pigeon second, stable third, cow fourth, lime fifth, and ashes sixth.\* All of these tend to enrich and lighten the ground. The fifth and sixth, in addition, destroy insects that are injurious to the plant, such as grubs, caterpillars, and grasshoppers, called by the natives *phoring*, which cut off young cabbage, cauliflowers, peas and potatoes very annoyingly; tank mud is of use only for one year.

The soil here is very apt to form a hard crust, which renders it difficult to work, or for seeds to break through. Lime ashes, fine cinders, and bone charcoal dust, are capital things to do away with this evil.

The watering of vegetables, and indeed all other plants, is, I consider a great evil, and an error done to obviate manuring. They make a ridge round their beds of hard mud, and flood them; doubtless they get large vegetables that way, but do they have a good flavour or are they mostly without it.

My principle, be it good or bad, is (with the exception of cabbages and cauliflowers,) to make all my beds round, and about eight to ten feet wide, the space between the beds (about six inches) is a walk for the *mali*, to use when hoeing, watering, weeding, or plucking vegetables, the rounding the beds prevents any stagnation of water, the keeping the top of the ground loose prevents it from caking, and (as I have shewn you) from drying below, and saves much expense in watering, giving also much more time to the men for their other work. I only have three *malis*, but if

I watered as the natives do, I do not think I could do without nine.

Mr. Mechi, the model farmer's opinion is, (and I must say at first I adopted it against my will,) that all plants will go down for water, if it is not given them artificially. I also saw in a pamphlet he wrote on the principle of not watering, that he had followed a parsnip grown on this principle by digging down alongside of it as far as seventeen feet deep, and then did not get to the end of it. There is certainly a great difference between the climate of India and that of England, both as to heat and rain, but I am satisfied that a plant will go down for water, if it is not given it artificially, and if the ground be kept loose at top, but if you once begin to water a plant freely, you must continue it, or it will not thrive afterwards.

I do not, however, think, as a general rule, you will get vegetables so soon, or large, by watering sparingly, as by flooding them, cauliflowers particularly; but they will be of much better flavour, if the ground is well manured. This last year, I had cabbages, peas, radishes, and some other vegetables on table before they could be procured in the bazar.

*Tobacco.*—From Havannah seed grows very well, especially if well manured. I have grown some, and had it made into cigars, and though I am not acquainted with the process of curing it, I find some of them as good as Havannah, though they have only been made up about four months; and this opinion has been expressed by many who have tried them, but that they want age. I sowed the seed in pots; when the plants had about four or five leaves, I put them in the ground, covering them with a *cutchoo* leaf over them for the first three or four days, to prevent the sun from injuring them in the day. The three lower leaves were plucked off, as the plant began starting upwards, when the buds formed, they were nipped off, (except those kept for seed,) and all shoots were also nipped off; this is to throw all the strength of the plant

into the leaf. When the leaves began to turn colour, I had them cut and laid on the grass, where they remained day and night till they began to turn a greenish brown, they were then packed in the evening, when they ceased to be crisp, (but not damp,) and packed one on the other, and put inside the house. When I found them inclined to heat, they were opened out to cool and dry, and afterwards repacked. This operation was continued till it heated no longer, or remained cool, when packed. Not being able to pay attention to it myself, I had to leave it to my *mali* who frequently neglected it, consequently much of the leaf was completely spoilt; but I am satisfied that as good tobacco can be grown in Calcutta as any where else, and, if properly cured, will make as good cigars as the Havannah.

I have re-opened this to say a word or two about tools for the garden, for nothing can be more clumsy than the native *kodali*, and with it the *mali* never covers his weeds or manure when spread on the ground. The spade is the best tool for breaking up ground, either new or old; the manure may be spread on the ground, and dug in, leaving it well covered. The *neerinee* should be discouraged as much as possible, except for weeding paths and pots. There is not a thing that teaches laziness more than the *neerinee*. The rakes sold in Calcutta, are not strong enough, and they are a quarter too short; the teeth, instead of being square, should be flat, the edge towards the handle. A good sharp Dutch hoe is best for cleaning flower beds of small weeds.

The half mattock is the most useful tool, as it can be used for almost every thing, and the natives, after using it, allow of its being lighter and handier than the native *kodali*. I have one in my garden. Hoes of a smaller width are best in weeding out, and thinning vegetables and flowers, and for plots a small pointed hoe should be used. The point being the only sharp part, the side will



not cut up more than you wish to. I intend to get a few wrinkles in garden tools at home. Of liquid manuring or watering, I have said nothing, as I have had but little experience in it, but I used to find it advantageous to put some well rotten manure into the water-pot, fill up with water, and shake it well. This species of manuring requires care and experience, or the plants may be rotted by giving it thus too strong. It should always be hoed on the next day, or it will form a greenish top to the ground, that is unhealthy to the plants.

ADEN, EN ROUTE FOR ENGLAND :

*January 27th, 1858.*

*Report on samples of Flax raised in the Punjab and N. Berar.*

*To the MEMBERS OF THE FLAX COMMITTEE.*

GENTLEMEN,—By desire of the Society, I beg to circulate for the favor of your opinion, sundry small samples of Flax, &c., from the Punjab, and from N. Berar, as detailed on the other side. Extracts of notes from Major Burnett and Capt. Campbell are annexed. Mr. Cope's memo. merely states that he wishes to know what is thought of the flax, and its probable price in Calcutta.

I am, &c.,

CALCUTTA :

A. H. BLECHYNDEN,

*November 25th, 1856.*

*Secy. A. and H. Society.*

*List of samples circulated.*

Samples of flax 1 to 8. Raised from foreign and indigenous seed in various parts of the Punjab, as stated on the tickets affixed to each sample.

Sample of hemp.—(*Cannabis sativa*). Raised at Kote Kangra in the Punjab.

N. B.—The above from Mr. H. Cope.

A sample of flax raised at Woozeerabad and prepared at Lahore. Received from Major Burnett.

A sample of raw flax and two pieces of canvas made from it at N. Berar. Received from Capt. Ivie Campbell.

---

*Extract of a letter from Major BURNETT, Secretary Agri.-Horticultural Society of the Punjab, dated Nov. 4th, 1856.*

“The flax was grown in the Wuzeerabad district, and prepared by natives under the superintendence of the Society. Allowances must be made for a very bad season. I have sent a sample home, but I will feel obliged if you will let me know what is thought of it in Calcutta, and its value.”

---

*Extract of a letter from Capt. IVIE CAMPBELL, Deputy-Commissioner N. Berar, Boldana, dated October 9th, 1856.*

“I have the pleasure to advise you of the despatch of a parcel containing a small quantity of flax prepared in this district, and of two samples of coarse canvas made from it, the coarser variety by prisoners in the jail. I am sorry I cannot tell you the price of the fibre; it was made by private individuals competing for prizes offered by the Resident at Hyderabad. Although this district furnishes a large proportion of the linseed which is exported from Bombay, and last year there were more than 100,000 beegahs of land under the cultivation, the people were not aware that the plant, which is sown wide apart, for seed only, produced any fibre. The present is a mere experiment, and much could not be expected from it. Here linseed is a rubbee crop, and the sowings will commence immediately, so that I shall look out anxiously for the supply of Riga flax seed promised by you. As prizes will be again awarded this season, I hope that a superior article will be exhibited.”

---

*Report by Mr. John Stalkartt.*—I consider all these specimens of flax creditable, excepting that from Berar,

which I attribute to not having a good description of country seed; as you will perceive that No. 1, from India seed grown at Googranwalla far surpasses it, Nos. 6 and 7, appear weak, No. 2 and 4, grown from indigenous seed are worthy of *attention and encouragement*, as they nearly approach the Irish flax.

No. 5, is decidedly superior from length and strength, &c.

No. 3, from India seed, grown at Haffizabad, is worthy of great attention and encouragement.

No. 8, I am inclined to think the best of all, it surpasses No. 5, in softness.

The sample from Wuzeerabad is very good, and deserving of encouragement and attention.

The above samples of flax it is, I think, not possible to value in this country; comparing them however, with that returned by the Dundee Chamber of Commerce,\* would show that they were not less in value than 35£ ~~per~~ ton in England, and I suppose above that. I propose that they be sent to England to be there valued, and a sufficient quantity, so that some portion may be left in different marts in England for business purposes, &c.

With respect to the hemp grown at Kote Kangra, I consider it good, and should like to see more of it in bulk.

CALCUTTA:

*January 3rd, 1857.*

*Report by Mr. W. Thomson.*—I have carefully examined the samples of flax and hemp, referred to in Mr. Stalkartt's letter of the 3rd ultimo, which I return herewith.

I entirely concur in Mr. Stalkartt's remarks, to which I have nothing to add, except that the sample of flax from Berar appears to have been very much injured by over-steeping,

\* See a favourable report by Dundee Chamber of Commerce on a sample of fibre prepared from straw grown at Allyghur from native seed, and after the native fashion, solely for the sake of the seed.—(*Journal*, Vol. IX, p. 379.)

although the fibre originally must have been inferior both as to length and strength. In its present state it is only fit for mixing with jute, or for paper making.

CALCUTTA:

February 13th, 1857.

---

*Memorandum on a sample of Farina prepared from the Tenasserim yam (Dioscorea fasciculata); and on a sample of Molasses from date juice: By G. EVANS, Esq., Surgeon.*

As a memo. to serve in laying before the meeting the sample of farina and date tree Molasses I placed at your disposal, I may state that the former, in the proportion noted on the label (about two-fifths of the weight of tubers), was prepared by me from the Tenasserim yams obtained through my friend Mr. Rose from the Society.\*

I have omitted to try it with boiling water, but have no doubt it has much the character of common arrow-root, and the tubers, in yielding a larger per-centage than the *Maranta arundinacea*, might obviously be cultivated to advantage for this product alone. The Molasses is from the sugar of the date tree, and the sweet is less palatable to the taste than that from sugar-cane. This appears to be owing to a portion of chloride of soda contained in it, derived no doubt from the soil the date tree delights most to dwell in.

From its strong resemblance in taste, colour, consistence and smell to Chinese or "*Japan soy*," I should very much question the accuracy of that esteemed sauce, being as is asserted, the product of the *Dolichos* pod or bean.

I have every suspicion that in the present age of prevalent wholesale sophistication, when our commonest articles of daily consumption are adulterated to a most alarming extent, rendering it indeed difficult to know what we

\* "Under the microscope it resembles fine potato starch, and, if perfectly freed from all foreign substances, will prove as good as the general run of arrow-root."— (*Extract of a note from Dr. F. J. Mouat.*)

really do eat and drink, that which we call, and is sold in England as, "*Japan Soy*," is nothing more than a fabrication of cane Molasses and common culinary salt, as a careful comparison of a mixture so made, and the so-called *genuine* article will clearly show. Indeed I have no doubt, that most of what is sold in England as "*Japan Soy*" is manufactured on a large scale by the sauce and pickle makers at home, and such as does actually find its way to England from China, is no other than the Molasses of the date tree, with a fair sprinkling of common salt to preserve it, as with our *chutnies* and Indian sauces, from fermentation, and the decomposition it would otherwise spontaneously undergo.

*Report on raw Silk from the mulberry worm raised in the Punjab; and on cocoons of wild silk moths from Moulmein.*

*To the MEMBERS OF THE SILK COMMITTEE.*

GENTLEMEN,—By desire of the Society I beg to circulate, for the favour of your opinion, certain specimens of raw silk from the Punjab, and cocoons of wild silk from Moulmein, as per list annexed.

I am, &c.,

METCALFE HALL:

A. H. BLECHYNDEN,

November 25th, 1856.

*Secy. A. and H. Society.*

P. S.—For the sake of comparison, I circulate a specimen (4 skeins) of raw silk received from the Punjab Society in 1854, together with the Committee's report in original on it.

I have addressed Capt. Haughton for further information respecting the snaller of the two kinds of cocoons received from him.\*

A. H. B.

\* In a letter to my address, under date 23rd March, 1857, Capt. Haughton writes as follows from Tavoy:—

9 skeins of raw silk from Cashmere silk, wound at Lahore by Bengalees; received from Major F. C. Burnett, Secretary A. and H. Society of the Punjab.

4 samples of silk from Mr. Cope, as follows :—

No. 1.—Cocoons from Bengal eggs, (monthly) with three ounces of silk, wound from 414 cocoons of the same kind at Lahore.

No. 2.—Cocoons bred between a Bengal monthly male moth and a Cashmere annual female moth, with three ounces wound from 264 cocoons of the same kind.

No. 3.—Cocoons from eggs produced by a Bengal monthly female moth with an annual Cashmere male moth, with three ounces of silk wound from similar cocoons.

No. 4.—Specimens of silk wound at Lahore from annual Cashmere cocoons bred at Hoshearpoor.

A small box containing the cocoons of indigenous *tussurs* and another silk producing moth of Moulmein. Received from Capt. J. C. Haughton.\*

Report by Mr. W. G. Rose.—The 9 skeins.—A good useful sort of silk, but not equal in quality to the 4 skeins of 1854.

Mr. Cope's Nos. 1 to 3.—All three capital silk, very nearly of the same quality. I look upon No. 3, as perhaps the best, although not the finest thread.

Mr. Cope's No. 4.—Very inferior, and not half the value of the other three.

"I regret I can give you but little information regarding the silk-worm, the more so, as having left Moulmein, and the insects apparently not extending so far South, I cannot obtain it from others. The large moth appears to me identical in its habits with the *tussur* moth. The small one I only observed upon the cashew-nut tree (*Anacardium orientale*), which though exotic, has thoroughly taken root both here and at Moulmein, and is now to be found in every native garden"—A. H. B.

\* Since writing the foregoing, I have had an opportunity of examining these cocoons with those in the Museum of the Asiatic Society, and find it to be similar to the *Saturnia trifencstrata* of Helfer. See his account in *Journal of the Asiatic Society*, Vol. VI., page 45. The worm "lives on the Soom tree in Assam, but seems to be not much used."—A. H. B.

I am no judge of *tussur* cocoons, and cannot therefore give any opinion respecting them.

The other cocoons from the silk producing moth of Moulmein are perforated as before, and appear to me worthless, as I do not think they can possibly be reeled.

*Report by Mr. Joseph Willis.*—On the 9 skeins of raw silk wound at Lahore by Bengalees under the superintendence of Major Burnett, Secretary A. and H. Society, Punjab :—

These are good silk, of medium size and useful quality ; rather harsh in the getting up, but healthful, strong, and pretty evenly wound, with freedom from foulness and slubbiness.

They do not possess the excellence, delicacy and European-like character and value of the four specimens of silk exhibited from the Punjab in 1854. But they are superior to the ordinary run of Bengal bazar raw silks, (now however improved in their getting up,) say on such as we have for years been in the habit of trading in at Calcutta.

On the 4 specimen skeins of raw silk and cocoons prepared by Mr. H. Cope in the Punjab :—

No. 1.—From cocoons of Bengal eggs, viz., the monthly one. Excellent silk, palish colour, cocoons small, 414 cocoons giving 3 ounces silk.

No. 2.—From cocoons, hybrid male Bengal (monthly) female Cashmere (annual). Excellent silk, fuller, range yellow colour, cocoons much larger than those of No. 1, 264 cocoons giving 3 ounces silk.

No. 3.—From cocoons hybrid male Cashmere (annual), female Bengal (monthly). Excellent silk, fuller orange yellow colour, nearly equal to No. 2 ; cocoons, resembling those of No. 2, but in some instances somewhat less in size, and varying more in colour than No. 2, 276 cocoons giving 3 ounces silk.

These hybrid productions under Nos. 2 and 3, appear to me to be very interesting and valuable.

No. 4 are 3 skeins wound at Lahore from the annual Cashmere worms bred at Hoshearpoor. These are harshly got up specimens of *coarse* silk, rather uneven in the winding, colour low and various, suitable for ribbon, &c., manufactories.

On the box of *tussur* cocoons, and another silk moth's cocoon, sent up by Capt. J. C. Haughton from Moulmein.

All that I can observe is, that their appearance, and especially that of the *tussur*, is large, and splendid looking, but I have no means of making comparisons with those of the like kinds from other localities, and therefore cannot specially report on them.

CALCUTTA :

March 7th, 1857.

---

*Notes regarding an useful substance from Moulmein, called Pwai-nyet, and the bee which produces it.*

In April, 1857, Sir Archibald Bogle, Commissioner of the Tenasserim Provinces, forwarded to the Agricultural and Horticultural Society of India a specimen of a substance called *Pwai-nyet*, procurable at about one anna (1½d.) per pound in those provinces. Sir Archibald states that this material has only to be moistened with earth oil till of the consistence of paint, and then spread with the fingers on a bit of cloth on the cracks of the roof of a house to make it quite waterproof, and to stop all leakage whatever; and it dries in an hour or two. Sir Archibald adds that having found it most valuable, he thinks it very desirable to bring it to the notice of the Society.

Sir Archibald having left India for Europe shortly after the receipt of the above specimen, the Society preferred a request to another member resident in the Tenasserim Provinces, the Rev. C. S. Parish, for further information as to the nature of the material in question, whether vegetable or mineral—and for any additional particulars he could obtain. In reply, Mr. Parish has been kind enough to



supply the following interesting information in a letter dated from Moulmein, 20th May :—

“The substance, about which you seek information is, as Sir A. Bogle stated, commonly procurable in Moulmein bazar, and at *about* one anna a pound. I lately bought, I think, 5 viss for 1 Rupee. It is not a vegetable substance, but it is the result of the labours of a small bee. (Probably however it is the mixture of various gums and resins gathered by the bee). Fortunately, since receiving your letter, I have met with a small colony of the *dammer* bee at work in a hole of an old teak-post. I have the pleasure to send you by this mail a small piece of the substance, for identification, taken out on the point of a knife, also two specimens of the industrious little creature itself, enclosed in a glass-cell. I am not an entomologist, but shall be glad to know the name of the *Opifex*. If any of your entomological friends think the species of interest, I will try and catch them some more, *as I believe it has no sting*. I have not indeed submitted them to the microscope, but though numbers settled on me and flew round me, as I disturbed them in their work, I felt no evil consequence. The bee makes his *nest* of this substance, which is at first soft and plastic by the fingers, and extremely glutinous, but afterwards on exposure to the air becomes dry, hard, and brittle. The nest, I believe, is made indifferently in a hollow tree—in a hole in the ground, or, as in the present instance, in that of an old post. When bought, it is commonly in a large irregularly shaped lump, rudely honey-combed—mixed with much extraneous matter. It is soluble in oil—any oil I fancy, at least I find that *olive-oil* answers the purpose of detaching it from the fingers as well as wood-oil. It is a well known and commonly used substance here, but, though frequently noticed, mistakes as to its true nature have often been made, chiefly owing to the fact that the name of *dammer* is given to it in the bazar

by the natives of India, who *sell it*, in common with many other resins and gums, which in appearance and quality it resembles. *It is not dammer*, though if you ask for *dammer* in the bazar, it is as likely that you will have this substance offered to you as any other. The Burmese know it only as *Pwai-nyet*. They use it for caulking generally, mixed with wood-oil over a fire, and it answers its purpose admirably in the case of *wood work*—but whether of pukka or chunam work also, I cannot say.”

In a subsequent communication from Moulmein, dated 15th October, Mr. Parish sent another and cleaner sample of *Pwai-nyet*, with the following remarks :—

“ I have the pleasure to forward by this mail a small box containing a bottle with *Pwai-nyet*. I send it as a good specimen of the substance when clean for the shelves of your museum. When out botanizing the other day, I came upon it; I gathered it off a rock, the pieces sent in the bottle forming the covered ways by which the bees approached their nest under ground. The nest I did not disturb, as it would not probably have been reached without some trouble, but these covered approaches, being numerous, and reaching upwards about a foot or 18 inches above the ground, afforded me excellent specimen pieces of the substance. It was found on a rock about 100 feet high at the back of Moulmein. The bees also enclosed do not come from that nest, but are from the same post in Moulmein, out of which I procured the first sent. Thinking there might be some entomologist among your members, who would like to have the insect, I send three cells with five in each.”

The little insects received with Mr. Parish's first letter were forwarded, at the suggestion of Mr. W. S. Atkinson, Secretary of the Asiatic Society, (who was unable to identify them), to Mr. Frederick Smith of the British Museum; and the specimen of the substance prepared by them has

been sent to the Society of Arts, to obtain the opinion of practical men interested in such products. The report from the Society of Arts has not yet been received, but the Committee have the pleasure to introduce the following letter from Mr. Atkinson, and the extract therein referred to from Mr. Smith's paper on the *Hymenoptera* of Singapore:—

MY DEAR SIR,—The last mail has brought me a communication from Mr. F. Smith, in reference to the small bee which produces the substance called by the Burmese *Pwai-nyet*, specimens of which were sent to your Society by Mr. Parish from Moulmein, and were, by your permission, forwarded by me to Mr. Smith for determination.

It will be seen that the species has lately been described and named by Mr. Smith, from specimens procured by Mr. Wallace at Singapore.

It will be interesting to determine the geographical range of this useful insect.

Mr. Smith says:—

“I received your letter and the specimens of the little bee from the Tenasserim Provinces. I had examined it carefully, and compared it with specimens collected in Singapore by Mr. Wallace, and find them the same species. In the last part of the *Journal of Proceedings of the Linnean Society*, Vol. II, No. 6. I published a paper on the *Hymenoptera* of Singapore, Malacca, and Borneo, collected by Mr. Wallace. In this I described the little bee. Its name is *Trigona lœviceps*, Smith. All the species of this genus, and also of its ally *Mellipona*, are destitute of stings. You will no doubt receive a communication from the Society of Arts on the composition of the product sent.”

Allow me to suggest, that it would be useful to republish Mr. Smith's description of this species in your Journal.

Believe me, &c.,

CALCUTTA:

W. S. ATKINSON.

February 1st, 1858.

"*Trigona læviceps*. T. nigra; capite lævi et nitido, antice pube cinerea tecto; thorace nitido, alis sublyalinis, abdomine castaneorufis.

"*Worker*. Length  $1\frac{1}{2}$  line. Head and thorax black: the face, above the insertion of the antennæ, smooth and shining; the antennæ rufotestaceous; the clypeus with a hoary pubescence; its anterior margin, and also the mandibles, ferruginous. Thorax smooth and shining, the metathorax highly polished; the wings sublyaline and iridescent, the stigma and nervures ferruginous, abdomen ferruginous, smooth and shining. *Hab.* Singapore."

*Report on Tea grown at Tugvor and manufactured  
at Darjeeling.*

*To the MEMBERS OF THE TEA COMMITTEE.*

GENTLEMEN,—By desire of the Society, I have the pleasure to circulate, for the favor of your opinion, two musters of tea from Darjeeling, grown and prepared by Capt. J. Masson. A note from the Rev. Dr. Boaz, also circulated, affords the only information we possess regarding them.

I am, &c.,

METCALFE HALL:  
November 16th, 1857.

A. H. BLECHYNDEN,  
*Secy. A. and H. Society.*

*Extract of a letter from the Rev. Dr. Boaz, Calcutta, dated  
November 8th, 1857.*

"I send you two specimens of tea grown by Capt. J. Masson, of Darjeeling, at his tea plantation at Tugvor. Tugvor is a northern spur of the Darjeeling hills, and these specimens of tea were grown at, I should think, an elevation of about 4,500 feet. No. 1 is apparently a good strong tea. No. 2 appears to me to be a finer tea, with a more aromatic flavour. I regret that Capt. Masson has not sent any particulars as to the seed from which the plants have been raised, or the

age of the plants. From what I know of the plants, I should say that they have now arrived at maturity. The plants have been raised and the tea has been prepared by Capt. Masson.

"It came down soldered up in tin, and this may have interfered with the flavour.\* I have tasted tea made from similar preparations at Darjeeling, and considered it of very fine flavour."

---

*Extract of a second letter from the Rev. Dr. Boaz, Calcutta, dated December 8th, 1857, received after the musters of tea were circulated to the Committee:—*

"I have received further information about the tea grown on Capt. Masson's estate at Tugvor in the Darjeeling hills; specimens of which I sent you last month. The elevation is about 4,500 feet. The soil consists of a rich black mould, from five to eight inches deep, the sub-soil is a reddish clay. The plants from which the tea was gathered are from four to five years' old. They were obtained from Lebory, near Darjeeling.

"Capt. Masson states that he has had seed both from the Upper Provinces and from Chinahut, scarcely any germinated. The seed gathered from the plants grown in the Darjeeling hills have all germinated and flourished; they had become acclimated. He has now a fine field of these young plants from 8 to 11 inches high.

"Capt. Masson hopes that the tea he will prepare in April next will be superior to the specimens already sent. It will be prepared on the plantation, whereas the specimens now with you were brought up to Darjeeling, and prepared there, which did not improve the leaf."

*Report by Messrs. F. Pereira and J. Agabeg.—*We have tasted the two musters of tea sent by you and prepared

\* It is about the best mode of sending it down.—Eds.

by Capt. J. Masson, of Darjeeling, and sent to you by the Rev. T. Boaz of Calcutta.

We find the tea marked No. 1 a very good specimen of Pouchong, fine flavour, and will no doubt, with careful preparation, prove hereafter equal to any Pouchong grown in other parts of this country, Assam, Cachar, &c. No. 2 tea is coarse, and not so well prepared, and can be compared to inferior Chinese Congo, and has the taste of old tea, without much flavor. We are of opinion however that with careful preparation, this may be made a very good Congo tea.

On examination, we found the leaves very well prepared, and if the tea had been regularly superintended by Chinese cultivators, we feel sure that no better tea could be produced in India.

CALCUTTA :

*December 21st, 1857.*

*Report by Mr. T. E. Carter.*—I have tried both these samples of tea. No. 1 is a very good specimen, having been carefully made; the infusion is pale and weak, like most fine China teas, but the flavour is exceedingly delicate. No. 2 is inferior in quality, but still a very fair article. These teas do not resemble any that are usually made in Assam, and I am therefore unable to state their comparative value. This can be *best* ascertained by a reference to some of the great London tea brokers, and I shall be happy to transmit samples, for the purpose of obtaining their opinion, should such be the desire of Capt. Masson.

*January 6th, 1858.*

*Report by Mr. C. A. Cantor.*—I have infused in boiling water part of the two samples of Darjeeling teas. I find sample No. 2 large leaf black tea, *not* of the same fine flavour as sample No. 1. In London, the value of No. 2 tea is about 1s. 3d. per. lb. No. 1 sample is a fine flavoured black tea, value about 1s. 10d. per. lb.

*January 15th, 1858.*

*Report on certain descriptions of Indian Grasses in reference to their applicability for Paper making.*

*(Communicated by the Society of Arts.)*

At the monthly meeting of the Society in February 1856, communications were read from Col. Jenkins, the Commissioner of Assam, Dr. R. Riddell, and Mr. J. H. Bridgman of Gorruckpore, respecting Indian materials for paper manufacturing (see *Journal*, Vol: IX, p. 83, *App.*): It was resolved at the same time, that a few bales of the various grasses referred to by those gentlemen should be transmitted to the Society of Arts, with the view of ascertaining whether any of them contained the necessary ingredients for paper manufacturing, superior to the common rush of England. The kinds sent were the "Kusseah" (*Saccharum spontaneum*, Lin.); the "Wooloo" (*Saccharum cylindricum*, Lamark); the "Hooghla" (*Typha Elephantina*, Roxb.); the "Madooree kattee" (*Cyperus tegetum*, Roxb.) and the "Paddy" (*Oryza sativa*).

In April, 1857, the Society received a report on these grasses in the following communication from Mr. Foster, the Secretary of the Society of Arts, dated 12th March:—

"I have had the bales of straw examined by competent judges (paper-makers), and they are of opinion that none of them are well adapted for the making of paper, though there is no doubt of course that paper can be made from them all. The common rice straw would make the best. They consider all the samples as very inferior in paper-making quality to many substances which can be obtained here readily, and even then are not worth using. Materials *well fitted* for making paper can be bought and delivered at the paper-mills for less money than the mere freight from India of any of the materials you have sent.

"There is much misapprehension abroad as to the want of paper-making materials here. For first-class papers and

for inferior papers there is no want of materials at all, but for medium paper for printing purposes there is *some* scarcity of material, as evidenced by the somewhat higher proportionate price given as compared with the price of materials for other classes.

“New materials involve new machinery for reducing them to pulp, and the older paper-makers have not yet established machinery suited for those new materials in addition to that at present in use. Some enterprising men are beginning to take the matter up, and are laying themselves out to make pulp or half stuff for sale to the paper-maker, and it will be by those men that any new materials will be worked. It is to them that I have shown your materials. The regular paper-makers would scarcely look at them.”

---

*On the mode of drying the Indigo leaf and manufacturing it,  
as pursued in the Madras Presidency.*

*(Communicated by G. J. FISCHER, Esq.)*

MY DEAR SIR,—I shall be much obliged by your obtaining information from some parties in the Madras Presidency regarding their mode of drying the indigo leaf, and of manufacturing it into indigo, and also if their plant is the same as ours? Should it not be the same, I shall be glad to receive some of the seeds and dried specimens of the leaves of their plant.

My opinion is, that if we could dry our leaf and prepare indigo from it, we should make fully from 10 to 20 per cent. more without increasing our cultivation, as an immense quantity of our leaf is invariably lost, and often thrown away at our factory ghats, especially when there is an high or sudden inundation.

CALCUTTA:  
*April 21st, 1857.*

Yours, &c.,  
HENRY FRENCH.



"The mode of drying the Indigo leaf is effected by sowing the plant at the end of the monsoon, so that it should be fit for cutting when the hot weather sets in. On the coast, the weather admits of this being done two or three times, not so in the interior, we seldom could get more than one cutting. The plant is cut early in the morning, and spread out on ground prepared for it, and exposed to the sun. Towards the evening, or when the sun has lost its power, the stalks are shaken and thrown away, and the leaf gathered in, and by stowing away in great quantity and repeated dryings, it becomes pulverized before it is used. To dry in perfection, the hottest sun is required. If the least rain falls, or the weather is cloudy, much of the leaf is spoilt, sometimes altogether, and is thrown away; at other times it is so damaged as to yield only very inferior indigo.

"It was because this process of drying the leaf in the interior was subject to so many accidents that we resorted to the green leaf process.

"From experiments, I found that the same quantity of leaf by weight, whether green or dried (that is the same quantity of green leaf dried,) produced the same quantity of indigo. The indigo from the green leaf is of 50 per cent. more value, and the refuse of the vats in the green leaf process, is ten times the value of that of the dried, and so valuable is this refuse, that if a native has *nimjay* lands, he is satisfied with the refuse of the vats, and cares not if he derives no profit in the indigo.

"The mode of manufacture is the same in this case as in the other, with the exception that the dried leaf only requires from one to two hours' steeping.

"Our plant is the same as that of Bengal, indeed it was from Bengal that we got the seed originally.

"After what I have said above, I don't think your Bengal friend will be disposed to dry his leaf, indeed it never will answer in Bengal."

J. FISCHER.

MY DEAR SIR,—Many thanks for your communication of the 12th instant. I am about to try the dry leaf system as an experiment in a small way, for if we can make any thing of it, it will be a great saving to us, as much leaf is lost every season, and especially so in a high inundation, when we often pitch hundreds of bundles of plant into the river daily, from not having vats enough to manufacture the plant delivered by the ryots under contract, and which we have to give them credit for, although we can make no use of it.

BURRAY, VIÂ MAGOORA :  
June 15th, 1857.

Yours, &c.,  
HENRY FRENCH.

---

*Report on Coffee raised at Jorehaut in Upper Assam.*

*To the MEMBERS OF THE COFFEE COMMITTEE.*

GENTLEMEN,—I have the pleasure to submit, for the favor of your opinion, a sample of coffee recently received from Col. Jenkins, Commissioner of Assam. Col. Jenkins does not mention from what stock it is derived, he merely remarks that it has been raised on Mr. Williamson's tea factory, Cinnamara, near Jorehaut, and that it appears to him better than the ordinary samples previously sent from Assam.

Yours, &c.,

METCALFE HALL :  
December 17th, 1857.

A. H. BLECHYNDEN,  
Secretary A. and H. S.

---

*Minute by Mr. James Cowell.*—This is a very fine specimen of coffee grown in Assam. It appears to me to be from Mocha stock originally, having the properties generally of that description of coffee. The berry is somewhat larger than the Mocha, which arises probably from being grown in a moister climate and richer soil, where the plants, as in Lower Bengal, yield larger beans and more abundantly, but to the prejudice of the fine quality and aroma of the coffee. This specimen will be greatly improved by age; its value in the London markets by last advices may be assumed at 62 to 64s. per cwt. Col. Jenkins might send down a small

quantity for transmission home for the opinion of the trade.

*December 18th, 1857.*

*Minute by Mr. C. A. Cantor.*—It is a fair specimen of coffee; resembles Sumatra coffee; berry smaller than Sumatra coffee; value in London about 60s. per cwt.

*(Extract of a letter from Col. JENKINS.)*

“With reference to your letter of the 21st December last, forwarding the Committee’s opinion on the sample of coffee sent down by Mr. Williamson of Cinnamara, Jorehaut, and proposing some questions regarding the plants, I have now the pleasure to forward a letter from that gentleman answering your queries. It appears from another note of Mr. Williamson, that the original seed was first sown at Gowhatty, and from those plants seeds were sent to Sibsaugor, and thence seeds were sent to Mr. Williamson, so that altogether we have had the stock ten or twelve years in the province, and the plants from the imported seed have been grown in three distant and distinct localities.

“This seems the more favourable to the character of the province as to its capability of growing coffee, for Mr. Williamson’s sample shows, I think, little deterioration, and from what I have seen of the coffee produced at Gowhatty and Sibsaugor, I have little doubt but it has been improved by removal to Mr. Williamson’s factory. The berries are smaller, heavier, and greener, than what is generally produced here and at Sibsaugor.

“Mr. Williamson now proposes to try the coffee in two or three new localities, all being higher grounds than his own lands at Cinnamarra.

GOWHATTY:

*February 4th, 1858.*

“I have much pleasure in acknowledging the receipt of your favour of the 29th ultimo, enclosing the Committee’s report on the sample of my coffee you were so kind as forward, and which, I am glad to see, has been much

approved of. I beg to annex answers to the several questions relative to the coffee plants, &c., which are—

1st.—From what stock the coffee has been derived?

A.—From Mocha stock, acclimated at Gowhatty by the late Dr. Scott.

2nd.—The age and height of the trees?

A.—Age of plants three years, height varying from four to six feet.

3rd.—If raised in an open space, or within the influence of shade of any kind?

A.—Shaded from the afternoon sun.

4th and 5th.—If they have borne previously? In that case, whether more than one plucking is obtained in the year?

A.—This is the first year's crop, and only one plucking has been obtained.

“I regret that I have not the required quantity of coffee to send to the Society to be forwarded to England, as I have dried the greater portion in the husk for seed, but from my next year's crop I shall have pleasure in doing so.

JOSEHAUT :

GEO. WILLIAMSON.

*January 30th, 1858.*

*Report on Vanilla pods, the produce of the Society's Garden.*

In December, 1856, the late gardener (Mr. McMurray) submitted a quantity of Vanilla pods raised in the Society's Garden, with a brief notice of the treatment of the plant (see *Journal*, Vol. IX, p. 316). These pods were sent, in March, 1857, to the Society of Arts, and the following is the report on them enclosed in a communication from Mr. Foster, the Secretary, dated London, 14th December, 1857 :—

“The Vanilla pods have been in the hands of one of our oldest and largest firms as confectioners; they report as follows :—

“We have used the Vanilla sent, and find the strength good. The pods were very small, and were much dried, in

consequence of being packed in wadding instead of being wrapped in tin-foil, and packed in the tin-case; we consider it of good quality. To make it of commercial value, the pods should be long, and of a very dark brown colour, almost approaching to black. They should also be moist, and if properly ripened, before being packed, they become after a time covered with minute acicular crystals, which much add to their appearance and marketable value.

"The value of the Vanilla sent is about 50s. per pound. Had it been fine (say one-half longer), and in the condition mentioned above, it would realize from 80 to 90s. per pound."

"The present price of Vanilla is about 20s. per pound above the average value."

*Notice regarding the Moreton Bay Chesnut, introduced into the Government Garden at Bangalore: by H. CLEGHORN, M. D.*

I have the pleasure to forward drawings of the Moreton Bay chesnut (*Castanospermum Australe*) and European olive (*Olea Europea*), which have now been introduced for some time into the Bangalore garden, and which (the former especially) seem to like the climate remarkably well. The chesnut is occasionally eaten by the people, but the seeds, being prized, are reserved for propagation. There were about eighty pods suspended from the tree, from which the twig is figured, and whose fruit I forwarded to you by last steamer.\* The olive does not flower freely, and only fruits occasionally, although it attains the height of twenty to thirty feet.

One large litchi tree was this year laden with fruit, and I have put down many layers, with a view to its transmission to the Wynaad and Coimbatore. Another tree of interest in the Lal Bagh, is the *Calysaccion longifolium*, of which a whole avenue is now in fruit.

\* The seed germinated readily, and there are now several healthy plants in the Society's Garden.—EDS.

THE JOURNAL  
OF THE  
Agricultural & Horticultural Society  
OF  
INDIA.

---

*Some account of the Silk trade and Silk manufactures of the Punjab, and especially of Lahore.*

To the SECRETARY OF THE AGRI-HORTICULTURAL SOCIETY OF INDIA.

SIR,—The substance of the following paper was collected in 1852, but I have since had opportunities of modifying and correcting it. If you think it deserving a place in the *Journal* of your Society, it is much at your service, and I hope to be able to give you similar information on other subjects, if you consider they will have any interest for the Society and the public.

Believe me, &c.,

HUREEKE, *vid* UMRITSUR:

HENRY COPE.

*April 14th, 1858.*

INTRODUCTORY REMARKS.

Numerous manufactures of silk, of considerable value, exist in Lahore, and similar manufactures are carried on, to a smaller extent, in the neighbouring town of Umritsur. The silk fabrics of Mooltan have been long known in Hindostan, because the Lohanee merchants purchased quantities at that place, on their way from beyond the Indus to Delhi, and thus widely disseminated a handsome article, in

the provinces subject to English rule, while the consumption in the Sikh capitals, by the well-dressed Court of Runjeet Sing, and by his Sirdars, many of whose military retainers were clothed in silk, especially of the yellow colour, gave ample and profitable employment to the numerous local weavers, and engrossed the whole of their labours. Thus, formerly, the article rarely found its way across the Sutlej. Besides this the oppressive imposts, at that time levied in the Sikh dominions, must have materially kept down any spirit of mercantile enterprise that might otherwise have arisen in that direction.

Now, however, that a better order of things has been introduced, and that trade has been entirely freed from its former onerous trammels, though the local demand is said to have somewhat diminished, in consequence of the change of Government, a brief, and popular, account of the trade in, and manufacture of, silk may be interesting to the public, to whom it may be desirable to know, that they can obtain in the Punjab, on very reasonable terms, an article of pleasing appearance and durable texture, with (except in one or two instances) the unusual advantage, for silk, of being washable, without its appearance being at all impaired. I was, some time ago, at considerable trouble in collecting the following particulars, regarding the importation, winding, dyeing, and weaving of silk at Lahore, and have every reason to believe that the details may be relied on.

I should premise that the seer, hereafter mentioned, is generally (with two exceptions, to be noted in their proper place), the old Lahoree seer of one hundred and two tolas, or rather rupees, (and those rupees Nanukshahees, half a masha\*

\* The masha is fifteen grains, consequently a Nanukshahee rupee weighs one hundred and seventy-two and a half grains, instead of one hundred and eighty as in the Company's rupees, and a seer of one hundred and two Nanukshahee rupees weighs ninety-seven and a quarter Company's tolas. The profits made by the dealers are, in reality, greater than they appear, in consequence of their buying at one hundred and two and one hundred and five tolas, and selling at eighty, when they sell by weight.

less in weight than the Company's rupee) still in use in and this also other trades, notwithstanding the orders directing the introduction, and general use, of the Company's seer of eighty tolas, and that a chittak, consequently, represents six tolas and three-eighths, instead of five tolas.

The silk principally used in the manufactures of the Punjab, is brought, by the Lohanee merchants, through Afghanistan, across the Indus, from Khorasan and Bokhara, with the other goods they are in the habit of importing, such as fresh and dry fruits, pushmeenas [articles made of the fine wool of Bokhara and of the high lands of Thibet], assafœtida, munjeet, &c. It is packed in bales of from two to three maunds, made up of large skeins or hanks, weighing from seven chittaks to half a seer [about one pound.] There are two principal descriptions of imported silk; one, the *khora khoondedar*, in which the quantity of refuse is smaller, by a tola, than in the second quality, or *khora singul*; an experienced dealer only could distinguish the difference. A considerable quantity is brought to Lahore itself, but the largest amount is carried direct to Umritsur, whence a small portion finds its way to the first named town. That quantity has been ascertained, from the town duty returns, to have been, in the year 1851, (my enquiries were made chiefly in 1852), one hundred and eighty maunds. This duty, levied for municipal purposes, and payable on every article passing through the gates of Lahore, is, or rather was, then ten annas on every hundred rupees in value.\* I believe it has since been doubled. The purchasers are Khutrees, all, of course, Hindoos. Three or four of these do business to a much more considerable

\* All the dealers of whom I enquired estimated the quantity imported at three hundred maunds, but I am bound to take the returns of the municipal tax-gatherer as a base, and to found my calculations thereon. There are however, reasons for believing that the returns are not correct. It is to the interest of the customs' contractor to make them appear as low as possible, and it has come to my knowledge, founded on reliable authority, that frauds to a large extent are committed in this as well as other departments.



amount than the rest. The price usually current is from eleven to thirteen rupees per seer [formerly it was as high as eighteen and even twenty rupees per seer]; the weight by which they purchase is calculated at one hundred and five Nanukshahee rupees. These Khutrees are the only holders of silk to any extent, and employ nearly the whole of the artisans engaged, in the order in which they are described below, furnishing them through brokers, with the raw material, receiving the manufactured goods from their hands, and selling them to the consumer. The exportation of the manufactured article from Lahore is not great, and not easily ascertainable; the trade of Umritsur in this article does not equal that of Lahore. [Since the above was written a very extensive trade has sprung up between Kurrachee, Kandahar, and Umritsur, in Bokhara silk, owing to the extreme derangement in the China and Bengal silk markets, and the price has increased materially. Upwards of four lakhs' worth were exported in 1856 from Kurrachee to Bombay, and a large quantity in 1857; the demand has however again fallen greatly.]

I may mention, in this place, that a considerable quantity of Bengal, and some China, silk, also finds its way into the Punjab, (the latter from Bombay), but that both are held in little estimation by the manufacturers as compared with the much more highly prized material from Bokhara; the low price they realize is the most satisfactory test.

The only reliable work in which I have been able to find any account of the silk of Bokhara, is that of Khanikoff;—"Bokhara, its Emeer, and its People." I transcribe all he says on the subject, from which it will be seen that *he* does not hold the Bokhara silk in very high estimation, while the dealers here pay from one hundred to two hundred per cent more for it than for China and Bengal produce:—

"Among the fruit trees cultivated with great care, although not grown in orchards, we may notice the *Tut*, or mulberry tree, and the *Sinjid* or *Jigda*. The *Tuts* are of two sorts:—

“ 1. The *Donedar*, which is properly the Bokharian *Tut* ; and

“ 2. The *Tut Balkhi*, transplanted from Balkh. The grafting of the one on the other gives a third sort called *Khaseki*, the fruit of which is sweeter and more savoury than that from the two former.

“ The *Tut* tree blossoms usually ten days after the vernal equinox ; but the year we were at Bokhara it happened at the close of that month. The fruit of the *Tut* is used in two ways—to make syrup and wine.

“ The former is procured in the following manner :—The mulberries are squeezed between the hands, and the extracted juice boiled until it acquires a sufficient consistency ; wine is prepared in the same way as that of grapes, only it is much stronger. But the mulberry tree is principally used for feeding the silk-worms with its leaves. The education of the worm by the Bokharians offers some peculiarities, and differs, in certain respects, from the mode used by Europeans. We believe, therefore, that it will not be superfluous, to say a few words on the subject. About ten days or a fortnight after the mulberry trees put forth their leaves, the eggs of the silk-worms are removed from the place where they had been preserved during winter, and being wrapped in a cloth, are carried against the naked breast, or still oftener under the armpit. Three or five days are quite sufficient for the little insects to be hatched. They are then placed in a vessel, and fed with the leaves gathered from the *Tut* ; after ten days, the worms, according to the expression of the Bokharians fall into their first sleep, or trance, i. e., they take no nourishment three days running ; repeating the same process every ten days, until the time it begins to spin the cocoon. When these are finished, the worm inside is destroyed, by exposing the cocoon to the heat of the sun. That done, the Bokharians proceed to reel off the silk threads.

“ It may be mentioned that the quality of the silk of Bokhara is much inferior to that of China, and even to the French and Lombard silks, as well in colour as in the softness of the thread.”

In a table of prices, given by Khanikoff, we find that ten pounds of raw silk are valued at from seven to eight tilas. The tila of gold is estimated at six rupees. This valuation would fix the price of raw silk, at Bokhara, at nine rupees per seer, but this is many years ago, when the price realized in the Punjab was much higher than it was at the time of my enquiries.

I must add, to the above introductory remarks, that there is hardly any direct intercourse between the dealer and

the several artisans through whose hands the silk passes, before it is offered for sale. There are, in each class of workmen, dulals or brokers (locally called Oostakhars) who severally obtain work for a certain number of shops, and convey the material to and fro, receiving, from most of the workmen, one anna in every rupee of the wages paid through their hands.

---

*Of the Winder, or Put-phaera.*

The first workman to whom the silk, in its rude state, (or khora), is made over, is the winder, or put-phaera, the first winding in Bokhara from the cocoons being so wretchedly performed, as to render necessary a second winding to separate the various qualities from each other. There are two classes of put-phaeras; those, who merely wind, and receive payment from the merchant according to weight; the second who purchase silk, in a small way, from the wholesale dealer, after it is dyed, and wind it into skeins for retail; of the former, with whom alone I shall deal at present, there are said to be two hundred and twenty-five in the town of Lahore, some of them Musulmans, some Hindoos, (the Chowdree, or headman of the trade, is my authority); of the latter class about seventy-five shops. Of the khora or raw silk, the greatest part is yellow, but some white, which latter is wound off, however, as and with, the yellow. The large skein or hank, received by the winder, is opened by him, divided into two or three parts, according to its size, and stretched across two small reels (ooree, or churkh) placed from eight to ten feet apart, according to length of the thread, one high up against a wall, or in an angle of two walls, the other on the floor, so as to form a slope from the first of about forty-five degrees. The winder sits slightly in advance of the wheel on the floor, with three, sometimes four, small reels, called ooras, before him; through these a stick, or guz, is passed, by which

they are turned. On these, in their turn, the put-pha winds the silk with great rapidity, the thread being held in the left hand, and the stick of the oora in the right, and against the right side. A series of continued, but light, jerks of the stick, keeps the reel moving quickly round. The moment the left hand indicates a change in the quality of the silk, it is broken off with the teeth, and another reel taken in hand, the respective ends on the wheel and the winding stick being expeditiously knotted by the tongue, and so finely, that although the join is then felt by the touch in the thread, it entirely disappears in the dyeing. Three qualities (and sometimes, but rarely, a fourth, of great fineness, called Poombee,) are wound off in this way. The first in fineness is called tanee, (the organzine of the European silk-winder, principally used in the warp, or length of the web), the second, vana, or peta, corresponding with the portion called tram in England, and which forms the weft, or shoot, of the manufactured article, and the third, mail, or kuchur, which is the refuse, and very coarse indeed. The quantity of kuchur obtained from each seer of khora, or raw silk, varies from two to three tolas, and the good silk remaining is consequently enhanced in price to that extent. I may as well mention here, that the kuchur, after being dyed according to the prevailing tastes of the day, is sold in thread; with it the women of the country are said to ornament their cotton clothes, embroidering the latter themselves.

The tanee, (warp) when wound off, is sent back, on the reel, to the merchant, by whom it is again made over to another workman, the taodee. The vana (weft) and kuchur, (refuse) are respectively wound off on a large churkh, or wheel, made into skeins of from one to two tolas in weight, and are then ready for the dyer. The put-pha receives one rupee eight annas, (his earnings used, formerly, to be two rupees), for winding one seer of silk. He appears to be trusted to the extent of three or four seers at a time, but

the dealers complain of general dishonesty among the artisans of all classes. The loss, incurred in winding, is from one to two tolas per seer, according to the season, the greatest in dry weather. It takes from eight to twelve days to wind a seer, with reference to the quality of the silk; if largely mixed, more time is required than if the texture be more uniform. The stock in trade of the put-phaera consists of two oorees, costing six pies each, of at least eight ooras, each one and a half anna, and of one churkh of a larger size, price from ten to twelve annas. Total one rupee nine annas!

---

*Of the Taodee, or Twister, (Throwster), and the Tanee-wala.*

The business of the taodee, is a branch of that of the winder; he receives the tanee (which becomes the warp of the fabrics, and requires, as in all woven articles, to be stronger and harder than the weft, vana, or peta, which remains as it comes out of the winder's hands) on the reels of the put-phaera, places two of these upright in the ground, takes the two ends, and passes them by hand through a set of sixteen choorees (small rings made of lac) arranged on sixteen frames, called khanas, placed at a distance of two yards from each other. The frames are composed of uprights of surkunda, (*SACCHARUM sara*) with two cross-pieces of the same material at the top. The choorees are ranged between these cross-pieces, and the ends of the two united threads, after passing down one set and up another of the choorees, are attached to a small bit of thin bamboo, some four inches long, swinging some three feet above the ground, with a small ball of earth fastened to the lower end. A sharp turn of this instrument, which is called the dookh, between the hands, serves to twist the two threads into one, the whole length, and as it is twisted it is wound off on a third reel, in the same manner, though somewhat more laboriously, as by the put-phaera. The taodee is obliged to stand to

his work, and the turning of the stick of the reel is comparatively so violent, that he is obliged to wear a piece of quilted cloth below his right arm-pit, to prevent his skin being chafed. The double thread being thus wound off, two reels are made over to the tanee-wala, who partially prepares a warp by holding the reels in either hand, in which is also a piece of surkunda of about two and a half feet in length, with a chooree at the lower end. This man represents, in his person and avocation, the silk-throwing mechanism used in Europe. He walks rapidly between two rows of upright surkunda sticks, about eighteen inches high, placed two and two in the ground, at a distance of two yards from each other. As he walks along he passes the thread, (which runs off the reel in either hand down and through the chooree) first inside and then outside these sticks, of which two sets are placed one beside the other, the workman walking up one set and down another. The whole length of the two walks and double row, is one hundred and eight yards. After thus interweaving a certain quantity of the tanee, a tie is passed at each crossing, to prevent the threads of the warp from becoming again intermixed, and the whole is taken off and made into skeins ready for the dyer. The taodees and tanee-walas work under the same roof. The former in sets of three; the first of these holds the oora, the other two twist the dookhs, he receiving one-fourth more than the latter on account of his harder work. The tanee-wala works alone. They earn, respectively from two to three annas daily, and are mostly Musulmans. The cost, per seer, of this operation is calculated at about one rupee eight annas. These artisans occupy twelve work-shops, if an open shed may be so called, and are eighty-seven in number. The silk loses about one tolah per seer in this operation, by the slight friction though the first set of rings, and the whole stock-in-trade of the taodee and tanee-wala is valued at from ten to twelve annas, including the reels they use!

*Of the Dyer, Rungrez, or Put-rung.*

On receiving the cleaned silk, of both kinds, tanee and vana, and the refuse (kuchur), from the hands of the put-phaera, and of the taodee, the dealer sends the whole to the dyer (rungrez, or put-rung). There are 'ten silk dyers' shops in Lahore, all of whom do piece-work, that is dyeing by weight, according to the nature of the colour, and charging (at rates agreed upon among themselves), the same for dyeing the fine as the kuchur. They use large iron and copper pans for the first cleaning of the silk in the sujeer mixture, and for the boiling of the material with the dye, with large earthen pans sunk in the ground, also some copper pans, not sunk, for washing. The expense of setting up a dye-house, including two iron pans, two copper ones, two furnaces, and six washing-pans, is about one hundred rupees. Their principal colours are white, yellow, green, and scarlet, but they profess to, and do, dye of any colour that may be given them as a pattern. I ought, perhaps, not to omit the very handsome, but unfortunately not fast, colour obtained from kosoomba, koosum, or safflower.

The silk is made white by boiling once in soap-suds, after being thoroughly cleared of its impurities by boiling in "soda-water," the ley of the European dyer, or water of sujeer, (the coarse carbonate of soda, barilla, of the bazars); it is then carefully washed in five or six waters, tightly wrung, dried, and subsequently exposed to the fumes of sulphur, and again carefully washed. During this operation, the silk loses from four to five chittaks out of sixteen of its weight, and assumes, the white as well as all the other coloured silks, on coming out of the dyer's hands that peculiar texture and glossy appearance, which can be no better described, than by the word "silkeness." The operation with white silk lasts three days, and the charge is eight annas per seer on the gross weight of silk delivered by the trader to the dyer.

The yellow (zurd, or busuntee), is obtained by boiling first in the soda and then twice with eckelbeer, (an article, the produce of the *Datiscus cannabina*, brought in quantities from Kashmere and from other parts of the hills, some say also from the provinces of Hindostan) of which alum is the mordant. The charge for dyeing this colour is one rupee per seer, the loss one quarter, and time required for preparation three days. The yellow can be converted into a deep and handsome green (zubz, or pistakee) by the admixture of indigo; by this no additional loss is sustained in weight, but an increased charge of four annas is made. The indigo used by the dyers is from Mooltan, and from Koorja (near Allyghur). The former is purchasable at one rupee per seer, the latter, considered very superior, at two rupees eight annas per seer. The quantity used is small.

The fourth, and most expensive colour but one, is the scarlet obtained from kirm, or cochineal. The dye-stuff is, on account of its high price, not in the hands of punsarees, (grocers) but is supplied to the dyer by the proprietor of the silk, who is charged eight annas per seer for the operation, which lasts six days, including the first cleaning with soda, with a loss to the material to the extent of one quarter. The mordant of the cochineal is bozdung, the dry flower bud of the pistachio tree. (Dr. Royle imagined bozdung or gool-ee-pista was an excrescence of the description of gales on the pistachio tree). The cochineal in use here is brought from Europe, and sold at from five rupees eight annas to six rupees per seer. (The London market price is from six to eight shillings per pound). From one to four, commonly two and a half, and three, chittaks, are used for every seer of silk dyed, according to the intensity of colour it is desired to give, so that the actual cost of dyeing one seer of scarlet silk, including the eight annas charged by the dyer for his labour, and a proportion of one rupee per seer, the cost of the bozdung, (brought from Kabul, and



sold at the rate of one hundred and seven tolas to the seer,) amounts from one rupee four annas, to one rupee eight annas, according to the quantity of cochineal consumed.

The dyers say their ancestors, as also those of the "artists" at Umritsur, went to the South to learn, and brought the art from Mooltan, during the reign of Akbar, when Lahore was in a flourishing condition. That on the Sikhs first obtaining possession of the town, and trades of all kinds being discouraged, (*jub shuhur bur-bad hogeea—when the town went to the bad*) they emigrated, some to Jummoo and others to Jugraon, but returned on the Government assuming a more settled aspect under Runjeet Sing. They are all Musulmans. They say they earn enough for subsistence, but are not enabled to lay by anything material out of their earnings. There are no hired labourers amongst them; the males of a house, father, brothers, sons and nephews all working in common. Their shops are all, more or less, disorderly, dirty, and unhealthy, from the filth accumulating around, and a visit from the Sanitary Committee might be useful in the quarters they occupy.

I need hardly point out how much the dyers have to learn, and how materially many of their processes might be improved. A little patience and perseverance with them would create a revolution at a comparatively small cost, and greatly improve the fabric.

#### *Of the Weaver, or Dereea-ee-Baf.*

The dyer having completed his work, the silk, in its several shapes of warp and weft, or tanee and vana or peta, is made over to the dereea-ee-baf, or weaver, who works on nearly the same plan as did our weavers in England a century ago, only that all the machinery he uses is of the most simple description; and that instead of sitting on a high bench in front of a lumbering frame, almost occupying a room to itself, he has from three to four looms (*kumal*) in one

apartment, makes a hole in the floor, sitting on the outer edge with the beam, on which the piece of silk is wound as it is completed, in front, and sufficient space below ground for the treddles. Having stretched as many of the threads of the warp, cut in half, or to fifty-four yards, as the distance between the warp beam and the cloth beam, generally three yards, will allow, he rolls up the remainder of the warp in a bundle, to be opened as his work progresses.

The threads of the warp are severally passed by hand through the two heddles and batten or lay, and the artisan commences his weaving with a shuttle of khair wood, (*Acacia catechu*), the more solid parts of the loom, such as the warp and cloth beam, the batten, &c., are all made of the same wood) much in the same manner as all weavers of old in Europe, and thus continues to the end of his work. The number of threads of the warp varies from three hundred and fifty to one thousand seven hundred, and is sometimes carried up to two thousand, according to the breadth of silk required. Maharaja Shere Sing brought a silk of two thousand four hundred threads in breadth into fashion, but it has not been made since his time. The silks are made of two qualities, the first gool-budun, striped, very stout, and generally broad, and of high price, according to breadth, and the second of a lighter texture, and of uniform color, which is that usually purchased by European ladies, and called dereea-ee, divided into classes:—the plain and the shot. I will merely give some few particulars regarding the gool-budun. For a piece, such as I saw on the loom, three and a quarter seers of dyed silk are required. The length of the warp is reduced, by the weaving, from fifty-four to forty-six yards, the breadth being one thousand seven hundred threads. The dereea-ee-baf, or bafinda, can manage to weave a yard a day, (of the narrowest silk he can weave three yards a day), including the preliminary process of stretching on the beams, &c., and takes about fifty days to complete his picce; but

as holidays, lazydays, &c., intervene, he generally manages to make the fifty, sixty. He receives twelve rupees per piece of this width and quality, and proportionately less for narrower work. When taken off the loom, the piece of forty-six yards is cut into three, and delivered to the dealer ready for sale. A small loss in weight is incurred by the operation of weaving, especially by the clearing of the ends, picked off with a small pair of pincers, more or less carefully, according to quality required. The number of weavers in Lahore, is reckoned at four hundred and forty-seven, working in about one hundred and thirty shops; they are all Musulmans, and rarely manage to earn more than three annas a day. The entire cost of a loom is seven rupees eight annas !

It is a singular fact that although the winding and twisting could be quite as well done by women as by men, not a single woman, that I could hear of, is employed in any part of these operations.

I might add that the confined apartments occupied by all people (dyers and throwsters excepted) connected with the silk manufacture, and the sedentary nature of their occupations, are by no means conducive to health. In one quarter I visited there were three rooms, each having three and four looms with from seven to eight men working at them, occupying three sides of a small open square space (surrounded by high walls) inaccessible to any one of the winds of heaven.

#### GENERAL REMARKS.

It would appear, from the foregoing details, that the trade and manufacture, in the one article of silk, afford employment, in Lahore alone, to, say—

Dealers, 23 shops, (individuals)	..	..	..	..	52
Dalals, brokers, (guessed at) about,	..	..	..	..	20
Winders of both classes,	..	..	..	..	300
Taodees and Tanee-walas,	..	..	..	..	87
Dyers, 10 shops,	..	..	..	..	19
Weavers,	..	..	..	..	447

---

Total number of people employed, 935

and that the value of the silk which, after passing through the hands of manufacturers of all classes, and undergoing a loss in weight, in the various operations to which it is submitted, of about 6 chittaks per seer, allowing 200 per cent for the value added by the artisan, is, (taking 180 maunds as the actual quantity imported into Lahore, a very small, if any, proportion of which finds its way out again in the raw state,) upwards of two lakhs of rupees, as shewn by the following figures :—

Importation, 180 maunds, at 40 seers, .. .. .	7,200
Add, for difference between Co.'s weight, and local weight, ..	1,980
	<hr/>
Total, Company's seers .. .. .	9,180
Deduct, for loss by manufacture, 6 chittaks per seer ..	3,442
	<hr/>
Balance, Co's seers .. .. .	5,738

The value of the material is enhanced by manufacture, in some of the articles per seer from 12 to 50 Rs., in others from 12 to 25, striking an average, we may safely take the value of the manufactured silk at 36 Rs. per seer; this, multiplied by 5,738, the quantity of made silk produced, gives Rs. 2,09,568. Again, valuing each yard of silk at R. 1½ per yard, rather under than over the mark, we find that the quantity manufactured amounts to about 1,65,254 yards.

Through the valuable assistance of Mr. C. B. Saunders, then Deputy-Commissioner of Umritsur, I ascertained that the quantity of Khorasan and Bokhara silk imported into that place, in 1851, was 625 maunds, (the quantity has since increased greatly, but the local consumption has remained the same or nearly so); that there were in 1852—

Dealers in silk, .. .. .	101
Dealers in Dereen-ee, .. .. .	32
Winders, 233 shops, .. .. .	735
Taodees, 66 shops, (Oostads or masters,	
26 Shagrids or Apprentices, 225), ..	249
Dyers, 39 shops, .. .. .	156
Weavers, 900 shops, .. .. .	900
Dalals, .. .. .	32

Total 2,205 dealers and artisans

employed in the town in the manufacture of silk, and that 250 maunds of the raw material are re-exported, (now much more) leaving 375 maunds consumed in the local factories; but these are not all engaged in producing the same kind of fabrics as those of Lahore. [I may be able to describe these several operations hereafter, should the reception of this paper encourage me to resume similar statistical researches connected with the trade and manufactures of the Punjab.]

These 375 maunds (Company's according to the memo. furnished by Mr. Saunders) represent 15,000 seers; from this quantity we must deduct, as above, 6 chittaks per seer for wastage of all kinds. This leaves 9,375 seers of manufactured silk; valued at 36 Rs. per seer, it will yield a total amount of fabrics from Bokhara raw silk to the amount of Rs. 3,37,500.

But this by no means represents the total of the silk manufacture of Umritsur, for I learn that although selling at the low price of from 1-8 to 8 Rs. per seer, Bengal silk was, in the year of my enquiries, imported into Umritsur to the large amount of 1,448 maunds, valued at Rs. 3,93,000; and that of this 80 maunds only were re-exported.

I have also obtained returns from Mooltan, forwarded by Capt. Farrington, Offg.-Depy.-Commissioner, at that place; from these I learn that the following numbers of people are engaged in silk works:—

Chief dealers, ..	..	..	..	..	..	..	51
Men of less note, ..	..	..	..	..	..	..	50
Weavers, ..	..	..	..	..	..	..	371
Winders, of raw material, ..	..	..	..	..	..	..	218
"    of made do, ..	..	..	..	..	..	..	89
Dyers, ..	..	..	..	..	..	..	32

---

Total 811

The quantity of Bokhara silk imported was, in 1851, 370 maunds; 50 maunds were re-exported to Bahawalpoor, and

50 maunds to Leia, Dhera Ghazee Khan, &c., leaving 270 maunds for local consumption. I presume that these are the larger maunds, and that, reduced to Co.'s weight, they yield 13,750 seers, from which has to be deducted the amount lost in working-up, leaving 8,502 seers at 36 Rs., to be set-down as the manufacturing result, viz., Rs. 3,12,072.

It appears that formerly a small quantity of silk (to the extent of 60 maunds) was imported into Mooltan from Bombay, but I very much doubt whether any Eastern silk now comes into Mooltan.

Besides the goolbudun and dereca-ee, two other kinds of texture are prepared at Mooltan, one the khes, of two sorts, and the other eklal, of two sorts, both very broad and much higher priced than anything made in Lahore.

According to the tables appended to Mr. Temple's settlement report of the Jullundur district, there are, in the town of Jullundur:—

Put-rungs, (dyers),	..	..	..	..	..	..	93
Weavers,	..	..	..	..	..	..	37

The result of a rough rule of three, founded on the number of weavers at Lahore, will shew that if our 447 artisans work up silk to the value of 2,60,000 Rs., the 73 weavers at Jullundur probably produce fabrics to the value of 32,000 Rs., but I apprehend that the number of dyers must be excessive, to judge from the well ascertained proportion between dyers and weavers in Lahore. Besides we have no winders mentioned. Mr. Henderson's return, given below, is no doubt more trustworthy.

From the above facts, relating to Lahore, Umritsur, Mooltan and Jullundur, it may be inferred, with a close approximation to the truth, that there is an annual local consumption of 38,930 seers of raw silk\*, or close upon one thousand

\* It should not be forgotten that we have traces of 350 maunds, or 15,000 seers, more, value Rs. 1,80,000, in the quantity, which, after importation into Mooltan and Umritsur, finds its way out again, and has not been taken into

maunds, from Khorasan, in these four towns, and that the capital, invested exclusively in this branch of trade amounts to 8,85,000 Rs., adding of course the expences of manufacture to the original cost of the material, both of which I think I have been able to calculate with a considerable degree of accuracy, and that the trade and manufacture give employment to upwards of four thousand people. I have no doubt that further enquiries, in various other places, such as Ku-poorthula, Loodiana, Ferozepore, Sealkote, Wuzeerabad, &c., would probably add one-quarter to these figures.

Having thus traced the raw silk, from Khorasan, nearly through all its various phases, and shown, from minute enquiries and authentic returns, that it is an important branch of trade and manufacture, it may still be a matter for consideration, notwithstanding comparative failures at Lahore, how far it would be desirable to take steps for renewing the attempts to introduce the silk-worm into the Punjab, seeing that the large consumption in the province alone of an article now very extensively supplied from a distant and foreign country, still holds out ample encouragement for such an undertaking. Silk is an object of attention in Kashmere; many of the Hills east and west of that valley are peculiarly suited to the growth of the mulberry, and to the rearing of the silk-worm, and I *know* that a demand would arise the moment a supply were even remotely probable. The comparatively dry and fertile valley of Bunoo, and many of the valleys along the foot of the Sooleman range, where the common mulberry is abundant, would suit the mulberry and the worm, while the rearing and care of the latter would be an

account in the present calculations. Adding this, we have a known total imported in 1851 of considerably upwards of *one hundred thousand pounds*. Such was the increase in this valuable branch of trade during the period of Chinese scarcity above alluded to, that Mooltan alone exported, during the months of November, and December, 1856, and January, 1857, no less than 99,662 lbs. of Bokhara silk, valued at upwards of four lakhs of Rupees.

occupation in which the lazy inhabitants of those districts might especially delight.\* The political advantage of giving them profitable employment, calculated to divert their attention from border frays, might not be lost sight of in such an experiment. In the Hazara and Kangra vallies any amount of silk might be raised, and I would most earnestly draw the attention of the officers in charge of those districts to the advantage that would result from the introduction of a branch of industry which pays in France and Italy, where land and labour are so much more valuable. Colonel Abbott, Deputy-Commissioner of Hoosheearpoor, produced a large quantity of good cocoons in 1852 and 1853.

Dr. W. Jameson, Superintendent Botanical Gardens, N. W. P., an undoubted authority, says, on this point in his "Report on the physical aspect of the Punjab," published by the Agri-Horticultural Society of India:—"In this (the Jullundur) Doab, the mulberry grows with great luxuriance, and silk is a great article of trade in Jullundur. The introduction of the silk-worm might, therefore, if properly conducted, be attended with success. The *Morus multicaulis* has been introduced from the Saharanpoor Garden, and is growing with great vigor. The subject is, therefore, well worthy of attention, seeing that in the province itself there is a large demand for the raw material."

The government of India have bestowed a large amount of capital on, and devoted much attention to, the introduction of tea into this country, and success of no ordinary nature has attended their liberal efforts. Why should they not open out a new, and equally important branch of industry, in parts of their newly-acquired territories, where they may

\* Dr. Maxwell, of the 2nd Punjab Cavalry, stationed at Bunoo, says:—"Mulberry trees grow here in great abundance, and luxuriance, being cultivated for their shade (the tree being very leafy and umbrageous), and for their fruit, which at the appropriate season enters largely into the diet of the people of the valley."



convert an indolent, and frequently mischievous, into an industrious, population, and thereby secure the means of restoring a trade suffering a natural depression from the change in the government of these provinces? If the weavers and dealers of Umritsur, Lahore and Mooltan, could secure their raw material in a cheaper market, because closer at hand, they would be enabled to lower the price of their wares, and so extend their sales. There is no reason, why, in the process of time, the Punjab should not, under careful management, become even a raw-silk exporting country. Bengal contributes two millions of pounds of raw silk to the trade of England; why should the Punjab not secure a share in so vast and profitable a traffic? Let those who have the opportunities but use them diligently, and success must attend their efforts.

If any proof be required to shew that silk cultivation may be established in India, where it did not previously exist, irrespective of traditionary opposition to innovations of any kind, in any part of India, let me point to Mysore, where the silk-worm was comparatively unknown ten years ago, and which now produces silk to the amount of six or eight lakhs of Rupees.

I propose, should opportunity offer, to put together some notes on the various dye-stuffs used in the Punjab, as they may attract attention, and certainly deserve to be better known than they now are.

#### POST-SCRIPT.

I received, from Mr. H. B. Henderson, Assistant-Commissioner at Jullundur, at the request of Mr. McLeod, an authentic return of the number of silk-workmen in the three principal places of the district in which silk works are carried on. It is subjoined herewith :—

No.	Name of town.	Weavers.		Windors.		Taneewalas or Taodees.		Dyers.	
		No. of shops.	Workmen.	Shops.	Workmen.	Shops.	Workmen.	Shops.	Workmen.
1.	Jullundur.	14	41	0	0	69	190	16	32
2.	Sheikh Goolam.	63	63	8	24	69	69	5	11
3.	Sheikh Durvash.	65	65	5	15	47	47	0	0
Total.		146	146	13	39	150	306	21	43

N. B. Goolbudun and dereea-ee are the only fabrics prepared in these three towns.

In a subsequent communication Mr. Henderson observed:—"The city of Jullundur is the only place in the whole district where the raw silk is imported from without. Eight hundred maunds is the average yearly, of which seven-eighths by the Rawnceahs, and one-eighth by Khutrees and others. About 75 maunds are consumed by the bafindahs (weavers); the remainder, after being cleaned, prepared and coloured, is sent out for sale to Jummoo, Wuzeerabad, Sealkote, and other places."

"About one-fourth of the whole quantity is brought from Rampore Bauleah, Radanagore, and Kirpace, at all seasons of the year, except during the rains. About five-eighths come from China by way of Bombay, and one-eighth (one hundred maunds) is brought by Kabul, Kashmere and Khorasan merchants, during the cold weather. This last is considered the best of all, and termed by the natives 'Hathee singul,' strong enough to hold an elephant!"

The khafilas of 1851-52 brought (according to Lieut. Pester, Officiating-Collector) 120 maunds of raw silk to

Shikarpoor, valued, in the aggregate, at Rs. 82,800 (about 7 Rs. a seer); while the importation of Bombay silk amounted to 131 maunds, valued at 13,150 Rs. (Rs. 2-8 a seer); nearly the whole of this was used in the place itself. There were in Shikarpoor:—

Dealers, ..	..	..	..	..	..	..	..	19
Weavers, ..	..	..	..	..	..	..	..	25
Dyers, ..	..	..	..	..	..	..	..	11

The silk of Khorasan, worked up in Shikarpoor, therefore, adds about 1,20,000 Rs. to the capital employed in this manufacture in the Punjab and adjoining province.

Capt. Westmacott, of the 37th N. I., states, in the *Journal of the Asiatic Society*, Vol. X, that there were, in 1840, 160 silk weavers in the town of Roree, and I have no doubt that silk weaving is largely carried on in many other towns in and bordering on the Punjab.

HENRY COPE.

HUREEKE, IN THE PUNJAB:

*April 14th, 1858.*

---

*Correspondence regarding the introduction of the Quiniferous Cinchonas of South America into India.*

*(Communicated by the GOVT. OF INDIA.)*

*To the SECRETARY of the Agricultural and Horticultural Society.*

Home Department.     SIR,—With reference to the correspondence

From Agri-Hortl. Society, dated 28th Aug. 1856, to ditto No. 1644, dated 7th Nov., 1856.     noted in the margin respecting the cultivation, &c., of the Cinchona Tree in India, I am directed to transmit for the information of the Agricultural and

Horticultural Society the accompanying extract (Para. 41.) from a Despatch, No. 35, of 1858, dated the 3rd March, from the Honorable the Court of Directors on the subject.

I have, &c.

COUNCIL CHAMBER:

*April 23rd, 1858.*

C. BEADON,

*Secretary to the Govt. of India.*

*Extract from a Despatch from the Hon'ble the Court of Directors in the Public Department, No. 35 of 1858, dated the 3rd of March.*

Letter dated 10th November, (No. 131) 1856.

Also „ „ 15th

„ „ 142 „

Minute of the Governor-General on the experimental introduction of the Quinine Tree into India.

Report by Mr. Piddington on the Cultivation of the Quiniferous Cinchona Plant.

41. We did not fail to take immediate measures for carrying out the recommendations of your Government on this important subject. We regret however that these measures have not yet been attended with the desired success. We hope that we may be

able at no distant period to obtain a collection of both plants and seeds of the Quinine-yielding Cinchonas and we will give you early intimation of the same, in order that the necessary preparation may be given for disposing of them to the best advantage on their arrival in India.

True Extract,

C. BEADON,

*Secy. to the Govt. of India.*

To A. H. BLECHYNDEN, Esq.,

*Secy. Agricultural and Horticultural Society.*

Home Department. SIR,—In compliance with the request contained in your letter of the 28th ultimo, I am directed to transmit the accompanying copy of the Memo. by the late Mr. H. Piddington, on the cultivation of the Cinchona plant in India.

A further communication will be made hereafter in regard to the minute of the Governor-General, of which you also desire a copy.

I have, &c.,

COUNCIL CHAMBER:

R. B. CHAPMAN,

May 17th, 1858.

*Under-Secy. to the Govt. of India.*

*Memorandum to aid in the introduction and successful cultivation of the Quiniferous Cinchona plants in India: by*  
HENRY PIDDINGTON.

1. It is quite unnecessary to discant here at length upon the imperative necessity of attention to the three great requisites for the successful acclimation and profitable product of every vegetable production. Every forester, nurseryman, and herbalist knows that, from the oaks of Sussex and the pines of Arancaria and the Jura, to the tobacco of Virginia and Cuba, and the mint and lavender of the Surrey druggist's gardens, soil, climate, and situation so govern growth and produce, that deficiency or failure in any of these three requisites entails deficiency or failure in the growth or production of the plant.

2. But I have seen with regret by the papers now published, that when the precious Cinchona plants brought by Mr. Fortune were received, they were all sent to Darjeeling; climate alone, and perhaps situation as to drainage, &c., being apparently considered, but the question of soil utterly neglected.

3. For we perfectly well know here, (better perhaps even than in Europe, where the labours of the Asiatic Society are little known) what the soil in which the Cinchona of one part of Peru grows, is composed of; for, in 1831, I published the following short paper, which I copy here. It will be found in the *Gleanings in Science*, Vol. III, p. 28, as part of the Researches of the Physical Class of the Asiatic Society.

---

*On the Soil in which the Cinchona thrives; by* H.  
PIDDINGTON, Esq.

(Read before the Physical Class of the Asiatic Society).

In examining a collection of minerals from Peru, which had been sent to our worthy Vice-President, I found a label

in Spanish to one of the specimens of which the following is a translation :—

“Rock found in the neighbourhood of Gualazu, Sierra of San Cristoval, a league and a half from N. to S., and of considerable altitude. The Western slope has not a single bark tree, (*Cinchona*) and the opposite side is covered with them. They grow in this sort of rock, which is covered with their leaves, to the depth of three-quarters of a yard.”

Looking to the probability that this valuable tree may one day become an article of culture, both in India and Australia, perhaps even in Europe, it appeared probable, that an analysis of the rock might, with propriety, occupy a space in the Society's record.

It proved to be, upon examination, a decomposing granular dolomite, the exterior of which was friable, while the interior was perfectly compact.

100 grains were found to consist of water,	..	2.06
Siliceous matter, with some trace of vegetable matter, (from the outside),	.. .. .	0.62
Carbonate of lime,	.. .. .	46.00
Do. of magnesia,	.. .. .	51.00
Loss,	.. .. .	0.32

100.00

*Remarks.*

In a mineralogical point of view, it is remarkable that the proportion of carbonate of magnesia far exceeds that found in those analysed in Europe, which are published in Jameson; but it is a singular physical fact that the *Cinchona*, the most valuable medical product of the vegetable kingdom, is found to flourish on a soil so utterly destructive to every other useful product that we are acquainted with,—a beautiful instance added to those which science is hourly disclosing of the beneficent economy of the universe.”

I send a small specimen of the rock, the disintegration of which we can see would easily form a soil in which, as described on the label, small trees, like the *Cinchona* could grow. Geologically nothing is easier than to explain how the soil on one side of a hill or mountain may be quite different from that on the other.

4. We do not, it is true, learn from this analysis, whether it be the lime, or the magnesia, or both, which are essential to the growth of the tree, or to the quantity of quinia produced. It may be that it simply requires lime, when any calcareous soil would suit it, but it may also require both? At all events, the soil of Darjeeling, where limestone is unknown, (except a very small concretionary deposit, of which I examined a specimen in 1842,) does not seem to me to have been that which would have best suited the plant, while the calcareous hills of Sylhet and Cachar would at least afford it plenty of lime.

5. All that is clearly shewn then is, I submit, that we want accurate information on this most essential question to guide us; and from all one can glean from books, and, from what I have learned from South American Spaniards, I should say, too, that the apparently capricious growths of the *Cinchona* groves and forests, which seem to be much like our own Tea tracts in Assam and Cachar, soil *may* be the essential element for its successful thriving;\* climate cannot differ to the extent of making an abundant growth in one place, and a total absence of the trees at a few miles of distance from it, while soil may do this every where.

6. I submit then, respectfully, for the consideration of Government, whether the Agent whom it is proposed to send should not be instructed as follows:—

a. To collect with the plants specimens of the soil in which the trees grow, (taken at a foot deep near their

\* See also the positive words of the label.

roots), as also of all the rocks and even loose stones about them.

b. To obtain all the information he possibly can regarding climate.

c. To note with care the situations of the groves of the trees, as their aspects, and whether on the sides of hills, or in level places, and if in dry or moist localities, for as the barks differ so much, it may be that some of the varieties prefer a moist soil to a dry one?

d. That, if possible, a few mule-loads of the soil should be brought down with the plants, so as to fill the Ward's cases with it, if these are used, and if a few seeds are sown between the plants, there is a chance of their germinating also on the voyage, which would at least supply the place of the plants which die.

CALCUTTA: (Signed,) H. PIDDINGTON.  
*November 24th, 1856.*

*To A. H. BLECHYNDEN, Esq.*

*Secy. Agricultural and Horticultural Society.*

SIR,—In continuation of my letter No. 1255, dated the 17th instant, and with reference to para. 2 thereof, I am directed to forward a copy of the minute by the Right Hon'ble the Governor-General, on the introduction of the Cinchona plant into India, dated the 20th Oct., 1856.

I have, &c.

COUNCIL CHAMBER:

R. B. CHAPMAN,

*May 20th, 1858.*

*Under Secy. to the Govt. of India.*

---

*Introduction of the Quiniferous Cinchona trees of South America into India.*

This important subject engaged the attention of the Government of India on the representation of the Agricultural Society made to the Government of Bengal, in 1852, and in consequence of a communication made to the Hon'ble



Court of Directors some seed and plants were procured and sent out to India.

The experiment unfortunately failed, the seeds having in no instance germinated, and only five plants having reached Calcutta alive. These last, after having been kept at the Botanical Gardens during a rainy season, were sent to Darjeeling, where they were killed by the cold of the following winter.

In 1855 the Medical Board took up the question again, but their report by some accident not having been received, a duplicate has been called for, and at the same time the Agricultural Society have again addressed the Government.

The proposals of the Medical Board and of the Agricultural Society, are, 1st, that the experiment of introducing *Cinchona* plants should be tried upon an extensive scale, with several species of the plant, and in many parts of the country, especially in the Neelgherries, in the range to the East of Sylhet, at Chittagong, in the Tenasserim Provinces, and in the neighbourhood of Darjeeling.

That an establishment, under the orders of a person properly qualified, be deputed to collect *Cinchona* plants of the best species (the seeds being too delicate to survive the voyage), and to despatch them in "Ward's cases" from Trinidad or Demerara, direct to Calcutta and Madras, so as to arrive in India not later than November.

That officers possessing the requisite botanical and geological knowledge should be deputed to enquire as to the sites best calculated to receive the plants; that these officers, duly supplied with all aids and appliances, should receive the plants upon arrival, and convey them to the selected spots.

That considerable reward should be offered to native gardeners employed under these officers, to encourage them to attend to the plants with the necessary assiduity.

I submit that the substance of these proposals should be recommended to the favourable consideration of the Hon'ble Court. The supply of South American Cinchona is actually threatened with extinction, the consequences of the loss of this most valuable febrifuge would be most lamentable ; and the experiment, if successful, would introduce into India an article which would be largely exported, and would be the source of a considerable revenue.

The experiment already tried affords no sort of criterion as to the possibility of a successful introduction of the Cinchona into India.

The plants appear to have received precisely that treatment which would make their growth impossible, having first been subjected to the heat and moisture of Bengal, and then transferred to the cold climate of Darjeeling, without, as it would seem, having been placed at the latter place under competent care.

The experiment, carried out in the manner proposed, will be costly, but it is shown in these papers that in five years the Government of India has expended nearly £54,000 in Quinine and Cinchona bark, and therefore, I believe, that success will be well worth the cost ; and looking to the political condition of the countries in which the plants are to be found, I doubt whether they can be surely procured in any other way.

There is good reason to hope that the Cinchona may thrive in India ; the reasons of this, are fully set forth in the letters of the Medical Board and of the Agricultural and Horticultural Society ; moreover, the opinions of all the gentlemen who have given their attention to the subject, Dr. Forbes Royle, Dr. Falconer, and Dr. Anderson, are the same, not only as to the desirableness of introducing the Cinchona, but as to the possibility of so doing.

Under these circumstances, and considering incalculable benefits to be derived from having a native supply of this

most valuable medicine at hand, I am of opinion that the experiment as proposed should be fairly tried, and that the Hon'ble Court should be moved at once to send a properly qualified collector to South America, to collect and bring to India the best species of Cinchona. It is probable that the person so employed might conveniently take advantage of emigrant vessels returning from Demerara and Trinidad to Madras and Calcutta. As the Mission to South America will occupy some time, I do not propose that any steps should be taken towards ascertaining the sites in this country best suited to the plants until the Hon'ble Court shall have expressed their views upon the present proposal.

It is some incentive to the measure, that the Dutch Government have already adopted it in Java, where, after a considerable loss in plants, it is reported to promise success. The plants were received in Java in 1854, and I propose that the Resident at Singapore, be directed to address the Governor-General of Batavia, with the view of obtaining from His Excellency any information or suggestions which the recent experience of the authorities in that island may enable them to offer, both as to the parts in South America where the best plants should be sought, and as to their culture in the East.

October 20th, 1856.

(Signed,) CANNING.

*Remarks on Mr. BASHFORD's experiments on cross-breeding the Indian with the Europe silk-worm: By C. E. BLECHYNDEN, Esq: with a few notes thereon by F. BASHFORD, Esq.\**

It does not appear, from Mr. Bashford's notes, what system of rearing he adopted in his experiments to introduce, by cross-breeding, a better and more productive silk-worm; he only says, "I treated these little worms precisely as the

\* "I return your brother's paper, which is very good, with thanks. I have appended a few remarks to it."—(*Extract of a letter from Mr. Bashford to the Secretary, dated May 22nd, 1858.*)

worms of this country, feeding them at first with finely cut tender mulberry leaves," &c.—*Vide Society's Journal, Vol. IX, page 262.*

From the above, I infer the after treatment of the worms

I allowed plenty of light and free ventilation. was the same as that adopted in this country, *i. e.*, exclusion of light, and

F. B. want of perfect ventilation of the

rearing houses; if such were the case, I can account for the constant loss and disappointment experienced by him in the last stage of the worm's life, or near the time of spinning; but should he have adopted the more natural mode of treatment, and admitted light and air freely into the rearing-rooms, the cause of failure must be ascribed to want of care, in

I could not command an even temperature; this was my great misfortune. not keeping down the temperature of the rearing-room to within a reasonable degree of that in which the worms were

F. B. first hatched; a sudden, or even a gra-

dual increase of temperature, far beyond what the worms first experienced when in the earlier stages of their existence, proves fatal, by pushing them as it were too hurriedly through their already brief life. Mr. Bashford's first worms, received in 1845, were hatched when the temperature was 60° or 70°, and eventually the worms last hatched came to life when the thermometer indicated 100°, the average range in the three months having been 85°, or a difference of 15° in existence of each crop. The changes in one batch of Mr. Bashford's were made more rapidly as the weather became hotter. This bears out my assertion. The natives call the disease in the Radnagore district "Theesa", and ascribe it to the worm being unable to cast its last skin, or recover from its period of "molting." This may in a measure be correct, as the increased temperature may so exhaust the worm, by evaporations from the skin, that it is unable, from sheer depletion—if I may so call it,—to go through this dangerous period of its life; more dangerous from having a

greater surface of skin to shed. There is no known remedy for this disease.

Next, as to the question of cross-breeding, and the result being that the worms, instead of continuing monthly worms, becoming annuals. "The cross between the French male and the country female," writes Mr. Bashford, "gave eggs which hatched on the tenth day," whereas the cross between the country male and French female gave eggs, which, after a

It was, and with great improvement to the cocoon, but failed in the end.

time, proved to be annuals. Why was the cross between the French male and country female not continued, and the

F. B. results noted? Perhaps Mr. Bashford

is not aware that the female moth is filled with eggs, even before coming out of the cocoons, and that she plays the most important part in influencing the nature of the future worm, the male only performing the part of fecundating the eggs; he imparts vigor to the future insects, but, I suspect,

This is what is wanted, vigor, but to be lasting. All true.

nothing more. That cross-breeding alone will improve the breed of insects in this country I cannot allow, for the same cause that has brought the silk-

F. B.

worm of this country to its deteriorated condition, will continue to influence and counteract all at-

All true.

F. B. tempts at improvement by cross-breeding,

if the system of rearing in close and confined houses, with the exclusion of light, is persisted in: together with the mode

The feeding with the shrub mulberry is not the great fault, the want of free ventilation is the greatest evil of all, and a more regular temperature is required.

of feeding the worms on leaves grown on the *shrub* mulberry, instead of the *standard* tree. In the experiments I made, I found this quite apparent, the silk-worm of the country completely altering its

F. B.

nature from the free admission of air and light; and, by feeding the worm on leaves taken from standard trees, the yield was, even of the first crop of cocoons, something unknown in that part of the country where the

experiment was tried; (Luskerdighee, one of the filatures attached to the Radanagore concern); and these results were confirmed in a great measure when the experiment was subsequently tried at the head filature, Ghattal, with this addition, that the description of worm known as "China," and which yields yellow silk, gave white silk, though the insects were the produce of moths hatched from yellow cocoons. I may call this returning to a healthy state, the yellow silk being considered the produce of a diseased and deteriorated worm. Insects from this turn-coat crop went back to their original livery when reared by the natives on their system of close confinement. I was told that the change of the yellow silk-yielding worm to a white confirmed in the minds

The natural color of silk is *white*, and *all silk is white*. The *outer covering* differs in color, this is the gum only; the silk which is inside, and a sort of *gum also*, is invariably white, and if extracted from the worm, and exposed to heat, becomes very brittle.

F. B.

light plays in altering colors, namely that of plants, with which all are familiar.

I ought perhaps to give some reason for my assertion that the system of feeding the silk-worm on leaves taken from the shrub proves prejudicial to their silk-yielding powers. Those that have interested themselves in making collections of butterflies, and have for the purpose reared the caterpillars from which such are obtained, can say that the worms are never

In some of the best districts of Italy the trees are kept at about five feet high, the leaves get quite ripe after a few weeks' growth.

F. B.

of those "chassers" that saw the change the opinion they entertained, that light was the cause, as they had observed that those trays containing insects that were near a door, or the half obscured window of their rearing houses, yielded a percentage of white cocoons from a yellow stock. We have further evidence of the important part

found on young plants, but always on old ones; and, in accordance with their age, either on the very young leaves, or amongst the full-grown ones, in keeping with their growth. This shows that

nature intended the worms to obtain food suitable to their age, and powers of digestion : we do not confine grown-up children to a milk diet. The secretion of the silk-worm, from which silk is produced, is made from the plant on which it feeds, and would be more abundant and better in every way if the rules I laid down by nature were followed, and the worms fed on leaves in keeping with their age, instead of supplying them with food suited for the first stage of their existence, when secretion of the matter for forming the future cocoon has not commenced. The plan at and around Surdah of cutting down the bushes of mulberry, and feeding the worms, gives to each crop of worms a supply of leaves immature, tender, and in which the sap has not ripened.

The same in Europe,  
the leaves drop in winter.

F. B.

In the Radnagore district, though the bush is not cut down, the leaves, if not used when young, are plucked off and thrown away, to increase a supply of fresh new leaves, thus bringing about nearly the same evil results as attends cutting down the shrub to feed each successive crop of worms. The leaves never have ripened sap in them, and consequently not the nourishing properties that old leaves would possess. The shrubs

True, the leaves should  
not be used till the root  
of either tree or shrub is  
more matured.

F. B.

are cut down and rooted up every three years, and a new stock laid down, from which a crop of leaves are obtained the third month after planting.

What nourishing power can such food have, and what time is allowed the shrubs to secrete a vigorous sap? By this system both the silk-worm and the mulberry bushes suffer. As Mr. Bashford observes, the object of a native rearer is quantity, not quality, and a quick return for capital laid out, no matter for the consequences in the end : this is the foolish plan of cutting the throat of the goose that lays the golden eggs. The mulberry plants, which as standard trees would last at least 25 years, have to be renewed every three ; and in course of time the cocoons reared become so deteriorated that there

is either a total failure of the crop, when near spinning time, or the out-turn of silk barely covers the cost of feed, &c., &c. But so long as the system obtains of taking all or any thing approaching to the look of a cocoon, at the filatures, for winding off, so long will the native continue his old mode of rearing, from which will be produced cocoons only such in name.

I ought not to omit mentioning that a fruitful source of disease amongst silk-worms is caused by feeding them on leaves which, from being packed tightly in baskets, have become heated, and fermentation taken place in the sap contained in the leaves; this occurs most frequently in the rains: nor ought the leaves to be given to the insects with dew on them, as it generates a kind of cholera: moreover, very frequently a fine crop of insects is lost, from giving them leaves that have had air blowing on them off a tobacco field.

CALCUTTA:

16th May, 1858.

---

*A few remarks on Munjeet as a dye stuff; localities, where grown, export, &c.: By HENRY COPE, Esq.*

Having seen in No. 5 of *The Indian Field* (page 57), an interesting notice regarding the dye-stuff known by the name of munjeet, closely resembling the madder of Europe and Turkey in quality, and produced by a plant of the same genus, and which has, for some time attracted attention in Europe, I beg to forward the following remarks for submission to your Society. It is not stated in that notice, though I imagine the writer must have been aware of the fact, that munjeet is also brought into India from the west, as well as from Nepal. It is imported into Bombay, of an apparently inferior quality, from Muscat, and into the Punjab from Affghanistan, forming a considerable part of the large annual investments of the Lohanee merchants. From the Punjab, as well as from Affghanistau direct, it goes to Scinde,



and thence to Bombay, where it realizes 40 per cent more than the Muscat article, and is exported to England.

It is extensively used in the Punjab, in Scinde, and in the North-Western Provinces as a dye-stuff, and is found in every bazar of any extent. Into Umritsur alone upwards of 10,000 maunds were imported (according to a most valuable series of tables prepared by Mr. Cooper, the Deputy-Commissioner), in the year ending 30th April, 1855-56, and existing stocks must have been large, as in the same year the dealers exported more than 22,000 maunds, or upwards of 700 tons, valued, in round numbers, at Rs. 2,00,000.

My chief object, in addressing you, is to bring to the notice of the Society one or two circumstances connected with this double source of supply that require explanation; and this may, I apprehend, lead to the establishing of the fact, as I suspect, either that the munjeet brought from Affghanistan is the true madder of Europe, for the bazar article answers exactly to the description given in *Ure's Dictionary of Arts*; or, at all events, that it is produced by a species of *RUBIA* distinct from that found in almost all parts of mountainous India, (the Neilgherries, Mahabaleshwur, as well as the Himalayas from Assam to Kumaon), and now generally known as *RUBIA Munjistha*. (The true *R. cordifolia* is a native of Siberia.)

It is mentioned in the article I have alluded to, that the "stem or stalk" of the Nepal plant is the part yielding the dye.\* In the Affghan plant it is, as in Europe, the *root* only that is used.† In order to enable the Society carefully to compare the two articles, I send you a small sample of our munjeet, and shall be happy to forward more, should you desire, as is probable, to have its qualities tested in Calcutta, or to send it for chemical examination to the

\* This appears to be a mistake, it is from the root that the dye is obtained.—EDS.

† On a careful examination of the bazar article, I find there are pieces of stem mixed with the roots; but they are evidently only such parts of the stem as have been under ground:—H. C.

London Society of Arts.\* As I am preparing a general paper for your Society on all dye stuffs used in these parts, I shall not enlarge here on the local mode of employing the munjeet; but I agree entirely with the writer in *The Indian Field*, that the great drawback on the extensive export of both the Affghan and Nepal munjeet is its bulk (the latter must, I suspect, be still more bulky than our root), so difficult to deal with; and I last year suggested to a Bombay firm the advantages that must result from adopting the Dutch plan of preparation (as described in *The Field*), exporting only the valuable part of the stuff, and retaining the refuse for consumption in this country.

But, to carry out this suggestion to its full extent, and save a large amount of land or water carriage to Bombay, the root should be subjected to this or the French process on its entry into the Punjab, or Scinde, say at Dhera Ismael Khan, Mooltan, or Shikarpoor, whence it could be transported at a cost reduced by 300 per cent. to Kurrachee, Bombay and England.

This and other subjects of a similar nature, are the points that deserve the attention of the British capitalist. A munjeet factory at Mooltan (or perhaps, better still, a factory of the garancine on the plan alluded to by Mr. Henley, and quoted in *The Indian Field*,) would increase the consumption in England, and importations from Affghanistan, to an amount at present quite inconceivable, and realize handsome profits to the manufacturer.†

The same might, no doubt, be done with the Nepal munjeet, at some convenient spot on the frontier. I observe that the latter is valued in Calcutta at from Rs. 5-0 to Rs. 5-2 per maund, while the Affghan article realizes Rs. 8-4 per maund in Bombay. The retail price here is from 8 to 9 Rs. a maund.

\* This is pronounced by a good judge to be an excellent specimen, very superior to the produce of Assam, Nepal or Central India.—Eds.

† Mr. Henley's paper will be found in Vol. VIII, p. 183.—Eds.

The price of Calcutta munjeet, in London, is from Rs. 7-8 to Rs. 17 per cwt., or Rs. 5-5 per maund. Of French madder, at Marseilles, Rs. 15 to 18 per maund. I think there must be some error in *The Indian Field*, as to Calcutta exports commencing in 1840 with 12 tons, as I found from *McCulloch's Commercial Dictionary*, that 3,897 cwt. were imported into England from Calcutta, in the three years ending 1822, while 4,023 cwt. were imported in 1824.\* The trade fell off again to an average of 1,179 cwt. for the three years ending 1840, or 180 tons for the three years. The consumption of madder in England, in 1852, was 4,200 tons, and of madder roots, 8,800 tons. In 1832 it was 3,000 tons of madder, and 2,500 tons of madder roots, showing an increase of 1,200 tons of the one, and of *six thousand three hundred tons* in twenty years. It would be well if you would obtain a progressive return of the exports from Bombay to England since the opening of the munjeet trade. From private documents I learn that the exports from Bombay, this year (from 1st January,) have been 249 cwt. of madder roots, and 160 cwt. of madder. I do not know whether the distinction drawn is accidental or not. If not accidental, it would appear that the madder is prepared in Bombay. That is also a point on which information might be desirable.

UMRITSUR:

May 3rd, 1858.

P. S.—Since writing the above, I have ascertained that munjeet, to the extent of Rs. 68,941, representing about 7,000 maunds, was exported in 1855-56 from the port of Kurrachee, while, in 1856-57, the export of the same article had increased by 539 per cent., to the value of Rs. 4,40,552, representing upwards of *forty thousand* maunds, or thirteen hundred tons; but where it goes to I cannot at present say. The

\* The writer in the paper alluded to did not state that the export commenced in 1840, but that it was very trifling in that year, 338 bazar maunds only, or about 12 tons.—(*See Calcutta Annual Commercial Review*).—EDS.

larger portion of this large quantity must be conveyed direct from Affghanistan by Kelat or the Bolan Pass to Scinde.

In continuation of my letter of 3rd May, submitted to the Society on the 12th May, I have the honor to inform you that I have, since writing the same, consulted some official papers; they afford some facts in support of the opinion of the Editor of *The Indian Field*, and my own, that a reduction in the bulk of the munjeet of commerce would materially affect the trade as an article of export. I find that in the twenty-one months (7 quarters) ending 31st July, 1856, 21,128 maunds of the munjeet were exported Scinde-wards from the Punjab, *by boat*, while not more than 350 maunds were sent by steamer. This difference, in an item of considerable value, is, no doubt, attributable to its bulk, and it is quite clear that, had the bulk been reduced, as it might be, within reasonable bounds, not only would the whole 21,000 maunds that went by boat have been shipped by steamer, but that quantity would have been doubled or trebled. All I have seen and heard since I addressed you, confirms me in the opinion, that a manufactory of garancine, at Mooltan, drawing, as it must, the whole munjeet trade of Affghanistan to that point, would be a most advantageous and profitable undertaking, and I cannot too strongly recommend it to the consideration of the Bombay capitalist, who could secure the services of an experienced person to superintend.

UMRITSUR:

May 12th, 1858.

---

Since I had the pleasure of addressing you on the subject of munjeet, I have been informed, on excellent authority, that the *Rubia Munjistha* is cultivated to a considerable extent in the valley of the Nerbudda, and especially in the

neighbourhood of Jubbulpore, and that it is thence exported to Mirzapore. It might be worth while to ascertain whether it finds its way from Mirzapore, to Calcutta or is merely carried thither for the use of the Central Provinces. I am further informed that the munjeet grows abundantly in the Kangra Hills. As I am about to visit them, I will do my best to obtain all information connected with this interesting plant, and will forward specimens, if they should be available, in a merchantable condition.

UMRITSUR :

*May 20th, 1858.*

In continuation of previous communications regarding the trade in munjeet from Affghanistan, which I am happy to learn from your "Proceedings", is considered in Calcutta to be of such a superior quality, I do myself the pleasure to annex a memo., on the correctness of which you may place every reliance, of the quantity exported from Kurrachee (which is more and more becoming the port of the Punjab,—goods being now shipped direct for Europe, America, Mauritius, Bourbon, in the numerous vessels that now frequent that port) from the earliest year from which returns have been framed down to the 30th April, 1858 :—

<i>Year.</i>	<i>Maunds.</i>	<i>Value.</i>	<i>Rate.</i>
1847-48,	309,	Rs. 3,765,	Rs. 12-2-11
1848-49,	1,624,	15,077,	9-4-7
1849-50,	3,072,	25,714,	8-5-11
1850-51,	14,929,	1,03,992,	6-15-5
1851-52,	9,643,	59,160,	6-2-1
1852-53,	28,800,	1,86,557,	6-7-7
1853-54,	17,153,	1,30,010,	7-9-3
1854-55,	8,936,	65,956,	7-7-11
1855-56,	8,439,	68,944,	8-2-8
1856-57,	43,121,	4,40,552,	10-3-5
1857-58,	20,739,	2,26,090,	10-14-4

Taking it for granted that no munjeet is exported at Madras, and very little elsewhere, a similar return for Calcutta and Bombay added to the above, but deducting the Kurrachee imports into Bombay, would give the *bonâ fide* exports from India.\*

Your's truly,

UMRITSUR :

HENRY COPE.

June 21st, 1858.

*The Bael Tree (Ægle Marmelos) ;—its valuable properties :  
By Lieut. J. F. POGSON.*

I have perused, with very great pleasure, the interesting papers which have appeared in a recent issue of *The Indian Field*, having for their object the investigation and development of the *wonderful* properties, which a beneficent Providence has decreed shall, for ever, dwell in the substances of a tree, called by us the *Ægle Marmelos*, by the natives of India the *bael*, and by the intelligent and gifted authors of its ancient and sacred language, the *Shree Phul*, which means the fruit of the Goddess of Plenty and Prosperity.

It would seem, however, from the contrary and conflicting opinions entertained by many, that the qualities of the bael are not generally known ; and I shall therefore begin by informing you that the roots are very aromatic and bitter.

The dried root of the bael is abominated by the cobra-di-capello, and the entire generation of snakes. Why the smell of the bael root should be so offensive to the olfactory organs of the snake, I know not ? But I have lived in localities where snakes were disagreeably numerous, and till I resorted to the expedient of placing a piece of bael root across the drain of the bath room, there was no keeping the snakes out of it. I learned this singular dodge from an old

\* The exports from Calcutta for 10 years—1847 to 1857, were 11,574 maunds, valued at Rs. 30,835. *Eds.*

snake-charmer ; and, in addition, from studying the pomps and vanities of the snake tribe, I have found out that the breath of the human being is as grateful to the nasal organs of a snake, as a perfumed handkerchief is to our own. It is, no doubt, owing to this circumstance, that snakes approach the human being ; to the sceptic all I have to say is, put a cobra into a covered bamboo basket or *pittaree*, breathe on the confined snake gently for some minutes, uncover the basket, and look out for squalls.

The intelligent naturalist will easily account for this phenomenon, and may vary the experiment with a similar result, by breathing into the nostrils of a horse. I am certain you will pardon this digression, as without it you would have lost information by no means uninteresting.

I will pass over the wood and bark of the bael tree. The expressed juice of the leaves, mixed with unripe young fruit, pounded down into a pasty mass, and boiled, produces what is called bael opium ; no water should be added to this preparation ; and the loss by evaporation should be supplied with additional bael leaf juice, till the boiling point is attained.

I now come to the fruit of the bael tree, which, in its unripe state, is a most valuable medicine, and when mixed with a few other simple vegetable substances, forms the SPECIFIC FOR DIARRHŒA AND DYSENTRY which I have given to the world.

In order to prepare the bael chips or slices, the green fruit should be gathered when it is of the size of a large walnut, and should then be cut into slices lengthwise ; eight slices from each will ensure the chips being of the proper thickness, as each would be  $\frac{1}{8}$ th part of the fruit. They should then be dried in the sun, or, if the weather is cloudy, in a stove or oven, the temperature of which should not exceed 130° Fahrenheit. When thoroughly dry, put the chips in tin canisters, and they will remain sound for years. Exposure to a damp atmosphere will speedily cause the chips to become mouldy, which is a certain sign of their being of

no further use. When thus prepared, the bael chips have rather a pleasant aromatic taste, which owes its origin to the essential oil contained in the rind of the unripe or green fruit ; the dried pulp is highly mucilaginous, this being the natural consequence of the pure gluten with which the young seeds are covered. I consider that the narcotic principle of the bael exists in the tender shell of the unripe fruit, precisely in the same manner that it is met with in the green poppy head. The pulp necessarily contains much nutritive matter, which, when moistened, increases considerably in bulk, and thus places it in our power to distend and cleanse the intestines without resorting to the use of the enema. The bael, notwithstanding its singular qualities, requires certain adjuncts to bring them into active and beneficial operation. These substances are contained in the dried kernel of the mango stone ; they consist of starch, oil, and gallic acid. To these substances, sugar, gum-arabic, *Plantago ispagola* seed, and dried ginger, must be added in certain proportions, and the result is an effective preparation for diarrhoea and dysentery.

The bael, in its green state, is a nutritive narcotic astringent. The pulp of the fresh ripe fruit is a mild laxative, which, when dried, is a powerful purgative. In order to account for this, it must be borne in mind that the bael is plentifully supplied with seed, each of which contains a due proportion of oil, starch, and gluten, and it is *this oil* that acts as a purgative on the human frame, whilst the gluten and starch supply the necessary nourishment to the body, and the sugar contained in the ripe fruit, the carbon required for the lungs. In the green fruit, the sugar is wanting ; it is for this reason, and not to sweeten the medicine, that the sugar was added.

I trust you will submit this communication to the Horticultural Society, and should they be so good as to permit its publication in their Journal, I will hereafter communicate a



formula, by which diarrhœa and dysentery may be immediately brought on by their exhibition. What I mean is this— if I wish to give any one diarrhœa and dysentery, I can do so at my pleasure. It is my unqualified opinion that more lives are thus made away with than we are aware of; and it would be a subject of vast importance if some of our celebrated European toxicologists would decide on the means to be adopted to detect *artificial* from natural diarrhœa and dysentery. Who can tell, whether the illustrious Havelock, the renowned Thomason, and the lamented Colvin, met their deaths by fair means or by foul?

*P. S.*—On consideration, it appears to me that this communication would not be complete, without a copy of my prescription, which you may, if you think fit, submit to the Society. I therefore enclose one.

---

*Specific for diarrhœa and dysentery, or compound bael powder:—*

Take of dried bael chips or slices, bazaar name, *Bael girree*—One part.

Of dried mango-stone kernels, bazaar name, *Sookha-ee-hoo-ee aum-kee-gootlee*—Two parts.

Of Ispagole seed, bazaar name, *Esuphgool*—Half a part.

Of gum-arabic, bazaar name, *Babool ka goond*—Half a part.

Of dried ginger, bazaar name, "*Soont*"—One-quarter of a part.

Pound and sift all these substances separately, and mix them together; and, to every two parts of this mixture, add one part of pounded sugar candy, and mix all well together.

*Dose: for an adult.*—One dessert-spoonful every four hours.

*For an infant.*—A tea-spoonful, or less, according to age, as above.

The medicine may be chewed and swallowed in its dry state, or be taken mixed up in a little milk, thin arrow-root, or congee, so as to be of the consistency of cream or custard.

*Regimen.*—Farinaceous diet, and, if the patient can digest it, a mutton chop; but no sauces, pickles, or vegetables.

*Effects.*—After the ninth dose costiveness generally ensues, and the best remedy is a gentle dose of castor oil.

*N. B.*—The mango-stones must be broken, the kernels extracted, pounded and sifted, and two parts by *bulk* of this powder forms the standard of measurement. A wine-glass will be found a most convenient measure—each of the ingredients should be well pressed down in it.

DOUNTON, NEAR SIMLA:

*April 28th, 1858.*

*On the introduction of the Silk-worm into the Punjab.*

*To the SECRETARY of the Agri-Horticultural Society of India.*

SIR,—In a recent communication to your Society on the preparation of Silk fabrics in the Punjab, I ventured to draw the attention of the Officers in charge of sundry districts to the undoubted advantages that might accrue from the introduction of the Silk-worm into this Province.

I have also observed that the Editor of the *Indian Field* has intimated his desire to obtain information on the subject of the attempts at cultivation of silk in other parts of India than Bengal, with the view, I presume, of collecting materials for a comprehensive sketch of all that has been done in this respect.

It has, therefore, occurred to me, that a connected narrative of the several attempts made to acclimate the silk-worm in the Punjab, might, with propriety, follow my outline of the silk trade and manufactures in this land, should your Society deem it of sufficient importance to be published in your *Journal*.

I have, accordingly, carefully collected, from authentic sources, all that I can find recorded on this interesting question, adding here and there occasional remarks on the known capabilities of the several districts named, in the

hope that they may receive consideration from those gentlemen for whom they are more immediately intended.

The subject is, confessedly, of much importance, inasmuch as it refers to the possible introduction of a staple of recognized value. It is almost within the memory of man that silk has become a material item of production in many parts of Southern Europe; and the most strenuous efforts are, as the Editor of the *Indian Field* observes, and as I know, being made, in all parts of Germany, by the formation of silk-growing Societies, by the award of large premia, &c., to promote the cultivation.

I feel confident that the time will come when those Officers, who may now interest themselves, zealously, in the permanent introduction of so precious an insect, will, hereafter, be in a position to look back with gratification on the share they may, respectively, have taken in forwarding so desirable an undertaking. Many are, I believe, anxious to do so, while it is beyond a doubt, that the means and appliances are all so entirely at command, that nothing is required but the will to be "up and stirring."

There exists a general impression, among the natives, that silk can be reared to a profit in the hills, and in the sub-Himalayan regions; with such an impression to work on, and the successful example of some to point to, the task to be undertaken will be comparatively easy.

A distinct resolution, issuing from your Society, would have a material effect on the movement I venture to suggest, and I commit the following pages to its consideration, in the ardent hope that some beneficial result may accrue from my compilation and suggestions.

The field is a vast one, the end in view important. Of the manner in which I have done my best to bring it forward I must leave the Society to judge. I have, in my sketch, followed the localities that seem either suitable for or where attempts at, acclimatization have already been made

in a nearly contiguous order from East to West, commencing, with the district of Thanesur, and ending with Bunnoo.

I do not believe that more than one endeavour to introduce silk has been made in the N. W. Provinces, and as it may complete the chain from Bengal upwards, I have prefixed a brief notice of that instance, before entering on the consideration of the main object of my communication.\*

I have, &c.,

UMRITSUR:

HENRY COPE.

*April 25th, 1858.*

#### INTRODUCTION.

The extension of silk cultivation has been a favorite pursuit in India as elsewhere,† with Governments as with individuals, with Europeans as with natives; with the Court of Directors, in the palmy days of their commercial prosperity, with a perseverance that overcame numerous obstacles on behalf of Bengal, with scores of zealous officers, who considered it their duty to improve the districts committed to their charge, and with many members of the mercantile and agricultural community, who have looked to this extension as a means of increasing their prosperity.

All the subordinate Governments of India (with the exception, perhaps, of that of the North-Western Provinces‡)

\* Something has been done by Capt. Hutton, Inv. Est., in the Dhoen or at Mussooree, but I have no means of knowing exactly what that something is. Capt. Hutton's zeal is great, and the results of his experiments ought to be satisfactory.

† Silk has been, of late years, successfully cultivated so far North as Sweden and Canada, and has been introduced into the Mauritius, into Algeria, and has found its way recently into Ceylon, showing that all climates are suitable to the production of the cocoons, with a proper degree of care and attention.

‡ I believe that Mr. Colvin did sanction some expenditure by Capt. Hutton, but I do not know its extent, and am under the impression that the projected plans were put a stop to by the breaking out of the rebellion.

[Since writing the above I have learnt with much pleasure, that Capt. Hutton, has been placed at the head of an experimental establishment for rearing silk-worms at Mussooree, by the Governor-General in the capacity of Lieut.-Govr. N. W. P.]

have done much to introduce the silk-worm into their several dependencies, impressed with a well-founded idea that they were conferring a benefit on the people subject to their rule, and, if all have not been equally successful, it has been owing more to the force of circumstances beyond the possibility of control, than to any inherent obstacle to success. They all knew that silk is not only a valuable, but a very profitable, product, if reared under favorable conditions, and they are all aware that the supply is, even now, with the millions of pounds yearly imported into England, not equal to the demand. (The imports in 1852, from all quarters were 7,248,024lbs, or 2,466,605lbs from China, 1,335,971lbs from Bengal, and 3,445,448lbs from other parts.)

No where was the attempt made with better chances of success than that recently undertaken in the Punjab, and nowhere, perhaps, has the experiment been so unsuccessful as that at Lahore, for the very singular reason that it was too extensive, and too rapidly pressed forward. Yet is there no province in India, out of Bengal, where silk prospects are still so promising, and where the silk-worm is so certain of meeting a congenial climate and suitable food, if the steps, indicated by experience, certainly somewhat dearly bought, be taken for its acclimatization.

I propose, therefore, to give as detailed an account as may seem requisite, to the elucidation of the subject of the several experiments, to introduce silk, made in the Punjab and its neighbourhood, with notices of the probable causes of their failure, where failure supervened, and of the grounds there are, supported by the opinions of some of the first Officers of the Province, for believing that silk still presents a fit object for the persevering efforts of those who may take an interest (and who should not ?) in the free developement of the resources of the country. I commence, as already proposed, with a brief notice of the Lucknow experiment.

## N. W. PROVINCES.

*Lucknow.*—In the early part of 1847, Capt. Hollings, promoter of a local garden of some extent, having apparently conceived the notion from a supply of cuttings of *Morus multicaulis* sent him from Calcutta, which thrived well under his care, applied to the Agri-Horticultural Society of India for some silk-worms' eggs. His wants were met by Mr. C. Blechynden, Superintendent of the Radnagore Silk Filatures, and it appears, from the records of the Society, for April of the same year, that he succeeded in rearing worms, in obtaining cocoons, and in winding some silk on an extempore reel of his own manufacture. It was pronounced too fine for commercial purposes at that time, and I can find no record of the experiment having been carried forward, nor of the quantity of silk wound. Capt. Hollings was, in the beginning of 1848, appointed a Deputy-Commissioner in the Punjab, and the experiment, most likely, fell to the ground in Lucknow, as in several other instances, because the originator quitted the scene, and no one else had the public spirit to take it up and continue it.\*

## THE CIS-SUTLEJ STATES.

These States are composed of a number of protected Sikh and Hill semi-independencies, and of some large districts immediately under British rule, formerly the property of Chiefs whose estates lapsed to Government on the failure of any direct issue, or acquired by resumption on the breaking out of the first Sikh war.

They are now under the general control of a Commissioner, Mr. G. C. Barnes, c. s., who, to judge by his recorded opinions, would be ready and willing to afford his powerful aid in support of any movement of the nature now suggested. Mr. Barnes declared, when Commissioner of the Division of Lahore—"That there can be no doubt that the silk-worm is sure to thrive, and that silk can be obtained in any quantity

\* Such, we believe was the case.—EDS.

required by the market.”—“In this country,” continues Mr. Barnes, “all experimental measures must commence with the Government. There is no public spirit to lead the way, nor energy to keep up the trials if instituted.\* At the same time, when once the problem is successfully demonstrated, the natives are ready enough to prosecute the undertaking on their own account.”

The opinions of Mr. Barnes's predecessor, in his present post, Mr. G. F. Edmonstone, will be quoted below. The Commissioner has under him five Deputy-Commissioners, whose districts shall be taken in succession.

I. *Thanesur*.—No recorded experiment, to cultivate silk, has been made in this district, and it is probably not exactly suited to an initiatory attempt, being wholly in the plains; but as the mulberry tree abounds in many parts, and might be vastly increased in the jungles bordering on the Lundee, Sursootee and Markunda streams, and on the banks of the Western Jumna Canal, there appears no ground for doubting that, ultimately, the Thanesur district might assume a place in the list of those producing silk. Are the vast Dhak jungles that abound in this district, covering tens of thousands of acres, presenting, in April, one of the most gorgeous sights of the vegetable world, not convertible to *any* use? Do they yield no lac? Do the magnificent scarlet flowers afford no dye beyond the fleeting colour now occasionally obtained? Surely they are not there altogether without a greater end than they now achieve?†

\* The instance brought to light, in the Goordaspoor district, since these pages were written, and dwelt on in my *Postscript*, is a humble though decided exception to the rule set down by Mr. Barnes.

† There is probably no tree in India that, taken altogether, would yield such a mass of useful materials as the Dhak or Pulas. The leaves are universally used by Buneas, Punsarios, and Atars, in lieu of paper in the delivery of small parcels to customers. The urine of cows that feed on these leaves is useful; the wood, and especially the thick root is excellent fuel; the bark of the root makes

II. *Umballa*—is the next district, as we move to the North-West. It extends over a vast variety of soil, contains many localities specially suited to mulberry cultivation, and very likely to be found, particularly, in its Eastern pergunahs bordering on the hills with the advantage of much irrigation, capable of rearing any quantity of silk.

It was at the sudder station of this Zillah that, more than twenty years ago, the first effort of an English Officer to rear the silk-worm in these Provinces was made, and there even, though by far not the most favored spot in the district, in all probability, the ardent expectations of the originator would have been realized, had he been in a position to persevere. But he was called away; his experiment dropped, and finally fell to the ground, as in too many other instances similar in their nature.

So far back as 1836, Dr. Gordon, then Assistant to the Political Agent on the North-Western Frontier (Sir George, then Mr., Clerk) conceived the idea that silk might be cultivated with success and profit at Umballa. He planted mulberry trees, which still exist; he built a silk-house which became at one time a stable, and is now the property of the American Presbyterian Mission, and with the assistance of the late lamented Colonel Goldney, one of the most distinguished victims of the rebellion in Oudh, then with his regiment (the 4th N. I.) at Berhampore, succeeded in obtaining eggs from Bengal, (he must also have secured some annual insects) and carried on his experiment for three years, notwithstanding his temporary absence in Sind. There is a demi-official record, in the office of the Commissioner of the Cis-Sutlej States, from the tone of which it appears he was very sanguine that the experiment would succeed, “and he

good rope; the tree generally affords a gum resembling kino, the real virtues of which have yet to be discovered; the juice affords excellent food to the lac insect; and the beautiful flowers yield a dye, and the seeds yield flour used by the poorer classes in times of scarcity.



seems to have had ground for his opinion," says Mr. Edmonstone, "in the remarkable improvement to which he alludes as having taken place in the third year. Some of the silk produced by him was sent either to Bombay or Europe, but what became of it ultimately, and what was the issue of the speculation, or the attempt rather, cannot be discovered."

Dr. W. Jameson, Superintendent Botanical Gardens, N. W. Provinces, who is a strong advocate for the introduction of silk cultivation into the Punjab, and who urges the planting of the banks of the Canals, especially in the Deenannuggur district, with mulberry trees, in aid of such cultivation, says of Dr. Gordon's opinions :—"On his departure to the Punjab I succeeded him, and can, therefore, from personal observation, state that, had it received proper attention, the experiment would have been *a most successful one*. A small quantity of silk was made, and pronounced, by competent judges, to be of excellent quality. The mulberry plantation, formed near the city, was in a most thriving condition prior to the removal of the plants, and the silk-worms in a healthy condition. By Dr. Gordon the management of the experiment was made over to a person (a Mr. Destival) who took little interest in its welfare. The result was, therefore, a failure, and the factory for rearing the silk-worms was subsequently converted into a stable. So confident was Dr. Gordon of success, that he begged Government, on the termination of his mission, to return to Umballa in order to carry it on ; but his services being required in the Political Department, he was ordered to proceed elsewhere." This evidence is most conclusive, coming as it does from such a high authority, and it is only to be regretted that we have not Dr. Gordon's own notice of his experiment in support of Dr. Jameson's testimony.

I have, by the bye, some reason for believing that Dr. Jameson has, himself, instituted some experiments further East, but no official note of them has appeared, at least that

I am aware of. Perhaps the suggestion of the Editor of the *Indian Field* may elicit some information on the subject, if my surmise be correct.

III. *Simla*.—A very small portion of the hill district adjoining the sanatorium of this name is under direct British Government. The lands belong to semi-independent or subordinate Rajas, amongst whom the Raja of Pattecala stands foremost, and difficulties, connected with this organization, have, probably, stood in the way of experiments with the silk-worm. But the British territory is gradually enlarging; the State of Hindour, to which nearly half the fertile valley of Pinjoor appertains, has recently lapsed, and between this and other minor possessions, there is now an ample field, while no one is more likely to avail himself thereof than the present Superintendent of the Hill States, Lord William Hay, who has, during the past five or six years, used his utmost endeavours to bring the interesting products of the hills to more prominent notice. Indeed he, himself, discovered, some years since, in the valley of the Giree, a wild species of silk-worm feeding on the mulberry, and forming its cocoons in the rainy weather.\*

\* It is probably known to most of those who take an interest in these matters that Capt. Hutton discovered, some years ago, in the vicinity of Mussooree, and on the (wild ?) Mulberry a species of *BOMBYX* (silk-worm) which was pronounced by one of the first entomologists of the day, (Mr. Westwood) to be quite distinct from *B. Mori*, and named by him *B. Huttoni*. In the course of correspondence, this year, after sending this paper to Calcutta, with a friend residing near Simla, he mentioned that he had noticed some "ugly" worms on a mulberry tree near his house. I remembered the memo. of Lord W. Hay, in connection with Capt. Hutton's discovery, and suggested that my friend should imprison some of his ugly neighbours, and see what they came to, as I strongly suspected they were silk-worms. My surmise proved correct; they spun small cocoons, from which I reeled silk without any difficulty. A second crop was subsequently observed. At the same time, Lieut. Pogson made the same observation, and I feel assured that on a careful examination the whole hill country will be found to abound in silk-worms as it does in mulberry trees.

He has, moreover, already volunteered, according to Mr. Edmonstone, to promote the success of any attempts that might be made to introduce the silk-worm within the limits of his jurisdiction. It is known that the mulberry flourishes everywhere within those limits, both wild and cultivated, even as high as Simla itself. The valley of the Gumbeer, including Subathoo, one of the most likely spots, presents, however, the most favorable localities, and, as much of it is under British rule, first endeavours here would be exposed to the smallest risk of failure. This is the opinion of both Mr. Edmonstone and of Lord William Hay himself. If successful there, the silk-worm would rapidly extend over the whole of the adjacent hills and dales.

IV. *Loodiana*—is wholly a plain district, but so fertile in many parts, that it cannot fail to attract attention hereafter in regard to silk, as mulberry trees abound in all directions. The chief town of the zillah was, for many years, the residence of Colonel Sir Claude Wade, who exerted his utmost endeavours to promote the prosperity of the large population of the place, which, chiefly owing to these exertions, has become the fourth town in the Chief Commissionership of the Punjab.

A friend of his, Dr. Anderson, went to Ladak, in 1836, and there obtained some silk-worms' eggs, as a curiosity. On his return he presented them to Colonel Wade. The latter forthwith foresaw the advantages of introducing a silk factory at Loodiana, secured the services of the brother of the chief gardener at Shalecmar, near Lahore, (who had some previous knowledge of the subject,) and commenced operations by forming a mulberry plantation in the vicinity of his own house.

It is known that he succeeded to the extent of obtaining some ten scers of silk, during the two years he carried on the experiment, but being called away on duty to Kabul, he, of necessity, gave it up, sending, according to one account, his

worms—"to a gentleman at Umballa," (Dr. Gordon, no doubt.) It is averred, by one person, that the silk wound by Colonel Wade, was converted into silk stuffs at Loodiana, while, according to another authority, it was sent to England; nothing is, therefore, known of the quality, but it is certain that the worms he reared were the annual ones, as these only are found in the Hill States.

V. *Ferozepore*.—There is not much probability of this district coming, speedily at least, into the category of those producing silk, though the mulberry tree is found in numbers in several parts, especially in the fertile pergunnah of Zeera, where water is comparatively close to the surface, and, through which the Sutlej flowed, not above 400 years ago, in a more direct course, from Saidoowan towards Ferozepore, than it now does.

*Patecala*, &c.—I must not pass over, in total silence, the districts known as the "Protected States." They are extensive, afford excellent localities for silk rearing, especially the large Province of Patecala, whose Chief possesses the better half of the valley of Pinjor, with Pergunnas extending in the Hills up to Simla itself. These would, were the Raja to take the smallest trouble in promoting the cultivation, yield a vast amount of the precious material, and it might, perhaps, be requisite only to point out the probable advantages to induce him to undertake an experiment at least. Then there is the province of Sirmoor, superior to most for its capabilities, and some ten or twelve minor "principalities," one of which calls Kunawur its own, and there the silk-worm would be especially "at home."

I have seen a tradition, somewhere, and I think it is alluded to in Hamilton's *Hindoostan*, that silk-worms' eggs were *first* conveyed westward from Sirhind, now in the Patecala dominions; if not altogether a fiction, this would indicate that silk had, at some period, been produced in that neighbourhood.

## TRANS-SUTLEJ STATES.

These comprise three districts, besides, sundry small Native States, such as Kapoorthulla, Mundee, Chumba, &c.

I. *Jullundur*.—Nearly half the Doab, known by this name, belongs to the Raja of Kapoorthulla; the other half is British property, very fertile, well cultivated, all circumstances considered, and the people comparatively rich, so rich that there might perhaps be some difficulty in persuading them that the mulberry tree, (they cherish it, largely for its fruit) would furnish leaves for silk-worms to a greater advantage. The climate is suitable (the thermometer being known to stand at Jullundur town as low as 60°, in the morning on the 1st of May), but nothing has been done towards introducing the worm, unless the planting of the *Morus multicaulis*, by Mr. H. Vansittart, when Deputy-Commissioner, some years ago, was a step in that direction.

II. *Hoosheearpoor*—is nearer the Hills than Jullundur, and with the advantage, for silk-worms, of a low range running through the midst of the district, nearly along its whole length from the Beas to the Sutlej, forming a sub-Himalayan valley to its north. Probably the luxuriance of the mulberry growth led Colonel Saunders Abbott, Deputy-Commissioner, in 1852, of this highly-favored District, and till lately still there, to think of silk, in his new location, he being the first European officer in the Punjab, under the new regime, who turned his thoughts actively in that direction.\* He determined on an experiment, and having obtained eggs from various quarters in the hills, commenced operations in the Jail of Hoosheearpoor on a somewhat extensive scale. The quantity of eggs received was a seer and a quarter. The worms began to hatch in February, and continued to do so for some time: the first cocoon was produced on the 6th April, and the last on the 22nd May. The late cocoons were small and indifferent

\* Major Edwardes was the first officer in the Regency time who thought of introducing the silk-worm into a new district, that of Bunoo.

in quality, owing to the increasing heat; the first of a large size and good quality. Many of the eggs must have been bad, or the worms must have died in hatching, as Col. Abbott only obtained fifty-six seers of cocoons, before baking, whereas had even one-third of the eggs only miscarried, he ought to have had somewhere about ten maunds of unbaked cocoons. He set aside twenty-four seers of cocoons for seed (they yielded three seers of eggs), and from the remaining thirty-two seers he wound eight seers of coarse silk, besides four seers from the pierced cocoons, and two seers of floss. The total expenses, including the necessary huts, which, being flimsy, could of course, not be expected to keep out the heat, were but 120 Rs., and, under these circumstances, the experiment, as a first trial, must be considered to have been very satisfactory. It was repeated in the following year, but, in consequence of Colonel Abbott's departure for England, I believe, the undertaking was finally given up. It is only wonderful that it succeeded so far so well, considering the multiplicity of work a Deputy-Commissioner has on his hands in the Punjab. The plan I shall, hereafter, propose will be of the simplest nature, and impose very small trouble on those gentlemen who may be so good as to assist in undertaking to carry it out, and perhaps tend more than any other to the ultimate success of the object in view. I know of no other experiment made in this district, and proceed therefore, Northward, to that of—

III. *Kangra, and its dependencies*,—furnishing, besides one or two others, the very best localities for a successful experiment in silk, giving due consideration to the valuable suggestions and opinions of Mr. McLeod, who was several years Commissioner of the Trans-Sutlej States, and consequently thoroughly acquainted with the capabilities of the district. He says:—"I would, at the same time point out the peculiarly eligible position of Noorpoor (in the Kangra zillah). It is situated at the foot of the Hills; possessing

as compared with the lower plains of the Punjab, a mild climate, and it is the seat of a very large colony of Kashmeerees, actively engaged in the shawl manufactures. One of these, some years ago, set up an establishment for rearing silk-worms, as a means of livelihood, which, however, the unsettled state of the times, and his own poverty, obliged him to discontinue, but which he is anxious to resume, if encouraged and assisted."

The reason for failure assigned is, here, clearly traceable to any thing but unsuitableness, while the following, from Mr. E. Clive Bayley, then Deputy-Commissioner of the district, and now Deputy-Secretary to the Government of the N. W. Provinces, regarding an experiment at Kangra, shews that carelessness alone caused its failure:—"I selected two of the most respectable and careful men of the district, both of whom, moreover, were very desirous for the eggs, and I took great pains myself in explaining to them the method of treating the worms, and furnished them with a copy of the instructions. I regret to say, however, that, in both instances, the experiment has completely failed. The worms were hatched, and on the fourth day died, in both instances: a few survived with one man, but now all are dead. I cannot quite explain this, perhaps it may have been owing to some sudden change in the temperature, of which we have had several, or the season may have been too late. The Noorpoor Kashmeeree (the man alluded to above, by Mr. McLeod), refused, on this latter account, to commence his experiment, but he is anxious to do so immediately after the rains."

In *Mundee*, a semi-independent state, East of Kangra, and with all its advantages as to silk, the Vuzeer Goshain, some nine or ten years ago, introduced silk-worms, *found them thrive perfectly*, and made some silk, but having advanced 500 Rs. to the Kashmeeree in charge, to get more cocoons and implements, that worthy, taking advantage of the Vuzeer's absence beyond the snows, on a political mission, decamped

with the money, and has not been heard of since. So the thing, for the time, fell to the ground. The Vuzeer, however, who is the great capitalist of these Hills, is quite willing to re-establish it.

The above is on the authority of Mr. Bayley, who says, in another communication on the subject, in which he took much interest:—"There is no question that silk-worms have been reared with perfect success in Mundee. The Vuzeer, however, is now too busy to attempt a repetition of the experiment."

#### LAHORE.

This division consists, at present, of five districts, in all of which attempts have been made to introduce the silk-worm, one so far back as from thirty-five to forty years. The first district on the East to West line is—

I. *Goordaspoor*,—embracing, as it extends to the foot of the Hills, a variety of soils and climate. It is, in some parts, thoroughly suited, on account of every element of success being at hand, to silk cultivation. Of these—

*Pathankote*,—on the verge of the Kangra district, is probably the most hopeful. In 1854, a man, named Alee Bukhsh, received an advance of Rs. 150 for establishing a silk factory, and produced some fine cocoons, several of which were sent to Lahore by Mr. T. D. Forsyth, of Kangra, who says they were reared under his immediate superintendence, but whether any thing further was done I am not in a position to state.

At *Soojanpoor*,—a short distance North-West of Pathankote, and within the influence of the great Baree Doab Canal, along the banks of which tens of thousands of mulberry trees might be planted to advantage, there were, in 1852 and 1853, and may be still,\* certain Mussulmans who,—

\* I regret to say that during my recent visit to those parts I learnt that the cultivation had been given up, on account of the death of the chief promoter.



“for the last eight or ten years, have raised silk-worms, and obtained silk, disposing of it at Batala at the rate of 11 Rupees a seer, standard weight.” “This last instance,” says Mr. Barnes, then Commissioner of Lahore, alluding to Soojanpoor and Nynakote, “is perhaps the most conclusive of all. It shows that worms can be reared by the poorer classes, and with the certainty of profitable returns.”

The same of *Nynakote*, a place in the Shukurghur pergunnah, near the right bank of the river, and more than thirty miles from any part of the Hills.

II. *Umritsur*.—The old Shah Nuhur, or Huslee Canal, affords facilities for irrigation and mulberry cultivation that will be greatly increased by the Baree Doab Canal, and of which the people have largely availed themselves. Mulberry trees abound and thrive luxuriantly. Only one endeavour at silk cultivation has been made in this district, and that at Majeeteea, the hereditary residence of the Majeeteea family. It was originated by Sirdar Dessa Singh, the father of the chief Lena Singh, who was distinguished as the only man who studied the arts of peace in the warlike court of Runjeet Singh. Dessa Singh obtained the eggs from Kabul, and manufactured some coarse silk, valued at from 7 to 8 Rs. a seer. He seems to have undertaken the experiment more as a matter of speculative curiosity, than to promote the cultivation, and to have allowed it to drop as soon as his curiosity was satisfied. “It was not continued,” says Mr. Barnes, “but this fact is attributable, not to want of success, but to want of interest.”

III. *Lahore*.—The subject of silk cultivation, and the advantages that would result from its introduction into the Punjab, originally connected with the notion of supplying local manufactures, was brought before the local Society in 1852, was actively taken up by the members, and

subsequently most liberally supported by the local Government and by the Governor-General.

It was not then known, to those who carried on the experiment, that annual worms were procurable so much nearer the scene of operations, and they consequently and necessarily turned their attention to Bengal. A small supply of eggs was obtained in 1853, through the good offices of Col. McGregor, then Resident at Moorshedabad, and succeeded so well in the early part of the season, as to the produce in cocoons, that great hopes of success were entertained. Successive crops were reared, though they deteriorated as the season advanced, and it became, in consequence, requisite to arrange for a fresh and larger supply of eggs from Bengal. It also soon became known that eggs could be purchased in Kashmeer, and a man was deputed to secure a quantity. A breeding-house was built in the garden, application for pecuniary assistance was made to the Government, and responded to in a spirit of great liberality, measures were taken for obtaining the services of an efficient Superintendent, who was selected by Colonel McGregor, and sent up, with a set of reelers, from the silk districts of Bengal, and the necessary appliances for winding. On the arrival of Mr. DeVerinne a filature was established in an empty public building, and six basins constructed. The produce, in cocoons, was not so large as had been hoped for, with the very considerable supply of eggs secured, and it became very evident that the Bengal monthly worm would not thrive, while the insect reared from the Kashmeer eggs certainly gave the most decided proofs of success in the large cocoons those worms yielded, that were hatched in the early part of the season, and were adequately fed, a matter of no small difficulty, especially in the last year of the experiment, 1856, when the number of worms became so large, as to render it next to impossible, even to the over-worked zeal of Mr. Appleby, the Society's gardener, to secure leaves sufficiently fresh,

and at all times of the day. The quality of the silk wound, amounting in all to about five maunds and a half, was pronounced, by competent judges, of a very superior quality, but the return it gave was altogether inadequate to the total outlay, exceeding 11,000 Rs. Had the quantity of eggs procured been distributed in small parcels over the country, and the cocoons gathered for consumption at the Lahore silk filature, it is probable the out-turn would have been much larger, and perhaps even profitable. The result of the experiment left the final impression, on my mind (though others were not of the same opinion,) that the annual worms might be reared with decided success if hatched sufficiently early, that small plantations of mulberry trees are inadequate to such large experiments, that those worms hatched late in the season require efficient protection from the heat, and that the Bengal worm is totally unsuited to the plains or even the hills of the Punjab, where food would not be procurable during winter, when the process of hatching goes forward without intermission.

IV. *Seealkote*.—I have no *authentic* account of any experiment in this highly interesting district, bordering on the verge of the Hills, for many miles, but I have every reason to believe that some people, in the Zuffurwal pergunnah, at one time successfully reared the silk-worm, and went to the extent of reeling silk. I shall endeavour to obtain further information, as the country is one replete with localities that may ultimately become silk-producing.

V. *Gogjranwala*.—At Wuzeerabad, in this district, entirely within the plains, a fisherman brought some eggs from Hazara about thirteen years ago. He kept the stock *three years*, chiefly for amusement, and it then died off from inattention. He obtained no silk, for he did not know how to wind the thread off from the cocoon. This statement is on the authority of Colonel Clarke, Deputy-Commissioner of the district.

**JHELUM DIVISION.**

This division contains four districts, three of which at least (Shapoor is not likely to become a silk-producing country,) offer great advantages for silk cultivation.

I. *Goojrat*.—A splendid zillah, bordering to the North on the Hills, and very likely to suit the purpose under consideration. Mr. Brand Sapte, then Deputy-Commissioner, wrote, nearly six years ago:—"I cannot discover that any attempt has been made by the former government to introduce the worm, or encourage the manufacture of the silk. Some years ago, a resident of Julalpoor in this district, imported a small number, as a private speculation, from Kashmeer. He kept them for only about six months, when receiving no return for his outlay, he gave up the trial, though the worm thrived under his care. His own story is, that the expenses were too great, and so much trouble was involved, that he despaired of success."—"I do not consider the above," adds Mr. Sapte, "at all a fair test, the experiment having been continued so short a time. Mulberry trees are abundant, more or less, over the greater part of the district, especially in the neighbourhood of Julalpoor. At Julalpoor, moreover, is a colony of shawl-weaving Kashmeerees, some of whom at least, ought to be conversant with the mode of rearing the worm."

The small tract of *Bujwant*, at present held in jaghire, by Raja Tej Sing, holds out most favourable prospects, and is one of those localities to which especial attention might be directed. It is the garden of Goojrat, or was, I should say, for it has recently been transferred to the Zillah of Secalkote.

II. *Jhelum*.—I do not know of any attempts at rearing silk-worms in this district, but there is ample room for a trial, with every probability of success, as also in—

III. *Rawul Pindee*,—where a small but continuous and successful factory has been kept up for years past, and at a village named Saiudpoor, situate at the base of the Hazara

Hills, from a small supply of worms originally brought from Kandahar, and of which factory Mr. W. R. Carnac gives the following interesting account. I have added his valuable observations on the extension of the cultivation, though they more properly belong to the concluding portion of this paper. "Should the Saiudpoor silk"—specimens accompanied Mr. Carnac's letter—"prove equally valuable in the market, with that of the countries above mentioned, the success of silk manufactories, if introduced extensively into the Northern portion of the Punjab, will be placed, I conclude, beyond a doubt. There is nothing peculiar in the situation of Saiudpoor. It belongs to Meerza Shahwullee, a descendant of the Gukurs, whose ancestors, in their palmy days, planted an extensive mulberry garden of one thousand five hundred or two thousand trees, the greater portion of which were destroyed by the Sikh army, in 1848-49, owing to the Meerza's staunch fidelity to the British cause. With the produce of the remainder, he has started a small silk manufactory which yields him five to six seers (Lahore weight) annually, which he sells at Peshawur for 18 or 20 Rs. the seer.\* He states that many of the trees were imported from Kandahar. There is no reason, whatever, that similar manufactories, to any extent, should not be equally successful in the numberless villages along the base of the range (possessing equal advantages with Saiudpoor in the way of irrigation from hill streams), commencing below Ghazee on the Indus, and extending below Gundghur and Khanpoor to Gungallee on the Jhelum. This would give a belt of country running through the plains at the foot of the range, at least sixty miles long and three or four broad: but the common mulberry succeeds every where, though the better kinds would not, probably, answer in

\* The best possible proof of its value. An article will never fetch more than it is worth in the open market, and 18 shillings a pound for silk is as much as could be possibly expected for coarse raw silk.

other parts of the country without care and irrigation. There cannot, I imagine, be much difference of climate between Saidpooor and the Hazara valley, a few hundred feet higher, so that there is likely to be an immense extent of country available." Nothing could be more encouraging than the above.\*

We next come to the Division of—

PESHAWUR.

Which comprises three districts, all equally capable of producing silk. The first—

I. *Hazara*,—is on the left (Eastern) bank of the Indus; its advantages have already been noticed by Mr. Carnac (above), who observes, in another communication:—

"The experiment would of course be equally successful in Hazara; indeed, I hear there is a small factory at Khairpooor." (*query*, Khanpooor?) Major James Abbott, then Deputy-Commissioner of that interesting Province, afforded the following brief notice of this locality, and nothing further has been heard of it, at least within my knowledge:—"I wish first to visit Khanpooor, where there was, for a short time, an attempt to introduce the silk-worm, which failed owing to the value of the mulberry trees. There is, no doubt that it might be successfully introduced into the valleys of Khanpooor and Hazara Proper."

II. *Peshawur*,—is a large Trans-Indus district, where, at least in the Yoozoofzaee country, I feel convinced, notwithstanding the opinion of Capt. James, quoted at large, that much might be done towards introducing silk. That able Officer remarks:—"From the luxuriant growth of the mulberry tree, at Peshawur, and the neighbouring districts, it might have been expected that the silk-worm would have flourished there. But this has not been the case. It has been attributed to the wanton destruction of the mulberry

\* I regret to have learnt, since the above was prepared, that Meerza Shahwullee having left that part of the country, the miniature silk factory has been given up.

trees by the Sikhs, but this is an erroneous supposition. The silk-worm was never bred at Peshawur to any extent, and, even before the Sikh rule, the greatest quantity produced in a year, was four maunds, and this of a very inferior quality. The fact is, that the mulberry must be cultivated for this purpose only, and must be in extensive plantations, for, after five or six years' growth, the leaves are not considered fit for use, and if given to the worms, the silk is found to be coarse.\* I am told that a favourite mode of growing it in Balkh and Bokhara, is growing it from seed; this is rubbed from the hand into the coils of a rope, which is laid in the earth in rows like sugar-cane, and grows to a height of four or five feet, when it is cut for use, and the ground sown with grain for two years, when it is again fit for mulberry. In other places, plantations of young trees are kept up for about five years, when they are cut down and removed. Such cultivations would not be found remunerative to the owners of the rich orchards about Peshawur, or even to the cultivators of the district. Before the Sikhs cut down the trees, the mulberry was only found in the orchards, and in the neighbourhood of villages, where the value of their fruit and shade was too great to admit of their being despoiled by the silk-workmen of Peshawur. None of these men seem to think that the production of silk in their country can be greatly increased; the worm is now only kept as a curiosity. It must be remembered that in the countries where silk is produced, most of the parties concerned in its production are the owners of the soil; and therefore, find the cultivation of the mulberry a profitable speculation; but it will be long before the Peshawur *malik*

\* This is a great mistake. The harder the leaf, if healthy, the better the silk, but, of course, such leaves must only be given to the full grown worm, when young with soft teeth, he must be treated more tenderly. The *MORUS multicaulis* has failed in affording the results so sanguinely expected, partly because it produces so few leaves, though they are larger, and partly because those few are too soft and milky for the worm yielding a weak fibre.

will consent to change his field of rich corn and sugar-cane for the uncertain profits of mulberry plantations.

III. *Kohat*,—is the third district of the Peshawur Division, but of its capabilities for rearing silk I can only express a belief that they are very favorable.

The last district, where any thing has been attempted that I know of, is that of—

BUNNOO,

appertaining to Dhera Ismael Khan, which, when under the charge of Colonel Herbert Edwardes, before annexation, appeared to him, on account of the number of mulberry trees and of the climate, so suited to the silk-worm, that he asked Major R. Taylor, then at Peshawur, to send him a properly qualified person from thence to assist him in the undertaking; the man was dispatched, but the second Sikh war broke out, and nothing was done.

CONCLUSION.

Having taken as comprehensive a view of the efforts of the past as the materials at my disposal, (the reports of the proceedings of the Punjab Society, as recorded in the papers of the day,) would admit of, it may not be out of place, in fact it is the chief end of this paper, to draw attention to what may be done hereafter, with the lights of past experience to guide us.

It is now pretty well known, and that is almost all that is known, that the silk-worm has been reared successfully in Kashmeer. It has been seen above that, in three localities, at least two of them at great distances apart, the people, uninfluenced by the Government, and unaided from without, have cultivated silk, certainly on a small scale, as a remunerative crop. Many others have expressed themselves anxious to enter on the cultivation, or have actually done so, and failure may be generally traced to ignorance or want of perseverance. There is, therefore, ample ground for a renewal of experiments, on a more extensive, but at the same time



far less expensive, scale, with every chance of much greater success than has hitherto been achieved, and I will endeavour to apply myself, briefly, to these probabilities.

Two conditions are *especially* necessary to the successful cultivation of the silk-worm. The one is that the temperature to which the insect may be exposed be not higher than 86°, though Signor Mutti declares it will stand greater heat, if circumstances are, in other respects, favorable. "The most genial condition of the temperature is the average summer heat of Europe, viz. 76°; and this range will rarely be exceeded, even in the plains, if suitable houses be provided, as suggested by Mr. M. P. Edgeworth, up to the middle, or even the end, of April. (At the time of writing this the thermometer has not risen, in the hottest part of the day, in a well closed house, above 78°.) In the hills and submontane districts, and rearing the annual worm only, this condition will be most easily complied with. Once firmly established there, the question of carrying them by degrees further into the plains may be considered at leisure.

The second condition is that an ample supply of good fresh mulberry leaves, fully adequate to the wants of the number of worms, be always available, and that sufficiently close to the place of rearing to prevent the least desiccation of the leaves between the time of gathering and the time of feeding. Two plants, the *Sinchal* and *Khagaree*, are used by the Kashmeerees for feeding the worms in their earliest stage, if mulberry leaves should not be available at the time they hatch, but that will hardly ever be necessary, as the hatching may always be deferred until leaves are procurable.

With regard to a present supply of mulberry leaves, I will quote the opinions and statements of several gentlemen, fully capable of judging for themselves, and then submit the simple plan for the carrying out of the experiment I propose.

These opinions may be taken in illustration of what Mr. H. B. Frere, Commissioner in Sinde, has most truly remarked

in reference to the want of success in Bombay, and its probability in the Punjab :—

“Signor Mutti proved, by experiments made at the cost of great personal privation, that in the Dekkan, on land irrigated from wells, and consequently expensive to cultivate, mulberry standard *trees* could be grown more cheaply than in Italy or France, that the tree attained, in three or four years, the same girth, and produced the same weight of leaves as, under the most favorable circumstances, in Europe, were obtained in nine years, that the Italian worm [identical with the Kashmeer, Kabul, Persian and Bokhara worm.—H. C.] thrives with less care and less expense than in Italy, and that the natives, when carefully taught, could wind the silk as well, and as even, as the best Italian winders.

“Of course, the natural question, after this, is,—why did not the Dekkan at once become a silk-producing province?

“The answer is that to make silk, in any quantity, you require a great certain supply of leaves within a small circuit, and that land, *fit to produce mulberry trees, is scarce and scattered, in the Dekkan.*

“But it is otherwise in countries, which like Bengal, the Punjab, or Sind, afford great facilities for producing a large and certain supply of leaves within a small circuit. Any considerable Zemindar might, in any part of the valley of the Indus, combine the permanent advantages of the *tree* system with the immediate returns of the *bush*, the former being the European, and, I believe, the Bokhara system, the latter the Bengal and Chinese plan.

“The supply of leaves is *the* point to be assured of, and if any attempt be made to introduce the production of silk in the Punjab, all attention should, in the first place, be directed to ensure a sufficient number of trees, whether standards or bushes, so close together that the leaves shall not wither in being carried to the feeding-houses. If this be once insured, there will be little difficulty in rearing the

worms or reeling the silk, but till the supply is insured, it only diverts attention from the principal object, gives rise to false hopes, and causes useless expense, to devote much time or expense to experiments on rearing worms, or winding silk."

Mr. G. F. Edmonstone, now Secretary to the Government of India, in the Foreign Department, and, at the time of writing, Commissioner of the Cis-Sutlej States, says :—" The mulberry tree is found *in abundance* throughout the Cis-Sutlej States, and is indigenous also in the Hill districts, subject to the jurisdiction of the Superintendent of the Hill States at Simla. It does not appear to be cultivated with any care, being hardy, but I presume that the character of it might be greatly improved were it irrigated and tended ; for of the two kinds which are found in the Thanesur district, that which grows in the Khadir, or lowlands, bordering on the Canal and the Jumna, is superior in growth to, and more thriving in appearance than, those which are indigenous in the Bangur or the high lands of Kythul. The tree grows *in abundance* in the valleys of the Simla district, and up to a height of 6,000 feet. On the score of food for the silk-worm, therefore, should the experiment of introduction be tried in this quarter, there need be *no apprehension*, even where mulberry trees abound, and their number might be increased to any extent that might be desired." \* \* \* " Indeed there is every reason to expect that in any or all of the districts of the Cis-Sutlej States, the silk-worm might be introduced, and any number successfully reared ; there is an abundance of food already, and the trees which supply it can be increased, if requisite ; the breeding of the worm has been tried by different people at two different stations,\* and was partially successful, and there is ground for supposing that the undertaking was abandoned, not that it failed absolutely."

Mr. D. F. McLeod, than whom it would be difficult to find a more zealous promoter of every means of improving

\* Umballa and Loodeeana.

the resources of the country, who was, at the date of the subjoined, Commissioner of the Trans-Sutlej States, writes :—  
“The mulberry tree, of at least three different varieties, *grows every where in abundance* ; at Jullunder it has been extensively planted along the sides of high roads by the district Officers.” \* \* \*

“For purposes connected with the silk manufacture, the mulberry tree has not hitherto been grown here ; but it seems impossible to doubt that it could, in a very short time, be propagated to any required extent, and of any required variety, and *considerable groves* and avenues of it *already exist* in various localities.

“In the Hills there is a wild variety, which grows spontaneously in the forests, at almost all elevations, from 3,000 to 8,000 and 9,000 feet above the sea, and at Dhurmsala it is one of the finest and most shady trees to be met with. It grows to a much larger size than I have ever seen it in the plains, and the fruit of some trees is considered very palatable, though decidedly inferior to the finer cultivated varieties.

“As respects the growth of mulberry, therefore, it may be regarded, I think, as certain that no obstacle whatever exists to the introduction of the silk-worm, and this is, no doubt, a very material point.”

Mr. G. C. Barnes, then Commissioner of Lahore, considered, regarding the proposal to introduce the silk-worm, that there was every reason to anticipate success.

Mr. John Wedderburn, one of the victims of the rebellion at Hissar, then Deputy-Commissioner of Lahore, says ;—  
“the mulberry tree *grows profusely* in this district, but of only one variety, differing slightly according to soil and climate ; it seems to flourish best in a cool moist bottom.”

In many parts of Goordaspoor, Seealkote, and Umritsur, the mulberry abounds. In the vicinity of Umritsur alone there are from 8 to 10,000 well grown *trees*.

I have already quoted the views of Mr. Sapte, of Goojrat, and of Mr. Carnac, of Rawul Pindee, on this branch of the subject. Capt. H. James, Deputy-Commissioner of Peshawur, says :—"The trees indigenous to the district are the mulberry, willow, cheenar (plane tree), bekain, seris, sheeshum, and poplar, of these the mulberry tree is, perhaps, most frequently met with. The Chief-Commissioner considers that the mulberry is not a tree of sufficient importance to be extensively planted, and in most districts this is undeniable. [Capt. James does not here write with regard to the introduction of the silk-worm, but on tree-planting in general.]

"But at Peshawur, where it attains so great a height, and possesses such dense foliage, it is most valuable for shade, as well as for its fruit, which is so agreeable to the people. It is, moreover, of very rapid growth. The size, to which it attains in this valley may be gathered from the fact that a grove of five mulberry trees has afforded shelter to the whole of my camp when marching in the district."

The testimony of Dr. Maxwell, regarding the abundance and luxuriance of the mulberry tree in Bunoo, has already been adduced in my paper on the silk manufactures of the Punjab.

It is clear, therefore, that the districts more especially alluded to are in a position to comply with Mr. Frere's very sensible condition, and that there exist ample premises for warranting the conclusion, that an active and combined renewal, under greatly modified circumstances, of the several attempts to introduce silk as a staple into the Punjab, and especially into those districts adjoining, or within, the Himalayas, would be attended with success. It is clear, I repeat, that the natives themselves have long thought so, from the many experiments they have made, while we have now before us a considerable mass of information, that most obviously indicates the course that should be pursued for the future.

I venture, therefore, to press on the Agri-Horticultural Society of India, the desirability of bringing the question prominently forward, as I feel assured they will fully appreciate its advantages.

Their doing so must lead to the increase of a most valuable branch of agriculture and of trade, and ultimately tend to the conversion of thousands of acres of land, now waste, into silk-producing districts. I beg, in conclusion, to suggest as the most ready means of ensuring success, or at least of giving the experiment the fairest trial, that taking Simla, Kangra, the north of Goordaspoor, Seealkote, Jhelum and Rawul Pindee, and Hazara, as the most likely starting points, the Officers of those districts, if willing to afford their valuable, and indeed absolutely requisite, aid, be requested to provide themselves, during the ensuing winter with a reasonable supply of eggs—(I can undertake to furnish any quantity required free of cost, and would bear the loss if any were incurred;) these will keep till required in the spring of 1859. In the mean time, these gentlemen might direct measures to be taken for ascertaining who, amongst the inhabitants of their respective zillahs having some knowledge of the rearing of silk-worms, might be willing, (on receiving a small advance for the mere rearing) to undertake the charge, and agree to sell the cocoons when spun. The price to depend on their quality.

If remunerative, there will at once be an inducement to continue and enlarge their proceedings in the year 1860.

If otherwise, and they be disinclined to carry on, the loss of seed, and the small advance made, will not be an intolerable burthen, while if only one half of those who undertake to breed, succeed, all expectations will be amply realized. There will be no expensive establishment to pay, nothing to be done in fact but obtain returns, and cause the cocoons, when reared, to be forwarded to some central depot to be agreed on.

Small distributions of eggs, amongst those willing to rear worms, will be much preferable to large ones. One tola, if

good, and carefully tended (a small amount of security might be taken on this score) ought to yield from 20 to 25,000 worms. The care of one person, for some 35 or 40 days, will be all that is necessary, and that number of worms should produce from 6 to 8 seers of cocoons at the least.

It should, as a matter of course, be so arranged that the eggs be distributed only in localities already possessing the advantage of considerable mulberry cultivation. To feed the worms producible from a tola of eggs, from 18 to 20 trees of an average size, near to each other, and to the place of rearing, would be required, assuming each tree to be stript to the extent of 15 seers only, and that number would surely be found in almost every village in the Hills. A very small space would be required, by each person, to rear the number of worms I have recommended. Every native dwelling would afford it, and I am in a position to promise that a market will be forthcoming for the purchase of the cocoons, wherever they may be produced, it being a condition that those who rear the worms from eggs so supplied shall, for the present, not spin silk.

I shall, at the same time, be most happy to furnish a very brief set of instructions for the rearing of the worms, if any of those gentlemen who may interest themselves in the matter will do me the favor to apply to me at Umritsur, and to give any other information that may be required, and which it may be in my power to afford.

UMRITSUR :

*April 25th, 1858.*

---

POSTSCRIPT.

Having, by the obliging attention of the Secretary of the Agricultural and Horticultural Society, been furnished with proof-sheets of the above paper, I take the opportunity of adding, besides an occasional note in the body of the communication, a few more remarks suggested by a brief tour, in May

and June last, along the foot of the Hills from Akhnoor to Madoopoor, undertaken, chiefly, with the view of making further enquiries into this interesting subject. I learnt, amongst other points, that the late Maharaja Goolab Sing, notwithstanding his Hindoo prejudices, which will not permit of any animals being deprived of life, took some, though not a very persevering, interest in the extension of silk cultivation in his territories. He made experiments at Jumoo, and also at Ramnuggur, twenty miles East of that place, but further within the Hills.

He was, however, easily disgusted with his attempt, in consequence of the ants having attacked, and destroyed many of the worms.

The lands below Jumoo and especially the Goolamee Garden, contain magnificent mulberry trees, and the temperature, even in June, was very different to that 150 miles higher up, amidst the boulders of the hill on which Jumoo is situate.

Raja Heera Sing, even amidst his brief stormy career, found time to think of such matters, and ordered a trial to be made at Kotooa, near the right of the Ravce, within his jaghire of Jesraota, and one of the most favorable spots it is possible to conceive in every respect, as to soil, temperature, and means of irrigation. It failed because its originator was soon after engaged in the bloody strife that terminated in his death near Lahore, and also because his agents in the trial caused great local dissatisfaction, by taking leaves without payment from the Zumeendars.

The whole of the country, both in the territories of the British Government (Pergunnah Shukurghur) and of the Maharaja, watered by the Oojh and the Ravce, are magnificently adapted to silk cultivation in every respect.

It was at Deenanuggur, however, that I had the satisfaction of ascertaining the most gratifying fact, that there was, in the neighbourhood, just across the river, an individual,



humble, but persevering, named Jaffer Ali, who had been rearing silk-worms *for the last four years* with success, and I lost no time in bringing his valuable labours to the notice of Mr. McLeod, the Financial-Commissioner of the Punjab, and Mr. Naesmyth, the Deputy-Commissioner of Goordaspoor, in the hope that he might be considered worthy of a pecuniary reward for his exertions. I am happy to say that he received 50 Rs. from the Punjab Government. I also made him known to the Agri-Horticultural Society of India, as will be seen in the proceedings of their meeting of the 15th September, and the Society has, I am glad to learn, confirmed the recommendation I ventured to make, by awarding him a silver medal with a suitable inscription.

It affords me also much gratification to add that the well deserved notice taken of Jaffer's labours has stirred up several men (Kashmeerees) at Noorpoor, so favourably spoken of above, to renew former attempts. They have applied to him for eggs, and I have let them know that if he cannot supply them, I will do so.

His success, moreover, has, I have reason to believe, tended materially to modified the doubts, previously entertained in high quarters, on this subject, and I know of at least one highly distinguished and influential officer, who (at one time, strongly impressed with the conviction that the result of the Lahore experiment was clearly to show that the climate was not suitable to the profitable rearing of this article,) now believes that the failure was attributable, not to climate, but to the want of sufficient food, and the trial having been carried too far into the hot season, and who now thinks that even in the plains of the Punjab, it would be possible, to rear the silk-worms profitably if sufficient food were provided close at hand, and if worms, hatching later than a given date, were put aside.

He however entertains *no doubt whatever* that the hill and sub-montane tracts are better adapted for the purpose,

and has adduced Jaffer's case as a well-founded instance to shew that the matter is now being taken up in earnest with every prospect of success. He has even, as I am told, expressed an opinion that, notwithstanding the failure of the Lahore experiment, it has been productive of very important advantages, fully commensurate with the outlay incurred, both, by pointing out the errors to be avoided, and the localities best suited for the purpose, by arousing enquiry, and exciting interest in the subject. He announces his determination to afford all the aid and encouragement in his power to all who may engage in the undertaking, by affording such information as may be available, and endeavouring to interest local Officers in the promotion of this new and important article of export, feeling assured that the Government will gladly lend their countenance to all well judged efforts directed to this end.

Most satisfactory and encouraging, as a last and crowning fact, I have the gratification to state that the silk produced at Lahore in 1856, confessedly inferior to that of 1855, and taken to England for sale, realized there the high price of Twenty Shillings a pound, equal to Twenty Rupees a seer, and that in a year when Bengal silk was confessedly at a discount in Europe. What more can I say on behalf of silk cultivation in the Punjab ?

UMRITSUR :

HENRY COPE.

24th October, 1858.

*On the Progress of Tea cultivation in Cachar: By Lieut.  
ROBERT STEWART, Officiating-Superintendent of Cachar.*

So long ago as the year 1834, the Superintendent of Cachar was addressed by the Secretary to the Committee for Tea Culture, upon the subject of the adaptability of the district for the growth of tea. In his answer, Captain Fisher described the lands as very similar to those in the tea-growing tracts of China, and distant only three hundred

miles from them; he further stated that a species of camelia was found in Cachar, the leaves of which he had seen manufactured by a native from the confines of China into something resembling tea, but the beverage he pronounced undrinkable.

No notice appears to have been taken of Captain Fisher's letter by the commercial world, and although the cultivation of tea was shortly afterwards entered upon in the neighbouring Province of Assam, yet Cachar was left to itself for upwards of twenty years. In the mean time it had been traversed and surveyed by professional men, by botanists who have acquired great celebrity in this particular science, but yet who failed to perceive that the jungles abounded in the precious plant! It was left to a poor Cacharie cooly,\* who had on an occasion travelled as far as the plantations in Assam, to make the discovery that the tea tree grew luxuriantly and indigenously in the hills of the district.

Tea was not regularly discovered in Cachar, therefore, until the year 1855, when Conoonauth brought a branch of it to Major Verner, and declared it to be identical with the Assam plant.

The natives had long known the tree, and called it the "Dulli cham," or white wood, from the silvery appearance of the bark. Growing as this timber does in its wild state to a foot in diameter, they had found it of a convenient size for the posts of their houses, and had used it as such.

Major Verner lost no time in making known the discovery, to the public, through the Agricultural and Horticultural Society of India, (see *Journal of the Society*, Vol. IX, page 201 for full particulars) and before the year was out many Europeans had made their way to Cachar for the purpose of commencing the cultivation.

\* This man, by name Conoonauth, received a small reward from Government for his discovery, and having recently become blind, has been pensioned by subscription among the Cachar tea planters.

The lands upon which the tea was found growing were all high lands, raised from twenty to one hundred feet above the general level of the country, and were for the most part unadapted for the common cultivation of the native inhabitants.

Nothing could have been more liberal than the terms offered by Government to grantees, a copy of which I annex, and it was but fair that there should be a proviso that those grants of waste lands were not to interfere in any way with the settlements made upon the natives for plain lands, these latter being leased at a much higher rate.

The high lands, which produce the tea, are ranges of small hillocks, which intersect the country in all directions. They are composed of a red sandy clay, (which appears to be the peculiar predilection of the tea plant,) resting on a base of conglomerate rock, and are densely covered with forest.

It is remarkable that although the same soil, heaved up into similar ranges exists on the North bank of the River Barak, which flows through Cachar, yet tea is found only on the South bank—no one has yet accounted for this capricious dispersion.

These tracts of forest had in many places been cleared by the Hill tribes of Kookies and Nagas, who are in the habit of cutting down the jungle, taking a crop or two off the soil, and abandoning it when exhausted.

The tea-planter when he first came to Cachar had no experience in the cultivation on which he was about to enter, nor of the climate in which he was going to labor, imagined the first great desideratum to be that of making a clearance, and he set about it with energy. Acres upon acres of glorious primitive forest groaned beneath the axe, and the land was laid bare to receive the seed. Some preferred commencing upon the abandoned clearings of the Hill tribes, thus saving the expence of the axe. Clearances thus made, or found, were staked off into regular lines,

and planted either with seed or with young trees lifted from the forest.

But the first year showed that a grave error had been committed. Such is the extreme dryness of the cold weather months in Cachar, that it was found that neither seedlings nor transplantations from the jungles could (in the absence of irrigation, which, on a large scale is impossible) survive without shade. The latter, wrenched with lacerated roots from its moist umbrageous and natural situation was brought to the light, and to soil parched with the sun, and shrivelled up and died, whilst the seed germinated but to meet the same fate;—and thus large sums of money had been expended for nothing, and an immense amount of labour thrown away.

There was only one planter in Cachar, who, instead of hewing down the forest, had simply contented himself with cutting away the underwood, ringing the trees, and planting between. His seedlings, protected in their youth during the first dry season, by the not yet withered foliage above, struck their roots deep down in the moist soil, and were next year independent of shade for their existence. This first general failure dissipated many who had commenced the enterprise, but yet there were not wanting those who determined to persist.

There were no more trees cut down.

The operations of 1856-57 were confined to the clearing away of underwood, and to planting in the shade. Nay, some of those who had cleared away all their forest trees had actually to resort to the expedient of replanting jungle so as to secure shade. For this purpose the seed of broad-leaved, quick growing jungle trees were broad-cast over the clearings, and in the course of twelve months presented a dense enough shade.

But the tea planters had to meet with yet one more reverse. The seed of 1856-57 was bad, and would not germinate.

A grub attacked the indigenous seed of the country, and the importations from Assam were light and worthless. Again the labor and money which was expended in clearing and hoeing hundreds of acres was thrown away. Some of the seed, it is true, was good, and one garden was particularly fortunate in this respect, but the good was the exception, not the rule—and the shareholders in Calcutta looked blank, and began to talk despondingly. Fortunately for their interests however, and for those of the public too, there were men engaged in the speculation who knew what they were about, who saw and attributed the proper reasons to the causes of failure, and who determined to persist.

During the last cold weather the whole aspect of affairs has changed.

In 1857-58 the seed obtained was generally first-rate. Each nut has germinated and become a flourishing shrub, and the plantations, instead of presenting lines of single plants, show in many places rows of clumps spread over many hundred acres. There is no longer any doubt of the eventual success of the enterprise. Time, money, and a continuance of the energy which has already been devoted to it, are all that is necessary.

A small crop of tea may be taken off a seedling three years old, but it requires five years to come to perfection and to full bearing age; and during all this time it must be kept clear of jungle (no easy task in a climate where combined heat and moisture produce the rankest of vegetation), and must be constantly hoed and dug about. It is this that causes the great and continued expense which must at first be incurred on a seedling garden. Once the plants are in full bearing, they are supposed to yield £10 per acre, net profit, but there are no returns for the first five years.

Many of the plantations in Cachar are thickly studded with indigenous trees of all sizes, from forty feet in height,

and one foot in diameter to young self-planted seedlings. These, if they are in sufficient numbers, yield of themselves considerable and immediate profit. The old seed-bearing trees are generally kept intact, and are considered more valuable at first in yielding seed than leaf. But all the others are pruned down to within eighteen inches of the ground, and in course of a few months spring up again in innumerable shoots, all bearing abundant crops of the most tender pekoe leaves.

By the indigenous trees alone, aided by the few planted seedlings of two and three years of age, which have managed to keep alive, no less than 300 maunds of tea have this year been made in Cachar. The value of 300 maunds of tea is nearly Rs. 25,000. Say that two and a half lakhs of Rupees have already been spent in Cachar, upon the cultivation (and I think when I say so that I go beyond the mark), here is already a return of 10 per cent !

These very indigenous trees will next year, when they have sprouted out to their full, yield three times as much as they have done this.

Some of the tea grants so abound in indigenous trees, that tea seems to have been the primitive and pervading vegetation of the forest, and it is actually with difficulty that you can force yourself through its branches. These grants will pay themselves this year, without even an effort at cultivation, and ought next year, unless they devote their whole profits to extension, to declare a dividend.

But all grants have not been selected with the same view. The planters have looked to the situation of a grant, and to the formation of the land, as well as to its being covered with indigenous tea. Some have preferred to take up lands without any, or with very little tea, because the hillocks are connected, and have tabled summits, others because they are in the neighbourhood of native cultivation, and consequently close to labour—others because they have the

advantage of being alongside perennial water carriage. Some, indeed, ignore the indigenous altogether, and prefer the prospective large profits anticipated from purely seedling gardens, to the intermediate minor returns from the jungle plant.

True, it is, that if planters are only willing to go far enough away, there are yet thousands upon thousands of acres covered with indigenous tea, which they are free to take, which lie South of the positions already occupied in Hylakandy and Chuttla Howhar as well as Pani-Sagur, and besides this there are thousands upon thousands of acres of good lands, possessing the peculiar tea soil, upon which there is no indigenous tea, but which are more favourably situated.

The first grand requisite in tea cultivation, (and in what is it not a requisite ?) is Capital. With insufficient means the speculation is dangerous ; for there is the chance of sinking all before there are any returns, and then must follow a sale at most probably a great loss, or else the government contract is not fulfilled, and the lands are subject to resumption.

A private individual taking up 500 acres, and superintending their cultivation himself, should have the command of at least Rs. 500 per mensem. As for Joint-Stock Companies, the larger their Capital the better, and it ought to be paid up by regular instalments, so as to give a fixed monthly income during the infancy of the concern. In Assam the great Tea Company have spent lakhs upon lakhs of Rupees in cultivating 4,000 acres. On the Himalayas at Kumaon and Deyrah-Dhoon I believe one lakh of Rupees is considered about a sufficient capital for 1800 acres of land. People may rest assured that in Cachar things are not so widely different. It is true that a theorist will draw out a sheet of paper, and will show you in black and white, that such an area may be cultivated for so and so ! But that mau



entertains the idea that every nut put into the ground will germinate, whereas it is considered lucky if one in four will !

His calculations of hoeings all pre-suppose full gardens, whereas it is many years before the blanks in a garden are really filled up, and the whole garden has to be hoed and hoed over and over again, though perhaps only half or one quarter filled ! The theorist never takes into consideration the failure of seed, or the loss of a whole year's work ! He never counts the number of plants killed by falling trees, or those burnt up by the conflagration of the neighbouring jungles ! He has no consideration for the ravages of the peddle cricket, or for the appetite of the squirrel, or the mischief of the monkey ! He does not think of herds of wild hogs and porcupines rooting out the plants, or of the wild buffaloes trampling them down ! He has no idea of coolies taking advances and dying of jungle fever, or breaking their contracts, being sold up, and fetching only two or three annas ! He buys, as stock, an elephant, at an unusually low price, to be sure, but with a perfect belief in its immortality ! He builds mat houses on the strictest of economical principles, but then he supposes them to be of corrugated iron ! It is not possible for them to be burnt or blown down !—All that the theorist shows you in elaborately drawn out tables is :  
 “ One maund of seed, value [so much]—In to five acres, Cost of clearing which, [so much]—Planting, [so much]—cost of hoeing for five years [so much]—Grand total expended in five years [so much] Value of Tea produced [SO MUCH] Net profit [SO MUCH], and he immediatly declares 600 or 800 per cent !

Now the fact is that the statistics of tea cultivation are not sufficiently well known to be calculated upon. The contingencies are innumerable. All that we know is, that it pays in the end, and pays well, but that it requires a large amount of capital every thing that has gone before us serves to show, and we have nothing else to guide ourselves by.

After the primary consideration of money the next thing to be desired is a command of seed. This cannot be had in large quantities in Cachar. The jungle trees, unexposed as they are to the fecund influence of the sun, produce but little, and that little rarely ripens sufficiently. It is necessary to obtain the seed from full grown trees, in a regularly planted garden. The generality of seed used in Cachar is obtained from Assam. Planters who intend taking grants in Cachar will do well to make their arrangements in Assam beforehand, for to come into Cachar without seed, is like going a shooting without powder.

It is true that a little seed is drawn annually from North Cachar and Munnipoor, but these channels are already monopolised by the planters on the spot.

There are three different kinds of seed in use in Cachar. The first is generally called the "Assam seed," being that of the plant indigenous to Assam, Cachar and Munnipoor. It is by far the most scarce, the most difficult to keep good, and it produces the most delicate plants, and such as are most difficult to rear in their youth; but when full grown the bush reaches larger dimensions than any other, and yields a much larger crop of leaves. It is generally planted six feet apart. The second is called the "China variety," and is that obtained from Kumaon and Deyrah-Dhoon, or brought from China and propagated in Assam. This is a hardy plant, with small tough leaves, and but few of them. It requires to be viciously pruned and cut down every year within one foot of the ground. It is generally planted at six feet by three. The third is a hybrid or cross between the two others. It is an excellent plant, hardy, and, at the same time, more leafy than the China variety. It is doubtless the kind which will eventually be most prevalent in India.

Capital and seed secured, last though not least, another indispensable to the tea-planter is labour! It is this which

has presented the greatest difficulties to progress in Assam, and want of it will be felt in Cachar likewise.

The whole population of Cachar male and female, adult and minor, is calculated at 150,000. Already upwards of 150,000 acres have been taken up for tea cultivation—and the lowest computation at which even the speculations of our friend the theorist can arrive, is that one man is required permanently for each acre in full bearing!

Now, in a population of 150,000 souls, one half may be calculated as females, and these are considered too valuable at home to be allowed to work abroad in Cachar. Out of the remaining 75,000 one half may be counted children under age, and we have therefore a population of only 37,500 men. Again the men in Cachar may be looked upon as the most independent set of niggers in India! The larger number of them have each their separate homesteads, surrounded by groves of mangoe, jack, plantain and betel-nut trees, and from five to twenty acres of rice fields adjoining. They live like gentlemen farmers. They drive their own plough through an acre or two of their own land, and have the rest tilled by a class of people below them, who are in themselves perfectly independent, and who simply give half the crop to the landlord for the use of his land.

Now the landlords wont work for the tea-planters. No not one, even although he holds no more than two acres of land, and has to cultivate it all himself.

He is an aristocrat, he has a title, he calls himself either a Chowdrie, or a Mozumdar, or a Luscur, or a Bhorbooya, and is quite above that sort of thing. Nor will any Pycush or tiller of the soil, who tills five acres, work for the tea-planter, simply because they have all that they want, and make more than labourer's wages.

Planters can therefore employ only the refuse of the Cachar population for simple wages, and there may be about 5,000 men in the district to whom these wages are at stated

periods an inducement: but only at stated periods, for as soon as the rice cultivating season sets in, they are off to their small holdings of an acre or half an acre, and prefer laboring for themselves to doing the work of others.

At the commencement of operations in tea cultivation, there is not a very great demand for labour, and that of the country has hitherto managed to answer the purpose. But difficulties are already beginning to be experienced, and planters are obliged to resort to expedients to secure a permanent supply. One of these is to take up large tracts of land fitted for rice cultivation, at the rates of the district, and to settle ryots on them, giving to each an advance sufficient to buy him a cow, and binding him down to pay a certain portion of his rent in labour, or to pay a very moderate rent in cash, and to labour on the garden at stated times on full wages. This system answers well and the planter cannot let the land he leases from Government without loss, and obtain at the same time from each ryot that he settles, about ten days of labor in each month, which is paid for at the usual rates. If he obtains therefore a considerable number of ryots, and judiciously disperses their different terms of service a regular supply of labor is secured. I have no doubt that in time large numbers of the poorer classes in Sylhet and Mymensing will be induced to come and settle under the tea-planters on these terms, but not many will be obtained from Cachar itself.

Another plan, which is now being tried, and which promises well, is that of importing coolies from Calcutta and the Lower Provinces, who agree in the same way as they do when they emigrate to the Mauritius and West Indies to serve for a certain number of years, and who can of course be constantly replaced as their term of service expires.

Cachar is a healthy climate, and although, these coolies suffer a little at first from fever and diarrhœa, yet they soon get over it, and become acclimated. As they come up with

their wives and families, I have no doubt that many of them will become permanent settlers.

Money, Seed and Labour are all that are required to make a fortune in Cachar, and those who have the first, and have the energy and management to procure the two others, will do well to come here.

CACHAR:

*3rd September, 1858.*

## APPENDIX I.

### *Rules for the grant of Waste Lands in Assam.*

*( Extended also to Cachar ).*

FORT WILLIAM, *23rd October, 1854.*

I. Applications for grants of waste lands in Assam shall be made to the Collector, who will enter them in a Register to be kept for that purpose in his office, and after advertising them for one week at his office, will submit them through the Commissioner for the orders of the Board of Revenue. Should there be more than one application for the same grant, it shall be put up to sale after a further advertisement of fifteen days, and the application of the highest bidder shall be submitted as provided.

II. Every applicant for a grant of waste lands shall place in deposit with the Collector a sum of money sufficient to provide for a proper survey by a Compass-Ameen of the boundaries of the grant, and a copy of the plan of this survey shall be entered in the Collector's Register, for the effectual prevention of future disputes.

III. No grants shall be for less than 500 acres of forest or grass waste, which will be granted on the same terms.

IV. One-fourth of the grant to be exempted from assessment in perpetuity for the site of houses, tanks, roads, embankments, &c., but not so as to be separable from the rest

of the grant, or exempt from liability on account of the proportion of the grant subject to assessment.

V. The other three-fourths of the grant to be rent-free for 15 years, after which it shall be assessed at 3 annas per acre for 10 years, and for 74 years at 6 annas per acre, the whole term being fixed for 99 years.

VI. After the 99th year the grant shall be liable to survey and re-settlement, and to such moderate assessment as may seem proper to the Government of the day, the proprietary right in the grant, and the right of engagement with Government remaining with the grantee, his heirs, executors or assigns, under the conditions generally applicable to the owners of estates not permanently settled, and revenue equal to the amount annually paid from the 51st to the 99th year shall be paid annually by the grantee his heirs, executors, or assigns, until such survey or re-settlement, or re-assessment, as is described above, be effected.

VII. One-eighth of the grant shall be cleared and rendered fit for cultivation by the expiration of the 5th year from the—18—; one-fourth by the expiration of the 10th year from the—18—; one-half by the expiration of the 20th year from the—18—; and three-fourths by the expiration of the 30th year from the—18—. On failure of all or any of these conditions, (the fact of which failure shall, after local enquiry conducted by the Collector or other officer, be finally determined, by the Board of Revenue,) the entire grant shall be resumed, and the grantee shall forfeit all right and interests in the lands, both those which may be yet uncleared, and those which may have been cleared and brought into cultivation.

VIII. Grants of Hill forests shall be made on special terms, to be agreed upon in each case with the sanction of the Board of Revenue.

IX. With a view to the due Registration of all transfers and changes in the proprietorship of grants, no claims to

the proprietary rights in the lands or the rents of a grant will be recognised as valid, unless on proof of the Registry of the claimant's name as proprietor on the Collector's books.

X. The local officers will consider themselves empowered to grant lands to actual cultivators on such terms as may be current in each District, without any reference to these Rules.

(Sd.) W. GREY,  
*Secy. to the Govt. of Bengal.*

## APPENDIX II.

*Grants of land for rice cultivation are assessed on the following terms :—*

The first three years—rent free.

Next four years—1 Rupee per koolba.

Next four years—2 Rupees per koolba.

Next four years—3 Rupees per koolba.

After the 15th year it is re-surveyed and re-assessed, generally at the full rate of 3 Rupees per koolba, or perhaps at an increased rate.

Inferior lands, are leased at reduced rates.

The local koolba measures about five acres in area, and is supposed to be the extent of land which one man and one plough can place under cultivation.

*Summary of papers on the subject of the effect of artificial irrigation on Cotton Crops.*

To A. H. BLECHYNDEN, ESQUIRE,  
*Secretary to the A. and H. Society.*

SIR,—I am directed by the President in Council to trans-  
HOME DEPARTMENT. mit for the information of the Society,  
Revenue. the accompanying summary of the  
replies submitted by the several local governments and

administrations, to a reference on the subject of the effect of artificial irrigation on the cotton plant of India.

I have, &c.,

R. B. CHAPMAN,

COUNCIL CHAMBER :  
September 30th, 1858.

*Under-Secy. to the  
Govt. of India.*

In June, 1855, Mr. G. Inverarity, Collector of Broach, observed in his letter to the Revenue Commissioner of the Northern Division, with reference to the question of extending irrigation throughout the Bombay Presidency, that the greater part of the land of that Collectorate is composed of a deep black soil, and rendered annually subservient to the cultivation of cotton, for which it is peculiarly adapted; and that irrigation supplied artificially, far from improving the growth and staple of the cotton crop, acts injuriously towards it, weakening the fibre, and reducing its value to a corresponding extent.

2. The above remark attracted the attention of the Hon'ble the Court of Directors, and they accordingly directed on Paragraph 13 of Revenue Despatch, the 9th September, 1857, No. 13 of 1857, dated 9th September. that inquiries may be instituted, with a view to determine the correctness or otherwise of Mr. Inverarity's opinion. On this the several local governments and administrative authorities were called upon, in November following, to furnish the views of such persons on the subject as are most conversant with the culture of the plant; and the following is an abstract of their replies.

3. From the papers submitted by the Government of Bengal, it appears that in Bengal, the opinion of the Board of Revenue, artificial irrigation in the culture of cotton would be useful in the district of Behar, though such a process, they remark, is not required in Bengal. The Cotton Committee of the Agricultural and Horticultural



Society, whom the Board consulted on the subject, observe, that in sandy and light soils, frequent irrigation will probably be found necessary for the successful growth of the plant; in some places a moderate degree of moisture is essential, while again in other localities it may not be at all necessary; but, on the contrary, may prove hurtful to the plant. On the whole, the Committee arrived at the conclusion, that irrigation under a certain peculiarity of soil and climate, acts injuriously on the cotton plant, yet in most localities, it will be found beneficial alike to the indigenous and exotic kinds. In Assam, the local officers consider irrigation to be unnecessary. Colonel Hannay remarks that in dry and sandy soils, this process may, if judiciously applied, be partially beneficial; and Mr. Masters, Deputy-Collector of Sebsaugor, adds that the cotton plants grown in deep black soil, immediately under the Naga Hills, which are frequently drenched by the water from the Hills, are rendered weak and the fibre deteriorated, while those immediately in their vicinity, on higher and drier ground, appear healthy and strong, and the staple far superior.

#### 4. The Government of the North-Western Provinces

North-Western Provinces. thinks it inadvisable, during the present state of  
 No. 502, dated 11th May, 1858. ing the present state of  
 those Provinces, to impose any additional labor upon the civil officers, which the collection of the information in question would naturally involve. It submits now the replies from the Commissioners of the Benares, Allahabad, and Jubbulpore Divisions, who were consulted by the late Government of the Central Provinces, containing the views of persons conversant with the subject. Irrigation is not resorted to in these divisions, and the preponderance of the opinion is against such a process. The Deputy-Commissioner of Hosungabad goes so far as to observe, that even a heavy fall of winter rain injures the plants in the black soil, but those on red soil are improved by it. Mr. Gubbins,

Officiating-Commissioner of Allahabad, and the farmers of Mundlah, a small cotton-growing district in the Jubbulpore Division, appear to be in favor of irrigation; the former, however, while admitting that the nature of the soil of Bundelcund, the largest cotton district in his division, precludes irrigation, speaks from his experience of the North-Western Provinces, that in those parts the cotton crop is invariably irrigated where a want of rain is found to be likely to prove injurious to the plant, and that he has never heard it even hinted that this process in any way deteriorates the fibre.

5. From the replies submitted by the Government of Fort  
Fort St. George. St. George, it appears that  
No. 1056, dated 29th July, 1858. artificial irrigation of cotton  
crops is not carried on in any of the districts of that Presidency. The Collectors of Coimbatore and Madura are entirely opposed to it. The Collectors of South Arcot, Bellary, and Nellore, agree in stating that black soil is ill-adapted to such a process; the first states that irrigation of the plant to any great extent is injurious, and the last two say, that in red and sandy soils only, it would be beneficial. In the opinion of the Collector and Agent to Governor, Vizagapatam, irrigation would prove beneficial rather than injurious in seasons when rains fail or vary in their supply. The District Engineer of this Division, while admitting the growth of cotton on high lands, observes that a sufficient supply of water by irrigation is also necessary. It would be the same thing, he says, whether the water supplied is rain water or brought from a channel or tank; the prevalent opinion amongst the people whom he had consulted is in favor of irrigation. The Governor's Agent at Kurnool, and the Superintendent of Gardens at Ootacamund, are of opinion that cotton plant would be improved by irrigation if properly applied, and at the right stages of growth. The latter goes on to say, that the flooding of the whole surface with

water is injurious, but it is beneficial when applied by small water channels in the middle of the rows. The Conservator of Forests remarks that his acquaintance is limited to the districts of Western Mysore and Dharwar, where irrigation is not required. He however, quotes the authorities of Dr. Royle and also of Dr. Wight, late Superintendent of Cotton Farms, Coimbatore, as bearing testimony to the beneficial effects of artificial irrigation. In the opinion of the latter, it answers best in sandy soil, that does not cake on the surface after the absorption of water.

6. With reference to the remarks made by the Superintendent of Gardens at Ootacamund, and Conservator of Forests, as detailed in the latter part of the preceding paragraph, the Board of Revenue observe, that they apply rather to the foreign than to the indigenous cotton of India. The Board consider it conclusive that in heavy black soil the plant would not flourish under irrigation even, of the most careful kind, while in sandy and light red soils, it might be much benefited.

7. The Madras Chamber of Commerce submits the opinion of one of their body, who speaks from some pretty extensive experiments made by him in the Tinnevely District, that moderate irrigation in very dry weather only benefits the plants grown from New Orleans seeds, but the indigenous cotton, he adds, will not stand water at the roots, either in the black or red soils.

8. The irrigation of the cotton plant is not carried on in any part of the Bombay Presidency, and is considered injurious by the Collectors of Sholapore, Ahmednuggur, Surat, Belgaum, and Kaira. The Collector of Khandeish gives no opinion on the subject. The Conservator of Forests and the Collector of Ahmedabad are of opinion that occasional floodings at seasonable periods during the growth of the crop, would be beneficial; and the Collector of Dharwar adds,

that it has been determined by experiment that cotton can, by judicious management, be irrigated with success both in black and other soils. The present Collector of Broach, Mr. Tucker, who has never heard of irrigation of indigenous kinds in black soil, states however that this process has proved successful with exotic varieties, and that if it were tried with the former species, the prejudice might in his opinion probably prove to be unfounded. The Revenue Commissioner of the Northern Division, and the Collectors of Kaira and Broach, also allude to the irrigation of cotton plant, which Dr. Hore describes to have seen during his travels in Guzerat in 1787-88, and they explain it by observing, that the cotton referred to by that traveller is a sort of vegetable wool called *Nurma*, which is much superior to the cotton wool, and raised in red and sandy soils. The local Government have however ordered an experiment to be made of cotton plant both in black and red soils, during the ensuing season, to test the effect of artificial irrigation.

9. The Resident at Hydrabad submits a letter from

Hydrabad.  
Foreign Department,  
No. 1426, dated 9th April, 1858.

the Deputy-Commissioner  
of North Berar, who says  
that irrigation of the plant

is not carried on in that division, and that if done so on deep black soil, it would prove injurious both to fibre and produce. He made an experiment with foreign varieties, and the result was as follows: The New Orleans cotton was spoilt by irrigation, but it throve well without it; partial irrigation proved advantageous to the Sea Island cotton upon red sandy soil, whereas a continuance of it proved injurious. He observes further, that irrigation to a certain extent is necessary on shallow, stony, or sandy soils, but in any case he is of opinion it would reduce the crispness of the fibre.

10. The Deputy-Commissioner, South Behar, states that irrigation was never tried in his district, and consequently he is unable to offer any opinion on the subject.

11. The Assistant-Commissioner, Nuldroog, states, that cotton is invariably sown on dry land, and gives no opinion on the subject of irrigation.

12. The Deputy-Commissioner of Raichore Doab states, that, from an experiment made by an individual, it was found that irrigation caused the plant to grow much larger, and to yield a far greater quantity of cotton; but he is unable to say whether the quality of it was deteriorated or not.

13. In Mysore, the Commissioner states that the cultivation of cotton is not carried to any extent worthy of notice, and that consequently no person can give any reliable opinion on the subject. One person connected with the trade, however, says, that Bourbon is the only variety which derives benefit from irrigation, and that of this the produce is not satisfactory.

14. In the Tenasserim and Martaban Provinces, the Commissioner states that the cultivation of cotton is carried to a very small extent, and this without the aid of irrigation. It is there produced on the rich alluvial deposit of the mountain streams or in hill clearings. Persons employed in the culture of the plant, are of opinion that the yield of cotton might be improved by irrigation, but that they are not aware whether it would tend to weaken the fibre.

15. In Rangoon and Bassein, cotton is cultivated in dry soil, and the local officers state irrigation would prove injurious. Captain Brown, Deputy-Commissioner of Bassein, speaks from his own experience, that cotton plants watered by artificial means are not so vigorous as those nourished by rain water. In the district of Prome and Henzada, it is grown in hill clearings and high ground respectively, without the aid of irrigation,

which is neither resorted to in the district of Tharawaddy. The cotton grown in the district of Toungoo is of two kinds, one being confined to the plains, and the other to the hills. Neither of these species is watered by artificial means.

16. The Superintendent of Forests in Pegu observes, that the cotton plant in that Province which grows either on the banks of rivers or on the fertile soil of hill clearings, does not require water, but if an attempt is made to cultivate it in other localities, artificial irrigation is useful. Dr. Brandis also states that the question of the deterioration of the fibre of cotton by this process can be best ascertained by a series of properly conducted experiments.

17. In the district of Goojranwalla, cotton is generally  
Punjab. irrigated from wells, and  
Foreign Department. this has never been con-  
No. 3145, dated 8th September, 1858. sidered injurious; the ex-  
perienced cultivators are of opinion that well water is more  
advantageous towards its growth than river or canal water.  
In the Jhelum Division, the plant is more or less dependent  
on artificial irrigation, though a large supply of water is not  
required. In the Delhi Division, irrigation is reported to be  
so beneficial, that of the two crops raised there annually, one  
which is grown entirely under this process is far superior  
than the rain crops. In the Jullundur Doab, the best cotton  
is produced upon unirrigated lands, irrigation being very  
sparingly resorted to in tracts where water is abundant. In  
the opinion of the Deputy-Commissioner of Paneeput, the  
rain water is the best, the well water next, and canal water  
worst to the growth of cotton.

18. The Financial Commissioner observes, that it must be the character of the soil which determines whether irrigation is beneficial or otherwise for cotton cultivation. He remarks that as a general rule, such a process is not necessary, except where the plant is grown in alluvial plains, containing an excess of silicious matter. The Chief

Commissioner concurs in the views above expressed, and considers that the best cotton is produced on unirrigated lands. In the Punjab, however, where the soil is dry and firm, except in the vicinity of rivers, irrigation is necessary for every kind of crop, and cotton cannot be excepted from this general rule.

THE GARDENER'S NOTE BOOK,—No 3.

*Culture of the Strawberry in Lower Bengal: By E.  
CHARDON, ESQ.*

I have much pleasure in forwarding to you a statement of the way in which I have successfully cultivated strawberries for the last three years, and, I believe, that any person, paying attention to the directions I now send you, will be as successful as I have been.

I take a bit of land (fine strong soil), in which there has been indigo, first after it is cut, say about the 1st of August, dig it one foot deep, and manure strongly with three parts *old* stable manure and the fourth part with *as old seetee* as you can get; the more rain there is over the whole the better it is. After having left it so for a fortnight or twenty days, jungle of all sorts will appear, *clear* it all away, and then dig the land over again, and mix the manure with the earth as much as possible, it will be then about the 25th of August. Leave the ground alone until about the 25th of September, then clean again, mix the earth over, and smooth it all until you can get three or four days of fine sunny weather. From the 5th of October to the 1st of November is the time to transplant the new shoots of last season's old plants.

My beds are about twenty-five feet long and three feet broad, leaving a road of eighteen inches *wide* between *each* bed, so as to allow the mallees subsequently to water, weed, &c., &c.; then transplant each shoot (*with a little earth attached to the*

roots if you can) one foot apart, taking care to water twice a day until it has taken root (the same as you would do with any other transplanted plant). The plants will not begin to look fresh and alive before the 15th or 20th of November, when they will grow very fast. You will of course lose several plants, but as a bed of strawberries where some plants are wanted looks very bad and untidy, you ought, by precaution, to have several plants in pots, when you can replace them *in lieu* of the dead ones; they will grow immediately, and you will not know the difference between them and the other plants. You must water well, once a day at *least*, until the plants begin to show flowers; then the *more* you water the better (you can not water too much); once a week water slightly with the very oldest liquid horse manure; then, under each plant, place enough of large pieces of *surkee* or *konka*, to prevent the leaves, flowers, or fruit from touching the damp mud; then spread an inch thick of horses' straw or *beechnut* over all the beds, but not over the *surkee* and *not* on the roads, and, if well watered, the straw will keep the ground *moist* and cool in the hottest days, and prevent the roots of the plants from getting hot; it also prevents the ants from attacking the fruit so much as they generally do. All sorts of small birds also attack the fruit as soon as they begin to turn *red*; to prevent this, have lots of small *bamboo* sticks, five or six feet high, a little apart of each other, with bits of rags of all colours flying about, and no birds will come near the place.

Out of 1,500 plants in my garden last year, I obtained some 5,000 fruit, one of these had on (in one day) twenty-one fruit quite ripe, ten fruit were very fine, and the other eleven fruit indifferent.

The flowers will begin to show themselves at the end of February; the first fruit will make their appearance about the middle of March. They will bear fruit plentifully until about the middle of April; they will then still bear until



about the beginning of May, but there will be very few fruit, and indifferent, both as regards size and flavour. The best fruit I had last season was on the 7th of April, the other best one I had on the 29th of April of a much better size and form. Several plants bear no end of flowers and not one fruit during the whole season, these I always carefully destroy (when the season is dry). It is a *mistake* to think that, in this country, those plants will bear fruit the year after, even the old plants which gave a good return for one season will scarcely fruit the next one; you must have NEW shoots every season. From the time that you have transplanted the new shoots until they stop fruiting, or about the beginning of May, you must destroy all new shoots, or they, by approaching the plants you wish to fruit, interfere both with the plants and fruit. When they have stopped fruiting, then of course, let them shoot as much as possible, so as to have a fine supply of new plants for the year after. If you get, say, 100 plants at first, after two years you will have enough new shoots to cultivate *beegahs* of land. When the plants have stopped fruiting, you must water *constantly* all May and June, or until the rains set in, or you have the chance against you of losing all your plants altogether, from the great heat of these two months.

GOLDAR FACTORY:

*July 5th, 1858.*

*Remarks on a sea-weed called Gillur-ka-putta: By H. COPE, Esq., with a note thereon by Dr. T. THOMSON.*

I believe it is undeniable that we have much to learn, not only regarding the vegetable productions of India, but also as to the multitudinous uses to which they are put. Enter the shop of the first druggist (*punsaree*) you come to in any street of any town in India, and the casual enquirer, acquainted though he may be with the ordinary products of

the country, will be surprised at finding jar upon jar filled with drugs, the names of which he had never heard of before ; and I feel assured that a careful investigation of the entire contents of one of these shops would prove of the utmost interest, and if I should be able to make time some of these days, I will do my best to prepare, at all events, a list of the *Materia Medica* of an up-country store.

These reflections occurred to me in the course of some enquiries I made a day or two since regarding a plant incidentally mentioned by Dr. Royle in his *Illustrations of the Botany of the Himalayan Mountains*.

Under the head of ALGÆ he says :—"Some of the sea-weeds are employed as manure ; others are burnt for the impure carbonate of soda they yield ; a few are valued as medicinal agents, from containing among their constituents the powerful agent *Iodine*, so much employed in the treatment of scrofula and goitre. It is curious, as stated by Dr. Greville, that the stems of a sea-weed are sold in the shops and chewed by the inhabitants of South America, wherever goitre is prevalent. This remedy is termed by them *palo coto*, (literally goitre stick,) and from fragments brought by Dr. Gillies, who gave Dr. Greville this information, the plant is decided to belong to the type *Laminaceæ*, and is probably a species of LAMINARIA. It is equally interesting and remarkable that the natives of India, along the foot of the Himalayas, where goitre is prevalent, should employ a leaf which they describe as being brought from a great distance, and which they call *Gillur-ka-putta*, or goitre leaf, and consider efficacious for the cure of that complaint ; this also seems to be that of a sea-weed ; the specimens, which I am at present unable to find, resembled the crumbled fragments of a leaf of POTAMOGETON *natans*, but they are as likely to be those of a FUCUS, brought from a distant sea, and which I would suggest as an interesting subject of inquiry to be traced out in India."

The lower orders of plants, if I may be permitted such an expression, are not attractive. They have not engaged the attention of many botanists even in Europe, and have been greatly neglected in India. Their appearance is against them; they are obscure, and many of them unsightly and have, consequently, been treated with neglect if not contempt. I take it for granted, therefore, that the hint given by Dr. Royle, who was the first to bestow a passing notice of this large tribe, has not been acted up, or if it has, I have seen no notice of the fact, and shall therefore make no apology for communicating to the Society the result of a few enquiries made on the subject here.

I cannot find any authority for Dr. Royle's assertion, that *Gillur-ka-putta* is translatable by goitre plant, bronchocele being known by the name of (*kanth mālākanth*, wind-pipe), perhaps more properly scrofula, and *gega* or *gengha*, but it cannot be far wrong, for we have *gula*, a throat, and *giāt*, a protuberance or tumour; probably the latter is, in some of the numerous local dialects of Hindostan, converted into *giller* or *gillur*, and designates the specific tumour to which the throat is subject.

I had no great difficulty in finding the drug; one or two punsarees knew it readily by the name asked for, and a third produced a small supply, which I purchased at the rate of three tolas per rupee, indicating either its costliness or its scarcity. The smell (I send you a sample for submission to the Society) left small doubt on my mind that it is a sea-weed, and not brought from the hills, as asserted by the seller, (who, by-the-bye, told me he had the supply I purchased three years in his shop, with "no demand,") and I placed a few pieces in water, under the impression that, if a species of *Fucus* or *Laminaria*, the parts would develop freely in their more natural element. My conjecture was correct, and if you will follow the same plan, you will find not only that the plant expands freely, but that the sea-weed odour

becomes very decided, while the whole appearance of the plant can leave very little doubt that Dr. Royle's shrewd surmise is perfectly correct.

On further enquiries I find that the plant is brought from Bokhara and Yarkund, and must, consequently, be a produce of the Sea of Aral or the Caspian Sea. It is now scarce and dear, being sold wholesale at Rs. 9-12 per seer of 108 tolas, or Rs. 7-4 per seer of 80 tolas, that is upwards of £800 per ton!!! from 1 to 2 maunds per annum form the total amount of imports. Some ten years ago it was sold at 2 rupees a seer, but the Lohanees did not think it worth while to bring it for that price. It is not required for local consumption, but re-sold to the dealers afterwards, where it is used as a cure for, or to alleviate the increase of, goitre. It is steeped in cold water overnight, and the infusion drank in the morning on an empty stomach. Of course its virtues depend on the iodine it contains, but how came they to be known to the Hindoo practitioner? and when? Tradition says it was first introduced about seventy years ago.

UMRITSUR:

*July 3rd, 1858.*

---

*Note by Dr. Thomson.*—I delayed answering your letter, till I could find time to look out for my specimens of the Sea-weed which forms the subject of Mr. Cope's paper. It was first shown to me by Dr. George Wallich at Lahore, and there are excellent specimens of it in the Garden Herbarium prepared by that gentleman, by moistening or soaking the bazar dried plant, which was easily procurable in Lahore in those days (12 years ago) though now, according to Mr. Cope, scarce and dear at Umritsur.

I have an impression that Dr. Wallich has published an account of the plant somewhere, in some medical journal perhaps. I know that he prepared a valuable paper on the topography, &c., of Lahore, but I am not quite sure that it

was published, perhaps you may be able to ascertain. It may be in Edlin's *Journal*.

The plant is seemingly the common *Laminaria saccharina*, which is common in temperate seas from Britain to Japan.

I have a further impression (which I think I must owe to Dr. George Wallich,) that the source of the seaweed imported into the Punjab is the mouth of the Amur river or thereabouts. It arrives, I presume, through Yarkand and Ladakh. I return Mr. Cope's specimen, and enclose a fragment of Dr. Wallich's specimen sent from Lahore, in 1847.

BOTANIC GARDEN, CALCUTTA :

*July 21st, 1858.*

*Report on Flax straw raised at Allyghur by C. GUBBINS, Esq., from Riga seed in season 1855-56: Communicated by the CHAMBER OF COMMERCE, Dundee.*

In the year 1855, Mr. Charles Gubbins, of the Civil Service, sent the Society a bale of flax straw raised at Allyghur during the season 1854-55, by *Native cultivators from Native seed, and after the Native fashion, solely for the sake of the seed*. This bale was forwarded to the Chamber of Commerce at Dundee, whose report is published in a previous number of the *Journal*, Vol. IX, p. 379. In the following year, Mr. Gubbins sent another bale of flax straw, raised at Allyghur, during the season 1855-56, from Riga seed, furnished to him by the Society. The particulars of sowing, &c., will be found in his letter of the 4th April, 1856 (*Journal*, Vol. IX, p. 371). This bale was also forwarded, during the same year, to the Chamber of Commerce at Dundee, and the following is a report on it, enclosed in a letter from the Secretary of the Chamber, dated 20th February, 1858, of which the following is an extract:—

“I have forwarded a parcel to Messrs. Grindlay, London, to be forwarded by them to your address. It contains samples of Flax straw, the result of the last straw you sent

home. By the report sent herewith, you will see it is much better than the former, but unless you can prepare it very well, and send real good flax to this country, I fear it would not pay. The distance is so great, that the expenses are heavy, and it would have to compete with Baltic and other flaxes. I have more hope in some of the *other Indian* fibres, such as the *Sida rhomboidea* and many others, and I should therefore think it would be better to take measures to introduce them, than flax. If both can be done, so much the better. Can you not send me any of the *Sida*? say, at the price of BEST Jute!"

*"Received one bale East Indian flax straw, from Chamber of Commerce, Dundee, weight 72lb nett."*

On examination, I found the straw to be very superior to the last parcel received from same quarter, but still much inferior to the average quality of the straw grown in this country or in Ireland. The length was good, averaging three feet, but the stalks were strong and branchy at the cross ends, with a very large proportion of wood or pith to fibre. The roots were also large and heavy. It had all the appearance of having been grown on a light gravelly soil, as it neither possessed the fine yellow colour nor the thin tube of pith which is obtained from cold clay bottomed ground.

"It was divided into two parcels, and steeped in cold water, with the following result:

1st parcel, 20 days in steep, at an average temperature of 56°

2nd „ 17 „ „ „ „ „ 70°

"After steeping, both parcels were spread on the grass and exposed for about a week.

"Weight after steeping 57lb, shewing a loss of 21 per cent nearly by that operation.

"They were then forwarded to Mr. Russell, Scoonie Flax Works, Leven, and there scutched by him with the following

results. Mr. Russell's remarks on returning the clean flax and tow are appended :

"Total yield of cleaned flax 4 lb. 6 oz.

" " " tow 3 "

---

"The yield of clean flax from *green* straw 6 per cent.

" " " *steeped* " 7-7 " "

" " tow " *green* " 4- $\frac{1}{6}$  " "

" " " " *steeped* " 5- $\frac{1}{4}$  " "

" " total fibre *green* " 10 $\frac{1}{9}$  " "

" " " " *steeped* " 12-95, " "

These results are poor, and would not pay : but as the clean flax, although a little harsh, is strong and of fair quality, they are encouraging enough to warrant further trial, in a better description of soil than I conceive this bale to have been grown upon."

(Signed,)

JOHN C. WILSON,

PRUILOWS, MARKINCH.

Scoonie Flax Works, Leven,

---

"JOHN C. WILSON, Esq.

Pruilows Works.

"DEAR SIR,—I duly received your note of 10th inst.

"The straw came safely forward. It has just been scutched, and I now enclose the produce of each lot in a parcel, and will send the same per railway this afternoon to your address.

"The flax has only been so far as I thought necessary for such quality, and the tow has been passed through a card.

"It had to be very carefully handled, to preserve it, and was passed through the squeezing rollers before the breakers, to prevent it cutting from the strong unbending nature of the straw. The yield is however very poor and much below my expectations from its appearance.

"Trusting the above is in accordance with your wishes,

I am, &c.,

(Signed,) DAVID RUSSELL."

*Note on the oil of the Kurrungah seed (Pongamia glabra) :*

*By G. H. GROSE, Esq. ; with a report thereon by C. B. WOOD, Esq.*

I have much pleasure to send you a few seed pods of the Kurrungah, as also some oil made from the seed of the Kurrungah, which I bought at the rate of 11/8 per maund, while I was at a village called Jeypore near Ampta. Perhaps it would be worth while to have the oil analyzed, for although it is not suited for culinary purposes, it may possibly possess some other desirable property ; the natives simply use it for burning, and for the cure of itch or sores.

I find that the oil is obtainable in small quantities about Ampta, and the sample I send is from the village of Jeypore in that neighbourhood, where I found a number of the trees scattered about the villages, evidently cultivated for the sake of the oil, but I do not find the cultivation has attracted the attention it appears to me to deserve as a merchantable article and source of profit. I am therefore induced to lay before you the following particulars regarding it ; which I elicited from the natives, and which I trust will not be unacceptable.

The tree grows to a large size, and comes to bear in four or five years. A large tree will produce four or five maunds of seed during the year. A maund of seed will yield eight seers of oil ; thus, if a tree even produces two maunds of the seed, there will be sixteen seers of oil for a single tree, this is much less than is stated by the natives, and allowing forty trees to a Bengal beegah, sixteen maunds of oil would be the produce of one beegah alone, which at 10 Rs. per maund would give 160 Rs., a result I think most satisfactory.

The seed succeeds when put in the ground along with the pod, and lightly covered over with earth, and will grow on any soil.



The oil I send has been boiled by me. In its boiled state it is thicker, and resembles castor-oil.

*Report by Mr. C. B. Wood.*—I return the oil Kurrungah from Jeypore ; I wish you had more, for my first trial, on the quantity taken from the bottle, has turned out a very dark oil.

This is the first time I have ever seen any oil become darker in passing through animal charcoal, which not only deprives most oils of colour, but in many instances destroys the strong and offensive smell.

I am not sufficiently *au fait* at chemistry to say what has caused this change in colour, but it appears to me that the Kurrungah contains a very powerful acid which has worked on the perforated funnel, containing the charcoal, through which the oil percolated.

It may be a good oil for the pharmacopœia, but I fear it would not “take” for burning, because of its offensive smell, and for machinery on account of the acid which, I believe, it contains.

I observe this oil was exhibited at the Great Exhibition of 1851. See page 81, *Reports by the Juries*.

I have kept a little to try how it would answer as a paint oil, but I suspect the strong jungly smell it possesses would be much against it.

CALCUTTA :

June 28th, 1858.

---

*Report on Coffee raised by Colonel Hannay, at Debrooghur, in Upper Assam.*

*To the MEMBERS of the COFFEE COMMITTEE.*

GENTLEMEN,—I beg to circulate, for the favor of your opinion, a specimen of coffee forwarded by Col. Hannay, whose note accompanies, from Debrooghur, in Upper Assam. Col. Hannay says this coffee has been raised either from the original Mocha or Bourbon stock.

I circulate, at the same time, for comparison, the sample of coffee from Jorehaut—Mr. Williamson's—on which you reported a short time ago.—See the enclosed printed slip from the forthcoming number of the Society's *Journal*.

I am, &c.,

METCALFE HALL :  
May 19th, 1858.

A. H. BLECHYNDEN,  
*Secretary A. and H. S.*

*Extract of a letter from Colonel S. F. Hannay:—*

*Debrooghur : April 9th, 1858.*

“By the steamer Thames, which left this a few days ago, I sent a small packet to your address, containing a sample of coffee, grown in Upper Assam, from original *Mocha* stock, I believe, if not Bourbon. The plants are for the most part, *extinct*, excepting a few under shade, which seems suitable to most plants of this kind in Upper Assam. Coffee will, no doubt, grow and produce well, but its cultivation requires some attention, and any part of this section of Assam will answer, provided there is high ground and shade. The coffee is prepared by myself after the *custom* of the West Indies, as published in a small pamphlet some years ago. I should like to know what the Members or Committee may say of the sample generally.”

*Minute by Mr. C. A. Cantor.*—The coffee sent by Colonel Hannay, I value, according to last advices from London, at 44s. per cwt. It is a larger berry, and inferior in quality to the coffee sent by Mr. Williamson.

*Minute by Mr. James Cowell.*—This specimen of coffee from Col. Hannay appears to be from *Mocha* stock, and is of good quality, although not properly husked, having much of the skin, or “parchment” as it is called, adhering to the berry. Mr. Williamson's sample, which accompanies, is better prepared, and I think has been gathered at a better time of the year.—I value Col. Hannay's sample by last London advices at 45s. to 47s. per cwt. and Mr. Williamson's

at about 52s. per cwt. Both specimens require age to improve their colour and appearance.

*Minute by Mr. Joseph Agabeg.*—Mr. Williamson's coffee sent to this Society in December, 1857, as well as the sample sent by Col. Hannay, now before me for examination and report, are both from good stock of Mocha coffee, the former better husked, and the latter indifferently. I think the age of the trees of the latter must be younger than the former. Both of them are, in my opinion, very fine samples, resembling in taste and flavour very much Ceylon, Sumatra, and Java coffees, which finds its way to this city in small lots, to supply the deficiency of our stock of Mocha, when so happens, though seldom, and between August and September, until the arrival of Arab ships from Hududah, the principal mart of coffee in that part of the world. I am also of opinion, that, with attention and care, the quality of both can be very much improved, and, without depending upon the export to England or other countries in Europe, I may be permitted to add, and I trust, that this article, as well as good tea, will be much required in future, to supply the wants of our increased number of European troops, and as coffee has been found and proved of late the best substitute to prevent our troops being killed in this hot climate from strong drink, and also from bad drink, it is worth the attention of every planter, and by paying good attention, I have no doubt he will be sure of success. Care must be taken that plantations of coffee should be in a spot where labour is cheap, and a season for collecting them, *and not all the year round*, as in that case the expenses will come up considerably. Of late I have seen small parcels of the same kind of coffee brought from the interior by natives, and sold in our market, which proves that coffee must be growing very luxuriantly in many parts of India, and that native dealers have purchased and sent them down to Calcutta on speculation.

*May 31st, 1858.*

*Report on Tea grown and manufactured by Capt. J. Masson,  
at Tugvor, near Darjeeling.*

*To the MEMBERS of the TEA COMMITTEE.*

GENTLEMEN,—I beg to circulate, for the favor of your opinion, specimens, Nos. 1 and 2, of tea grown and manufactured by Capt. Masson, at Tugvor, in the Darjeeling Hills, in March last, also a letter from the Rev. Dr. Boaz regarding them.

I likewise send for comparison the two samples of tea received in November last from Capt. Masson, and on which you reported.—See the enclosed printed slip from the forthcoming number of the Society's *Journal*.

METCALFE HALL :

I am, &c.,

May 19th, 1858.

A. H. BLECHYNDEN,

*Secy. A. and H. S.*

*Extract of a letter from the Rev. Dr. Boaz.*

“I send two cannisters of tea, grown on Capt. Masson's tea plantation at Tugvor, in the Darjeeling Hills. The tea was plucked and manufactured in March, 1858.

“Capt. Masson is desirous of obtaining a report as to the quality of the teas, and of their probable worth, either in India, in England, or both. Will you oblige me by obtaining a report on the sample sent at your earliest convenience?”

CALCUTTA :

May 6th, 1858.

*Report by Messrs. H. de Mornay and T. E. Carter.*—These teas are evidently the produce of China plant. The leaf is well curled in both samples, but the flavor is by no means good, and the liquor deficient in color. This may be attributable wholly or in part to some defects in the process of manufacture. We are unable to appraise their value, which can only be correctly done in England, where every

description of tea, from the highest to the lowest class has its use and corresponding value.

*May 26th, 1858.*

*Report by Mr. C. A. Cantor*—I have infused in boiling water the two specimens of teas from Captain Masson's plantation at Tugvor, Darjeeling. The liquor is very pale.

Specimen No. 1 is the best, smaller leaf than No. 2, will probably fetch 1s 10d per lb. in London.

Specimen No. 2, will probably fetch 1s. 6d. per lb in London.

*May 27th, 1858.*

*Report by Mr. Joseph Agabeg.*—I am much disappointed on inspection and on testing the second dispatch of Capt. Masson's Darjeeling Tugvor tea. The first bundle sent to us for examination in November, 1857, which have been also and very properly sent to us again by the Secretary, shows at once, that some mistake in the preparation must have taken place, for nothing can be more favorable than the present season to send down samples of tea, and as the muster looks perfectly free of dampness, such a falling of in the quality must be attributable to some mistake in manufacturing. The leaves of this, as well as of the former lot look like the leaves of China tea, and of very good quality and flavor, only that it is very weak, particularly No. 1. As I have said before I still maintain, that "if this tea had been regularly superintended by Chinese cultivators, I feel sure that no better tea could be produced in India," the quality of the leaves are very good, and the fault rests entirely in the manufacture.

*May 31st, 1858.*

*On the progress of Tea cultivation at Darjeeling : Communicated by Dr. A. CAMPBELL, Superintendent of Darjeeling.*

*To the SECRETARY to the Agri-Horticultural Society,  
Calcutta.*

SIR,—The interest now excited in England and in India as to the capabilities of the Himalaya for colonization and tea planting is so great, and I have so many enquiries to answer on the latter subject, as regards Darjeeling, that I think the Society and the Public will be glad of the information contained in the annexed extracts from my Revenue Report of this year.

2. On the general subject of the settlement of Europeans in these Hills, there need not be two opinions, and indeed the objectors are very few. There is one thing however which I consider indispensable as a preliminary to even the partial settlement of Europeans, the means of rapid communication with Calcutta must be afforded, and with a Railway to Rajmehal, nothing will or can meet all the requirements of settlers here, except an extension of the rail from the Ganges to the foot of the Hills.

I have, &c.,

A. CAMPBELL, M. D.,

*Superintendent.*

SUPERINTENDENT'S OFFICE, DARJEELING :

*September 29th, 1858.*

*Extract from the Revenue Report of the Superintendent of Darjeeling to the Secretary to the Board of Revenue, No. 570, dated the 6th August, 1858.*

Para: 8.—Although I was not able to visit the Morung, I made several trips in the Hills, mainly for the purpose of

\* Capt. Samler's at  
Kurseong.  
The Hopetown plantation.  
The Dhoodoreah Plantation.  
Capt. Samler's at Darjeeling.  
Capt. Masson's.  
Major Wardroper's.  
Mr. Grant's at Lebong.

examining the tea plantations. I visited all of them\* after the rains along with their managers, who kindly gave me every information connected with their proceedings, and as this important subject has for many years greatly interested me, I need not inform the Board that the present state of progress of tea cultivation is very gratifying to me, now that it may safely be said to be secured to this district as a very promising and valuable enterprise.

Para: 9.—Annexed is a Memo. containing the details of progress in the plantations, furnished to me by the parties in charge. They speak for themselves, and I believe that the extent of the operations will gratify as well as surprise the Board. It shews that about twelve lacs of plants are now planted out, and five lacs of seedlings are in growth for next year's planting, and I have to add that the regular manufacture by trained Chinamen on one of the plantations will commence in March, 1859. This event is looked to by me with extreme interest, as it will determine the market value of the Darjeeling teas, which will greatly influence many persons now awaiting this knowledge to embark in the cultivation of the plant in these Hills.

Para: 10.—The small samples of tea hitherto prepared here have been very satisfactory indeed, and the gentleman to whose  
Capt. Masson. perseverance and skill we owe them, deserves well of his countrymen for his pains. He has furnished me with six samples prepared by himself, viz., three teas from China plants, and three from the Assam plant, all grown close to Darjeeling. These are all black teas, very well manipulated, and of excellent quality. Nos. 1, 2 and 3 China plant teas, are delicate and highly flavoured, and of good body. I consider them superior to the Kumaon teas, twelve samples of which I have tasted, and greatly superior to the Assam teas

of which I have drunk a good deal. Nos. 1, 2 and 3 Assam plant teas are also very good, a good deal inferior in my estimation to those from the China plant, but still well flavoured, of good body, and preferable to any Assam tea I have tasted. Since I formed my opinion on these teas, I have had a note from Mr. Blechynden, Secretary to the Agri-Horticultural Society, in which he says: "The tea samples which Captain Masson has sent are very encouraging, shewing that a little more experience only is required in the mode of manufacturing, to make a first quality article, and to approach the fine Souchong of Kangra, which, in my opinion, is as superior to that of Kumaon, as the latter is to the Assam tea."

Para: 11.—I do not think it is rash or over-sanguine in me to anticipate, as I confidently do, that the Darjeeling teas will soon rank with the very highest class of Indian teas, and to be able to report this to the Board is to me a matter of the very greatest satisfaction.

Para: 12.—From my examination of the tea plantations I am disposed to believe that the trees have been so unsparingly removed, that some shade would be highly advantageous to the plants during the dry season. To test this notion, I have formed a small nursery at my own expense in a less cleared locality, and purpose planting out the seedlings in May, 1859, retaining trees enough to afford shade to the young plants; the trees to be removed at a later period, when the plants are two or three years old, or left altogether, as may appear most advisable.

Para: 13.—I shall keep the Board informed of the progress of the experiment, to which, if it was in any other hands than my own, I would gladly recommend the assistance of Tuckavi advances, under the usual security.

Para: 14.—Coffee planting, which you will observe is included in the Memo. annexed, and is confined to Kurseong only, I am not able to speak of as yet. There are persons of



experience, too, who think well of the venture, and believe that our Hills may yet emulate Ceylon for the production of that valuable article, there are others however, also of experience and of good judgment, who do not anticipate success. The present experiment will to a great extent decide the question, and I hope it may result favourably to its spirited projector.

Para: 15.—Twenty maunds of tea seed were procured on Government account from Assam last February, and distributed to cultivators; it has, I regret to say, turned out very badly, very little of it having germinated. I hope to get some guarantee for any seed that may be procured next year from the same quarter, but with reference to the vastly superior quality of teas from the China plant, I hope that the Board will be disposed to second my earnest recommendation that fifty maunds of tea seed shall be ordered round from China at once, and the same annually for three years, for distribution to tea cultivators, the seed to be laid in boxes with earth, as recommended, and successfully carried out on a small scale, by Mr. Fortune.

Para: 16.—The fall of rain during the year amounted to 101 inches, against 170 inches in 1856-57. The crops were not injuriously affected by this small fall, which is twenty inches under the average, and prices of grain are not more than twenty per cent. higher than in the previous year, although in Rungpoor and Assam they have been nearly at famine rates. The general health has been good, except in the prevalence and severity of small-pox, a grievous and important matter here and elsewhere, with which the Government does not grapple in the vigorous manner required by its fearful effects on the population. Inoculation, which the people like, and have a just confidence in, or vaccination, which they do not like, should be made compulsory.

Para: 17.—The want of good land communication with Calcutta is still the great and fatal drawback to the advancement

of this settlement as a sanatorium, and for the due development of its resources. With the early prospect of a railway to Rajmehal and Carragola on the Ganges, it remains only for the Government promptly to secure its extension to the foot of the Hills, or into them as far as practicable, to make the climate of Darjeeling, and all its concomitant advantages, available for our European troops, and place them at the disposal of the Europeans in Bengal and of settlers from home; this, I firmly believe, is all that is now required to secure to Government, and to our countrymen generally, all the advantages, they are great and numerous, incident to this very important position. With a railway, men and money will at their own risk find their way here in abundance; without it, now that the rail is introduced elsewhere in Bengal, I do not believe that any amount of encouragement, will bring either to any important extent. But why should the rail *not* be secured to Darjeeling? is the obvious question. I venture to reply, that no good and sufficient reasons exist for refusing it; and that sound policy, as well as financial advantages, are greatly in favour of its immediate adoption.

Para: 18.—I am prepared to furnish the Board with tabular  
By Buchanan Hamilton, in 1817. statements of the Exports and Imports  
of the districts lying between the  
Ganges and Darjeeling, through which the required railway extension will run. I solicit its  
Dinagepore, Rungpore, Purneah. permission to submit these Statements, and that the Board will procure the sanction of Government to the Civil officers in charge of these districts, being directed to complete the Tables, by supplying me, as far as they can, with the present extent of Exports and Imports, when, I believe, that it will appear that the financial considerations connected with the railway extension for Darjeeling, will be most important and satisfactory.

*Memorandum on the Darjeeling Tea Plantations.*

No. 1. By Captain Samler, dated November, 1857.

No. 2. By Captain Samler, dated 27th July, 1858.

No. 3. By Mr. Brine, dated 26th July, 1858.

No. 4. Major Wardroper's, dated 2nd August, 1858.

No. 5. Mr. Martin's, dated 2nd August, 1858.

No. 6. Captain Masson's, dated 3rd August, 1858.

No. 7. Captain Cornish's, dated 3rd August, 1858.

N.B.—The total number of plants and seedlings now growing, about 1,700,000 lacs; it takes the produce of from five to seven trees per annum to make one pound of tea, or about three hundred pounds per acre when in full bearing, say on and after the sixth year, so that from the plantations, even in their present extent, we may look for a produce of two hundred and forty thousand pounds of tea annually.

(Signed,) A. CAMPBELL,  
*Superintendent.*

---

No. 1.

“I have now planted at Darjeeling seventy acres of land containing one lac and fifty thousand plants.

The number of plants planted in 1856 was 58,600

Ditto ditto in 1857 „ 91,400

Number of 3 tree plants, ... .. 2,700

Ditto of 2 ditto, .. . 3,220

All the rest are one tree plants.

The only reason I can give for weeding now is, did I not do so, all my young plants would be choked. I will read your book, and return it in a few days. I send you Fortune's report to read.”

---

No. 2.

“According to your desire, I send you a short statement of my coffee and tea plantations.

*Darjeeling Tea Plantation.*

“Consists of a cultivation of seventy-eight acres of land, with one lac and fifty thousand tea plants on it, all looking most healthy, and growing luxuriously, forty-eight thousand plants will be three years’ old in February next; it is my intention to make tea from these in March, 1859. My Chinamen are expected at Darjeeling in December next, the remaining plants will be two years’ old in January, 1859.

*Kurseong Tea Plantation.*

“Consists of a cultivation of sixty-four acres of land, with one lac and thirty-five thousand tea plants on it; these plants are all two years’ old in January, 1859, they all look healthy, and are growing nicely.”

*Kurseong Coffee Plantation.*

“Consists of a cultivation of seventy acres of land, with sixty-eight thousand coffee plants planted on it. Eleven thousand of the plants will be two years’ old in March, 1859, the remainder are all fourteen months’ old. More promising plants could not be seen in any plantation, they are looking most healthy, and are growing beautifully, about five lacs of plants still remain in the different nurseries to be transplanted out. Some of the eleven thousand first planted coffee trees have now some berries on them, which shews that the elevation and ground is quite suited for coffee by their bearing so soon.”

---

No. 3.

“I have much pleasure in giving you the information you require.

“Up to this date nearly three hundred acres of land are planted out, there are about four hundred and fifty thousand young trees in the plantation, and about four lacs of young seedlings in our nurseries, which occupy about fourteen acres. The seeds planted last March are still germinating. Some

of our seedlings are now seven or eight inches high, and I shall soon begin to plant them out. By the end of the rains, I hope to have upwards of five hundred acres of plantation completed. Over the whole extent of ground planted out, roads are marked off, and many of them completed. Just now the jungle covers nearly the whole of our plantation very thickly, it has got the better of us, owing to the difficulties we have had to contend with in scarcity of labourers, I hope to overcome this soon, as our labourers are fortunately increasing, and I shall soon be able to put on a large gang to the weeding.

“Some of our trees (though there are none more than fifteen months’ old) are already grown to a considerable size. Next year I expect to make a few pounds of tea, just to get our hands in; and, in 1860, I hope to begin the manufacture upon a decent scale, though our factories will not be in *full working*, that is, the supply of leaves will not reach the maximum from the whole fifteen hundred acres for four or five years to come. By the rainy season of 1860, I hope to have the whole fifteen hundred acres planted out. Our plantation house is far advanced, the rains have stopped the work for a time, and I hope to have it ready by December next.”

---

No 4.

“Major Wardroper’s tea plantation at Kurseong, now three years’ old, is about twenty acres, and has about thirty-five to forty thousand very fine trees, all growing fast, and looking most healthy, and, promising; in addition to the above, he has also about ten acres of this year’s plants, just planted, say twenty thousand plants. Next spring, I should think a small crop might be obtained from the first-mentioned trees. Kurseong, in my opinion, and all similar elevations in these hills, is well adapted to the growth of tea.”

No 5.

“At the Dhoodoreah gardens there are sixty thousand of very fine trees, now four years’ old, and about two hundred thousand trees of two years’ old plants. The trees are most luxuriant. Some maunds of tea should be made from this plantation next spring.

A Company, I believe, will shortly be formed to carry on this estate.”

---

No 6.

“My tea garden has been in my possession for nearly seven years, that is, if I reckon from the time I owned a few hundred seedlings, and some old plants received from Colonel Crommelin, which being rather aged for the operation of transplanting from Lebong to Tugvor (say twenty.) From these seed was produced in abundance, and as every seed sown germinated, I have now about fifteen to twenty thousand good sized plants, and about twelve to fifteen thousand seedlings, with a full crop of seed nearly ripe. For some years past I have been making experiments in the manufacture of tea, but partly without success, until within the last two years, and I am delighted to hear you consider this year’s brew something superior (especially the China leaf), and also that the tea manufactured from the Assam leaf is even better than the Assam tea.”

---

No 7.

“Mr. Scanlan has some thirty-five thousand tea plants of eighteen months’ growth at Kurseong, one and all in a vigorous state, and about ten thousand seedlings of four months.”

(True Extracts,)

(Signed,) A. CAMPBELL, M. D.,  
*Superintendent.*

*Report on Silk experiments at Lahore: By D. F. McLEOD, Esq.,  
Financial Commissioner for the Punjab.*

*(Communicated by the Government of India.*

*To the SECRETARY to the Agri-Horticultural Society.*

Foreign Department.—SIR,—I am directed to forward to you, for such use as the Society may consider proper, a report on the silk experiments at Lahore by the Financial Commissioner for the Punjab.

I have, &c.,

R. B. CHAPMAN,

FORT WILLIAM: *Offg. Under-Secy. to the Govt. of India.*  
November 19th, 1858.

---

No. 508.

*From D. F. McLEOD, Esq.,  
Financial-Commissioner for the Punjab.*

*To R. TEMPLE, Esq.,  
Secretary to the Chief-Commissioner for the Punjab.*

*Lahore, 29th September, 1858.*

Revenue (General).—SIR,—In reply to your letter No. 386 of the 27th February last, giving cover to a transcript of the

\* No. 688 D. 10th February, 1858, from Secy. to Govt., with Extract para: 11 from Despatch of Hon'ble Court of Directors, No. 17 D. 4th November, 1857. correspondence marginally noted\*, relative to silk operations at Lahore, and requesting me to furnish the information required by the Hon'ble the Court of Directors, as to how far the sanguine expectations of success have been realized, and what portions of the advances made by Government have been recovered, I have the honor to report that the information required by the Hon'ble Court appears to have been fully supplied in your No. 502, of the 16th July, 1856, to the address of the Secretary to Government, submitting a final report on the silk operations at Lahore.

2. This report shows that, after a fair trial of both Bengal and Cashmere silk-worms, their cocoons produced so meagre a quantity of silk that the experiment was pronounced to have failed entirely. The abstract account annexed to your report shewed that Rs. 10,569-9-8 had been expended in all, being Rs. 6430-6-4 less than the sum sanctioned ; while the value of the silk produced was only Rs. 1,100, so that the total loss accruing from the experiment amounted to Rs. 9,469-9-0.

3. As the correspondence regarding the silk operations did not pass through me, the file appertains to your own office ; and I have been unable to ascertain from it how the above sum of Rs. 1,100, entered as the value of the silk produced, has been obtained, whether by estimate only or by actual sale. There is however a memorandum in which it is stated that 94 lbs. of silk were produced in 1855, valued at about Rs. 500, and 80 lbs. in 1856, valued at about Rs. 430. An account sale dated London, 12th September, 1857, subsequently received from Major Burnett, late Secretary of the Agri-Horticultural Society of Lahore, and now on leave in Europe, intimates that 81 lbs. of raw silk, taken home by him, had been sold at 20 shillings per lb., realizing nett proceeds £79-5-6, and I presume that this must be the out-turn of 1856, which has thus realized a much larger sum than its estimated value.

4. When the silk operations above referred to were brought to a close, I was myself, as a member of the Society, strongly impressed with the conviction that the result of experiment had fully established the fact, that the climate of Lahore is not suited to the profitable production of this article, but I have subsequently been led materially to modify this opinion.

5. I now believe that two fundamental errors were committed, which mainly led to its failure. One, that no mulberry plantation was previously established of sufficient



extent to feed the very large quantity of worms raised, which led to their being latterly insufficiently fed, and on leaves, which having to be collected at a heavy expense, from distant localities, wherever mulberries could be found, were dried up before they reached the worm sheds, and were no longer fitted for the purpose. The other, that the worms continued to be reared as long as eggs were hatched—so that a large portion did not reach maturity until the weather became too hot and dry to admit of their maintaining a healthy existence.

6. It seems to me probable that if these errors were avoided, mulberry plantations previously established of sufficient extent, in the immediate vicinity of the sheds, and no worms reared at a late period, it would yet be found possible to produce silk at a remunerative cost in the plains of the Punjab, for the earlier worms spun excellent cocoons in great abundance, and it was only late in the season, when the worms were both starved and scorched, that the cocoons became small and nearly valueless.

7. Still there can, I think, be no doubt whatever, that the Hill and sub-montane tracts are very much better adapted for the purpose than the dry hot plains of the Central Punjab, and my separate letter No. 506, dated 27th instant, will have informed you, that the matter is now being taken up in earnest, and with every prospect of success, by the Cashmerees inhabiting the former localities.

8. I am informed also by Mr. Cope, who is now established at Umritsur as an exporter of raw produce, that the *Bombyx Huttoni*, formerly discovered by Captain Hutton at Mussooree, and almost identical with the Italian silk-worm, has been found at Simla, feeding on the wild mulberry of our Hills; a fact, I believe, unprecedented, as the wild silk-worm of other lands is said to be no where found feeding on the mulberry, and there can be no reasonable doubt, that it exists along the entire Himalayan and Cis-Himalayan

ranges, throughout which tracts also the wild mulberry grows in great profusion, and attains to a prodigious size—so that it may be considered certain that European capitalists may there rear the silk-worm to any extent, in a genial climate, and in localities to which the insect itself, and the tree which yields its best known food, are both indigenous.

9. It is also well known that the *Tassar* or *Eria* silk-worm is found throughout our lower hills, and by the adoption of judicious arrangements, not heretofore attempted, it appears that it may be reared to any extent, and rendered highly remunerative. In connexion with this branch of the question, likewise, Mr. Cope informs me that during a recent trip through the Jummoo territory, he met with extensive spontaneous forests of the Ber tree or *Ziziphus Jujuba*, on which the *Tassar* of these parts is always found, while by the use of the volatile alkali, or any thing containing it, the cocoons are readily wound off, and yield a very beautiful fibre, a fact of which the natives were entirely ignorant, to which alone I believe it is owing that the only use they have hitherto made of the cocoon is to cut it into strips, as a binding material for the stocks of their matchlocks.

10. Mons. Lotteri, a gentleman whose life has been entirely devoted to the culture and manufacture of silk of every description, and who is thoroughly conversant with every thing appertaining to this subject, has within the last few years, established himself in Calcutta, as a silk merchant and producer. The operations instituted in the Punjab have strongly attracted his attention to this Province, and he is now in active correspondence here, regarding both silk and *Tassar* with parties who have devoted and are devoting their attention to such products. Last year I myself sent him a large quantity of *Eria* cocoons, from which I understand that he has succeeded in producing a very excellent and marketable *Tassar* silk, and I feel sanguine that he will

continue his inquiries and his efforts in this quarter, until they are crowned with success.

11. It is not probable that Government will at the present time itself renew the experiment lately abandoned; but I believe that experiment, though in one sense a failure, to have been productive of very important advantages, fully commensurate with the outlay incurred, both by pointing out the errors to be avoided, and the localities best suited for the purpose, and by arousing enquiry, and exciting an interest in the subject. I shall continue to afford all the aid and encouragement in my power to all who may engage in the undertaking, by affording such information as may be available, and endeavouring to interest local officers in the promotion of this new and important article of export, and I feel assured that the Chief-Commissioner and the Government will gladly lend their countenance to all well judged efforts, directed to this end.

I have the honor to be, &c.,

(Signed,) D. F. McLEOD,

*Financial-Commissioner.*

FINANCIAL-COMMISSIONER'S OFFICE,

LAHORE : *September 29th*, 1858.

(True Copy.)

(Signed,) W. WYLD, *Captain,*

*Assistant-Military Secretary, for Secretary.*

THE JOURNAL  
OF THE  
**Agricultural & Horticultural Society**  
OF  
INDIA.

*The Date Tree; a Prize Essay on its cultivation and the  
manufacture of its Juice into Sugar: By S. H. ROBINSON, Esq.*

*(Premium of Five Hundred Rupees.)*

SECTION I.

*Description of the Tree.*

The Palm tribe, to which belongs the subject of this Essay, has been described by the eminent Botanist Lindley as “the most interesting race of plants in the vegetable kingdom, whether we consider the majestic aspect of their towering stems, crowned by a still more gigantic foliage, the character of grandeur which they impress upon the landscape of the countries they inhabit; or their immense value to mankind, as affording food and raiment, and numerous objects of economical importance.”

The above remarks are eminently applicable to that portion of the family indigenous to Asia;—and the importance of our Indian varieties could not fail to attract the attention of botanists. The late Dr. Griffith, Superintendent of the Calcutta Botanical Garden, had progressed in a description of the “Palms of India,” which has been published since his death, and, though imperfect, is a valuable contribution

to our knowledge of the subject. He enumerates 18 genera and about 240 species, with illustrations of many of them, and descriptions of many little known and interesting varieties. From this work, and that of his talented predecessor Dr. Roxburgh, may be obtained a fair estimate of the importance and value of our Indian species, and of their useful products. Amongst the principal of these may be reckoned fibre, sugar, oil and sago,—the investigation of each of which would call for a separate Essay ;—but it is evident from what we do know, that the economical uses of our palms are as yet but very imperfectly developed, and are well deserving of further investigation.

It is certain that several varieties yield a valuable sugar besides the Date Palm. It has been made to some extent in Ceylon from *Borassus flabelliformis*, or the Fan palm,—the sap of which is generally used as a ferment by the bread-makers of Bengal ;—and from *Cocos nucifera*, or the Cocoa palm,—to a considerable extent also in Ceylon :—also from *Arenge saccharifera*, an important Manilla palm, which was introduced into Bengal by Dr. Roxburgh,—and from *Caryota urens* common on the Malabar coast, as also in Dinagapore and Assam. At Malabar it yields an extraordinary quantity of sap,—as much as 100 pints in the twenty-four hours in the hot season, as reported to Roxburgh.\* It cannot be doubted that many other varieties are sacchariferous, and the two last named certainly merit the attention of the Bengal planter.

*Phoenix*, the genus to which the Date Palm belongs, comprises nine known species, of which 6 are indigenous in India, and are distinguished as : 1, *acaulis* ; 2, *Ouseleyana* ; 3, *pedunculata* ; 4, *farinifera* ; 5, *sylvestris* or *dactylifera* ; 6, *paludosa*. Of these, No. 4 produces sago of an inferior quality ;—and from all the species the leaves furnish

\* Both these last named varieties are still flourishing in the Calcutta Botanical Gardens.

materials for mats or thatch for houses. The sugar yielding variety, *Phœnix sylvestris*, is known as the wild date of Bengal: *Phœnix dactylifera* is the name given to the true Date Palm of Arabia and Africa, but as it appears to be undistinguishable from the Bengal variety, except in size and vigor of growth, there seems little doubt that any apparent difference is due only to superior cultivation and variety of climate or soil; and it being always a cultivated tree in Bengal, the specific name *sylvestris* may have been originally given, owing to its inferiority in size to the African or Arabian tree, with which European botanists were more early familiar.

The Date Palm, when not stunted in its growth by extraction of its juice for sugar, is a very handsome tree, rising in Bengal from 30 to 40 feet in height, with a dense crown of leaves, spreading in a hemispherical form from its summit: these leaves are from 10 to 15 feet long, and composed of numerous leaflets or pinnules about 18 inches long. The trunk is rough, from the adherence of the bases of the falling leaves, which serves to distinguish it at a glance from the smooth-trunked cocoanut palm, which in its leaves only it resembles. Like all of the *Phœnix* genus the trees are diœcious; and the fruit hangs in dense bunches from the centre of the crown of the female tree: it flowers about April or May, and the fruit ripens in July or August; the latter is however of a very inferior description in Bengal, and is seldom gathered except for its seed, from which the young trees are raised. The fruit indeed consists more of seed than of pulp, and altogether is only about one-fourth the size of the Arabian kind brought annually to Calcutta for sale, and when fresh imported, a rich and favorite fruit there. This inferiority of the Bengal fruit may no doubt be attributed to the entire neglect of its improvement there from time immemorial, and perhaps in some measure to the practise of tapping the trees for their sap, so universally

followed in the districts around Calcutta, its principal range of growth.

## SECTION II.

### *Geography and Statistics.*

The Date tree is met with in almost every part of Bengal Proper, but it flourishes most congenially, and is found plentifully, only in the alluvial soils which cover its south-eastern portion, excepting only such tracts as suffer entire submersion annually from the overflow of their rivers, as is common in portions of the Dacca, Mymensing, and Sunderbund districts. The extent of country best suited for its growth, and over which it is found most plentifully as above indicated, may therefore be taken as within an area stretching east and west about 200 miles, and north and south about 100 miles, and comprehending by a rough estimate about 9,000 square miles,—within an irregular triangular space.

The practise of extracting its juice, however, for the production of sugar, extends at present over a much smaller area, probably not more than two-thirds of the above described space; and if we consider further, how small a portion of these favorite date districts even are as yet occupied by date tree cultivation, the room for its future extension, even if confined to these tracts alone, appears a wide one indeed. If we trace an irregular parallelogram, stretching eastward from Kishengunge in the Nuddea district to Backergunge, and from Mahduppore in Furreedpore district southward to the borders of the Sunderbunds, we shall find a space of about 100 miles long by 80 broad, and comprehending the district of Jessore, with portions of Furreedpore, Nuddea, and Burrisaul, to which the product of Date sugar is mainly confined, although the goor,—or the first raw produce made by boiling down the juice,—is found commonly

manufactured for native consumption on the spot, in many localities situated beyond these assumed limits.

Throughout the present Date tract the quantity and quality of the sugar produced vary considerably. The high and dry lands of parts of Kishnaghur and Pubna yield a strong well crystallized product, though less in quantity than from trees of the Jessore and Sunderbunds soils; in which, with a more rapid growth of the tree, a greater flow of sap, and a less rich, though still good and grainy sugar, is produced. The cultivation in these districts is accompanied by a great advantage, in the cheap and abundant supply of fuel for boiling the juice and refining the sugar; and there is probably no part of Bengal where the cultivation may be extended with more profit than in the more elevated lands of the Sunderbund grants.

The production of the date tree sugar—that is, of the dry merchantable product as distinguished from the raw inspissated juice or goor,—has greatly increased in Bengal during the last twenty years, though not to the extent that it would doubtlessly have done, had it not been checked by the violent fluctuations in its value, which will be referred to presently. The following brief sketch of its progress is necessarily imperfect from the great want of reliable statistics on which to frame it. It is certain that previous to the first inroads on the East India Company's trade monopoly in 1813, it was hardly known as an article of export, but was manufactured only to meet the wants of native consumers in and around the few places of its production, principally in Jessore and Furreedpore districts, and for occasional transport to the principal marts of the adjacent districts, and especially to Moorshedabad and Dacca in the days of their prosperity, when, previous to the British rule, they were the centres of the trade and wealth of Lower Bengal. In 1792, it is recorded in an old minute of the Government Board of Trade at Calcutta, that the total



production of date sugar in Bengal was then estimated at 15,000 maunds of 82½ lbs each. From 1792 up to 1813—a period of 31 years—the quantity of all sugars imported into Great Britain from the East Indies is found to range from 1,000 to about 6,000 tons per annum, excepting only the year 1801, in which it reached 11,327 tons. In those days all East India sugar was received from Bengal only, excepting an occasional small shipment from Madras.

The modification of the East India Company's trade monopoly in 1813, brought private traders into the field, and we accordingly find the imports of East India sugar into Great Britain gradually ascending from 6,282 tons in 1816 to 13,453 tons in 1822. Throughout this period however, and onward to 1837, all sugars from India were loaded with an additional duty of 10 shillings per cwt., beyond the rate charged on West India sugars; and this appears to have acted as an effective check to the increase of the trade to Great Britain, as the quantity subsequently fell off, and the total Bengal exports thereto from 1830 to 1836 averaged rather below 6,000 tons per annum. This is further shewn by comparing the exports to Great Britain as above with those to other countries, from which it is seen that the former still formed by no means the principal portion of the total quantity exported. North America, the Arabian and Persian Gulphs, and Foreign Europe, figure in the returns as taking off one-third to one-half of the total exports.

We have of course no data to show what proportion of the total exports consisted of date sugars, but the review of these figures affords sufficient evidence of how little encouragement the production of East India sugar generally received for supplying the export trade, and that in fact there was little inducement to extend it beyond meeting the wants of an increasing native population, with whom it has always been a favorite luxury. This increase however, there is little doubt, was most apparent in the sugar from the date tree;

its comparative cheapness, combined with good quality, being sufficient to stimulate its production as an article of domestic consumption in and around the date districts, in preference to the more expensive and precarious cultivation of the sugar-cane. The writer of this treatise first visited the date sugar markets in 1833, and the estimates then made shewed that the production of all qualities was equal to 90,000 maunds of dry sugar. Prices during that and the four following years ranged very low, and it is probable that the year 1837 found the crop of dry date sugar, though a fair average one, hardly exceeding 100,000 maunds.

We now come to a period of great advancement. From 1837 the British legislature decreed the equalization of duties on sugars imported into Great Britain from the East and from the West Indies. The effects of this act of tardy justice on the sugar trade with Bengal were immediate. During the succeeding five years the exports from Calcutta to Great Britain gradually swelled from 13,403 tons in 1836-37 to 63,084 tons in 1840-41. The trade then became a steady one, and onwards to 1847-48—that is, for a period of 8 years—the average of these exports was close upon 60,000 tons per annum.

Here again it must be remarked that there are no reliable data by which to calculate with any certainty what portion of these exports was composed of date produce. Inferential estimates, aided by notes taken by the writer from time to time during this period, shew that in 1848 the total date sugar crop was about 15,000 tons, or 405,000 maunds, of which two-thirds, or 10,000 tons, may have been merged in the exports from Calcutta, the remainder passing away in local native consumption. From this it would appear that the production had more than quadrupled in ten years, and this is probably not far from the truth. Throughout these years high prices were ruling in the British markets, and in Calcutta.

The West Indies were struggling through their revolution of slave emancipation, and their diminished production of sugar had to be balanced by drawing on the produce of India and Mauritius, to supply the home demand for consumption, which remained nearly stationary, notwithstanding the progressive increase of population ; though there is no doubt the consumption would have increased in the like proportion, but for the high prices at which the article was maintained.

The average price of all sugars in Calcutta for the three years, 1846 to 1848, was 9 Rupees 12 annas per maund. The bulk of this was cane sugar from the Benares and adjacent districts, but date sugars fully participated in the high rates, and began to form, as above shewn, an important part of the exports. Prices ranging from 5 to 7 Rupees per maund were usually current during this period for good date and *gurpatta* sugars, being fully fifty per cent. higher than what have been proved during subsequent years to afford good and remunerative returns to the producers.

Throughout the decade then above reviewed, 1837-38 to 1847-48, every encouragement for the increase of date tree cultivation was in operation. Steady demand, high prices, and a near and ready market at Calcutta were experienced ; and in addition to these, the demands of the European sugar refiners helped materially to encourage the production of the inferior descriptions. The first European refinery in Bengal was established in 1829 in the Burdwan district, but owing to the differential duties on sugars exported to Great Britain, its operations were restricted to very narrow limits until 1837-38. Encouraged by the equalization of the duties, competitors then appeared, principally in the vicinity of Calcutta. Their proprietors were not slow to discover the good qualities of date sugar as raw material for refining, they drew largely from the Jessore and Furreedpore markets ; and, supported as they were by English

capital, they contributed in no small degree to stimulate the cultivation.

Apt and ready as the Natives of Bengal are known to be, to follow up any branch of industry affording such profitable returns, it might well have been expected that the increase of date tree produce under the very encouraging circumstances, acting over a course of years, as detailed above, would have proved much larger by the year 1848 than this estimate has made it. Undoubtedly during those years, and more especially in the later portion of them, the setting out of new plantations throughout the date districts was very large ; but it must be remembered that the tree is of slow growth, that for the first five years after planting no produce is obtained from it, and that it comes to full bearing only in its eighth year of growth. This will be sufficient to account for the increase up to 1848 being so much less than it has been under less favorable circumstances, and under lower prices, during subsequent years, when the trees planted during such prosperity came successively to fruition.

( We have next to consider the first great check experienced by the cultivators. The principles of free trade were rapidly gaining ascendancy in Great Britain, and in 1846 the Legislature enacted, in defiance of and contradiction to all its previous tendencies for half a century, that in the article of sugar only, slave labor and the slave trade should be encouraged, and that, by a scale of duties gradually assimilating, the sugar produce of all the world, by the end of seven years from that time, should be admitted to British consumption on equal terms. The first effects of this measure were the English markets being inundated with supplies of foreign sugars, and towards the end of the following year 1847, a panic there and throughout our sugar colonies. Ruin at last overtook many a West India proprietor, who had struggled so far against the difficulties of slave emancipation, whilst in Bengal all sugars fell in value to below the cost of

production, and large sums of British capital invested in sugar refineries there, were suddenly annihilated.)

But the operation of the change had only commenced and was soon to be more fully developed. The notion was very prevalent that (no sugar grown by free labour could compete in cheapness with that raised by slaves) and the stimulus now given to the production of slave-grown was greater than ever. Great Britain, as the largest sugar consuming country, became the focus of this increasing trade for all Europe. In the year 1851, it reached its culminating point, and a second glut and panic in that year were the result. (In January and February, 1852, sugars in Calcutta, were next to unsaleable. The date crop would have been a large one but for this discouraging crisis of the trade during these, the best months for gathering it. But the poor date tree cultivator finding no immediate sale for his goor at a price that would cover the cost of collecting and boiling it, abandoned the trees, allowed the sap to run to waste, and turned his hand to more profitable agriculture.)

The business of date tree cultivation being, with two or three isolated exceptions, entirely carried on by the impoverished ryot of Bengal, we cannot but conclude that (during these two periods of depression at least, all planting of young trees was suspended, and all care of young plantations neglected) but it is probable these checks were much more lasting in their effects, and that the planting since 1848 has not continued in the same increasing ratio as before that year.

Still the production continued to increase, and the average annual produce in dry sugar, may now, 1857-58, be estimated at 35,000 tons, of which one-third disappears in native consumption in various forms in the date districts themselves, or those adjacent thereto, and the rest remains for export via Calcutta. Had the cultivation not received the checks just alluded to, there seems no doubt the produce would have

again quadrupled during the last eight years, as it did from 1838 to 1846.

(To sum up the progress of the cultivation it appears that

in 1792 } it averaged 550 tons or 15,000 mds.  
1813 }

in 1833 it was 3,300 tons or 90,000 mds.

in 1837 it was 3,700 tons or 100,000 mds.

in 1848 it was 15,000 tons or 405,000 mds.

in 1854 } it averaged 35,000 tons or 953,750 mds. 2  
1858 }

[ So great and steady an increase in the cultivation notwithstanding partial checks, is sufficient evidence of its value as a remunerative branch of industry, and this is the more patent when we remember that the increase was the natural result of advantages derived from it by the small ryots of the date districts, and not due to any aid from the capitalist, European or Native, applied direct to the cultivation. On the contrary it is but too well known that the poor proprietors have suffered much discouragement from the proverbial rapacity of their landlords, the Bengal zemindars, who seeing the prosperity of their ryots consequent on the long run of high prices, seized every pretext to levy additional and novel taxes on the trees and their produce, and thus to appropriate to themselves a goodly share of the profits arising from the advance in the value. /

---

### SECTION III.

#### *Native Method of Cultivation, and Sugar Manufacture.*

It has been mentioned in a preceding page that the date tree is always cultivated in Bengal; so little care and labour are however bestowed on the trees after they are planted out by the native ryots, that the cultivation they receive is of a very limited character. The young plants are raised from seed sown during the rains, and are ready for planting out in the following April or May, after the first showers of the

season have moistened the ground sufficiently) (Before the date sugars became important as a staple for export, and the cultivation extended, the trees were seldom seen planted elsewhere than along the hedge-rows or boundaries of the fields, or on other spots where they did not interfere with the growth of cereals or other field crops. Gradually as date produce became more valuable, systematic plantations appeared, and fields were set with trees 10 to 15 feet apart, but without much regard to order or regularity of distance.) After planting no manuring or further expence was incurred, except perhaps in supplying fresh plants in place of those destroyed by cattle.

(The spaces between the trees are generally occupied by oil-seed or other dry weather crops, and thus the cost of a Native plantation is reduced, whilst the trees benefit by the ploughing, which loosens the earth, and the ground is kept free from weeds.)

The usual computation of the Native cultivator is that a (beegah of ground should contain two puns of eighty each,) or 160 trees. On a standard beegah of 14,400 square feet this would require the trees to be planted about 10 feet apart. The cost per beegah so planted to cover expenses of the first five years, during which no produce is obtained from the trees, may be reckoned as follows :

	R.	A.	P.
Cost of 160 young plants, .. .. .	1	0	0
Planting, .. .. .	1	0	0
Half* the rent at 2 Rs. per annum, .. .. .	1	0	0
Ploughing 4 ans., weeding 8 ans., in all Rs.1-12			
for 5 years, is, .. .. .	8	12	0

---

Total Rs. 10 12 0

At the expiry of the fifth year from the planting of the young tree in the field, it is ready to be tapped for its juice. This

\* The other half being chargeable to the crop cultivated between the trees.

is the average time allowed, though it may be varied a year sooner or later by the difference of soil and climate. The first year a young tree is tapped, it is reckoned to yield only half the usual quantity of juice produced by a full grown tree; for the second year of tapping it is reckoned to yield three-fourths of full average quantity; and it is not till the third year of bearing that it is considered as in full yield.

The process of tapping and extracting the juice commences about the 1st of November. Some days previously the lower leaves of the crown are stripped off all round, and a few extra leaves from the side of the tree intended to be tapped: on the part thus denuded a triangular incision is made with a knife about an inch deep, so as to penetrate through the cortex, and divide the sap vessels; each side of the triangle measuring about 6 inches, with one point downwards, in which is inserted a piece of grooved bamboo, along which the sap trickles, and from thence drops into an earthen pot suspended underneath it by a string: the pots are suspended in the evening, and removed very early the following morning, ere the sun has sufficient power to warm the juice, which would cause it immediately to ferment, and destroy its quality of crystallizing into sugar.

A plantation is always divided by the cultivator into seven equal sections, and one such section is cut afresh daily. The cutting is made in the afternoon, and the pot suspended as above mentioned: next morning the pot is found to contain, from a full grown tree, 10 seers of juice, the second morning 4 seers, and the third morning 2 seers of juice; the quantity exuding afterwards is so small that no pot is suspended for the next four days. On the evening of the seventh day it again comes to the turn of this section of trees to be cut, which is effected by a thin slice being pared from the triangular face, which by again dividing the sap vessels causes the juice to flow afresh as at first. Each section is thus cut in succession, and the process is repeated



throughout the goor season, which usually terminates about the 15th February, after which the heat of the weather causes the juice to ferment so rapidly, that it is no more convertible into sugar, and consequently not worth the labour of extraction and evaporation of its water, as molasses only would be the product. Juice produced during the day-time of the cold season is of similar quality, and for the same reason is allowed to run to waste.

The ordinary date sugar crop season is therefore about three and a half months in duration, reckoning from 1st November to 15th February. (A fall of rain however entirely stops the collection of the juice, and the heavy damp fogs to which the date districts are very subject, cause the juice to ferment, and render it comparatively valueless.) From these causes one-fifth must be deducted from the whole period of the season for weather casualties to arrive at the total number of *effective* days for goor yielding, which will thus be found to be about 85 days. Assuming the whole period at three and a half months or 107 days, and dividing these into periods of 7 days for each interval for fresh cutting, we have 15 and  $\frac{2}{7}$ ths as the average number of cuttings to each tree, and this multiplied by 16 seers, the quantity of juice yielded during the three days after each fresh cutting, and deducting  $\frac{1}{3}$ th from the total result for casualties of weather as above, we arrive at the total produce in juice from each tree for the whole season, which is thus found to be bazar maunds 4-36-4.

If we now multiply the quantity of juice yielded by each tree for the season by 160, the usual number of trees reckoned to a beegah of ground, we have bazar maunds 787-20-13 as the total yield of juice from a beegah, and as ordinary juice yields  $\frac{1}{10}$ th of its weight in goor, we thus find bazar maunds 78-30 as the produce in goor per beegah, being nearly 19 $\frac{3}{4}$  seers as the average produce of each tree for the season.

Let us now proceed to examine the mode of preparing the goor, or first raw product from the juice, and the cost of the process.

Daily at sun-rise throughout the goor season, the industrious ryot may be seen climbing his trees, and collecting at a convenient spot beneath them the earthen pots containing the juice yielded during the past night. Under a rude shed, covered with the leaves of the date tree itself, and erected under the shade of the plantation, is prepared the boiling apparatus to serve for the goor season. It consists of a hole of about three feet in diameter sunk about two feet in the ground, over which are supported by mud arches, four thin earthen pans of a semi-globular shape, and 18 inches in diameter, the hole itself is the furnace, and has two apertures on opposite sides for feeding in the fuel, and for escape of the smoke. The fire is lit as soon as the juice is collected, and poured into the four pans, which are kept constantly supplied with fresh juice as the water evaporates, until the whole produce of the morning is boiled down to the required density. As the contents of each pan become sufficiently boiled, they are ladled out into other earthen pots or jars, of various sizes, from 5 to 20 seers of contents, according to local custom, and in these the boiled extract cools, crystallizes into a hard compound of granulated sugar and molasses, and is brought to market for sale as *goor*.

The fuel mostly employed for the boiling process is the soondree wood (*Heritiera minor*) which forms the principal part of the wild tree vegetation of the Soonderbunds, and, from their contiguity to all the date districts, it is supplied as a cheap fuel to every part of them. The under-leaves stripped from the date trees form a part of the fuel used also. Next to the cost of labor in the process, the cost of the fuel is the most expensive item in the production of the goor by the native method. It is reckoned that for boiling the juice throughout the season from one beegah of ground or 160 trees, 400

maunds of soondry wood are required, in addition to the dried date tree leaves, which at 5 Rs. per 100 mds., which is probably an average rate in and near the Soonderbunds, gives 20 Rs. per beegah.

In estimating the cost of the goor an annual charge must be included in the calculation for the expenses of the plantation. It was shewn at page 254 that the aggregate cost to the ryot for the first five years was Rs. 10-12; but as no further ploughing and weeding are given after the trees commence yielding, which they do from that time throughout an average period of 20 years, we may assume one rupee per beegah per annum as an ample representation to the ryot for the actual labor of cultivation.

One half of the annual *rent*, or one rupee per beegah, should also continue to be included in the estimate.

The labor of collecting and boiling the juice is however the largest item in the list. The ryots are accustomed to reckon one headman at 4 Rs. per month wages, and two tree climbers at 3 Rs. per month each, are required for 200 trees, and these for a season of  $3\frac{1}{2}$  months will cost 35 Rs. By the same rule the proportion for a beegah of 160 trees would be 28 Rs.

The total cost of the produce of a beegah may be summed up as follows:—

Annual proportion of expence of cultivating,	Rs.	1	0	0
Annual half rent of ground, .. .. .	..	1	0	0
Labour, cutting trees, collecting, and boiling, ..	28	0	0	
Cost of fuel, .. .. .	20	0	0	
Earthen pots, pans, tools, &c., &c. .. .. .	10	4	0	

---

Total, Rs. 60 4 0

The charcoal from the fuel used is calculated

to yield, .. .. .	1	0	0
-------------------	---	---	---

---

Leaving Rs. 59 4 0

as the nett cost of 78½ maunds of goor, the produce of a beegah as shewn at page 256, or, as nearly as can be reckoned, 12 annas per hazar maund as the actual cost to the ryot, leaving him a bare return for his labour expended on it.

That the above is an approximate estimate of the actual cost of production was exemplified in the season of 1851-52, so disastrous to the date sugar produce, as adverted to at page 252. In that season the ryot continued to manufacture the goor and bring it to the village markets for sale until the price gradually fell to 12 annas per maund. When this rate could no longer be procured, the trees were abandoned for the remainder of the season.

---

#### SECTION IV.

##### *The Native Date Sugars, and the modes of their Manufacture from Goor.*

The estimates of annual production and exports of date sugars given in Section II, referred only to such descriptions of the produce as had been cured or refined, and must be distinguished from the *goor*, or first product from the tree, as prepared by the cultivators by boiling and evaporating the water present in the sap. The subsequent processes by which the goor is deprived more or less of its molasses and impurities, and the drier and more merchantable kinds of sugar are prepared for market, will now be briefly described. These processes are always conducted by a distinct class of operators, who purchase the goor from the cultivators, and bring it to various stages of purity and dryness under different denominations.

1st. *Khaur* is made by filling the goor into coarse sacks or gunny bags, and pressing them between bamboos lashed together, or beneath heavy weights, until 30 to 40 per cent. of the entire weight is forced out in the shape of molasses. The residue is then mixed, packed in clean bags, and is ready for sale.

2nd. Fine Khaur or Nimphool is made by repeating the above process for making khaur; the only difference being that the khaur is sprinkled and mixed with water before subjecting it to the second packing and pressure. This causes a further portion of the molasses to be washed and separated from the mass, and the product is lighter colored and finer than the khaur, and about 50 per cent. only of the original weight of goor remains. A third application of the same process is sometimes resorted to, which carries away another 5 per cent. of the original weight, and leaves a residue still drier and lighter colored than the ordinary nimphool.

In all nimphool and khaur sugars, however, a certain portion of water or moisture remains, it being never subjected to any sun-drying or other process for evaporating the water, and this renders it liable to deliquesce and sweating through the bags in which it is usually packed. This is especially the case in damp weather, and loss of color and acidity follow in a few weeks.

3rd. Dullooah, or Doloo, is made by filling the goor into round baskets or conical earthen vessels holding two to three maunds each. The baskets being of an open fabric, and the cones made with a hole at the apex, the molasses drains from the goor into a vessel placed beneath, the process being encouraged by a stratum of 3 or 4 inches thick of a wet grass or aquatic weed called "seala" placed on the surface of the goor. The moisture from this attenuates the molasses in the goor and assists the draining. As soon as the weed is dry it is removed, and the upper stratum of the goor, now deprived of its molasses, is scraped off with a knife to the depth of 2 or 3 inches; and a fresh top of "seala" or wet weed is applied: when dry, a further portion of sugar is cut off as before, and this is repeated until the basket or cone is emptied. The sugar as scraped off is exposed in the sun on mats to dry, and is then mixed and packed for

sale; and is, when well made, a dry, light, sand-colored dullooah. Thirty to forty per cent. of produce, varying with the quality of the goor, is made in this way from a given quantity of the latter. The resulting molasses having by the operation of the weed a small portion of the sugar-crystal melted with it, is subjected to a boiling to evaporate the water, and an inferior, weak grained, and dark coloured goor is the result: this is again subjected to the weed draining as before, and a further portion of ten to fifteen per cent. weight of the original goor is obtained. Dullooahs, if well dried before being packed, may be kept without deteriorating for several months if the weather be dry; but they always imbibe moisture, and sustain consequent injury from the damp air of the rainy season in Bengal.

4th. Pucka Cheenee, or Gurpatta, is the Native refined sugar, made by subjecting khaur to a process somewhat resembling that of the English refiner. The khaur is melted in water to the consistency of thin syrup, which is then placed over a fire in an earthen pan, and brought to boiling point, the defecation being assisted by potash temper and sprinkling in of cold water. After scumming, it is filtered through a cotton cloth, and the clarified syrup is then boiled briskly until the water is evaporated to such a degree as to allow the sugar to form a hard crystal as it cools. It is then poured into an earthern cone, and when cold the plug is withdrawn, and the syrup allowed to drain from it, assisted, as in the dullooah process, by the application of the damp weed or seala. As it becomes whitened by the latter, it is scraped off, sun-dried, and packed for sale. The syrup, as it collects from the cones, is boiled up with fresh goor, and produces by the same process an inferior or second quality of gurpatta, and the syrups of the latter are once more boiled alone, and produce a still inferior weak and reddish sugar called by the manufacturers "jerunnee," which is literally "lasts." Gurpatta if well made, and pure from mixture with other

kinds, is of a bright and clean aspect, fine and dry ; and if protected from the weather will keep without injury throughout the rainy season. The ordinary yield of gorpatta from good goor is reckoned as follows : three maunds of good goor yield of—

					mds. srs.
First or white gorpatta,	..	..	..	0	20
Inferior or mixed ditto,	..	..	..	0	10
Syrups or jerunnee,	..	..	..	0	10
Molasses,	..	..	..	1	28
Loss,	..	..	..	0	12

Total, Mds. 3 0

5th. Dobarah is a quality superior to gorpatta, being a good white, dry, and well crystallized sugar. The process is similar to that of the gorpatta ; but the material used being dullooa instead of khaur, a purer sugar is obtained, which much resembles the crushed refined sugar of the European refiner.

The expence of all the Native processes above described is extremely low, carried indeed to the last stretch of economy. Earthen pottery for boiling and crystallizing vessels, thatched sheds for protection from the weather, and bamboos and gunny-bags the sole substitutes for machinery, the expence of apparatus forms but a small item in the cost of the sugar. The labor forms the most important part of the expense, and next to that the cost of fuel, more especially in the twice-boiled descriptions.

It remains to notice that a considerable change has come over the business of preparing Native date sugars during the last ten years, arising from the increased demands of European sugar refineries in the vicinity of Calcutta, which have encouraged the production of a larger proportion of the date crop in the form of raw material best suited for them to

operate upon. These establishments have now been in operation for a sufficient period to prove that they can fulfil their purpose of preparing from the native raw product such qualities of sugar as are suitable for the consumers in the markets of Europe and Australia, and that they can do this with success and profit to the refiners, and with a better return to the shippers, than would be realized by the latter shipping the raw material, bearing the same rates of freight and charges. The experiment has now been fairly tried, and the result clearly arrived at, that the Native refiner, notwithstanding the extremely low cost of his apparatus and economy of labour cannot compete, in the preparation of the twice-boiled, or refined, sugars, with the European refiner operating with the vacuum pan and steam-engine, and above all with the aid of animal charcoal, the most valuable of all agents in modern sugar refining. It is true that the manufacture of Native refined sugars, dobarah, and gurpatta or *pucka cheenee*, is still nominally continued, but on a much reduced scale, and of inferior qualities to the product of a few years back; and it needs no great amount of vaticination to foresee that the art of preparing them, like that of the Dacca muslins of former days, is gradually becoming extinct, and superseded by the more scientific processes of Europe. The town of Santipore, on the Hooghly river, which twenty years ago produced from 20,000 to 30,000 maunds of dobarah sugar, for which it was much celebrated, per annum, now produces but a very insignificant quantity, and that is seldom seen in the market; and of gurpatta or *pucka cheenee*, but very little of good or genuine description is seen in Calcutta, the bulk of what is brought to market under those names, being now-a-days largely adulterated with dullooa or nimphool sorts, to reduce them to a price suited to the refiner for his use as raw material, either in Calcutta or in Great Britain.



## SECTION. V.

*On Improvements in the Cultivation and Manufacture.*

In the preceding Sections, the endeavour has been made, first to trace the history and progress of the date tree cultivation, as a branch of native industry in Bengal;—secondly, to present a distinct view of the present state of the cultivation and elimination of the first raw product, or goor by the native husbandman; and, thirdly, to give a descriptive sketch of the subsequent treatment of the goor in the hands of the Native refiner, who brings it to various stages of purity, to suit the wants of the Native consumer or the European refiner.

There remains to be considered, in conclusion, how far the tree cultivation itself is capable of improvement, and whether a more economical development of its products could be attained, either by conducting the cultivation on an extensive and systematic scale, through the application of capital in forming date tree estates:—or by modified applications of European science and apparatus, already applied with success in refining from the goor, to the whole process of manufacture, commencing directly from the juice;—or by both these influences combined.

In the systematic cultivation of the tree, experiment has already proved in more than one favourable locality, that it can be conducted under few obstacles, and with every prospect of success as a remunerative investment. In Jessore district a plantation of 2,000 beegahs has been for several years past gradually forming, and will no doubt in due course become a far more valuable sugar estate than any of equal size in the West Indies or Mauritius, and amply repay the projectors for their patience and foresight. Another extensive plantation is already far advanced in the Hooghly district, and others have been commenced in the Soonderbund grants. In these plantations the trees are planted at uniform distances of 10 or 12 feet apart, and over regular

and uninterrupted tracts of land, so as to economize space and facilitate supervision.

To demonstrate the remunerative character of such an investment by a simple calculation, it will suffice to estimate the outlay required until the trees attain their proper growth for yielding goor, and to set off against this the revenue to be derived by leasing out the trees to the native cultivators for extracting the product on their own account, as customary with the petty Native tree proprietors in the date districts.

In Section III, the expence to the ryot for cultivating a beegah of the trees was estimated at 10 Rs. 12 as., inclusive of rent for five clear years, before any yield is obtained, and of every contingent expence for that period. There appears no reason for assuming a higher rate for planting on an extensive scale as the base of the calculation; to which should be added however, 1st, the charge for interest on capital invested in the plantation until the trees attain to yielding, and 2nd, the cost of general superintendence. In the following estimate, the interest on capital is allowed for at the Indian rate of 10 per cent per annum, and the cost of superintendence is assumed at 200 Rs. per month for a cultivation of 2,000 beegahs. It may be remarked on the latter item, that the labour of superintendence would be light; and it may be presumed that a portion of the time of a European planter, assisted by a good Native gomasta, would suffice for the work. In addition to the above rate for salary also, a further source of profit to pay for superintendence may be reckoned on from the between crops. At page 254 it was estimated that half the rent of the ground should be charged to the short crops cultivated between the trees. Rape, linseed, and teel are known to thrive well in such circumstances, and probably all the dry weather crops would do so equally well; and on ground already cleaned and ploughed for the date trees, such crops are raised at trifling expence, and meet a steady and remunerative market at Calcutta.

The estimate of outlay will therefore stand as follows :—

Outlay on 2,000 beegahs for plant- ing and cultivation for five years, at Rs. 10-12 per beegah, .. ..	Rs. 21,500
Superintendence at 200 Rs. per month for 5 years, .. ..	12,000
Interest on the above at 10 per cent., viz., .. ..	

On 1st year's outlay on plants and planting at 2 Rs. per beegah, .. ..	4,000
„ Rent and charges on ditto at 1-12, .. ..	1,750
„ Superintendence at 200 Rs. p. m., .. ..	2,400
	<hr/>
	8,150

which at 10 per cent. for 5 years is, Rs. 4,075

On 2nd year's outlay, viz.,	
„ Rent and charges @ 1-12 .. ..	1,750
„ Superintendence @ 200 Rs. p. m. .. ..	2,400
	<hr/>
	3,900

which at 10 per cent. for 4 years is, Rs. 1,660

On 3rd year's outlay as above 3,900 Rs. for 3 years, .. ..	1,245
On 4th year's outlay as above 3,900 Rs. for 2 years, .. ..	830
On 5th year's outlay as above 3,900 Rs. for 1 year, .. ..	415

Total Interest, 8,225

Total Expende for 5 years Rs. 41,725

For the returns as profit on such a plantation, if leased out to Native goor boilers as above proposed, the estimate would be thus :

2,000 beegahs each with 144 trees, the standard beegah containing 14,400 square feet English measure, and the trees being planted 10 feet apart, will give a total of 288,000 trees. And these leased out at a rent of 10 trees per rupee per annum, will yield an annual rent of, . . . . . Rs. 28,800

Deduct annual charges as before for rent &c. at 1 Rs. 12 ans. per beegah, and superintendence at 200 Rs. per month, . . . . . Rs. 3,900

---

Leaves nett annual income, Rs. 24,900

---

Which on an outlay of Rs. 41,725, gives a return of fully 60 per cent.

The rate at which the trees would be let out is taken at 10 per Rupee per annum. During the prevalence of high prices for sugar the rate in the date districts has been much higher, being frequently at 6 trees, and commonly at 8 trees per Rupee per annum. The rate of 10 per Rupee for trees in all stages of bearing, after the fifth year of growth, may therefore be considered an ordinary rate.

A cultivation holding out so tempting a rate of profit, and that upon a limited outlay of capital, and attended with so small a share of the common risks of agriculture, might well have been expected to have recommended itself earlier to the European planter and capitalist ; and their not having availed of it might seem *prima facie* to warrant a doubt of the correctness of the calculation on which such profits are based. The explanation of this is found in the following reasons :

1st. The length of time required to obtain any returns from the plantation. To the European merchant or planter

a lapse of eight years to be passed before a profitable return can be realized, is too long a section of what most European residents hope to be the period of their sojourn in India. The fear of failing health in prospective, and the high rates of interest on mercantile capital always present to their notice, cannot fail to influence them, and to render any cultivation, which will offer a quicker return for their labours, the more attractive, however greater the risks attending such crops, indigo for example, may be.

2nd. The obstacles to the acquirement of permanent land tenures, and the general insecurity of titles to estates in Lower Bengal, are great drawbacks to investments in the soil requiring a series of years for development, however profitable *in prospectu*.

The remedy for both these objections is to be looked for in the gradual improvement in the administration of the government of the country, and in the more general introduction of the civilization of Europe, as working by its improved arts and manufactures, which such a government would foster. It has been but too often demonstrated that from the Native Zemindar of Bengal, however wealthy, or enlightened by school education, no enterprise or experiment will be undertaken which would lead him off the beaten track, by treading which he derives a certain revenue from his estates, however pressed or extorted from his impoverished ryots. With some few honorable exceptions, any project for improving the condition of the ryot, or any scheme for the improvement of the country by the application of the scientific or social systems of more civilized countries, finds no favor with the Native landholder ; neither the steam navigation of his rivers, nor the most promising railway lines through his primæval jungles find support from him. These, and the introduction of foreign staples into the agriculture of the country, have been left to the exertions and capital of the foreign ruling nation. It is to the same source we

must look for any greatly extended and systematic pursuit of this valuable cultivation.

To the manufacture of the date juice into sugar the European methods have not hitherto been applied in any way, and where, as in this case, experiment has been entirely wanting, any suggestions for improvement must be founded entirely on theory:—those about to be made, can only claim, in addition to this, the merit of having been made after frequent local observation of the Native process for the production of goor. So large and growing a branch of agricultural industry carried on by such rude and simple processes, and with so vast an expenditure of manual labor in proportion to the results, would seem to offer a fair field for the application of economical contrivances.

At page 258 it was shewn that of the total expenses of producing the goor from one beegah of date trees reckoned at Rs. 59-4, Rs. 28, or nearly one half, was for the item of labor: this is expended principally in the active, and often dangerous, service of climbing the trees twice daily, to empty and reset the earthen pot in which the juice is collected. Any process, which would materially reduce this labor ought *primâ facie* to effect a proportionate reduction in the cost of the goor.

It would seem quite possible to effect this by discarding the earthen pot altogether, and conducting the sap flowing from the trees of several beegahs of plantation to a common reservoir planted in a central position, to which the sap might flow along a series of gutters slightly inclined towards it. With the scattered and irregular planting of the Native ryots this would of course be impracticable, although not so in a systematic and regular plantation.

Let us suppose for example a square of 100 beegahs of regularly planted and full grown trees, divided into equal quarters of 25 beegahs each, and a reservoir or juice boiler placed at the point of intersection of the dividing lines, as in


the accompanying sketch, then suppose that a tributary gutter be placed between every second row of trees, as from A to B, and that these tributaries are all made to incline towards a main gutter inclined from B to C. It will then only require a short gutter to slope from the notch cut in each tree, and to conduct the sap into the tributary, and it is evident that the whole product of the 100 beegahs would flow in a continuous stream to the central point at C. Here the operation of boiling into goor might be conducted without intermission in two or more vessels, the juice being conducted into each alternately as required, the operator boiling all into goor as soon as collected.

It is obvious that by this method two-thirds of the labor of tree climbing would be saved, and the produce might reasonably be expected to prove of better quality than by the ordinary method, inasmuch as on the juice being brought to a boiling temperature within a few minutes after its leaving the tree, all fermentation would be obviated : it is even probable that the juice which exudes during the day, and which is now wasted by the cultivator, owing to its so rapidly passing into fermentation, might by this means be economized, and a considerable per centage of additional produce be thus obtained from the tree.

The only objections which present themselves to the application of this process are, 1st, the somewhat irregular growth of the trees, which might render it difficult to obtain the required elevation from the whole of those situated farthest from the centre ; and, 2nd, the expence of guttering. To the first it may be remarked that irregular growth is mainly owing to defective planting, either by using seedlings of various growths and seasons, or by allowing the young trees to be cropped by cattle, which either stunts their growth, or necessitates their being replaced subsequently to the original planting. By care in the original selection of the plants, and by fencing the young plantations, these evils








*Supposed arrangement for Each Beegah of Plantation.*

1200 ft



*Supposed Square of 100 Beegahs of Date Tree Plantation*



might be prevented; and that a generally regular height of trees could be attained is sufficiently evident from the appearance of plantations where no endeavours have been made to promote it. The expence of gutters would not be so great as might at first glance be expected. It would be found that for all the tree gutters, and probably for all those I have denominated tributaries, the large hollow kind of bamboo, divided longitudinally, and with the medullary divisions removed, would answer all purposes, light wooden drains of saul or jarool being required only for the four main channels. Without troubling the reader with details in this place, it may suffice to state, that the total expence of gutters, including wooden supports, for a square of 100 beegahs, has been estimated at a first cost of 2,400 Rs., or 800 Rs. per annum, assuming that they would serve for three years' use. If preserved by a previous immersion in creosote they might be expected to serve much longer. Then, reckoning the expence of labour as at page 269 at 28 Rs. per beegah, or 2,800 Rs. per 100 beegahs per annum, and that two-thirds of this could be saved by the new plan, the labourer having to climb the tree but once a week to recut the sap vessels, in lieu of twice a day for three or four days consecutively as at present, and we have a saving in cost of Rs. 1,067 (viz., two-thirds the labour 1,867 Rs. less for guttering 800 Rs.) for the season, besides what might be derived from the improved quality of produce obtained, and from any extra quantity derived from the day juice. Looking at the evident tendency to an advance in the rate of labour in Bengal, these suggestions may be found valuable to the intending planter.

Whether any advantage could be obtained by applying to the date juice the improved sugar refining processes of Europe, such as the vacuum pan, the animal charcoal filter, and the centrifugal machine, is a question on which it is more difficult to theorize than on that of improving on the Native process for producing goor. It has been found

difficult to apply such improvements on sugar-cane estates, it remaining an open question whether the improvement in the product is sufficient to counterbalance the large outlay and apparatus which can be used only during the gathering of the crop. If this is the case with cane cultivation where the whole produce of any particular field is gathered, collected at a central spot, and its sugar extracted and prepared in a few hours, it is easy to comprehend that there are at least equal difficulties to be solved in applying them on a date plantation, where the produce is collected over three or four months, and has to be conveyed in a liquid state over considerable distances if required to be collected in quantity.

An ordinary sized vacuum pan contains about 100 maunds of sugar, and we may suppose it to be charged full at least three times daily throughout the date crop season of 90 working days, as the minimum of duty it would have to perform to compensate for the expense of its erection. This would require  $300 \times 90$ , or equal to 27,000 maunds of goor, to be collected for it, or about 1,000 tons. As the date juice contains only one-tenth of its weight of solid sugar, it follows that about seven-eighths of the whole would have to be evaporated in the vacuum pan, to bring the residue to the proper density for crystallization, and to effect this it would be found that not more than three charges for 24 hours, as above estimated, could be completed. And taking the yield of goor per beegah, as at page 256 at  $78\frac{1}{2}$  maunds, it follows that an area of 343 beegahs of trees in full bearing, would be required to supply this. Under the most favorable circumstances the result would be, that to produce 1000 tons of uncured sugar, or goor, eight times that weight of juice would have to be conveyed over distances varying within a radius of half a mile, at great expense of labour, and great risk of loss by fermentation.

A far more promising mode of operation would be to subject the juice to a preliminary boiling in open vessels as it leaves

the trees, sufficient to evaporate the greater portion of its water and occasion a partial crystallization ; and to collect this extract, to be subject to a process resembling that of an ordinary sugar refinery, to complete its conversion into the best qualities of sugar.

It is well known to sugar refiners that the deterioration in crystal and color which all saccharine juices suffer from long exposure to high temperatures, takes place to a limited extent only until after the greater part of the aqueous portion is evaporated. The more economical plan of operation therefore would be, first to divide the date plantation into convenient sections for collecting the juice and subjecting it, fresh from the trees, to the preliminary open air evaporation until it indicates 45 degrees of Beaumè's saccharometer: this would effectually obviate loss by fermentation, and allow of a partial crystallization in cooling. The product could then be conveyed to the central factory, and worked off at convenience, by reducing it with water to the density of 25 degrees of Beaumè, heating to boiling point for the purpose of coagulating the glutinous portion, and then straining the clarified liquor through animal charcoal, and passing it from thence to the vacuum pan, there to be crystallized in the ordinary way. The vacuum pan having by this method to evaporate the water from a much denser liquor, would occupy for each charge less than half the time it would have required with the raw date juice, and consequently could operate on double the quantity of sugar in the same space of time, add to this that a portion of the material might be kept by, so as to extend the working season over four or five months, and it would be found that 3,000 tons, or fully three times the quantity of material could be worked, as compared with the plan of working at once on the juice in vacuo, for a season's operations.

The above described process, as well as that for collecting the juice suggested in the previous pages, requires, it may

be repeated the test of experience; but with this reservation, there appears no reason to doubt that the two combined would establish a vast improvement on the present Native method; and that the whole available product of the tree would be obtained in an improved state, and with the minimum of waste in the manipulation: finally, that the increase of per centage in weight obtained; the improvement in quality, and the economy in working expense always realized by operating on wholesale quantities, would, all combined, be found to more than compensate for the necessary first outlay for efficient apparatus, and superintendence.

(The general conclusion pointed at throughout the foregoing pages, is that the production of date sugar is one of the most important and valuable pursuits which can claim the attention of the Bengal planter or landholder, European or Native, whether we consider the highly remunerative returns the crop affords, its immunity from risks of failure, or the valuable nature of the product, as one of the necessities of life. The writer has the conviction that its merits require but to be more generally known to recommend it to the body of British capitalists and British settlers in India, whose numbers under the influence of recent political events are increasing, and must continue to increase. Fairly considered, there is nothing extravagant in the prognostication, that date tree estates may after a few years prove as remunerative in the plains of Bengal as tea estates promise to be along the hill slopes by which those plains are bordered. /

*The Green Dye of China and Green Dyeing of the Chinese ; by Monsieur NATALIS RONDOT, with sundry papers on the same subject by other authors : Translated from the French by HENRY COPE, Esq., of Umritsur.*

#### PREFACE.

I received from Shanghai, subsequent to the year 1853, sundry information regarding the green dye of China. These notices were, in some degree, supplementary to those forwarded from China by the Rev. Father Louis Helot, and the Rev. Joseph Edkins. The Chamber of Commerce of Lyons having decided on the proposition of Mr. A. F. Michel, one of its members, to offer a prize for the investigation of the green dye of China, in regard to exotic and indigenous plants, it became necessary to add certain explanations to the documents previously published, and to make known to the public all the facts bearing generally on the art of green-dying by the Chinese. I re-arranged all my notes with this object, and forwarded them to the Chamber of Commerce. They were accompanied by a letter, dated the 18th March, 1857. They were read to the Chamber at a meeting held on the 10th April, and the institution did me the honor to order them to be printed.

Since then I have instituted still more extended enquiries, and I have obtained most useful particulars, on points hitherto obscure. Mr. J. Decaisne, of the Academy of Sciences, has been so good as to undertake the description of the two species of *Rhamnus*.

I have thus been led to modify the paper I presented to the Chamber of Commerce, which accepted my more recent work on the 24th July, being the third which has been published by order and under the auspices of the Chamber of Commerce of Lyons.

The first edition exhausted, includes the report of Mr. Michel ; the successful attempts of Messrs. C. Benner,



Dupway, and others, were therein explained and discussed. No chemist, dyer, or printer, who has communicated the results of his experiments to the Chamber, has been more persevering and more successful in his labours than Mr. Michel. He has detailed in his report his own peculiar observations, and the process of analysis and of dyeing which he has discovered.

The second publication contained several documents, of which the most interesting came from the Rev. Father Helot. They were prefaced by a more recent report from Mr. Michel. That gentleman has undertaken, since January, 1857, with the ability and intelligent precision for which he is so well known, investigations into the coloring matter of indigenous *Rhamni*. These investigations have resulted, with the discovery of the *lo-kao*, in the still more important discovery of the peculiar and very remarkable action of light on certain vegetable juices.

It was to be regretted that Father Helot should have reached Azé at a time when the work-shops were closed, and that he was obliged to rely on the reports of the workmen; for as Father Bourgeois wrote from Pekin in 1784, "the local workmen do not tell their secrets"—a saying applicable to the race of the present day. But during a second trip to Azé, in 1857, after the Easter festival, this zealous Missionary saw in practice the singular operations which he had already made known, and he certifies in a letter that will be found hereafter, the correctness of the accounts he had previously given. The first memoir of Father Helot was already considered valuable, but its value has been materially increased by his assurances of its reliability; he illustrates in his person the accounts, so frequently quoted, by which our ancient Missionaries, Fathers Gaubil, d'Incarville, d'Entrecolles, Arnid, Abot, Collas, &c., were so useful, and became so celebrated. The enlightened measures adopted by the Central Council for the work of

the Propagation of the Faith, lead us to hope that both science and art will be indebted for new services and conquests to our missions in China.

It will be observed in the course of my remarks that Mons. C. De Montigny, French Consul at Shanghai, and Mons. D. Remi, of the same town, have taken an active part in these investigations. The discovery of the two species of *Rhamnus* is due to Mons. de Montigny. Our "Chargé d'Affaires" in Siam and Cochin China has materially added to our agricultural knowledge; it is to him we owe the Yak, the Yam, the Dry Rice, Sorgho, &c. Thanks to his influence, and to his intelligent exertions, Lyons, receives, since 1852, direct and important consignments of Chinese silk. My knowledge of the energy, devotedness, and patriotic zeal of my former colleague in the mission to China, is sufficient to assure me that he will do much more than he has hitherto achieved. Mons. Remi is the principal member of a respectable French commercial firm at Shanghai; he has zealously followed out with Mons. Edan, now officiating for Mons. de Moutigny, the investigations commenced by the latter, and has afforded me a mass of useful information. It was necessary to know what Chinese books said of the *lo-kao*; one man only could, in Europe, undertake the necessary enquiries in those valuable Chinese and Japanese Cyclopædias, the examination of which is as interesting as it is difficult; but they were a mere pastime to the illustrious translator of the memoirs of Hiouyn-Thsang: but Mons. Stanislas Julien, of the Institute, whose marvellous acquaintance with the Chinese language is as wonderful as his ardent inquiries into the realms of science and the arts, has found no trace of the *lo-kao*, and the plants from which it is obtained, in the botanical and agricultural treatises published about the middle of the last century. The use of this lac in dyeing is not traceable, according to the Rev. Mr. Edkins, for more than 25 years; even its use as a water

colour if less recent, is not over much more ancient. The authors of the *Thien-kong-Khai-wou*, and of the Japanese Cyclopædia, would hardly have passed over in silence such a singular substance.

I am grateful to the obliging services of my friend Mons. Stanislas Julien for the translation of the Chinese texts quoted by me in the course of my remarks.

The author of the "Treatise on the Printing of Tissues," has, in compliance with my request, consented to separate from a "Memoir on the Green Dye of China," that portion in which he details, as the result of his experiments, the chemical and dyeing properties of the lac. It is not necessary for me to indicate the importance of this unpublished work, undoubtedly original in its conclusion, throwing a new light on the history of this truly interesting substance, the origin and true nature of which are still doubtful questions with some men of science.

#### PART 1ST.

#### THE GREEN DYE OF CHINA.

##### I.

##### *Of the Discovery of the Green Dye.*

The history of the *Green Dye of China* is singular. Its existence even is no where mentioned before the year 1845. It was obtained in China about that time, and brought to France in 1846, but it continued unknown till 1852; the discovery of its properties dates from 1852. It may be stated that we are still ignorant of the true nature of this most singular substance, and it is difficult to form an idea of the precious and varied resources it offers to the dyer and the printer.

The Commercial Delegation attached to the Embassy in China were the first to obtain the *Green Dye of China*, but without paying any attention to it. There could be no doubt

about it, for what other dye-stuff could be valued on the spot at 224 francs the kilogramme? It is thus mentioned in the "*Etude pratique du Commerce d'exportation de la Chine*," under the head of "*Vegetable Dye Stuffs*," page 199 : *Kong-lok*" (in the dialect of Canton). This substance is extracted from the leaves of a tree of that name ; it yields a very valuable green color, comes from Tse-tchonus, and costs 24 dollars per catty. It is used for painting. We obtained this account of it, and the substance itself, from Yi-diong, Senior, one of the first silk manufacturers, and from Ting-Kona, a painter.

It is to be observed that the nominal price has not varied since then. The catty which was 24 dollars at Canton, in 1845, was still obtainable for 24 dollars at Shang-hai in 1857, but the exchange was very different ; it was 5 francs and 65 cents at Canton, in 1845, and at 9 francs at Shanghai in the middle of the year 1857.

I frequently visited in 1845 the dyeries of Canton. I noted in four of the largest, and especially in those of Hou-ching, manufacturer of silks, and of Kong-tching, the process for dyeing cotton and of grass cloth thread, (thread of *Urtica nivea*) ; I never saw them use the *lo-kao*, but it was mentioned to me. I find in my journal, under date 17th August, 1845, that my interpreter Atchum, brought me, with other dye-stuffs I had ordered him to purchase, some *louk-ko*, for dyeing in green, of which the price was 28 dollars per catty.

The Delegates had in their collections some calicoes dyed in different shades of green ; none of these were specially mentioned by them. They were bought at Shanghai, and at E. Moru (Amoy.) These calicoes were exhibited at the Municipal School Turgot, between the 21st July and 28th August, 1846, when more than thirty thousand persons visited the Exhibition, but these green dyes were not then noticed. The *lo-kao* itself was there : 1st, in a box of paints in the form required for painting, (No. 1392 of the Catalogue) ; 2ndly, in the silk-dyeing form, being the small sample I

had purchased at Canton on the 17th August, 1845 (No. 1866 of the Catalogue).

In 1848, Mons. de Montigny, Consul at Shanghai, forwarded to the Minister of Commerce, with other Chinese productions, 44 specimens of calicoes, and some other colouring matters. The calicoes of the collection of the Delegates, and those sent by Mons. de Montigny, were distributed, in October, 1849, amongst the Chambers of Commerce of Malhausen, Rouen and Lille.

The cloths dyed green were named in the Catalogue of Mons. de Montigny, *liou-sai*. Father Helot states (pp. 27 and 32) that these cloths are known to the trade by the name of *so-lo-pou* (green-color-cloth) when dyed with the bark; *ngheou-lo-se* (green-nymphæa-color) and *nghiou-lo-pou* (green-nymphæa-cloth) that is, cloth dyed of the color of the leaves of the *nymphæa*, when dyed with the *lo-kao*.

Each piece of *liou-sai* is seventeen Chinese feet long, one foot, or one foot and one inch broad, and cost at Shanghai, in 1848, 50 to 53 hundredths of a dollar, or (according to the exchange of the day 6 francs 20 cents) from 3 francs 10 cents to 3 francs and 30 cents. The following are the size, weight, and price of three pieces :

6 metres	12 long :	0 35½	broad ;	461 gr. ;	51 cents per metre
6	„ 36 „	0 35½	„	463 „	52 „
6	„ 30 „	0 38	„	467 „	52 „

Father Helot considers that the value of a square metre of cotton cloth dyed with the bark, or the *lo-kao*, is 5 hundredths and 7 thousandths of a dollar (about 50 cents at the exchange rate of 9 francs per dollar.)

Mons. de Montigny also sent, as I have already mentioned, certain dye-stuffs, and there were among them the following green matter :—

“Ten catties (6 killogrammes 047) of *pih-chow-elle* (I give the word as written by Mons. de Montigny himself) green colour ; price 4,920 sapeques (about 26 francs.)

“ Fifty catties (30 killogrammes ‘235) of *tong loh*, green paint, said to be prepared from the *no-me*, cost 20,800 sapeques (about 107 francs).”

The Ministry of Agriculture and Trade, by which these samples were distributed, as well as the dye-stuffs brought by the Commercial Delegates, amongst the Imperial manufacture of the Gobelins, the Museum of Natural History, the Chambers of Commerce of Lille, Rouen and Mulhausen, received no notice of the nature of these matters.

*Tong-lo* is the word for verdigris, and approaches closely to that given to the Delegates (*Tsong-lok*); *Commerce d’ exportation de la Chine*, p. 199.

The gummy rice is named *no-mi*. It is probable that *no-mi*, as written by Mons. de Montigny, is not exactly the name of the plant, and that *tong-loh* is the green substance obtained from the berries of the *lo-chou*.

In 1848, according to Mons. Matthieu Plessy, Mons. Dan. Kæchlin Schouch, of Mulhausen, one of our most distinguished manufacturers, noticed a new green in a Chinese calico. The Chamber of Commerce of Mulhausen only received the cloths I have mentioned above, in November, 1849, but the following explanation of this apparent discrepancy of dates, has been afforded me by Mons. J. Albert Schlumberger, President of the Chamber:—

“ The Delegate of the Chamber to China, on his return from his Mission, in 1845, brought us amongst other things, some green and red-dyed stuffs, on which, and especially the green, numerous experiments were made by our chemists.

The first document that alludes to this green dye, is a letter addressed by the Chamber of Commerce of Mulhausen, on the 27th April, 1850, to the Minister of Trade, in which they beg of him to make enquiries in China,—“ regarding the green colouring matter used as a base to dye the green of the samples, which have been ascertained by

analysis to be dyed with the same colouring matter, being a dye stuff of a peculiar nature and unknown in Europe."

This question, the precision of which is remarkable, for it notices—1st, the green base secured by the same colouring matter, 2ndly, a green dye-stuff of a peculiar nature unknown in Europe. This question, I say, was prepared by the Chemical Committee of the Industrial Society of Mulhausen.

It appears by a recent declaration of the Presidents of the Chamber of Commerce, and of the Industrial Society of Mulhausen, that Mons. Daniel Kæchlin Schouch, was the first to notice the singular colour of the green calicos dyed in China. Even at that time experiments had proved to that learned chemist, that this green changed to orange by the protosalts of tin, and to violet by fermentation. The letter of the 27th April, 1850, was initiated by him.

Seventeen months afterwards, in September, 1851, Mons. Daniel Kæchlin sent to Mons. Persoz a sample of this green cloth, dotted with small violet spots, and the dyeing of which was still an enigma.

M. Persoz succeeded in procuring, thanks to the zeal of his friend Mr. P. J. Forbes, Consul of America at Canton, about a gramme of the colouring matter. The request was made at the end of November, 1851; the lac was in Paris by the end of March, 1852. Mons. Persoz gave a part of this already very small sample, to Mons. Kæchlin, to Mons. Guinon, of Lyons, and to Mons. Espinasson, of Rouen. The paper containing it was sent to me on the 4th May, by Mons. Persoz. It bore a Chinese inscription, traced on running characters next to illegible. It indicated neither the name, nor the origin, nor the mode of using; it bore merely the price of the sample: (*tse-kia-liang-youen*, the price of this is two dollars.)

On the 5th April, 1852, Mons. Legentil, President of the Chamber of Commerce of Paris, had written to the Minister for Foreign Affairs, begging to make enquiries in China, and

handed to him for transmission to our Minister in that country, a note which had been drawn up by Mons. Persoz (2nd April). "The Chinese," said he, "possess a blue colouring substance, that dyes in green mordants of alum and iron. This substance contains no indigo, nor any matter obtained from that colouring principle. It was considered desirable to ask—'By what process it was prepared, and whether lime or chalk were used?'"

Mons. Persoz presented to the Academy of Sciences, at its meeting of the 18th October, 1852, a note that was published in the *Report of its Proceedings*, Vol. XXXV, pp. 558 and 559.

Some days afterwards (26th October, 1852,) the Minister of Foreign Affairs forwarded to the Chamber of Commerce of Paris, a despatch from Mons. de Bourboulon, Minister in China, dated Macao, 21st August, 1852.

This document was to the effect that—"Mr. Forbes could only obtain in Canton a quarter of a catty of the lac required. It costs at Canton, 35 piastres per catty. It is asserted that it is obtained from a flower. There are in China two other methods of dyeing green: 1st, with the flowers of the *hoai-hoa* and indigo (this will be mentioned hereafter); 2nd, with indigo alone, (the cloth dyed indigo being first exposed to the action of frost, and then to the rays of the sun.)"

The communication by Mons. Persoz to the Academy of Sciences was not likely to pass unnoticed. M. Seringe, Professor of Botany at Lyons, brought it on the 10th November, 1853, to the notice of the Chamber of Commerce of Lyons. This body took the question into consideration at its meeting of the 25th November.

The Chamber did me the honor to write to me on the subject, on the 7th December. I was requested first to collect in the offices of the Minister of Commerce, and of the Chamber of Commerce of Paris, as also from Mons.



Persoz, every fact that might assist in directing the further study and application of known results, and enlightening its enquiries; 2nd, to discover by what means the green dye might be obtained in sufficient quantities to admit of practical experiments on a more extensive scale. My answer was sent on the 12th December. The Chamber, which never shrinks from any expense when the arts of the town are in question, voted, at its meeting of the 16th, the purchase in China of about five kilogrammes, and the opening of a cash credit to the extent of 3,000 francs.

I commissioned my friend Mons. D. Remi, a French merchant at Shanghai, to effect this purchase, and the Chamber received, in October, 1853, 160 taels of *lo-kao*, at 1 piastre and 35 cents per tael. It was packed in 19 small boxes, and had been bought at Sou-tcheou-fou; the net weight was 5 kilogrammes 590. The cost, with charges, amounted to 2,158 francs, 55 cents. The price per kilogramme was therefore 386 francs.

Mons. Persoz, in the course of a journey to Lyons, before presenting his note to the Institute, had mentioned the green dye to Mons. Guinon; that gentleman, on the 24th September, 1852, requested Messrs. DesGrands to obtain some for him. This commission was forwarded to Messrs. Carvalho and Co., of Canton, and Mons. Guinon was in possession, in March, 1853, of 256 taels of *lo-kao* of the first quality, and of two taels of the 2nd quality, purchased in Canton in December, 1852, at the rate 3 piastres per tael for the best, and 2 piastres for the second. Mons. Guinon offered on the 14th March, to make over a portion of this to the Chamber of Commerce. The Chamber agreed to take two kilogrammes, and received them on the 14th April, at 533 francs per kilogramme, being the cost price.

At a later date the Chamber distributed the *lo-kao* gratuitously, in quantities of from 5 to 10 grammes to about fifty chemists, dyers, calico-printers, and painters.

The claims of Mons. D. Kæchlin, to the discovery of the green dye has been established in two publications of the Industrial Society of Mulhausen ; one is the report presented to a general meeting, held on the 28th December, by Mons. Daniel Dollfus, junior ; the 2nd being a note read at the meeting of the 31st August, 1853, by Mons. E. Mathieu Plessy.

It is desirable to mention the fact, and I have named my authority : Mons. Persoz has forwarded to me, as referring to this subject, the following extract from a letter addressed to him by Mons. D. Kæchlin, on the 31st May, 1857 :—"To tell you the truth, it was only on reading your letter that I remembered that Mons. Plessy had read a paper on the green dye while I was absent at the waters in August, 1853, a paper which I had never read, and I am free to admit that if it had been known to me, I should have altered the tenor of the portion relating to you."

Subsequent to the report of the *lo-kao* by the Chamber of Commerce, considerable quantities have been received at Lyons, in Paris, and in London ; it has become an article of trade, and its price is regulated according to the demand.

In foreign countries, it is, if I be rightly informed, in Holland that the *green dye* was first received after France. The Industrial Society of the Netherlands obtained it towards the end of 1853 from the Dutch Consul in China. The *lo-kao* which was in 1853 used by Messrs. Walter Crum and John Mercer in their experiments, was given them by Mons. Persoz.

## II.

OF THE SEVERAL COLOURING MATTERS THAT HAVE BEEN MENTIONED AS IDENTICAL WITH THE LO-KAO.

The history of the *green dye of China* would be incomplete if I were not to give an account of the green substances of which botanists, travellers, and chemists have furnished

notices, and which have been considered identical with the *lo-kao*, without any present grounds to justify such a surmise; in fact it is necessary I should treat of these matters. Should these several substances prove to be green dyes differing from the *lo-kao*, it is desirable to indicate them with a view to further investigations; if any of them should prove to be the *green dye* itself, its history will have been enriched with new facts. Lastly, if it should be proved that they are not green dyes at all, it will be needless to devote any further attention to them.

1.—*The Tsai, of Cochin China, mentioned by Poivre, about 1750, and Father Horta in 1766.*

Peter Poivre, born at Lyons in August, 1719, is celebrated for the great services which he rendered to the French Company of India and the Isles of France and Bourbon. He naturalised in these islands the nutmeg tree, the clove tree, the sago palm, the bread-fruit tree, &c. Poivre went to Cochin-China in 1749, as Minister from France, had a warm reception from the Emperor, and was in a position to obtain accurate information. Here is what he has written in a small work, printed at Verdun in 1768, entitled: *Tracts of a Philosopher, or Observations on the Manners and Arts of Africa, Asia, and America.*

“They” (the Cochin-Chinese) “cultivate the cotton plant, the mulberry, pepper, the varnish plant, the areca palm, tea, indigo, saffron, and a plant peculiar to their country named *tsai*, which being fermented like the indigo, furnishes an abundance of green flowers, which of themselves yield an emerald green and persistent dye. This plant would be a valuable accession to our American colonies.” (p. 95.)

This passage is to be found in page 70 of the edition of the year, and it is repeated in the *General History of China* 1785, Vol. XIII (supplementary volume edited by the Abbé Grosier) page 218, and in the *Description of China and of*

*the States dependent on the Emperor*; by the Marquis of Fortia d'Urban, 1840, Vol. III, p. 135.

Father Horta, says in 1766 :—

“The Tongkenese cultivate a plant named *tsai*, which, being steeped, furnishes a green flower, that yields a very strong emerald green dye. I believe this plant is only found in Tongkin and Cochin-China.”\*—*Lettres Edifiantes* 1781, Vol. XVI, p. 239.

The word *tsai* is not Cochin-Chinese; it is a Chinese word that may be written in two ways;† under the first form, it signifies plant or herb, and the second, pot-herb or vegetable.

2.—*Dinh-xanh, of Cochin-China.*

Charpentier de Cossigny published in Paris, in the year VII, a book under the title of *Voyage to Canton, with Observations on the Voyage to China, of Lord Macartney and Citizen Van Braam, a sketch of the Arts of the Indians and Chinese.*

“The Cochin-Chinese,” says he, at p. 588, “possess a plant which they name *dina-xang*, very much like our balm, from which they obtain, by means of trituration in water, a green fecula,‡ with which they dye cloths in every possible shade of green. All my endeavours during the last thirty years, to obtain the seed of this plant have been fruitless.”

The same writer again mentions this plant, and its dyeing fecula, at pp. 224 and 232 of the work mentioned above, at page 270 of the second volume of his *Voyage to Bengal*, and at page 353, of Vol. II., *On the means of improving the Colonies.*

\* The use of the exact words of Poivre by Father Horta would lead to the very fair inference that he was repeating what Poivre had written before.—TRANS.

† Mons. Rondot gives the Chinese characters which our Calcutta printers have not the means of reproducing.—EDRS. JOURN.

‡ The extractive portions, yellow often, are combined in such proportions and quantity that they can easily be separated.—Cossigny, *Means of Improvement*, Vol. II, p. 353.

Peter Blancard, who for many years navigated the Indian seas, also mentions the *dina-xang* in his *Manual of the Trade of India*.

"The low lands (of Cochin-China) produce . . . a plant of great value, unknown in Europe, which would of itself enrich a whole colony: it is known by the name *dina-xang*: it yields, by fermentation, a green dye fecula used in dyeing cloths green of all shades; the Europeans call the plant *Green Indigo*" (p. 345).

Blancard never was in Cochin-China; he knew Charpentier de Cossigny (p. 344), and most likely obtained from him the little he knew of this green fecula.

I bought Blancard's works at the sale of the late Mr. Borel at Batavia. Borel had been several times to Cochin-China; he had moreover lived in the country for more than twelve years, and was the Agent at Batavia for the Emperor Annamite; and wrote the word *fable* at the end of the passage I have quoted.

I was myself at Touranne, in Cochin-China in the month of June, 1845; Monseigneur Lefevre, Bishop of Isauropolis, Vicar-Apostolic of Lower Cochin-China, who had just been rescued by the frigate *Alcmène*, and been conveyed to Macao, added some notes to the copy of the book commented on by Borel. He saw the remark about the green dye yielding plant, and differed from him in opinion. He was acquainted with a green dye.

I learnt from one of my Cochin-Chinese interpreters at Touranne, that there is a plant which does yield a kind of indigo, dyeing both silk and cotton green, that it grows in the Provinces of Quang-nam and Quang-duc, especially in the latter in the vicinity of Houé-fo. I could obtain neither the plant nor its product. Mons. Itier also mentions it. Mons. Hedde even names the price at which it was to be bought at Touranne, namely one quan and half the pound. As at that time (June, 1845) four quans were equal to

one pillar dollar, the cost was about 3 fr. 60 c. per kilogramme.

The fecula of the *dina-xang* may possibly be the same as that of the *tsai* mentioned by Poivre and Father Horta, and as the indigo indicated by Messrs. Heddes, Itier and myself.

I ought to state that J. de Loureiro, Monseigneur Pigneaux and Monseigneur Taberd, do not allude, the first in the *Flora Cochinchinensis*, the two others in the *Dictionarium Anamitico Latinum*, to any plant of the name of *dina-xang*. It is more correct to write *dinh-xanh*, and I mention that *xanh* signifies *green*. Thirteen Cochinchinese characters can nearly all be pronounced *dinh*, and I cannot therefore say which in particular is given to this plant.

Charpentier de Cossigny devoted much of his attention to indigo in India, in Mauritius, and in France; he was particularly interested in the green indigo, and made many experiments in this new direction. He presented a memoir to the Directory on the extraction of indigo from the woad, and he has alluded, without naming it, to a plant in Europe yielding a *green fecula* (*Voyage to Canton*, p. 292.) He no doubt means the blue flowered Scabious, used in Sweden to dye woollens green. I may nevertheless draw attention to a singular coincidence. The *dinh-xanh* is not unlike our balm, according to Charpentier de Cossigny, and Buchoz states in his *Treatise on Plants useful in Dyeing and Painting*, that the leaves of *Melissa officinalis*, Linn., yield, under the action of spirits of wine, a permanent green dye (p. 131). Mons. Persoz draws attention to the probability that the vague designation of de Cossigny was perhaps more applicable to *Mercurialis perennis*, which yields a permanent blue green, distinguished by the presence of indigo.

3.—*Green Indigo, prepared by Charpentier de Cossigny, in 1779.*

After noticing the *dina-xang*, Charpentier de Cossigny announced "that the indigo plant (*Indigofera tinctoria*), also

yielded a green fecula when boiled by a process differing from that followed by the indigo-factors to obtain the blue."

He enlarged on the subject in a letter addressed by him on the 12th September, 1779, "to LeMonniers, Member of the Academy of Sciences; it was printed after the *Essay on the Manufacture of Indigo*. I have found some details in *The Means for Improving the Colonies*, Vol. II., pp. 233 to 236:—

"The processes for obtaining it, (green indigo) are very simple. Heap up the fresh leaves of the plant; moisten them with a little pure water, or lime water for an hour; press them; separate the water that will flow from them, which must be filtered two or three times through a thick cloth; add more water to the mass of leaves, so as to wet them thoroughly, and then submit them again to pressure for an hour. Filter the second liquid for several times. The two liquids thus obtained may be mixed or kept separate. I noticed that the first yielded a brighter colour than the second. . . .

"Add a considerable quantity of lime water to the liquids; stir them, then allow them to stand, and pour off the water. The residue will be found to be a fecula of a fine green.

"This must be washed several times in lime water, and then several times successively in boiling water.

"The indigo plant yields a larger quantity of green than of blue deposit.

"The green parts thus obtained is, like indigo, indissoluble in water; it does not even mix with it, though it seems to be somewhat more viscous. When fresh and damp, it tinges paper and cloth a deep permanent green; when dry it is black. The paste is very fine, but without lustre, it takes a polish, without assuming any colour or coppery shade, when rubbed with the nail.

"A still more elegant result is obtained, by using the leaves only, instead of the leaves with the stems.

"The indissolubility of the green indigo in watery, spirituous, acid, or alkaline menstrea, requires that it should be treated in the same manner as indigo colour to be used for painting. Fermentation might decompose it, and induce a change of colour."

4.—*Kim-long-Nhuom of Cochin-China.*

Noticed by J. E. Loureiro about 1780.

It is probable that the *tsai* of Poivre and the *dinh-xanh* of Charpentier de Cossigny are one and the same plant; the resemblance to balm leads to the supposition, as already stated, that the Cochin-Chinese plant belongs to the genus *Melissa*, or is identical with *Mercurialis perennis*. Such, however, is not the opinion of Correa, who thinks that the *tsai* of Poivre is the *Justicia tinctoria*.

This Acanthanous plant is certainly indigenous in Cochin-China. Louriero (Vol. I, p. 25,) alludes to its applicability as a dye: "*Folia viridi colore saturata, eodem telas pulchre imbuunt.*" Messrs. Pigneaux and Taberd, agree with Louriero in this account of its properties, and as to the Cochin-Chinese name of *Kim-long-Nhuom*. The *Justicia tinctoria* of Lour. and Roxb. is the *Peristrophe tinctoria* of Nees.

5.—*Cay-boung-boung, and the Cham-lon-la, of Cochin-China.*

Noticed by J. de Loureiro, about 1780.

More Cochin-Chinese plants whose beans yield a green color.

The *Cay-boung-boung* serving Louriero as a type for his genus *Aletris*, has been named by him *A. Cochin-Chinensis* (Vol. I. p. 204), it is the *Sansevieria late-virens* of Haworth. It is mentioned by this name in the *Hortus floridus Cocin-cinæ*.

According to Loureiro (Vol. II, p. 484) a blue and a green colour is obtained from the pounded leaves of the *Cham-lon-la* (*Optimam tincturam cæruleam, viridemque.*) He adds that



this colouring matter is also obtained from the indigo plant, and that the produce of the latter is equally brilliant. The *Cham-lon-la* is the *Spilanthus tinctorius*, Lour., or *Adenostemma tinctorium*, Cassini, and I am induced to believe that it is one of the species of *lan* which the Chinese cultivate in their Southern Provinces, and which they ordinarily use to dye a light blue.

#### 6.—The Green Indigo of India.

Announced by Prinsep, about 1790.

Alderman Prinsep, on his return from India, gave to Bancroft about 1790, a small piece of a hard green substance, produced in India, and which he called *Green Indigo*.

Bancroft has recorded in Volume I of *Experimental Researches concerning the Philosophy of Permanent Colours*, (London, 1813) pp. 264 to 266, the experiments to which he submitted this substance. It appeared to him to resemble, in certain points, the green fecula obtained from several plants, and especially of the *Cruciferae*, when exposed to fermentation in hot water, in the same manner as Indigo.

Bancroft had an idea that this green indigo of Prinsep was the fecula of the *tsai* mentioned by Poivre.

Here is the opinion of Mons. Persoz on the subject:—  
“Bancroft, being anxious to ascertain whether the substance handed to him by Prinsep was a *green fecula* that could be used to dye in green, states that having submitted it successively to the action of alcohol, water, concentrated sulphuric acid, and finally of a mixture of red arsenic and caustic alkali, after obtaining by means of alcohol, a considerable proportion of a green substance which he compares to chlorophylle, the insoluble residuum bore all the character of indigo. Treating it subsequently with sulphuric acid, he obtained the *Saxon blue*, while with sulphate of arsenic and alkali, he obtained a painting blue.” (Private letter, 4th June, 1857.)

7.—*The Green Barasat of India.*

Forwarded by R. C. Birch in 1792.

The green *barasat* was sent, in 1793, from Calcutta by Mr. R. C. Birch to Messrs. T. and F. Baring and Co., and these gentlemen requested Dr. Bancroft to examine it.

The *barasat* resembled indigo, but was of a deep green colour. It was reported to be the produce of the leaves of a perennial, exotic plant, thus described:—Leaves differing but slightly from those of the laurel; flowers small, yellow and arranged in clusters; the seeds arranged at the end of lengthy pods. This plant is, according to Bancroft, (Vol. I, p. 275) the *taroum akkar* of Marsden, which Roxburgh has described under the name of *Asclepias tinctoria*.

Birch announced that the green *barasat* imparted to silk and cloth a light green without any mordant. Bancroft came to the conclusion (after experiments) that this substance consisted of two different colouring matters; one insoluble in caustic potash, being in fact indigo; the other, olive, soluble in potash, imparting an olive and an apple green, when used as a dye. (See Bancroft, *Experimental Researches*, Vol. I., pp. 266 to 275). What Bancroft says of the *barasat*, is to a certain point, applicable to the woad. The olive green matter reminds me of the green fecula of the woad which consists of chlorophylle, a waxy matter, indigotine, and an azotized substance.

Mons. Persoz thinks the *barasat* is nothing but an impure kind of indigo. He thus writes to me on the subject: "This substance was submitted by Bancroft to numberless experiments, which ended in inducing him to believe that not only might he obtain from it all that was obtainable from indigo, but that by evaporating a portion previously reduced to powder, the result gave him pure crystals of indigotine."

If the green *barasat* is furnished as stated by Bancroft (Vol. I, p. 275) by the *Asclepias tinctoria*, Roxb., it is clear it can be nothing but an impure indigo.

Indeed the *Asclepias tinctoria*, Roxb. is very generally used as a blue dye in several parts of India, and of the Indian Archipelago, especially in Pegu and Sumatra; it is the *Masdenia tinctoria* of Robert Brown, the *Pergularia tinctoria* of Sprengel.

Marsden informs us that the *taroum akkar* contains indigo, and that it is used in Sumatra as also the *taroum (Indigofera)* for dyeing blue (*History of Sumatra*, 1783, p. 78). Roxburgh extracted from the leaves, by means of hot water, a quantity of indigo, considerably stronger, in his opinion, than that obtained from the *Indigofera tinctoria* (*Fl. Indica*, 1832, Vol. II, p. 44.) Bancroft himself alludes (Vol. I, p. 189,) to three kinds of this kind, prepared by Dr. Roxburgh; the first of a very beautiful violet; the second, approaching to blue, and the third approaching to purple.

8.—*Asclepias tingens* of the Burman Empire.

Mentioned by Dr. Buchanan about 1795.

Dr. Buchanan brought from Pegu to India, in 1795, the *Asclepias tingens*, Roxb. (*Gymnema tingens*), Sprengel. He informed Dr. Roxburgh that the Burmans extracted a green colour from the leaves. The numerous and varied experiments made by Dr. Roxburgh resulted in disappointment. See *Fl. Indica*, Vol. II, p. 54, and *Bancroft*, Vol. I, pp. 275—276.

9.—*The Green Indigo*.

Examined by Kurer, in 1801.

I have not been successful in obtaining the original paper of Kurer, and therefore know it only by an abstract thereof prepared by Mons. Gustave Schwartz.

The experiments are nearly the same as those of Bancroft, though Kurer was not acquainted with the work of the latter, which was translated into German at a much later period. He came to the conclusion, that the green indigo in its deoxidized condition, was possessed of the same properties as the indigo of commerce, and that it is only a mixture of blue and of yellow substance from the plant.

10.—*Vegetable Green of China or Java.*

Sent by M. Cezard in 1837.

Mons. Nicholas Cezard, one of our most enterprising enquirers, sent, in 1837, from Batavia, to the Industrial Society of Mulhausen a vegetable green, with the simple observation that it was used in China as a dye-stuff. Mons. Gustave Schwartz was requested to examine its qualities and uses; the report read by him to the Society on the 27th September, 1837, is to be found in Vol. XI of the *Bulletin of the Industrial Society*, 1838, pp. 25 to 32.

Mons. Schwartz hesitates not to say, and his experiments support his assertion, that the vegetable green, sent by M. Cezard, was the same substance that had been previously examined by Bancroft and Kurer. He ascertained that it contained no green principle: that the green, or more properly olive green colour, was the result of the mixture of a yellow substance soluble in water, of gluten brown indigo, and blue indigo. The analysis of Mons. Schwartz yielded the following results:—

Yellow substance, .. ..	10.4
Gluten and salts, .. ..	35.3
Brown indigo, .. ..	39.2
Mucilaginous matter, .. ..	5.1
Indigo blue, .. ..	10.0

100.0

Professor Bleekrode received from Java, towards the end of 1856, a blueish green substance, believed to be the same as the *lo-kao*, but which his analysis proved to be analogous to indigo.

11.—*The Whi-mei of China.*

Exhibited in London, in 1851.

Before the *Green Dye of China*, had been discovered, before it was known or thought of, it is believed the plant

yielding it was exhibited in London by the East India Company. It is thus noticed in the official illustrated catalogue :—"The *whi-mei* of the Chinese, which is said to yield a green dye, and is produced in the Province of Chantoung" (Part V. p. 14, 20.) It attracted no attention, nevertheless Professor Solly, the reporter of Cl. IV, raises no doubt on the subject; he repeats that samples of the *whi-mei*, a green dye, were exhibited. (*Rep.*, p. 91.)

It would not be surprising to find that this *whi-mei* was either the green lac itself, or the bark of the *Rhamnus*, for the Rev. Mr. Edkins mentions that the *lo-kao*, is sent from Kia-hing-fou into the Province of Chantoung, and Father Helot asserts that the *pe-pi-lo-chou*, one of the two *Rhamni* which, it is said, do only furnish the green dye, is indigenous to the mountains of Chantoung. But Mr. Robert Fortune informs us, in a recently published work, that the *whi-mei* is the *Sophora Japonica*. He says that: "Some persons have sent the flowers of the *whi-mei* (*Sophora Japonica*) to England, as yielding the green dye; but that flower yields a yellow dye, and even if mixed with blue to produce a green, that green would not be the one alluded to by French manufacturers." (p. 166.) This observation is quite correct. It is however, not certain, as I shall show further on, that the colouring matter of the flowering buds of the *S. Japonica* does not afford a green dye. The Chinese dyers, traders, and writers always call them *hoai-hoa*.

12.—*Green Substances sent in 1855, by the Agri-Horticultural Society of India.*

The Memo. presented by Mons. Persoz to the Academy of Sciences, attracted the attention of the Agri-Horticultural Society of India, holding its sittings in Calcutta. That body requested Mr. R. Fortune, then travelling in China, to collect and forward every information regarding the plant yielding the *lo-kao*. Mr. Fortune hastened to send seeds of the plant to the Society, who received them in 1854.

The Chamber of Commerce of Lyons reprinted the report of Mr. McMurray on the plan adopted by him for the cultivation of the two species obtained from China. This report is to be found at pp. 19 to 22 of this *Journal* for 1857.

Mr. R. Fortune forwarded further information regarding these plants, and the green dye to the Agri-Horticultural Society of India, in letters dated respectively from the Temple of Tein-tung, 30th June, 1854, from Hong-Kong, 19th March, 1855, and in 1856. The two first letters were also published by the Chamber of Commerce of Lyons (pp. 16 to 19). The third relates to information collected by the Rev. Mr. Edkins in Tche-kiang, and supplied by him to Dr. Lockhart (pp. 37 to 39.)

It is to be observed that Mr. R. Fortune did not see the *lo-kao* prepared. He sent to the Society :—

1st.—Seeds of the cultivated, and of the wild species.

2nd.—Cuttings of the barks bought by Mr. Edkins in the district of Kia-hing.

3rd.—An extract obtained at Shang-hai by Dr. Lockhart, by boiling the cuttings.

4th.—An extract of the seed of the wild species.

5th.—Do. of the cultivated, do.

6th.—An extract from a mixture of the seeds of the wild and cultivated species. (I should mention that Mr. Fortune wrote :) “The extract of the seed of the cultivated plant is of a yellowish colour ; while that of the wild kind is of a purple or violet tinge, and very beautiful. These two extracts mixed together yield a green of different shades, according to the proportions of each.”

7th.—Some paper dyed with the colouring matter extracted from both species, bought at Ning-po.

8th.—Some cloth dyed with the colouring matter obtained from the root, and bought in a town of Tche-kiang.

The Indian Agri-Horticultural Society forwarded the whole of the above samples to Mons. Persoz, in May, 1855,

and begged that learned chemist to examine them and favor the Society with his opinion. Mons. Persoz wrote to me as follows on the 4th June, 1857 :—" I went myself to London to receive these articles ; and on my return devoted myself in submitting every one of them to numerous experiments, in the hope that I had before me the organs and the extracts of the plant yielding the *green dye of China*. But great was my disappointment to find that, with the exception of the calico stated to be dyed green by the root, and which was identical with that forwarded in 1848 by Mons. de Montigny, none of those substances, not even the coloured paper, contained any of *the green dye*. All my attempts to elicit this dye were fruitless, you will therefore understand, my dear colleague, how much it was to be regretted that the *root* said to have been used in dyeing the calico with the genuine colour, was just the only substance that was not sent to us."

13.—*The Green Dye exhibited in Paris, in 1855.*

Dr. Forbes Royle devoted a few lines to the green dye of China in the report which he addressed to the President of the Board of Trade, after the Universal Exhibition of Paris in 1855. There are, according to him, three kinds of *green dye of China*, or Green Indigo ; the first comes from China, the second from the Burman Empire, and the third from Assam. According to the same writer they are all obtained from Acanthaceous plants. The latter kind have been exhibited, in the Indian department, by Dr. Falconer ; it is noticed in the Jury report, with the note appended, that the green dye called in India *roum*, and the *green dye of China*, are the same substances.

A clever druggist of London, Mr. Daniel Haubury, well known for his enquiries into the *Materia medica* of Asia, undertook to obtain information for me regarding this substance, of which I could not get any specimen, and the answer of Dr. Falconer leaves no doubt that the *roum* differs materially from the *green dye of China*.

“ This green colour, named *roum* by the natives of Assam, is prepared in the valley of the Berhampooter river in Assam. It is extracted from a species of *Ruellia*, an Acanthaceous plant. This plant, the specific name of which is unknown, or a species nearly allied to it, is cultivated with the same object in Pegu, and other parts of the Burman Empire. We must not compare the *roum* with the *lilaroum*, an indigo furnished by an Apocynaceous plant, the *Wrightia tinctoria*, R. Br. Dr. Falconer is inclined to think that the green dye or *roum* of Assam contains indigo of the same kind as is yielded by the species of *Isatis* and *Wrightia*.

Some persons think this is the *Ruellia comosa*, Wall., or the *R. eucoma*, Steudel. Nothing definite can be said on this point. The *R. comosa*, Wall., is the *Ebermaiera axillaris*, De C., and the *R. comosa*, Roxb., or *R. eucoma* Steudel, is the *Buteræa ulmifolia*, De C. Both these plants are Acanthaceous, as well as the *Justicia tinctoria* of Loureiro mentioned above.

#### ABSTRACT.

Of these thirteen substances five have been examined, the others have not, and some of these are altogether unknown.

The green indigo of Prinsep, that analyzed by Kurer, the vegetable green of Mons. Cezard, are impure indigoes, possibly the same may be said of the *roum* of Assam.

The extracts sent by the Agri-Horticultural Society of India have none of the properties of the *lo-kao*.

With reference to the remark of Mr. Robert Fortune, the *whi-mei* exhibited in 1851, is either the flower of the *Sophora Japonica*, L., or a dye obtained from them. If this dye be really green, as stated in the Catalogue of Prof. Solly, it would support the singular assertion that the *hoai-hou* may also yield a green colour, but the *whi-mei* is certainly not connected with the *lo-kao*.

The green dyes obtained from that species of *Ruellia* in Assam, from the *Justicia tinctoria*, Lour., the *Adenostemma*



*tinctorium*, Cass., the *Sansevieria late-virens*, Haw., the *Asclepias tingens*, Roxb., of the *Melissa officinalis*, L., of the blue flowered Scabious, have not yet been examined.

Finally the *tsai* of Poivre, the *dinh-xanh* of Charpentier de Cossigny, and the green indigo mentioned, in Cochinchina, to Mons. Hedde and myself, are still unknown.

The *green dye of China* has been sought in vain in the various plants stated to yield a green dye by several writers; the result does not appear to have been satisfactory. The plants I allude to are the *Arundo phragmites*, L., the artichoke, the deadly night-shade, wild chervil, the ash tree, *lucerne*, *Lycopersicum esculentum*, Mill., *Mercurialis perennis*, L., *Ronabea arborea*, Blanco, the groundsel and the common field clover.

### III

#### OF THE CHINESE NAMES OF THE GREEN DYE, AND OF THE PLANTS FROM WHICH IT IS EXTRACTED.

Those only who have travelled and lived in China know how difficult it is to obtain precise information on any subject in that country; it is therefore not to be wondered at that after five years' expectation I am still without the names, written in Chinese characters, of the plants that yield the *green dye*, and no other person has been more fortunate than myself.

Mons. Arnaudtizon, a Delegate of the Chamber of Commerce of Rouen in China, wrote a letter regarding the *lo-kao*, on the 16th January, 1853, to the French Consul at Shanghai. The date of that letter is interesting, and I have given an extract from it at the close of this notice. He states therein that the shrub is named *lo-sa*. Mons. de Montigny, Mons. Edan, his officiating successor, Mons. Remi, and Mr. Fortune, all give the same name (*lo-za*, *lok-zah*, *lo-sa*.) The Rev. Mr. Edkins, of Shanghai, is of the same

opinion; but as he had the character before him, he wrote *luh-chae* in the Kouan-hoa dialect, and according to the English mode of transcribing Chinese words.

*Lo-zai*, *loh-zah*, *lo-za* or *lo-sa*, is not the name of a plant. The word *tchai*, in Kouan-hoa, and *zai* or *za*, in the dialect of Ningpo, means small faggot, or a faggot of small pieces of wood—small pieces of wood suited for burning. Father Helot assures us that :—

“The name of *lo-za*, given to this shrub in Tchakiang, is not its proper name, but the designation of its branches tied up in faggots for sale to the dyer.” (p. 24.)

Further on I shall speak of two species of two shrubs; I do not exactly know the names by which they are distinguished in China. Father Helot is the only one who has thrown any light on this point. He mentions two species or two varieties of *lo-za*; one is called *pa-bi lo-sa*, (white skinned green vine branch) the other *hom-bi lo-sa* (red skinned green vine branch).

Knowing the meaning, it is easy to restore the Chinese character; the cultivated species would be in the Kouan-hoa dialect *pe-pi lo-tchai*, or more precisely *pe-pi lo-chou*, and the wild species, *hong-pi lo-tchai*, or still better *hong-pi lo-chou*.

Further on (p. 24) Father Helot says:—“The Cantonese on whose mountains this shrub grows, say it is called *lieu lo-chou* (willow green tree), and that at the commencement of winter it is conveyed in small faggots, and the name of *lieu lo-tché* (*tché* signifies small wood, branches). *Lieu lo-chou* is, therefore, I think its real name.” It is difficult to determine whether Father Helot meant to say that the *lieu lo-chou*, or more correctly the *lieou lo-chou*, is the generic name of the *Rhamni* that furnish the green dye or the name of that species of the genus that grows on the mountains of Changtoun, that is the *pe-pi lo-chou*. I incline to the first supposition.

Mr. Fortune states that a farmer in the neighbourhood of Hong-tcheou-fou, who had some plantations of the cultivated *Rhamnus*, named it *loh-zah*, and *soh loh-shoo*. The cloth dyed with the bark was called *se lo-pou*, according to Father Helot, *soh lo-shoo* ought most probably to be written *se lo-chou*, and would then signify the *green-dye* tree, *se* (colour) being in Ning-po, pronounced *sah* and *soh*.

In a note to which I shall refer again, Mr. Ch. A. Sinclair, interpreter to the English consulate at Amoy, mentions a bark used in Fokien for dyeing cotton green; it is in the local dialect, called *hwuy chiang-chi*, or *lee-chi*.

I do not identify in these words the pronunciation peculiar to Fokien, and a search in the dictionary of that dialect lead me to believe they are not correct. To make sure, I asked Mr. Edgar Bowring, of the *Board of Trade*, to transcribe the letters as they appear in the original report of Mr. Sinclair. I found them to correspond with *hoa tchin-tse*, pronounced at Fokien *hoa tchim-tchi*, and *lo-se* pronounced *liok-tchi*. The first signifies flower-needle thorn, that is the plant bearing sharp thorns and flowers; the second, green-thorn, or thorny plant yielding green. [It is almost needless to mention that the English vernacular name of the European *Rhamni* is buck-thorn.—TRANS.]

The shrubs from which the *green dye* is obtained are thorny; it is very probable that this *lo-tse* or *tchin-tse* is one of the *Rhamni* mentioned by Father Helot.

I have now to notice two names totally different from any of the above.

Father A. Aymeri, Procurator of the Mission of St. Lazarus in China, writes from *Ning-po* on the 22nd August, 1856, that a shrub, the bark of which is bought to dye for common cloths, and which grows wild in the district of Hitcheou is called *ma-ly*, in the province of Pekin. He does not give the Chinese characters.

Dr. W. Williams mentions a plant named *ma-li-kin*, which should be the *Asclepias curassavica*, Lour. (*Toxicarpus Wightianus*, Hooker.) It has been stated above that indigo is extracted in Sumatra from the *A. tinctoria*, Roxb., and that in Pegu, the *A. tingens*, Roxb., yields a green dye.

I received from Mons. Remi, in September, 1856, a recent sample of the green dye of China, with a label, on which was written, "Green Paste of *Sou*." It differed in no respect from the previous despatches. Medhurst gives *clary* as the translation of *sou*, and Mons. Callery translated it *Scrophularia*. Mons. Decaisne told me that an English horticulturist had reared a scrophularious plant, which had been sent him as the *lo-za*.

Mons. Carvalho sent the 258 taels of lac intended for Mons. Guinon, under the name of *lok-kouh*. Messrs. De Montigny, Edan, Arnaudtizon, Remi, Father Helot and Aymeri, all call this substance *lo-kao*. The Rev. Mr. Edkins and Mons. Remi caused the character to be written, the first at Kia-hing-fou, the second at Shanghai; the name was not written in the same manner, but the difference was slight.

If we adopt the characters given by the Rev. Mr. Edkins, and Mons. Remi (letter of the 7th January, 1857,) the *green dye of China* is called *lo-kiao*, which signifies green glue, or green lac. Depending on the second writing, also sent me by Mons. Remi (Sept., 1856,) we have it green juice, green fat, green paste. I may add that it has also been written *lo-kao*, *lou-kao*, (*Travels of Morrison, Williams, &c.*) which explains how Mr. Edkins comes to write *luh-kaou*, and Mons. Remi *low-kow*. I give the pronunciation of Kouan-hoa; in Canton it is *louk-ko*, in Fokien, *liok-kou*, and *lek-ko*.

M. de Grijjs, who forwarded from Amoy, to Dr. D. Hoffman, his former master, a Dutch translation of the paper of Father Helot, writes the equivalent to green cake, relying

on the opinion of Dr. Williams. I surmise the real name is *lo-kao*.

The *lo-kao* purchased at Canton in December, 1852, was divided into packets each containing 10 taels (378 gr.); these packets bore a label. It was supposed to convey some useful information, or at least the name of the lac and of the plant. Nothing of the kind. Here is the inscription:—

On the left: *Ting-chang, youen-tsai kiao tsoui-mao lo chliang tso*, signifying “ten ounces (Chinese) exact weight, of fine green (colour) of feathers of the (bird) *tsoui*, natural colour of the best kind.”

On the right: *king-jen kien-siouen*, “selected with care to dye figured silks.” The name and sign of the seller are on the left: *Ta-sin tsai-yun*.

---

#### IV.

#### OF THE PLANTS THAT YIELD THE GREEN DYE OF CHINA.

Until some European chemist shall have discovered traces of the green dye in some of the parts of the plants I am about to treat of, the flowers, the berries, the seeds, the leaves, the bark, or the root, it cannot be asserted that these plants are really those the Chinese use to dye their cottons with, or from which they prepare the *lo-kao*. The doubt is reasonable, when we consider the numerous contradictions that pervade the items of information collected in China by the most trustworthy persons, and how the most distinct assertions disagree with the facts ascertained by science and the arts. I repeat that in China one can only believe what one sees. A Chinese never confesses that he does not know; and he makes a point of producing any article required of him. He discourses on what he knows nothing of with the same effrontery with which he sells the Schweinfurt green as the green dye of China, and Prussian blue for indigo. The testimony of the Chinese can therefore only

be received after a careful examination, unless some dependence can, from previous experience, be placed in those from whom information is sought.

The discovery of the shrub that yields the green dye is due to Mons. de Montigny; it must have been made before the year 1852.

Mons. Decaisne found several specimens of the *Rhamnus chlorophorus* in the herbarium of Miss de Montigny. The branches bearing seeds not perfectly ripe must have been gathered in August or September, and as Mons. de Montigny embarked with his family at Whampoa for France in July, 1853, the shrub must have been in his possession during the later months of 1852.

I learn from Mons. Remi that Mons. de Montigny had several plants in the Consular Garden at Shanghai; but I cannot say when, but it must have been before 1853, and may have been in 1852, for Mons. Remi writes in terms that prove him to have seen what he writes about: "The *lo-za* grows somewhat rapidly, and attains in three years a height of from 5 to 6 feet."

Finally, before leaving China, Mons. de Montigny forwarded in cases to the Museum of Natural History, a number of plants of both species, which were unfortunately dead when they reached. Father Helot mentions them:—"The shrubs sent by Mons. de Montigny may be considered genuine, amongst the plants transmitted are the *hom-bi* and the *pa-bi lo-za*."

Whatever may be the date, Mons. de Montigny is the discoverer, and made these *Rhamni* known to Mr. Fortune. This priority need surprise no one: our Consul has rendered many other services, and his intelligent enquiries and indefatigable zeal are well known.

Mons. Persoz shewed me, in April, 1852, the vegetable green lac which he had just received; I immediately wrote to Canton for seeds of the plant from which it was obtained.

None were to be had. I wrote to Shanghai in October 1852.

On the 9th July, 1853, Mons. Remi wrote to me from Shanghai on the subject :—" I will speedily send you some seeds of the shrub that yields the green dye."—Mons. de Montigny had one of them in his garden ; he gave it to Mr. Alcock, British Consul. It is now covered with berries, when they are ripe I will ask Mr. Alcock for some. . . Mons. Edan assures me that there is another tree of the same genus, named *lo-za*, in the garden of Mons. de Montigny, of which he took possession with the Consular office. That tree is also loaded with berries."

Mons. Remi sent off the seeds on the 29th November, 1853. He wrote :—" Mons. Edan and myself have gathered these seeds, and we have extracted the green indigo of which we send you the extract." He adds further on :—" I believe the *lo-za* will grow rapidly in France ; and that large plantations would yield a profitable return to any undertaking the cultivation. The tree bears numerous branches ; it grows rapidly, and in three years attains a height of 5 or 6 feet. The berries are abundant ; a single tree will yield enough to make half a kilogramme of indigo."

Finally, Mons. Edan wrote on the 10th December, 1853—:

" I gave Mons. Remi a part of the gathering (of the berries of the *lo-za*) secured in my garden."

This is the history of the seeds I received in January, 1854. I gave a portion to my sister-in-law, Madame Bizot-Desgrand, of Lyons, and another portion to my friend Mons. de Montigny, who was then at Paris, and who presented them on the 13th April, 1855, to the Imperial Zoological Society of Acclimation. The Society handed the seeds to Mons. Paillet, but none of them germinated. The other seeds were sown, in February, 1854, at Tassin, near Lyons, by Mons. P. Desgrand ; they germinated, and some fifteen plants are still in existence, having weathered three winters.

The plants that have flowered this year at Irigny, with Mons. A. F. Michel, were obtained from Tassin, as also those in the Botanical Garden of Lyons.

Mons. Arnaudtizon considered (in January, 1853) that two species of *lo-chou* were in use. He says:—"The colouring matter is obtained from a tree of which there are two kinds, one produces what is called in Chinese the *yellow skin*; the other the *white skin*." He adds that this tree is only to be found near Sou-tchou and Kachin, in marshy land. The Rev. Mr. Edkins also indicates two species; one called a *white* variety, is wild, and grows in abundance in the vicinity of Kia-hing and Ning-po; the other, the yellow variety, is cultivated, and is to be found at Tsoh-kaou-pang, where some thirty men are employed in the preparation of the dye-stuff.

Mons. Fortune secured the wild and the cultivated species; he sent plants of both from China to the Agri-Horticultural Society of India, who received them in March, 1854; he subsequently brought both the same species to England.

Father Helot confirms the assertion, by saying: "The *lo-za* is of two kinds, which may be only varieties of the same species. One is from the bare mountains in the S. E. of Tché-kiang (in Chantoung) and named *pa-bi lo-za*; the other which is a shrub, and grows wild in the fertile plains around Azè, in the same Tché-kiang, is called *hom-bi lo-za*." When the bark of this latter species is boiled in water, a white scum is formed that subsequently passes to rose. "It is this peculiarity," says Father Helot, "that has obtained for it the name of *hom-bi*, red (scum) bark." However long the bark of the other may be boiled the same remains white; hence the name of *pa-bi*, white (scum) bark.

Father Helot does not agree in this respect with the Revd. William Edkins and Mons. Arnaudtizon. Red bark is said to be *hong-pi*; yellow bark *hoang-pi*, or as commonly



pronounced *houong-pi*; the difference between *hong-pi* and *houong-pi* is so small that it is easily accounted for. The *pe-pi lo-chou* is, according to Father Helot, the cultivated species, and the wild species according to Mr. Edkins. The same discrepancy exists between them in regard to the *hong-pi* or *houong-pi*. Mr. Fortune agrees with the English missionary.

Mons. Remi wrote to me on the 6th September, 1855; "There are certainly two kinds of *lo-za*, but I believe that only one, and that the one you possess, yields the green indigo." Mons. Remi explained more recently in August, 1856, that the name of *lo-za* is applied to two varieties, to the *male lo-za* and the *female lo-za*; that the barks of the two are mixed together to dye silk and cotton green.

Messrs. Arnaudtizon and Fortune, the Rev. Mr. Edkins, and Father Helot, also intimate that the two species are necessary to the production of the green dye. "The solution of *hom-bi lo-za*," says the latter, "yields a stronger and more firm tint, but without lustre, while the solution of the *pa-bi lo-za* affords a light tint without strength, but with a magnificent glance. The operation of preparing the colour commences with the *hom-bi*, and it is completed with the *pa-bi*, and thus do the Chinese make their most valuable colour."

If there be one fact beyond a doubt, it is that there are two species of *lo-chou*. It is established by learned persons who have seen them, and the remarks have been made at different times and different places. But these observations, when compared with each other, and with the remarks addressed to me by Sir W. J. Hooker, Dr. Lindley, Messrs. Fortune, Remi and Hanbury, exhibit contradictions, some of which have already been noticed.

With these reservations, I will now state how I came to collect facts sufficiently authentic to enable Mons. Decaisne of the Academy of Sciences, to describe these two species.

The illustrious Professor of the Jardin des Plantes has on the other hand, owing to the great care devoted by him to all his enquiries, arrived at proofs of a distinct and original character, that have confirmed my own.

Father Helot caused a branch of the *hong-pi lo-chou*, covered with green berries, to be drawn from nature by a Chinese artist; the Central Committee of the Society for the Propagation of the Faith communicated this water-colour to the Chamber of Commerce of Lyons; and its members committed it to my care. The authenticity of this drawing is incontestable; it bears the seal and signature of the artist *Lao-san, i-kien, tchi* (Lao-san, surnamed Kien, did it;) the plant is expressly stated to be the *hong-pi lo-chou*.

This was my starting point. I was so fortunate as to secure proofs of the accuracy of this painting.

Father Helot had made arrangements for sending fifty pounds of seed to the Central Committee. The despatch never reached its destination; but, in the month of January, 1857, Father Aymeri forwarded from Shanghai, to Mons. E. Tastet, a large quantity of black berries, which on account of their appearance, and the number of thorns mixed with them, were evidently the produce of this species. This despatch is probably that originally prepared by Father Helot.

I received myself from Shanghai, in April, 1857, similar berries accompanied as they were by thorns. Those painted by the Chinese artist resemble these thorns as to apparent strength, hardness, sharpness, and length.

Dr. W. Lockhart sent from Shanghai to Mr. Dan. Hanbury some branches said to be taken from the cultivated species of *lo-chou*: they belonged to that *Rhamnus* which Mr. Fortune also states to be cultivated, and of which he brought several plants to England. These plants are in the garden of Dr. Lindley at Acton-Green, and in that of Mr. Glendenning, nurseryman, of Turnham-Green.

Mons. Decaisne examined the leaves forwarded to me by Mr. Hanbury; they correspond with those of the *hong-pi lo-chou* drawn by Lao-san. Mons. Van Houtte, the celebrated horticulturist of Gand, has reared, on the other hand, a *Rhamnus* sent to him as the one yielding the green dye; and Mons. Decaisne has been able to declare that it differs, in no respect, from that of Father Helot.

The *hong-pi lo-chou* has all the characteristics of a wild shrub; and, of the two species, this one must be considered as the one growing without cultivation. This is the opinion of Mons. Decaisne; it is that of Father Helot; and we must believe that both Mr. Edkins and Mr. Fortune have been misled. With this reservation, their accounts agree with what we have said regarding this species. The *hong-pi lo-chou* is truly very strong and vigorous, as remarked by Mr. McMurray when writing of the cultivated species, and Mons. Persoz has obtained from the berries, as Mr. Fortune did, a fine yellow dye; but I am bound to notice that Father Helot, writing on the 27th April, 1857, on the subject of the *pe-pi lo-chou*, observes in a P. S.:—"This shrub is not cultivated," while he said in his paper on the *green dye*:—"The *hom-bi lo-za* grows as a shrub and without cultivation." We shall shew hereafter which of these two is the correct definition.

Mons. Decaisne has, under the name of *Rhamnus utilis*, described this species, which is allied in the size of its leaves to the *R. hybridus* of our gardens (see pl. 1).

"*Rhamnus dioicus*; ramulis cylindraceis, spines centibus vel inermibus; foliis 8-10 centim. longis, 3-4 latis, oppositis alternis ve, elliptico-oblongis, apice obtusis aut acuminatis, basi parum attenuatis, margine denticulatis et ciliolatis, subtus puberulis, penninerviis, nervis pagina superiore impressis, inferiore prominulis; baccis magnitudine pisi majoris; nuculis obovoideis, compressis, longitrorsum sulcatis, opacis."

The *hong-pi lo-chou* being known, it is evident that the other species sent us must be the *pe-pi lo-chou*. Mons. de Montigny possessed both species, he sent them both to the hot-houses of France, but they were found dead on arrival; there remained only in his garden, at Shanghai, that other species which was not the *hong-pi lo-chou*, the one which according to every testimony was necessary in the preparation of the green dye. It is merely called *lo-za* or *lo-chou*; it must certainly be the *pe-pi lo-chou* of Father Helot, and what he says on the subject in his letter of the 6th of April, 1857, decides the point.

I draw especial attention to the fact, stated by the Chinese, that to this shrub is due the most singular attribute of the green dye, viz., its brilliancy when exposed to artificial light. Father Helot speaks of the magnificent lustre obtained only after immersion in the infusion of the *pe-pi lo-chou*. At Azè he was assured that the *lo-kao* was prepared from the bark of the *pe-pi*, and the dyers of Khiutcheou-fou, whom this zealous missionary interrogated, described a process for dyeing silks and cotton with the *pe-pi* only. It would seem, in fact, if one might place any dependence on the somewhat obscure statements of the Chinese, that the *pe-pi* alone yields violet, blue and green, according to circumstances, and a peculiar kind of *lo-kao*, on cloth of a watery green tending to azure, with lime or alum; that the *hong-pi* yields a yellow to impart a green to the color, and that the *lo-kao* is impure if the admixture of this yellow be in too great a proportion.

I have introduced the *pe-pi lo-chou* into Europe. I twice received seeds of this plant. I gave some of the first despatch to Mons. de Montigny and to Madame Bizot Desgrand, and of the second to Mons. Decaisne, to Sir J. W. Hooker, and to the Messrs. A. F. Michel, Seringe, Paillet, Hanbury, Bleekrode and Van Houtte.

Mons. Remi had sent me, some short time before, a branch covered with unripe berries; a drawing was prepared from this branch, and fragments of it are still in existence. Subsequently, Mons. Mollien, French Consul at Havanna, on his return, in January or February, 1854, from a Journey to China, brought some specimens of the same *lo-chou*; they had been gathered carelessly, and were in a bad condition.

In the meantime, the seeds sown in Lyons in February, 1854, had germinated, and some twenty shrubs were growing in the open air, on a hill side, exposed to the wind. They all flowered in the early part of May, 1857. Mons. Decaisne described the species from a branch in flower gathered on the 19th May, by Mons. A. F. Michel, from the plant he had reared in April, 1856, at his country-house at Trigny, near Lyons. Mons. Decaisne not only examined the seeds of both despatches, the shrubs reared from those seeds, the branches sent in 1853 and 1854, but he found several excellent specimens in the herbarium of Mlle. Montigny. He could have no doubt on the subject.

In noticing as mentioned above, that Mr. Fortune must have been misinformed as to the distinction between the two species, I must observe that the remarks of Mr. McMurray, regarding the wild shrub, are applicable to the *pe-pi lo-chou*: it has smaller leaves, and a more delicate habit than the other. Mr. Fortune has extracted from the berries a purplish or violet dye of superior quality; it will be seen further on, that the fruit of the *lo-chou* in the garden of Mons. de Montigny (in Shanghai) yielded a very rich green substance to Messrs. Edan and Remi.

The *pe-pi lo-chou* is now the *Rhamnus chlorophorus* of Decaisne (see Pl. II.)

"*Rhamnus dioicus*; ramulis cylindraceis, cinereis, apice spinescentibus et pube brevi inspersis; foliis 3-4 centim. longis, 2-3 latis, alternis oppositisve, breviter petiolatis, ovatis, acuminatis, basi cuneatis, denticulatis, subtus puberulis,

*supra glabris, nervis in pagina superiore impressis, in inferiore prominulis; stipulis lineari-setaceis membranaceis; floribus masculis binis v. quaternis; calycis tubo infundibuliformi, laciniis lanceolato attenuatis, reflexis, vix puberulis; petalis obovatis, membranaceis, stamina longitudine subæquantibus; ovarii abortivi stylis binis obtusis; baccis nigris, globosis, magnitudine pisi minoris; nuculis obovoideo-rotundatis cylindraceisve, dimidio inferiore sulcatis, nitidis."*

It may be remarked of these two new species of *Rhamnus*, and perhaps to others, that according to localities the extremity of the branch is thorny or otherwise, and that therefore characters deduced from the existence or absence of thorns are of very small consequence in describing species. The branches of the specimens of the herbarium of Mlle. Montigny are armed at their extremities with long hard and sharp thorns, while the thorns on the plants reared at Lyons are hardly noticeable.

Finally, it is established that the *hong-pi lo-chou*, (*Rhamnus utilis*), is, according to Father Helot, the wild species, and according to Messrs. Edkins and Fortune, the cultivated species; and the *pe-pi lo-chou* (*Rhamnus chlorophorus*), is the wild species of Messrs. Edkins and Fortune, and the cultivated plant of Father Helot.\* The first has been introduced by Mr. Fortune, the second by myself.

The Chamber of Commerce of Lyons has inserted in its second publication a note addressed to them by me on the origin of the seeds of the *lo-chou* reared at Lyons. An error slipped into that note which I hasten to correct, at page 39, line 21, for *Rhamnus Sinensis* read *R. tinctorius*. There is no *R. Sinensis*. Mons. Decaisne expressed his belief on first examining it, that the branch belonged to a closely allied

\* Dr. Lindley thought at first sight that the *hong-pi lo-chou* was the *R. cornifolius*, of Boissier and Hohenacher, but he has given up that opinion since the plant has been described by Mons. Decaisne; but he still believes that the *R. chlorophorus*, Decne., is identical with *R. globosus* of Bunge.

species, described by Waldstein and Kitaibel under the name of *Rhamnus tinctorius*, without being able to decide unless he saw the flowers whether it was a variety or a new species. I write now with the letters, written in 1854, by Mons. Decaisne, before me; subsequent facts have proved the correctness of his surmises. There is in the Jardin des Plantes a very handsome *R. tinctorius*, and it will be seen how much it resembles the *R. chlorophorus*, the latter differing only in the shape of the calyx.

M. Seringe has described the *hong-pi lo-chou*, from the drawing of Lao-san, under the name of *Rhamnus Sincensis*. I must bring to the recollection of my readers that it has been named *R. utilis* by Mons. Decaisne.

Are the two buck-thorns of which I have been writing, the only ones that yield the green dye? The Chinese declare that other species of the same genus have dyeing properties.

I do not mention various plants, known and unknown, which are asserted by some persons, without sufficient proof, to be the genuine *lo-chou*.

## V.

### OF THE LOCALITIES TO WHICH THE LO-CHOU IS INDIGENOUS.

Every thing leads to the belief, though it cannot be asserted, that our two buckthorns are those whose introduction is so very desirable. It is therefore proper to consider the climate most suitable to their cultivation.

The *houong-pi lo-chou* grows in the fertile plains in the neighbourhood of Azè, in the Tché-kiang (Father Helot); the *houong-pi lo-chou* is found at Tsou-kaou-pang (Revd. Mr. Edkins); the *ma-li* is very common in the hills of the district of Hi-tcheou (Father Aymeri.) Those three localities refer to the wild species.

As for the cultivated species it abounds in the mountains of Khin-tcheou-fou, in those of the S. E. parts of Tchékiang

and of Chantoung (Father Helot); in the vicinity of Hang-tcheou-fou, of Kia-hing-fou, and of Ning-po (Revd. Mr. Edkins). Father Helot observes that the faggots of the *pe-pi lo-chou* are brought to Azè from a distance of upwards of 40 leagues, which does not agree with the assertions of Mr. Edkins, and of the dyers of Khin-tcheou-fou.

Others state that the *lo-chou* (without specifying the particular kind,) is found in the neighbourhood of Sou-tcheou-fou and of Kachin in the marshy lands (Mons. Arnaud-tizon); near Tcha-fou-pan (Mons. Edan), at Sou-tcheou and at Amoy (Mons. Carvalho), at a short distance from Sou-tcheou (Mons. Remi), and between Hang-tcheou-fou and Hou-tcheou-fou. Finally, the *lo-tsé* mentioned by Mr. Sinclair, grows in abundance at Tung-chun-chow in the Fokien province.

It is necessary to determine to which of the two species the *lo-tse* just mentioned belongs. The only hint supplied by the note of Mr. Sinclair is as to the price: he says large quantities of bark are purchaseable at 5000 sapeques the picul, or about 46 francs for 100 kilogrammes. This is precisely the price of the *pe-pi lo-chou*. At Azè the *hong-pi lo-chou*, made into faggots, is worth about 8½ fr. per 100 kilogrammes; and the *pe-pi lo-chou* about 24¾ fr. As it is understood that 100lbs of faggots yield about 50lbs of bark, we must double the above prices, as the value of the bark, viz., 17 francs the 100 kilogrammes for the bark of the *hong-pi lo-chou*, and 49½ francs for the *pe-pi lo-chou*. It is reasonable therefore, to suppose, that the latter is the shrub cultivated at Tungchun-chow.

But there is no district of this name in the province of Fo-kien nor in any part of China. It must therefore be an error of the press, and we must read Young-tchun-tcheou. This district is in the southern part of Fokien.

Thus the *pe-pi lo-chou*, or *Rhamnus chlorophorus*, is found to be cultivated between the 25th and 36th degrees of



North latitude, and more especially about the 30th and 31st degrees of North latitude.

The *hong-pi lo-chou*, or *Rhamnus utilis*, is mentioned as high as the 39th, and extends to the 30th degree of Northern latitude.

This huck-thorn seems, in fact, much stronger than the first, and to be able to resist the severe frosts of Tchi-li.

It is evident that both species exist in abundance in the Northern parts of the province of Tché-kiang, over a space of about 15 square leagues, of which I will define the limits. Barrow had observed on the banks of the Sihou lake, buckthorns mixed with roses, cotton plants, lilacs, junipers, &c.

Ning-po, chief town of the district of that name, in the province of Tché-kiang, one of the ports opened to foreign trade, is in N. lat.  $29^{\circ} 55'$ , and E. long.  $119^{\circ} 6'$ . Kia-hing-fou, also the chief town of a district, and in the same province, will be found in N. lat.  $30^{\circ} 53'$  and E. long.  $118^{\circ} 13'$ . Tsoh-kaou-pang is distant two or three miles from Wang-tien, and that little town is some miles south of Ki-hing-fou, "It is in the neighbourhood of Tcha-fou-pan," writes Mons. Edan, "that the *lo-za* is most abundant," and, according to him, Tcha-fou-pan is a large borough, almost entirely inhabited by Christians, situate in the province of Tché-kiang, 70 leagues from Shanghai. There must be some error in specification of this distance, and if the Tcha-fou-pan of Mons. Edan be not the Tsoh-kaou-pang of Mr. Edkins, it must be close to it. Father Helot in alluding to a large assemblage of Christians in the neighbourhood of Azè no doubt intends to speak of this place. Azè, is a large township, six or eight leagues to the south of Kia-hing-fou, which would place it between the town of Hai-ning and Hai-yen, both of them chief places of districts, the first in N. lat.  $30^{\circ} 28'$  and East long.  $118^{\circ} 6'$ , the second in N. lat.  $30^{\circ} 35'$  and East long.  $118^{\circ} 20'$ . The correct name of Azè is

probably Hai-tsui. Hou-tchaou-fou is in N. Lat.  $30^{\circ} 53'$  and E. long.  $117^{\circ} 36'$ , and Hang-tcheou-fou in N. lat.  $30^{\circ} 20'$  and East Long.  $117^{\circ} 48'$ ; both are chief towns of districts in the Province of Tché-kiang. Finally, Sou-tcheou-fou, chief town of a district in Kiang-sou, is in North lat.  $31^{\circ} 23'$ , and East long.  $118^{\circ} 9'$ .

This small tract is therefore confined within lat.  $31^{\circ} 23'$ , Northwards and  $29^{\circ} 55'$  Southwards, and Long.  $118^{\circ} 20'$  Eastward, and  $117^{\circ} 36'$  Westward.

It is without doubt the most interesting district in China as far as Lyons is concerned. The most celebrated mulberry nurseries, the filatures, mills, and manufactories are to be found in these departments of Hang-tcheou and Hou-tcheou. The latter furnishes raw and organzin silk of the greatest value in the Empire, namely those of Nan-tsin or Hou, divisible into three classes well known at Lyons: the *tsi-li* or *tsat-lee*, the *yune-hoa* or *yune-fa* (garden-flower) the *ta-tsan* or *tay-saam* (large silk-worms).

Here are the direct distances between Shanghai and each of the above towns. I calculate by *lis*, and 10 *lis* are equal to a league:—

From Shanghai to Sou-tcheou-fou,	100	lis.
„ „ to Kia-hing-fou,	115	„
„ „ to Hai-ning-hien,	165	„
„ „ to Hou-tcheou-fou	190	„
„ „ to Ning-po-fo,	215	„
„ „ to Hang-tcheou-fou,	225.	„

Kia-hing-fou is 62 *lis* from Haining, and 145 *lis* from Ning-po. Hang-tcheou-fou is only 90 *lis* from Ning-po.

The climate of this most fertile part of the provinces of Tché-kiang and Kiang-sou assimilates with that of the south of France; the following are cultivated there:—the mulberry, the vine, the peach, the orange, the jujube, the almond, the plum, the camphor, ebony, hemp, sugar-cane,

wheat, rice, sesamum, tobacco,\* &c. It is certain that the two species of *Rhamnus*, of which one can bear the climate of the latitude of Pekin, and the other is found in the mountains of Chantoung, would be perfectly at home in France.

## VI.

### THE OTHER SPECIES OF RHAMNUS THAT HAVE BEEN DISCOVERED IN CHINA.

The bark and the fruit of the buck-thorns have recently been the subject of much enquiry, and it will not be out of place to point out all the species that are indigenous to China. The number is small, and several will have to be referred to the genus *Zizyphus*.

*Rhamnus crenatus*, of Siebold and Zuccarini; Hab. Japan, (Hoffmann and Schultes. *Asiat Journ.* 4th Series, Vol. XX, p. 323.)

*R. globosus*, Bunge; North China.

*R. lineatus*, Lour. *Berchemia Loureiriana*, Decand; China. (Osbeck, *Voy. to China*, 1771, Vol. I, p. 353; fig. 7; Vol. II, p. 345,) Cochin-China (Lour. Vol. I, p. 159.)

*R. theezans*, Linn. *R. thea*, Osb., *Sagaretia theezans*, Br.; China (Osbeck, Vol. I. p. 375, and Vol. II, p. 245, *Account of China*, Vol. III, p. 355.)

*R. agrestis*, Lour., *Zizyphus agrestis*, Schultes; Cochin-China (Lour. Vol. I, p. 158; *Dict. Anam.* Latin, p. 633.)

*R. ænoplia*, Linn., *Zizyphus ænoplia*, Miller; China. (Osbeck, Vol. I, p. 386, and Vol. II p. 345.)

*R. Soporifer*, Lour. *Zizyphus soporifera*, Schultes; China. (Lour. Vol. I, p. 158, *Account of China*, Vol. III, p. 355.)

To this list have to be added :

\* All, with two exceptions, cultivated in the more temperate parts of the Punjab.—TRANS.

*Rhamnus utilis*, Decne. ; *R. chlorophorus*, Decne. ; a new species allied to *R. chlorophorus*, in the herbarium of Mlle. de Montigny (*R. bapticus*, Decne.)

Lastly, Plukenet describes three buck-thorns, indigenous, one to the island of Tow-whey-san, and the other *R. Cheusanensis*, of the island of Tchou-san, which, in his opinion, somewhat resemble the *R. catharticus* of Linn., the third is the *R. sinensis flore cæruleo*, of the island of Tchou-san (*Amaltheum botanicum*, 1705, p. 182. pl. 408, figs. 2 and 4. p. 183.)

## VII.

### OF THE PARTS OF THE LO-CHOU THAT YIELD THE GREEN DYE.

It is still not positively known whether the *Lo-kao* is obtained from the bark, the fruit, or the root ; nevertheless we have much reason to believe that it is extracted from the bark of the branches, and no doubt also from the bark of the roots.

#### *Flowers and Leaves.*

Mons. de Bourboulon wrote from Macao on the 21st August, 1852, to the Minister of Foreign Affairs :—"The Chinese who obtained this lac for Mr. Forbes, assured him that it was the produce of the flower." Mons. Carvalho, of Canton (26th November, 1852), says :—"This dye-stuff, extracted from the flower and the leaf of a certain shrub, comes from Amoy and Sou-tchou-fou in very small quantities." Information to the same effect was given to the Commercial Delegates at Canton.

#### *Roots.*

The Agri-Horticultural Society of India sent to Mons. Persoz a sample of Chinese green cloth, "dyed with the colouring matter obtained (according to the Society) from the root." Mons. Persoz ascertained that this cloth did derive its colour from the *Green Dye*.

*Bark.*

According to Mons. Arnaudtizon, the bath employed to dye dark green, is a hot infusion (in lime water) of the peeled bark. The Rev. Mr. Edkins collected information at Kia-hing-fou. He says: "The barks of the two species are thrown together into iron kettles full of water; it is boiled for some time; the decoction is allowed to settle for three days; it is then poured into large vessels, and the cotton cloths, previously saturated in lime water, are then repeatedly dipped."

Father Helot has in his Memoir recorded these several details of the operation. At Azè the bark of both kinds are used, but they are not mixed. "The dyeing of cloth is effected by dipping it from seven to ten times in the solution of the *hom-bi*, and the work is completed by three immersions in the solution of the *pa-bi*, drying the cloth every time." The object is that of securing *lo-kao*. At Khin-tcheou-fou, it appearst hat cloth is dyed by means of the *pe-pi lo-chou* only.

Father Aymeri, writing of the process in use at Tchi-li and Mons. Sinclair describing its nature at Amoy, only mention the bark, and Mr. Fortune wrote to Calcutta:—"It is a first step to have obtained the plant; a second to know that the dye is obtained from the bark."

*The Fruit.*

"The green colour is not made from the seed, which is a small black berry, but if crushed on some white paper, it stains it green. At Azè, the seed is not used at all." (Father Helot). "The seeds of the *lo-za* are of no use." (Ibid, letter 6th April, 1857.)

The following is the opinion of Mons. Edan:—"The fruit or berry (of the *lo-za*) in which the seed is enclosed, affords the precious indigo used by the Chinese to dye their cloths a fine sea-green colour." (10th December, 1853.)

About the same time (the 29th November, 1853) Mons. Remi wrote to me as follows:—"They told us (Mons. de

Montigny and himself) that the green indigo was extracted from the bark of the tree, while in truth it is obtained from the small fruit of the tree resembling the fruit of the wild vine. Mons. Edan and myself have gathered this fruit, and have extracted the green indigo, of which I send you a sample."

I should state how Mons. Edan and Remi prepared this substance, that appeared to them "a magnificent green." They first removed the skin and the seed of the berry; the fruit was then pressed to obtain its juice; this was boiled to concentration. Mons. Remi adds:—"The Chinese, after having boiled the juice, spread the paste thus obtained on some paper, and expose it to the sun to dry."

The subjoined extract from a letter of Mons. Remi dated the 14th March, 1854, is not less interesting:—"Mons. Edan and myself obtained a very fine green from the fruit of the *lo-za*; but were unsuccessful in regard to the bark we have therefore been induced to think that the sole mode of preparation of the green dye from the fruit is the only practicable one. But Mons. Edan has recently seen the celebrated English naturalist, Mr. Fortune, to whom Mons. de Montigny had mentioned the qualities of this plant, and who had obtained from the Chinese in the interior certain information that corresponded with that originally furnished. Mons. Edan took advantage of the visit of Mr. Fortune to express his doubts of the real origin of the green indigo. Mr. Fortune assured him that the bark of the *lo-za* was truly employed to furnish the stuff with which to dye cloth green, but that the fruit was used in the preparation of a green paint.

Mons. Remi writes again on the 6th September, 1855:—"The bark of the male and of the female *lo-za* yield the true green for the dyeing of textures, and the fruit affords the green colour that is used for painting both in oil and water colours."

"The Chinese, according to Mr. Fortune, were agreed in telling him that the seeds were used for staining paper only, and silk and cotton stuffs were dyed with the bark." Lastly, according to a memorandum received from China by Messrs. Chartron, father and son, and Monnier, of Lyons, and which they communicated to the Chamber of Commerce, the best kind of *lo-kao* is made from the berry, and the inferior kind from the leaf or the bark.

All the experiments made to this day, with the bark and the leaves of the *Rhamnus chlorophorus*, and the fruit of the *R. utilis*, have not been decisive.

Mons. Persoz has extracted a yellow dye from the bark of the *Rhamnus chlorophorus*, and the berries of the *R. utilis*. I do not know the result of the experiments of Mons. Barreswil on the green matter extracted at Shanghai from the fruit of the *R. chlorophorus* by Messrs. Edan and Remi. It will have been noticed above that Mons. Persoz could not discover a trace of the green dye in the extracts prepared from the berries of both kinds, and sent to him by the Agri-Horticultural Society of India.

If we are to receive the united testimony of Fathers Helot and Aymeri, Messrs. Arnaudtizon, Edkins, Fortune and Remi, we must believe it is the bark of the *Rhamnus chlorophorus* and *utilis*, but especially of the former, that gives to the green dye that brilliant colour it assumes under the influence of artificial light. The fruit, at least that of *R. chlorophorus*, probably yields a green colouring matter, analogous to the bladder-green, and differing from the true green dye both in colour and properties.

The berries, the leaves, and the bark of numerous buckthorns have been submitted to numerous experiments; some of those recently made have had singular results. The fruit of three of them has been long used in dyeing.

Mons. Michel has obtained tolerable greens, not however improving by artificial light, from the berries of the *Rhamnus*

*catharticus*, L., and those of *R. alaternus*, L. His attempts to dye according to the Chinese methods with the barks have not been altogether unsuccessful, and have led to a discovery opening a new path to further investigations: the cloth taken out of the bath with a light nankeen dye, placed at night on the grass had assumed towards morning, and long before it was exposed to the rays of the sun, a deep green colour. This tint has the singular property of shewing itself on the upper side of the cloth, while the lower next the grass, though exposed to a free circulation of air, was scarcely coloured, has a reverse so strongly distinguished as to present in the piece the appearance of having been printed. A damp atmosphere and dew increase the intensity of the tint. Mons. Michel proceeded with his experiments. After steeping two pieces of cloth in a bath of the bark of the buck-thorn, he spread one in a cellar impervious to light, and left the other during the night on the grass; on the following morning he found the first unchanged, while the second was deeply coloured on its upper surface.

The fruit of a buck-thorn yielded a pretty lilac on silk under the hands of Mons. Persoz.

The green berries of the *Rhamnus infectorius*, L. (Avignon berries), of the *R. saxatilis*, L. (Persian berries), of *R. alaternus*, L., and *R. amygdalinus*, Desf., afford a yellow color. The fruit of the *R. frangula*, L., a very common shrub about Lyons, and there called *bourgener* or *bourdaine*, gathered before they are ripe, in July and August, yield a fast and brilliant yellow, according to Dambourney and Leuchs, green, according to Buchoz, and when they are ripe, in September and October, they dye a purplish-blue without any mordant, and green, violet, blue-violet, or blue, according to the nature of the mordant employed. Dambourney obtained on wool, from the juice of the ripe berries fermented, very fine and fast greens, varying from an apple to a dark green. The colouring matter of the berries of the *R. infectorius*



is yellow before they are yellow, and a dark purple red, as soon as they have attained maturity. Buchoz notices a similar peculiarity in the fruit of the *Rhamnus catharticus*; before ripening it yields a saffron-red; after maturity a green, known as bladder-green, and still later a scarlet. The green berries of *R. tinctorius*, have, according to Waldstein and Kitaible, dyeing properties similar to those of the fruit of *R. catharticus*, but more esteemed by the dyers.

The inner bark of *R. infectorius* dyes yellow, when fresh; brown-red, when dry; the dry bark of the *R. frangula* yields a brown or dark red, and the fresh a yellow dye. Mons. Buchner, of Munich, has obtained from the bark of the root of this buck-thorn a yellow and volatile colour, which he has named *Rhamnoxanthine*; it is found in smaller quantity in the fruit and the bark of the wood, as well as in the bark and seeds of *Rhamnus catharticus*. The alkalis dissolve it, and convert it into a magnificent purple. Dambourney secured a tolerably bright olive green on wool from the root of the *bourdaine*.

The bark of *R. catharticus* and *R. alaternus* dye yellow; the wood of the latter species dyes dark blue; and the root of the *R. infectorius* brown. Lastly, the leaves of the *R. alaternus* yield a yellow colour, and those of *R. frangula* a greenish yellow.

It will have been noticed that the wood of *R. alaternus* yields a *dark-blue*, and that the fresh bark of the same buck-thorn, and of *R. catharticus*, *frangula* and *infectorius*, contain a yellow colouring matter. A mixture of cuttings of the former and of the bark of the latter ought to produce a green. I notice this fact, to shew that the preparation of the *green dye of China*, as described by Father Helot, is possible, and I have noticed all the experiments to which the buck-thorns have been submitted, with the view of establishing the existence of a volatile principle, and to shew that the changes undergone in the colouring matter in the

different species, from red to violet, to blue, to green, and to yellow, are nearly the same. The *lo-kao* is imbued with similar principles.

It is probable that the *green dye*, so remarkable when exposed to light, is a compound of blue and yellow, having separately the same property, and united in the bark of *R. chlorophorus*. I shall notice below, when writing of the *hoang-tchi*, of the fruit of a *Gardenia* and of the *hoai-hoa*, the flower-bud of the *Styphnolobium Japonicum*, that my suspicion that the supplementary yellow of one or other of these items is obtained from them instead of a second species of buck-thorn.

## VIII.

OF THE PRICE OF THE LO-CHOU BARK, AND OF THE LO-KAO.

### *Bark of the Lo-chou.*

At Azè, the *hong-pi lo-chou* costs in faggots 1000 sapeques for 100 Chinese pounds, or about  $8\frac{1}{2}$  francs the 100 kilogrammes, and the *pe-pi lo-chou* 3000 sapeques per 100 lbs, corresponding nearly with  $24\frac{3}{4}$  francs per 100 kilogrammes. Father Helot believes that the price of the latter is higher because it is brought from a greater distance. As it is believed that 100 lbs. of faggots yield 50 lbs. of bark, we must double the price of the former to obtain the value of the latter, viz.  $17\frac{1}{2}$  francs the 100 kilogrammes for the bark of the *hong-pi lo-chou*, and  $49\frac{1}{2}$  francs for that of the *pe-pi lo-chou*.

At Amoy the bark of the *lo-tsè* costs about 5000 sapeques the picul, or about 46 francs the 100 kilogrammes, and I have noticed above, that this is about the same price of this bark as that ruling at Azè.

In the province of Tchi-li the dyers buy 100 lbs. of the faggots of the wild buck-thorn for 2000 sapeques, or about 5 francs 70 cents per 100 kilogrammes, and 11 francs 40 c. per 100 kilogrammes of bark.

*Lo-kao.*

At Azè, 10 ounces of *lo-kao* cost Father Helot 15 dollars; 12 dollars was the price current two days before he reached that place, and he adds that a French merchant had paid at Sou-tcheou-fou, 19 taels of silver for a Chinese pound.

The selling prices in China may be thus summarized, according to the differences in the exchange, which has risen materially between 1845 and 1857, and especially within the last four years. The exchange on London which was 4*s.* the dollar in Canton during March, 1849, had reached 5*s.* 10*d.* in August, 1853. At Shanghai, the mean of 1850, was 4*s.* 9*d.*; of 1851, 5*s.* 1*d.*; of 1852, 5*s.*; of 1853, 6*s.* 3*d.*; of 1854 and 1855, 6*s.* 6*d.*; of 1856, 7*s.*  $\frac{1}{2}$ *d.*; and for the first ten months of 1857, 6*s.* 10 $\frac{1}{2}$ *d.*

The current coin at Shanghai at this time, for London bills, is either the dollar or the tael: the great rise in the exchange having temporarily equalized two currencies differing so entirely.

Date of Purchase or Advice.	Name of Purchaser or Consigner.	Place where Price was fixed.	Quality.	Price per Catty.*	Value of the Dollar in Fr. at the change of the day. †		Price per Kilogramme.
					Dls. Cts.	Fr. Cts.	
1845. January and July. 17th August.	The Commercial Delegates in China. Purchase of Mons. N. Rondot.	Canton. Ditto.		24 28	C. 5 " 5	65 50	224 255
1852. 21st August. 25th December.	Consignment of Mons. d. Bourboulon. Purchase of Messrs. Carvalho & Co.	Canton. Ditto.	1st. of Sou-techeou-fou. 2nd. of Amoy.	35 48 32	" " 6 " 6	25 40 40	362 508 389
1853. 16th January. 2nd May.	Letter of M. Arnaudtizon. " of M. Carvalho.	Shanghai. Canton.	1st. of Sou-techeou-fou. 2nd. Ditto. 3rd. Amoy.	20 15 40 36 80 32 21 60	S. 6 C. 6 " 6 S. 8	85 50 50 75	228 430 396 344 313
9th July. 1856. April.	Purchase of Mons. Remi. Letter of Mons. Remi. Note of Father Helot.	Shanghai. Ditto. Azè.	...	22 19 20	S. 8 " 9	50 "	309 286
Ditto. Ditto. Ditto.	Purchase by do. " of a French Merchant.	Ditto. Sou-techeou-fou.	...	24 26 50	" 9 " 9	" "	357 394
1857. 14th May. 15th June.	Purchase of an English Merchant. Ditto of a French Merchant.	Shanghai. Ditto.	...	24 25	S. 9 " 9	40 40	373 389

\* The Catty or Chinese pound is 604 grammes (1½ avoirdupois).—TRANS.

† Exchange at Canton (C.) or at Shanghai (S.) for 1st Class Bills at 6 months' sight.

To fix the delivering price at Lyons we must add, packing freight and insurance from Shanghai to Hong-Kong, and from Hong-Kong to Marseilles, commission for purchasing at Shanghai, and on transit to Hong-Kong and Marseilles, the charges at Marseilles, customs' duty, carriage from Marseilles to Lyons and petty expenses; I am not far out in setting down all this at from 10 to 12 per cent.

The selling price has varied at Lyons, and especially recently; it has risen to 750 francs the kilogramme, and been as low as 250; the ruling price for *lo-kao* has been from 400 to 500 francs per kilogramme.

A few words on the quality of the green dye. In Canton that brought from Sou-tcheou-fou is most esteemed according to Mons. Carvalho; that obtained from Amoy is very inferior to the former: its green is less blue, but with less brilliancy, and being frequently impure, the depths of its tint varies considerably, some of the *lo-kao*, is partly soluble, some nearly insoluble in water. It has begun to be falsified to a considerable amount.

## IX.

### OF THE PROCESS OF DYEING CALICOS WITH THE BARK.

Mons. Arnaudtizon, Father Helot and Mr. Sinclair have severally described the process of dyeing.

*According to Mons. Arnaudtizon.*—The bark is steeped for 15 or 20 hours in hot water; the cloth dipped into the bath when cold without any mordant, is spread on the earth during the night, to avoid the sun's rays and for the sake of a lower temperature; frost even is necessary; the side of the cloth that is next the ground is the darkest, and forms the right side [Father Helot and Mr. Sinclair say the reverse.] The cloth is dipped several times in the bath.

*Father Helot's account of the process at Azè.*—The fresh bark [he says the dry bark yields no colour, while Father Aymeri

assures us that the hill men of Hi-tcheou dry the bark thoroughly] of the *hong-pi lo-chou* being first boiled, remains infused for two days; the fresh bark of the *pe-pi lo-chou* is infused for ten days. Two separate baths are used in the operation, lime water being added to each.

The calicos are dipped from seven to ten times in the *hong-pi* bath, then three times in that of the *pe-pi*; the cloth is dyed after each immersion. The cloths are spread at night-fall, but the action of the sun is indispensable. The cloth is dyed only on that side that has been exposed to the sun.

*Process of Kin-tcheou-fou.*—The fresh bark of the *pe-pi lo-chou* is boiled; 63 grains of Chinese potash are added for every 100 kilogrammes of liquid, and the calicos are dipped three or four times in the bath; they are sun-dried after each immersion.

Its appears that alum is used in Chantoung, instead of lime-water and potash.

The reason for the difference in the processes of Azè and Kin-tcheou-fou, is that in the latter town, as further North, it is only desired to dye the cloth, and the *pepi* answers the purpose. At Azè the dyeing of cloth is the means of manufacturing the *lo-kao*; both species of buck-thorn are necessary, and the process is more lengthy.

*Mr. Sinclair.*—At Amoy the bark of the *lo-tse* is put into hot water; it is then boiled for an hour: potash and alum having been added, it is poured off, filtered, and allowed to stand during the night. The calicos are dipped in this infusion, and spread on the ground in the open air, to dry, in the morning, when the rays of the sun are less powerful. The reverse of the cloth is placed next the ground. It is sometimes necessary to dip the cloth and dry it twenty times, to obtain the required shade.

The reader must notice several contradictions. It is useless to dwell on them, and as to the objections that have been raised, Mons. Persoz and Mr. Mercer say; the first in a

letter of the 4th June, 1857: "The Chinese make Father Helot say that the green dye is imparted to the calico after frequent immersions in an infusion of the fresh bark. Now all the specimens which we have received from China prove that the colour cannot have been made fast in this manner, for they have all a right and a wrong side, clearly proving that unless two pieces had been previously stitched together, the colour has been applied on one side only, either with a knife, a brush, or some other mechanical appliance. Although this objection is not alluded to in the paper of Father Helot, it is clear the Chinese were anxious to anticipate, by asserting that the cloths saturated with colouring matter after immersion in the bath, were exposed to the sun, without whose action it could neither be developed nor fixed, and that subsequently the colour, not being fast on the side not exposed to the rays of the sun, has faded in washing, and presented that reverse noticeable in all the calicos dyed green in China. It is only necessary to expose these calicos to the sun to be convinced by the change that takes place, that it cannot have been formed and fixed in the manner described."\*

Mr. John Mercer had several years ago, come to the same conclusions, and addressed a letter on the 29th October, 1853, to Dr. Lyon Playfair, from which I copy the subjoined extract:—

"On examining the green China cloth which I have had for some time, and other samples of the same kind recently received, I observe several shades of green, and some of a green more blue than others. This would be hardly the case if these cloths have been dyed with a substance yielding an original green.

\* Mons. Michel has noticed a well-marked obverse and reverse in cloth dyed by immersion in a bath of buck-thorn bark, and spread during the night on the ground. The obverse, that is the darker surface (violet or green,) was that exposed to the action of the little light of the night.

“All the samples of Chinese green cloth I have seen to this day, are spotted here and there with deeper tints, produced by a violet blue, varying to red, especially in the centre when exposed to light. It is probable that this green dye is the result of an admixture of this blue colouring matter and yellow, and that the spots alluded to are caused by an imperfect preparation of the blue.

“A piece of this green cloth submitted to the action to an acid, washed, then dipped in a solution of carbonate of soda, assumed a purple, sometimes a reddish, colour. This cloth, touched with the proto-chloruret of tin, becomes bright orange; washed, and dipped into a solution of carbonate of soda, it assumes a fine rose colour; exposed to the air it is re-oxydized and assumes its natural colour. These changes prove that the base of the dye, is the same substance that has caused the dark spots I have mentioned.

“The cloth dyed with the green dye of China is much darker and more blue on one side than the other: and also a deeper blue. For some time I thought it might arise from the habit of the Chinese of spreading the dyed and wet cloth on the grass, between eight and nine o’ clock in the morning, when the ground is still fresh and perhaps damp. When the dye is soluble the evaporation being entirely from the upper surface, the liquid would be drawn to that side, and carry the colour with it; the water evaporating would leave a greater amount of colour above than below. At the same time the heat of the sun acts while the cloth is drying, so as to fix the colour, and effect to a small degree what is done more energetically by evaporation. But these surmises do not explain the spots that appear all on the obverse, as if the blue, with or without yellow, had been spread on the coarsely prepared cloth, and in a state of paste, by some mechanical process. If this view be correct these cloths have not been dyed by the means described by the interpreters, but by an improved and more rapid process, or a better imitation of the means known to our dyers.”



## X.

## OF THE PREPARATION OF THE LO-KAO.

The cotton cloth having been dyed by repeated immersions in infusions of bark, and dried without washing in pure water, the *lo-kao*, is, according to Father Helot, extracted from the surplussage of dye-stuff in the cloth.

The dyed cloths are dipped into cold water several times, and well shaken; the water is then collected in a kettle, a layer of cotton thread is then spread on the surface of the water; fire is applied; during ebullition the colouring matter is deposited on these threads; more of the water in which cloths have been rinsed is added, till the threads are sufficiently charged with colour. They are washed in cold water, and well rubbed with the hand. The *lo-kao* is detached and precipitated. I omit minute details, they are found in the memoir of Father Helot. Finally, the precipitate being well washed till it becomes a thin paste, is spread on a thin sheet of paper lying on ashes. It is first dried in the shade, and then in the sun. The layer of *lo-kao* detaches itself from the paper, shrivels up, and breaks into small irregular, thin, light fragments with a good glance.

The account of the preparation of the *lo-kao* is very much the same.

Generally speaking, a layer of cotton thread, weighing about 3 kilogrammes and 620 grammes is required to exhaust the waters used to wash three hundred pieces of cloth. Forty pieces yield 37 grammes of *lo-kao*; 283½ grammes are therefore obtained from one layer of cotton; each gramme represents 1,060 pieces of dyed cloth.

One of the establishments at Azè dyed in 1856, according to Father Helot, 8,000 pieces, and sold about 7½ kilogrammes of *lo-kao*, and the five dyeries of Azè could not furnish more than from 18 to 24 kilogrammes. But the green dye is also prepared at Sou-tcheou-fou, in the neighbourhood of that

town, and in several boroughs of Kiang-Sou, at Ning-po, and in other towns of Tche-kiang, in Hou-nan and in Fo-kien; it must indeed be prepared in considerable quantities as a friend at Shanghai, wrote on the 20th April, 1857, of the possibility of sending 800 or 900 kilogrammes of *lo-kao* to France, which would lead to believe that one million of pieces were dyed. This is not to be wondered at; cotton cloths dyed half and half are very generally used by the people; the light green is the favorite colour of the women, and the Fokienese all wear blue and green cotton turbans.

The customs' department announces the importation into France, during the first six months of 1857, of more than 590 kilogrammes of *lo-kao*; as it is classified, for the purpose of fixing the duty among the *undefined colours*, it may be declared and entered under that general designation; this leads to the inference that more may have been imported under other designations.

## XI.

### OF THE DYEING OF COTTON CLOTHS WITH THE LO-KAO.

The *lo-kao*, notwithstanding its very high price, is used in China to dye common cotton cloths. The fact cannot be doubted. Messrs. Arnaudtizon, Remi, Edkins, and Father Helot, notice it, and the two first are eye-witnesses. It is true it is for light colours only, one liang (37 grammes 79,) of *lo-kao* being sufficient for from 10 to 30 pieces of cloth, according to the depth of the shade, or from 7 to 21 centimes of *lo-kao* for a square metre. It seems that dyeing with the barks and with *lo-kao* costs nearly the same, or about 5.100 of a dollar (40 centimes) per square metre as mentioned by Father Helot.

Mons. Remi wrote to me, on the 25th February, 1853, as follows, regarding this dye-stuff:—"In the course of an excursion made by our dear consul (Mons. de. Montigny) and

myself, in the vicinity of this great manufacturing metropolis, he visited several establishments where cotton textures are dyed green with this same substance, and from that time it attracted our attention.

The following is the process adopted at Sou-tcheou-fou and at Shanghai; the *lo-kao* is not employed in dyeing either at Azè or in the neighbouring villages where it is manufactured. The *lo-kao* is dissolved hot in Chinese potash. The cloth, having been well rinsed, is dipped into the bath at a temperature of between 50 and 60 degrees; wrung on a peg, shaken out, dipped a second time, wrung again, rinsed in pure water, and dried in the open air.

For every 100 grammes of *lo-kao*, 1000 grammes of Chinese potash must be used according to Mons. Arnaudtizon; 1000 grammes according to Father Helot, 30 says Mr. Edkins.

## XII.

### OF THE DYEING OF SILK AND SILK FABRICS.

"I have been assured," says Father Helot, "that silk cannot be dyed with the *lo-kao*. I do not know whether the Delegates brought back any silk fabrics dyed with the *lo-kao*, it would be easy to ascertain by consulting the experiments made at Lyons in 1847 by Messrs. Michel, Guinon, Vidalin and Renard on Chinese and Cochin-Chinese dye-stuffs. But Madame de Montigny, who was recently in Paris, had a China silk dress dyed with this substance.

A silk manufacturer, well known to those who have lived at Canton, Yi-ching senior, whose warehouse is in Tongwan-kai, was the first who sold the *lo-kao*, or that portion received by M. Guinon.

The packets bore the inscription:—"Selected with care to dye chain-silk." The sample I obtained at Canton in 1845, was purchased of a silk dyer.

*Further evidence.*—I find it stated in a Canton letter of the 26th November, 1852, that “the use of the *lok-kouh* by the Chinese, is limited to fine paintings, and for dyeing expensive silks.” In a letter of April, 1853, it is said :—“The *lok-kouh* is used for silk ; it is possible that other substances are mixed to make it available.”—In a third letter of May, 1853, I find :—“It seems that the Chinese use the *lok-kouh* as a last bath for cotton stuffs ; but this does not apply to silk.”

Mons. Remi wrote me in 1856 :—“The green suited to the dyeing of cotton and silk most certainly comes from the bark.” Lastly, I shall quote an extract from a Shanghai letter to a friend of mine in London :—“As for the green silk fabrics, there are some very beautiful, especially the plain, both light and darker coloured ; the merchants can distinguish at first sight, even with colours strongly resembling each other, those which are dyed with the *lo-za* and the *lo-kao*. The latter are held in greater estimation, and of a higher price, but I could not exactly understand wherein consisted the superiority of this expensive dye ; silk is dyed with the *lo-kao* at Sou-tcheou-fou and Hang-tcheou-fou.”

The Rev. Mr. Edkins observes, that if not more frequently used for dyeing silk, it is on account of the high price of the stuff ; he adds that the *lo-kao* seems better suited for rough cloths, such as cotton and grass-cloth (prepared from the *Urtica nivea*), that it has been long used by artists for paintings in water-colours, but as a dye-stuff only during the past twenty years.

Again, a dyer of Kin-tcheou-fou, assured Father Helot, that in that town the bark of the *pe-pi lo-chou* was used to dye silks, but that the process was less successful than with cotton.

It is not yet known how the Chinese dissolve the *lo-kao* and apply it to the dyeing of silk. Our dyers, however, have nothing to learn on this head from those of the Celestial Empire.

At Lyons, Mons. Guinon, in March, 1853, and Mons. Michel in April of the same year, only to mention the most successful, undertook experiments that speedily afforded them the most interesting results, but the general application of the *green dye of China* to the arts, dates from the spring of 1855. In April of that year, Mons. Guinon dyed with pure *lo-kao* spangled and cut velvets, whose green was so analogous to that obtained from the acetate of copper, that he named it *Venus-green*. These velvets were sent to the Universal Exhibition by Messrs. Gondre and Co. The addition of yellow to the *lo-kao* was only adopted in the month of July following, when a charming shade was obtained, so pleasant when exposed to the light that it has retained the name of *Azof-green*. Messrs. Million and Co. produced in August the first dresses of this kind. Fashion had not stamped this beautiful novelty, when in October and November, 1855, rich plain stuffs dyed with the *lo-kao* were found in the warehouses of Messrs. Heckel, Teillard and Ponson.

It was about this time that Mons. Michel discovered the process that bears his name; he presented to the Chamber of Commerce a remarkable series of samples of bright and dark shades at their sitting of the 24th January, 1856, and he read on the 6th March following, the report in which he described the means of dissolving and dyeing he had so successfully practised. This process has, since the middle of 1856, been adopted with advantage by several dyers of Lyons.

Up to that time the *lo-kao* was but little known. Mons. Guinon alone had succeeded in making use of it; he maintained, and still maintains, his peculiar secret. The secret of the origin of the colour of those elegant dresses, that were so much admired in the autumn of 1855, was even so well preserved, that Mons. Michel only became aware of it after the publication of his own discoveries. His memoir directed general attention to this new dye-stuff, and its consumption began materially to increase. To mention only one example,

I may state Mons. Guinon who had, from April, 1855, to March, 1856, only dyed about 1,500 kilogrammes of silk with the green dye, turned out more than 3,500 kilogrammes between April, 1856, and March, 1857.

### XIII.

#### OF THE PROPERTIES OF THE LO-KAO.

The properties of the *lo-kao* are described in the following works :—

*On a Green Colouring Matter brought from China*, by Mons. J. Persoz.

*Note on a Green Organic Substance, used in China for the Dyeing of Cotton*, by Mons. E. Mathieu Plessy (*Bull. of the Ind. Soc. of Mulhausen*, 1853, Vol. XXV, pp. 96 to 104.)

*First Report of the Department of Science and Art*, pp. 434 and 435).

*Report of the Chamber of Commerce of Lyons on the Green Dye of China*, by Mons. H. F. Michel, March, 1856, (first publication of the Chamber.)

*Of the Green Chinese Dye named "Lu-koe"*, by Mons. J. A. Van Eijk, 1856, (*The Volks-vlijt*, 1856, Vol. XXXI. pp. 410 to 417.)

*Note on a Green Dye from China*, by Mr. Dan. Hanbury, October, 1857, (second publication of the Chamber, 1857, pp. 37 to 39.)

*Further Particulars of the Green Dye of China*, by Prof. Bleekrode, 1857, (*The Volks-vlijt*, 1857, pp. 320 to 323.)

I refer to these documents, especially to the remarkably complete memoir of Mons. Persoz, for the chemical and dyeing properties of the green dye. It will be found at the end of this volume.

I cannot sufficiently dwell on the most interesting, and, for silks, the most useful character of this dye, viz., the beauty and extraordinary intensity which the colour acquires when

exposed to artificial light. This brilliancy, attributed by some to the homogenous character of the colour, by others to the purity of the blue and yellow tints that form this green, was noticed so early as 1853, by Mons. J. Duperay, of St. Aubin, Epinay. He places the *lo-kao*, on account of this quality, above all other known greens.

(*To be continued.*)

## THE INDIGENOUS PLANTS OF BENGAL.

*Notes on peculiarities in their structure, functions, use in medicine, domestic life, arts and agriculture: By the REV. J. LONG.*

(Continued from page 43 of PART I, VOL. X.)

### ENDOGENS OR INWARD GROWERS.

*Have one seed lobe. Harder outside than inside. Leaf veins not net-shaped.*

About 50,000 species known. Parts of the flower arranged in threes.

63. *HYDROCHARACEÆ*, or *Frog Bit Tribe*.—Floating plants in fresh water; flowers with a spathe, or cover, when young. These plants live under the water, except just at the time of fertilisation, when the flowers rise for a few hours above the surface.

*Rasanjānghi* (*Vallisneria alternifolia*).—Grows in rivers and rapid streams where the level is not always the same. In order to enable the pistilline flowers to keep on the surface of the water, which is necessary for the fertilisation of the seed, they are made lighter than the water, and are mounted on long corkscrew-like stalks, which, by their elasticity, extend as a spiral spring when the surface of the water rises, and contract when the water sinks. When their pollen is mature, and the anthers are ready to burst, the flowers producing it detach themselves, rising by their lightness to the surface, and dis-

charge their pollen; when the seeds are ripened, the spiral flower-stalk again contracts, and carrying down the dry fruit, buries it in the mud.\*

*Patá shyéálá (Blyxa octandra).*—Leaves sword-shaped. Used for supplying water mechanically to sugar in the process of refining it, as clay is used in the West Indies to permit the slow percolation of water. Its stamens have the same property as the last named plant, and hence its Sanskrit name *shaivál*, “the sleeper on the water.”

*Páni kalá (Ottelea alismoides).*—The seeds are affixed to six sharp keels running on the inside of the joinings of the valves.

64. *ALISMACEÆ, or Water Plantain Tribe.*—Aquatics. Seeds hooked: embryo of a horse-shoe shape. Many have a fleshy rooting stem, which is eatable.

*Chota kat (Sagittaria sagittifolia)*—Flowers in spring. Leaves arrow-shaped. In China cultivated for its roots, which are eaten. The root is composed of many fibres, from a crown formed by the united leaves, the centre one thicker, and ending in the half putrid remains of the small round bulb which gives existence to the plant, while from its sides many suckers run a few inches, each ending in a small round bulb, which in due time produce other plants.

*Bara kat (Sagittaria obtusifolia.)*—The seed is bent double, with the two extremities pointing to the base, by one of which it is fastened to the bottom of the fleshy fruit. Various Brazilian plants of this *sagittaria* genus yield, from their astringency, a juice employed in making ink.

65. *LEMNACEÆ, or Duckweed Tribe.*—Floating plants. Composed of a little green scale, which looks like a leaf; from its under side hangs down a single root fibre. The leaves have acrid properties.

\* Darwin has made this a poetic subject in his “Loves of the Plants.”



*Tákápánú (Pistia stratiotes).*—Two other species in Bengal, well known by the appearance of a green scum they give the water. The leaves are made by Hindus into a poultice for piles, and a decoction of them is used for their cooling properties and in cases of a difficulty in passing of urine. The leaves float on the water, absorb a great quantity of the noxious vapours as fast as they are exhaled, and change them by the aid of the sun's rays into respirable air. This change is effected by the *pistia* more than by any other plant: it is so powerful a preventative of decomposition in stagnant water, that fishes are preserved alive in water in which otherwise they would not live: this is particularly the case in Batavia. Sir C. Napier, inspecting the lines of a native regiment in the Punjab, observed coolies drawing water from a tank covered with a slimy and greenish weed, the *pistia*; he ordered it should be immediately cleaned, so it was,—but it was not until a fresh crop of weed had grown that the water became drinkable.

66. ORCHIDACEÆ.—Called Epiphytes, but by the Hindus by a simple name “sons of trees.” Of 1900 species, only two are known in Bengal, though very numerous in Assam.\* Their flowers are so curious in their shape that there is scarcely a common insect, or snake, or monkey, to which some of them have not been compared.

*Svet Huli (Zeuxina sulcata).*—Found in pasture ground near Calcutta at the close of the cold season, the three upper petals of the corolla are helmet-shaped.

*Budbari (Eulophia virens).*—Flowers in the cold season; bulbs conical, flowers streaked.

\* A gentleman from Assam, Capt. Lowther, has promised to furnish the Agri-Horticultural Society with a list of Assam plants on the plan of the present one. We trust he will give a full account of Assam orchids with the native names of all the plants.

67. ZINGIBERACEÆ, or *Ginger Tribe*.—The shape of their roots has given them the Sanskrit name *shringavera*, i. e., “root horn-shaped.”

*Adá (Zingiber officinale)*.—The seeds are seldom met with, on account of the great increase of the roots, which are biennial. Used by the natives in cases of paralysis, rheumatism, and intermittent fever; in the Dacca district ginger yields eight to ten maunds per biggah. The natives cleanse the roots in boiling lime water, which probably injures much of the fragrant pungency: whereas in the West Indies they use simply cold water. Nearly 90,000 cwt. of ginger was imported from the East and West Indies into England in 1852.

*Bach (Zingiber zerumbet)*.—Broad-leaved ginger. Leaves and shoots used as greens. Grows wild in the Concan.

*Huldi (Curcuma longa)*.—Turmeric. From the dry root, powdered, and mixed with powdered wood of *Cæsalpinia sappan* is obtained the red powder used by the Hindus in the Huli games, hence probably its Sanskrit name *yoshitpriyá*, “beloved by women.” The Javanese apply its nuts pounded and made into an ointment to cure skin diseases, while the Hindus use it in bruises and leech bites, in cleansing ulcers, in diarrhœa and for worms, hence its Sanskrit name *krimigna*, “the worm-killer.” It is used for seasoning dishes, and as a dye, but the colour does not last. It yields from 60 to 300 maunds per biggah.

*Ban huldi (Curcuma aromatica)*.—The flower often appears before the leaf.

*Kála huldi (Curcuma cæsia)*.—The leaves have down their middle a deep ferruginous purple cloud. The roots of another species, the *rubescens*, yield a starch like arrow-root. In Travancore it forms a large part of the diet of the inhabitants; it has never been tried much in Bengal.

*Chundra mula (Kampfæra gulanga)*.—The flowers have a purple speck on the centre of the division of the inner border. Leaves spread flat on the surface of the ground. The

roots are valued as a perfume and medicine, hence probably its Sanskrit name *chandramuliká*, "moon root."

*Bhui champa* (*Kæmpfera rotunda*).—The beauty of its flowers, which blow only for a day, and its having no stem, gave it its Sanskrit name, "the champa of the earth." If at the flowering time there are no leaves on the plant, the envelope of its flower is shaped like the tiles of a house.

*Madan nirbishi* (*Kæmpfera angustifolia*).—The natives give the root as medicine to their cattle.

*Dulál champa* (*Hedychium coronareum*).—Throws out a profusion of large beautiful fragrant blossoms for a long time.

*Tárú* (*Alpinia galanga*).—Root biennial or perennial, the stem is entirely covered with the sheath of the leaves; flower a beautiful rose colour, but no scent, though the root is aromatic. The juice of the root is used as a remedy in hæmorrhoids. Near Dacca they make twine and rope from the plant.

*Keo* (*Costus speciosus*).—A preserve is made by the natives from its root; though the fresh roots are almost insipid. The plant is a handsome one, with soft velvety leaves spirally arranged.

68. CANNACEÆ, or Arrow-root Tribe.—Starchy roots, reed-like plants, with beautiful flowers.

*Mukta páti* (*Maranta dichotoma*).—Mats are made from the split stem, which is hence called *shital páti*, or "the cooling reeds." A tough fibre is obtained from this.

*Sarbajay* (*Canna Indica*).—There are two species, the red and white: the former used by the Burmese for sacred beads, and by Hindus for necklaces. It is called Indian shot, because its seeds are shot-shaped; they are used as a substitute for coffee, and yield a purple dye. A watery secretion takes place from the points of the ribs, which terminate at the margin of the leaves. The leaves are used to thatch houses with in Cayenne. Nearly all the species contain starch in the root-stock, which renders them fit for food after being cooked. The root, boiled in rice water with pepper, is given sometimes to cattle whose

belly is swollen from having eaten some poisonous grass. It is in flower and seed most part of the year.

69. *MUSACEÆ, or Plantain Tribe.*—Flowers on spikes. Curved leaf veins. No proper stem, as the leaves are sheathing encircling each other, and enveloping layer within layer the flower and fruit stalk. The *rám kalá*, or wild plantain, ripens its seeds six months after blossoming, the plant then perishes down to the root.

*Kalá (Musa Paridisiaca).*—The fruit has no acid, hence it is good for bilious persons. The banana is like it, but its stalk is marked with purple spots, and the fruit is shorter and rounder. Its fibrous bark is made into cloth and cables. The leaves were said to be like Ostrich feathers, as they form no network, and easily split. There are twenty varieties of plantain in Tenasserim, ten in Ceylon, and thirty in Burmah.

From Asia it has been introduced into the West Indies and South America; and into England in 1680. It is more productive than wheat. In South America the fruit is dried and preserved, while the flower is separated and made into biscuits. The fruit can keep for twenty years, owing to the sugar in it. 100 parts of the recent fruit contain 27 of dry nutritive matter—the potato gives 25. In the plantain fruit out of 100 parts there are of water 14, starch  $67\frac{1}{2}$ , gum  $4\frac{1}{2}$ , cellular fibre  $4\frac{3}{4}$ , sugar 2, oil  $\frac{1}{2}$ , albumen  $4\frac{1}{2}$ , ash  $2\frac{1}{2}$ . A sucker attains maturity in a year, each produces fruit weighing from 25 to 90 lbs. In the West Indies the spiral vessels of the flower-stalk are used as tinder. One tree gives 4lb of fibre; 600lb weight of fibre might be produced annually from each acre of plantains. The plantain is used as a nurse or shade to the betel, vine, or areca. The top of the stem yields a juice good for making ink. The fibre can furnish material for paper and canvass, thus the plantain gives food for body and mind. The Chinese use the young shoots for paper-making. Called in Sanskrit *báranballabha*, “pleasing to the elephant.”

The plantain has many *spiral vessels*, i. e., membranous tubes in the conical extremities, the inside being occupied by a fibre which uncoils itself elastically; this may be spun into thread.

Jagynavalykea, the great Hindu legislator, in the 3rd book, 8th section, compares human life to the plantain tree without pith, i. e. empty and vain. Its long leaves 7 feet, with their parallel veins at right angles to the mid rib, led to its being compared by the ancients to ostrich's feathers, and to the Sanskrit name *ácyathchaddá*. Its spike often has fruit weighing 40lbs. Its Latin name was given it on the supposition that it was the forbidden fruit Adam eat. 1607 square feet of ground yield 4000lbs of nutritive substance from plantain, which will support 50 persons, the same space planted with wheat will support only two. It is in season all the year round. The Dacca plantain is nine inches long, in Madagascar the plantains are as large as a man's forearm. In the mountains of the Phillippine Isles a single fruit or two is said to be a load for man. All the large ones require, like potatoes, to be roasted. Valuable cordage, in large quantities, is made from the plantain stem in Manilla, and extensively exported. Hemp, and the finest flax can be made from its fibres and tissues, almost as fine as those from the fibres of the *ananas*. The *fruit* dried in the sun keeps perfectly a length of time, and resembles a rich fig. Twelve months after planting, 70lbs of fruit are often obtained from a single plant. The south of Spain is the only part of Europe in which the banana is cultivated in the open air. The *veins* diverge from the mid-rib along its whole length, and lose themselves in the margin.

A curious mistake is made in *Loudon's Encyclopedia of Plants* respecting the plantain, he writes "three dozen of plantains are sufficient to serve one man for a week, instead of bread, and will support him much better."—We can only say we should be sorry to be that man.

70. **AMARYLLACEÆ.**—Bulbous-rooted. One of the few exogen orders in which poison is found. The Agave so useful for its fibre, for hedges, soap, sugar, wine and paper, belongs to this order.

*Bara kánar* (*Crinum Asiaticum*).—Under side of the leaves elegantly striped, bruised and mixed with castor-oil they are used in inflammations; in the N. W. P. they give the juice of the leaves for ear-ache. The root is used as an emetic in Java, and is considered by Dr. O' Shaughnessy, to be equal to Ipecacuanha.

*Sukh darshan* (*Crinum defixum*).—Flower fragrant at night.

*Biláti anannas* (*Fourcroya cantala*).—Flowers when 12 years old.

71. **DIOSCOREÆ, or Yam tribe.**—So called from Dioscorus, the most ancient writer in materia medica, 1800 years ago. Tuberous roots: leaves with net shaped veins; twining. The various kinds are distinguished by the shape and colour of the roots. The West Indies is their favourite country; they are there what the potato is in Ireland; raw they have an acrid principle. Though in such use among natives, none have a Sanskrit name, and are not indigenous.

*Chupri álu* (*Dioscorea globosa*).—The favorite yam among natives. Stems have six wings, with the angles. Membrane winged, and prickly towards the root.

*Khám Alu* (*Dioscorea alata*) square stems.

*Rakta garániya álu* (*Dioscorea purpurea*).—When the roots are more than one year old, the lower permanent parts of the stems are generally armed with prickles.

*Gorániya álu* (*Dioscorea rubella*).—Flowers very fragrant.

*Man álu* (*Dioscorea aculeata*).—Called in Bombay the Goa potato: root two lbs. weight.

*Susni álu* (*Dioscorea fasciculata*).—Natives extract starch from the roots. Has several stems.

*Kukur álu* (*Dioscorea anguina*).—Tubers columnar, perpendicular in a loose soil, but variously bent in a hard one.

*Shir álu* (*Dioscorea nummularia*).—Stem many fathoms long : lower part prickly.

*Kántá álu* (*Dioscorea pentaphylla*).—Not cultivated in Bengal, but very much so in Amboyna.

## 72. BROMELIACEÆ, or Pine Apple Tribe.

*Anannas* (*Anannás sativus*).—An American plant ; its name is of Brazilian origin, the name *pomme de pin*, “pine-apple,” was given it by the Spaniards from the supposed resemblance of its fruit in shape to some pine cones. It was unknown to the Arabs, Greeks, or Romans. Cloth as fine as muslin is made from the fibres of the leaves.

A pleasant wine is made in Jamaica from its fruit. The best in the world are the Bengal : It was introduced into Bengal in the reign of Akbar by the Portuguese, who brought it from Malacca. In Mexico they are commonly suspended to the balconies for the sake of filling the house with their delightful fragrance, as they can subsist for a long time on the fluids they contain, or on the moisture they absorb from the atmosphere. The fruit consists of numerous concrete ovaria, with the adherent perianths become succulent. The unripe juice has caustic properties, and can corrode a knife.

It is propagated by suckers, from the tuft of leaves at the top, a continuation of the axis. In Tenasserim a boat-load is sometimes sold for one rupee.

Discovered in America in 1513, in 1594 it was cultivated in China, the fruit was first brought from Santa Cruz to the West Indies then to China ; and at a subsequent period to Bengal in the East Indies. Introduced into England in 1690 from Leyden ; the English fruit equals the tropical, and is called the “queen of fruits.” 50 varieties cultivated in England in stove hot-houses. In Italy it does not thrive, as the leaves are so porous, and the climate so dry, that it shrinks up. The Society Islanders call it the white man’s *pandanus*, because its foliage, and mature fruit, are like those of the *pandanus*.

It is called by natives *kutl suffree*, or “the jack for a journey,” as its fruit ripens even when carried about.

73. SMILACEÆ, or *Sarsaparilla* Tribe.—Climbers.

*Kumáriká* (*Smilax ovilifolia*).—Armed with strong prickles. Considered to have all the properties of sarsaparilla. Root mixed with cucumber, ginger and oil is used in headaches.

74. PONTERIACEÆ.—Aquatics: blue flowers.

*Nauká* (*Pontedera vaginalis*).—Its Sanscrit name, *nilutpal*, “the blue lotus,” denotes the qualities of all of this order. Three other species in Bengal. The root masticated is considered a remedy in tooth-ache: its bark pulverised along with sugar is eaten for asthma. *Pontederia hastata* common.

75. LILIACEÆ.—Bulbous roots. Beautiful flowers, used among natives as the symbols of purity and modesty.

*Rajani gandha* (*Polianthes tuberosa*).—The Malays call it “the mistress of the night,” as at night it scents the strongest; a great favourite in Cochin-China; it has been observed after thunder to emit sparks of a bright flame from those flowers that were fading.

*Murba* (*Sanseveria Roxburghiana*).—Bowstring hemp. Its fibres silky, but strong, called China grass, very valuable for rope or paper. The ancient Hindus used a thread extracted from its leaves to make the *paita* of the Khetry class.

*Grita kumári* (*Aloe Indica*).—This may thrive in poor soils, as, in common with the aloe tribe, it draws its chief nourishment from the air; the fibres are valuable. An ink is prepared by Muhammedans from the juice of the pulp; this juice also used for sore eyes.

*Rasun* (*Allium sativum*).—Garlic. The expressed oil is used by the native doctors in rheumatism, in asthma, cough, and for promoting digestion, particularly among vegetarians. The author of “Talif Sherif” has employed its sherbet with much effect in cases of paralysis.



*Gandan* (*Allium ascaloneum*).—Schallot. Stem flat-leaved. Stamens three-pointed.

*Peyáj* (*Allium cepa*).—Onion. Came originally from Egypt. Used by natives for hæmorrhoids, and baldness. Its Sanskrit name *latárka*, “sun-creeper,” denotes the value set on it.

*Hilluá* (*Asparagus officinalis*).—Asparagus. Leaves bristly.

*Shalamuli* (*Asparagus racemosus*).—Root very fragrant; has many tubers; boiled in milk it is given in bilious disorders, but the bark must be removed, as it is poisonous. The leaves boiled and mixed with ghee are applied as a poultice to boils.

76. COMMELYNACEÆ.—Spider worts. The fleshy roots of some contain starch, which when, cooked, are fit for food. The Chinese use some of them for coughs, asthma, &c.

*Páni kánkra* (*Commelina salicifolia*).—Flowers deep azure.

*Kánkra* (*Commelina Bengalensis*).—Flowers blue.

*Jatá kánkra* (*Commelina communis*).—Flowers a bright blue.

*Kándali* (*Aneilema nudiflorum*).—Flowers small and blue.

77. PALMACEÆ, or *Palm Tribe*.—Called by Linnæus in modern times, and by Amer Sing in Hindu times, “kings of the grasses.” They vary much, some are 5 feet long, some 500; out of 1000 species ascertained, very few are known in India. South America seems to be their favorite locality. They are of all orders, the most useful for economical purposes, food, building, clothes, lights, &c.

*Supari* or *Guyá* (*Areca catechu*).—Betel. There are 20 different species, one of these, the *Rámguya*, is found at Chittagong. It is a social plant, growing in groups marked by their beautiful appearance, hence likened by an Indian poet to an arrow shot from heaven. This palm often grows 50 feet high, with a diameter of 2 feet, has no branches; its leaves are very beautiful, forming a round tuft at the top of the trunk, which is usually about 6 or 8 inches in diameter, straight, round, and marked with parallel rings. The leaves which are feathery, spring forth in pairs, that alternately

cover each other, encircling the top of the trunk, and thus producing an oblong head larger than the trunk itself; they are not more in number than six or seven, feet long, on a stalk 4 feet in length. These leaves break and fall off in succession, and from their axils issue the sheath which enclose the flowers and fruits. The fruit is called a *drupe*, about the size of a pullet's egg, and does not fall from the tree even when ripe, it has a yellowish shell, thin, with arched veins cohering with the pulp all round. In Johanna, the nut is used for dying cotton red, or making ink. On the Coromandel Coast 300 nuts on an average grow on one tree. A cargo of betel nuts generates so much heat that the crew cannot sleep between decks. A good tooth-powder is made from the nuts. In the Cossyah country the natives measure distances by the number of mouths of betel-nut chewed on the road.

*Bet (Calamus Rotang).*—Ratan. More than 4,000,000 are shipped annually from India. Delights in a rich moist soil, where there are bushes and trees for it to climb on: Fl. R.S. Fr. C.S. Climbing to a vast extent, enveloped in the thorny sheaths of the leaves. *Leaves* feathery, eighteen to thirty-six inches long. *Leaflets* armed on their margins with minute bristles pointing forward, and a few erect distinct long bristles on the upper surface. *Sheaths* armed with numerous compressed thorns: *Leafstalks* channelled, having straight and recurved thorns on the under side. *Flagelli* one from the sheath of each leaf near its mouth, like the lash of a whip; A bridge eighty feet in length has been constructed in the Himalayas entirely of ratan. The shape and flinty secretion of this gives it an affinity in some points more with the bambu grasses than with the palms.

*Tál (Borassus flabelliformis).*—Palm tree. In the Madras Presidency a caste called *shanars* draw the toddy or juice from it. The tree lives to a great age: the wood is harder at the bottom than at any other part of the stem. The

diameter of the stem differs very little in size when the tree is young; in consequence of this, and of its cylindrical form, the palm is never strangled by creepers, as many exogens are, the bambu however when old, increases in diameter from half an inch to two feet; some *palm* trees bulge out in the middle, and then contract again.

The number of external rings which indicate the fall of leaves from the trunk of palm trees, is supposed by some to coincide with the number of years the tree has lived. The leaves are palmate, plaited, and cowled: stalks serrate, near six feet long, flat, a little hollow and rough, with spines along the edges. The fruit varies in size from a small orange to that of a child's head. In Celebes it is called *tal*. Its Sanskrit names are *kasapatrabán*, "with saw-leaves,"—*tantaniryas*, "thready exudation,"—*trinadrum* "the grass-tree.

The veins are straight, arising from towards the base of the mid-rib, with which they lie nearly parallel. 100 can be planted in one beegah, and they fertilise the ground, for the grooves of the leafstalks, and the leaves, are well adapted for conveying rain water. The top of this tree is often seen issuing from the stem of a banyan, owing to the birds dropping seeds on the palm tree, which germinate. A native work gives 801 uses of this palm; the natives apply the sap of the root and trunk to cure sores, and in cases of dysentery. A flour is made in Ceylon from the seeds.

*Tára (Corypha taliera)*.—The leaves are palmate, pinnatifid, sub-rotund, plaited; the inflorescence is shaped like a pyramid: it flowers in March, and the seeds ripen ten months afterwards. Trunk about 30 feet high. Leaves used to write on with pointed steel bodkins, and for the rafters of houses. Leafstalks from 5 to 10 feet long.

*Bajur (Corypha elata)*.—Flowers in March, but seeds require twelve months to ripen.

*Khajur (Phoenix sylvestris)*.—Wild date. Its Sanskrit name is *madhukshir*, or "honey-milk."

The *Phœnix dactylifera*, the chief food of the Egyptians, gave its name to Phœnecia. There are 46 varieties of it in Sahara, and almost all the population of Fezzan live on the palm dates for 9 months of the year. It bears from its 10th to its 35th year. Each tree yields about 180 pints of juice: Every twelve pints give by boiling 1lb of goor, yield 7lbs of sugar. A single spathe contains about 12,000 male flowers; but this tree does not thrive in Bengal, owing to the heavy rains.

*Hintál (Phœnix paludosa)*.—The trunks of the smaller ones are used by the natives as walking sticks; they think when provided with such a staff that snakes will get out of their way.

*Nárikel (Cocos-nucifera)*.—Cocoa-nut. The liquor toddy is obtained by wounding the spathe of this tree, which is two feet long; a cup-full in the morning is good for constipation, and purifies the blood; in the day time the heat ferments it; an inferior sugar is also made from it. The liquor in the growing cocoa-nut is a refreshing drink. By scraping down the ripe kernel of the cocoa-nut, and adding a little water to it, a white fluid is obtained by pressure, which may be used as a substitute for milk. The oil is used for the hair, for burning, and, in England, for soap and candles. At the top the germ of the new growth yields a substance which is a substitute for cabbage. Vinegar is procured from toddy. On the outside of the lower part of the branches, where they spring from the stem, and are partially covered with the coarse vegetable matting of the tree, is a soft, downy, light brown coloured cotton. It is used for stanching blood. The Hindus say Visamitra created it in his progress to make a human being, in rivalry of Brahma, the nut being the first rudiment of the head, and that the eyes can be seen. It is not a native of America. On Ceylon, along the coast between Colombo and Matura, for 100 miles, there is nothing but one cocoa-nut garden. On the shores of the Gulf of Curicao

there are groves of 9,000 plants. One of the nineteen Hindu castes, the Shanar, is exclusively devoted to the cultivation of the cocoa-nut: which is deified by Hindus. The winged leaves extend in a graceful curve. Leaves eighteen feet long, twelve in number, radiate as spokes. The mid-rib is ten inches in circumference: the flowers, enclosed in a sheath. The *roots* are not wide-spreading, hence it is planted near Hindu houses, and its shade nourishes a good grass. A bird builds its nest at the extremity of its leaves. It has patrician rank among the palms, rising with one foot diameter to eighty feet, marked with circular rings, and a fibrous bark near the root. The male and female *flowers* grow on the same stalk. In the lower part of the shell is a hole through which the germ issues. The closed bud, flowers, tender drupe, immature nut, in all the different stages of progress, at the same time appear on one tree. The Coromandel cocoa-nut is a reddish yellow colour, hence called the Brahminical nut. The Canarese husk is green. The Malabar has its fruit turbinated. The sea air is necessary for it, even sea water does not rot the roots. Lives to 80 years, gives fruit from 40 to 50; after 60 declines. Should it lose its head, its roots cease to acquire nourishment. The seed is sown in the husk; after 18 days the germ comes up: one month after sowing the root is strong enough to burst the shell; the roots are very deep, hence little affected by storms. Salt is put at the bottom of the holes. In Ceylon the trees bend towards the sea. The fibrous net-work stem is so elastic as to cause a cannon-ball to rebound from it. The sugar or jaggry from it makes a very strong cement; 3 million pounds of coir were formerly made by the Dutch in Ceylon. In South America each tree yield a 100 nuts. The cocoa-nut flower looks, when closed, like a pod, but when cut open, the most beautiful wax-like flowers burst out of it. The cocoa-nut is so common in this country, that many pass it by without noticing the peculiarities of its

structure, and its adaptation to the country. We give an extract on this subject from *Archer's Economic Botany*, p. 69. \*

78. PANDANEACEÆ.—Screw Pines. This order seems a compound of grasses and palms. The spongiolets of the aerial roots are composed of numerous very thin exfoliations, forming a sort of cup to hold water for the supply of the roots. The stem next the ground is very slender; higher up it is thicker, and sends out aerial roots, which seek the soil and act as stays upon the centre. The leaves are arranged like a corkscrew, numerous crystals of lime are found in the seed-shell.

*Keyá (Pandanus odoratissimus)*.—In the Mauritius matting and packing bags are made from its leaves. In Cochin-China hedges are made with it, and its leaves are used for feeding tame elephants. Its flower is a great favorite with the Burmese. The stem is dichotomous, or having the divisions in pairs. The terminal leaf-buds constantly develope.

\* The peculiar triangular form of the cocoa-nut has been pointed out as a special provision for its dissemination; thus, growing as it does frequently near the shores of the sea and rivers, its large seeds drop in the water and their shape particularly adapts them for sailing: one edge being downwards forms the keel while the upper surface, being flat, is acted upon by the wind, and propelled by it along the surface, until it reaches some coral reef, or shore where, being stranded, it vegetates and rises to be a magnificent palm, affording shelter and food in abundance. The coir and husk too, assist in this economy of nature: as the exposure to moisture, and the heat of the sun, are conducive to vegetation, and as the salt water would destroy the young plant if its tender shoot and home should be pushed out into the sea, a curious arrangement takes place, as soon as the shoot and root push out from the foramen, they take a direction towards the other end of the nut through the mass of coir fibre; this gives an increased weight to that side of the nut, which acts as ballast, keeping it downwards and under water. The coolness to which the shoot is thus exposed assists in keeping the vegetative power in check; but no sooner has it landed upon some congenial soil, than it throws out its strong roots, and soon renders a barren island fertile and verdant.—*Archer's Economy of Botany*.

The *Pandanus odoratissimus*, is famous among Sanskrit poets for its fragrance and is found every where in Arabia and China. The terminal bud is eaten as cabbage. Umbrellas are made of the leaves in South India: and in the South Seas, mats, cordage and hutting.

From the *Pandanus odoratissimus* is prepared a distilled water, gently stimulant, and promoting perspiration. Snakes are very fond of lurking in this plant.

*Keya Kántá* (*Pandanus fætidus*).—The smell of the flower is very offensive. Such an abundance of crystals of lime are in the seed-coats of this family as to be seen with the naked eye. In Burmah a species grows near tide-waters, very useful for making mats.

79. TYPHACEÆ.—Bulrushes. Ditch growers, bear a close resemblance both to sedges and screw-pines.

*Rám Hoglá* (*Typha angustifolia*).—Leaves used for mats.

*Hogla* (*Typha elephantina*).—Elephant grass. A diminutive species of screw-pine. Used on the banks of the Indus to bind the soil together, and also as buoys to swim with. Fl. R. S. Grows in stagnant water. *Roots* stoloniferous, abound in starch, employed in the East of Asia in dysentery and measles. *Culms* glossy, pointed at the insertion of the leaves. *Leaves* sword-form, below, near the sheath, a little convex on the outside, concave within; used for thatch; no *corolla*. *Seed* oblong, carried about by the wind like the seed of the thistle, by means of the permanent downy fusiform calyx. Elephants fond of it. Anthers wedge-shaped. *Pollen* mixed with water forms a kind of bread in Scinde, Western Australia, and New Zealand, as also in Bengal; it is inflammable like that of *Lycopodium*.

80. AROIDEÆ.—Have no floral envelopes. In cold climates many are herbs which become trees in the tropics; many of them, when raw, have an acrid juice. Some of them in germinating give out a sensible quantity of heat, while

the emanations produce dizziness, head-ache and vomiting. The structure of their flowers is worth observing.

*Mán kachu* (*Colocasia Indica*).—A favorite in Indian curries. The root is used for swellings of the abdomen; reference made to its properties in the Vaidea work "*Drabea Gun.*" A variety of it, the *mán giri*, has the leaf-stalks of a darker colour; in Kartik month the natives in East Bengal worship Kalmi, Sashini, and this plant.

*Gaj pippul* (*Scindapsus officinalis*).—A parasite, the fruit is used in medicine.

There are others, such as the *kántá kachu*, *kántá mán*, but they belong to hilly districts, the former is a remedy in native diseases.

*Shvet bach* (*Acorus calamus*).—Sweet flag. A substitute for bark, the leaves are fragrant, and the root tonic and anti-febrile; given to children in cases of dyspepsia attended with dysentery. Linnæus observes that it is the only native aromatic plant of Northern climates.

81. CYPERACEÆ.—Sedge tribe. Might be called the "grass of the water." Distinguished from grasses by having solid, angular and unjointed stems. Their not having joints was known to the Romans, who hence invented the proverb "*nodum in scirpo queris.*" The order, though not handsome, has its name *Cyperaceæ* from the Cyprian Venus. 212 species are known in New Holland. A paper was made from one of this order—the papyrus—why may not others answer the same purpose? Sedges have not, as grasses, nutritive qualities.

*Jál muti* (*Cyperus pygmæus*).—Seeds three-sided.

*Páti* (*Cyperus inundatus*).—Stalk exactly a triangular shape. It serves very much, like the bent grass in Holland, to bind the banks of rivers, which are overflown by the tides: mats are made from it.

*Chunchá* (*Cyperus compressus*).—Many of the leaves are longer than the stalk.



*Gol methi* (*Cyperus seminudus*).—No leaves, eaten only by buffaloes.

*Mutha* (*Cyperus hexastachyus*).—Hogs very fond of the roots, hence the natives use them when dried and powdered as a perfume at their weddings and as a tonic and stimulant in cholera. The Sanskrit name for a hog is *mastad*, i. e., “the matha eater.”

*Nāga muthá* (*Cyperus pertenuis*).—Roots used by Indian women for perfuming and cleaning their hair, hence its name the *Nagar mutha*, i. e., “city or polite grass.”

*Gol malanga* (*Cyperus Roxburghii*).—Stalk sometimes twenty feet long.

*Mádur káti* (*Cyperus pongorei*).—So well known for the mats made from its stalks; another of this genus, the *chá-máti páti*, is useful for binding banks together.

*Shvet Gothabi* (*Kyllingia monocephala*).—Its fragrant root is reckoned an antidote to poisons. The exclusion of light turns plants white, but in this plant, when the heads are shaded, they are generally more green.

There are others, as these—the *chota gothuli*, *barithi*, *bara chuncha*, *behuyá*, *páni molangá*, but there is nothing particular to note of them.

*Keshár* (*Cyperus kysoor*).—Indian bulrush. The roots are eaten in fever, and given as offerings to the deities.

*Chenka* (*Limnochloa plantigenea*).—Seeds beset with bristles.

82. GRAMINACEÆ.—Grass tribe. The name “Grass” is common to the Sanskrit (*ghas*) Anglo-Saxon, and Icelandic languages. Out of more than 2000 species known, scarcely more than one is really unwholesome. Cattle feed on the leaves, men and birds on the seeds. The cultivation of the various species of grasses is much neglected in India, though they are so useful in binding the soil.

There are many as the *shvet gothubi*, *keshori malangá*, *talnara*, *karatiyá*, *bara karátiyá*, *chunchu murmurá*, *pat*

*patichenchaká*, *bara keshoryá*, of which there is nothing particular to note.

*Mayná or Kodu (Paspalum stoloniferum)*.—Seed used instead of rice. Cattle very fond of it.

There are others, as the *kangu junyá*, *chitrichirye*, *patinur*, *chota galgánte*, *chin ghás*, *baranda barethi*, *naradal*, *jupikangká*, *nákagáli jálgánt*, *pongínachi bajrá*, *shonti ghás*, of whom nothing particular is to be noted.

*Chiriyá ghás (Helopus annulatus)*.—Flower cups very hairy.

*Kangu (Panicum Italicum)*.—Called in Sanskrit *priyangu*, as its seeds are eaten by natives. It yields fifty-fold, and two crops in the year.

*Dal (Panicum stagninum)*.—The stalks towards the base rest on the ground, and strike root, above erect for two feet. Flowers three-fold below, above in pairs; fond of swampy ground.

*Sámá (Optismenus colonus)*.—Seeds an article of diet. Yields fifty-fold; the *bara shámá* of this genus is made no use of; there is also the *dámrá shama*. At the Durga Puja festival the Hindus use the *shama* along with the plantain leaves and *bel* fruit to make the figure of a wife for Gonesh.

*Juyár (Sorghum vulgare)*.—Indian millet. Its long awns protect the grains from the rapacity of birds; it yields a hundred-fold. Though the straw is thick and solid, yet all kinds of cattle are very fond of it. The *kála* and *sádhá debdhan* of this genus are also used for food.

*Chorá kántá (Chrysopogon acicularis)*.—Persons walking in the jungles will remember this from its troublesome seeds sticking so much in the stockings, and causing itching.

*Ulu (Imperata cylindrica)*.—After the first rain in May, the fields are white with this, which presents a beautiful sight; the whiteness is caused by the quantity of cereal that surrounds the insertion of the flowers. The Telúgas use it in marriage ceremonies, the Bengalis for thatch.

*Kásh (Saccharum spontaneum)*.—The great quantity of a silver-coloured wool which surrounds the base of the flowers, entitle this to its Sanskrit name *kásh*, or “the shining” a name for Benares also. Useful for mats, thatching, and as food for buffaloes.

*Páti khári (Saccharum fuscum)*.—Native pens made from the stalks : also used for light fences and screens.

*Uk (Saccharum officinalum)*.—Sugar-cane. Venetians imported it from India prior to 1148 : introduced by the Saracens into Sicily, Rhodes, Crete : its Sanskrit name *shakar*, the origin of its Latin and English names. It has been indigenous in Bengal from the earliest period, being a favorite present to the Gods, and used by native doctors for diseases of the chest and worms : given also as an antidote to arsenic. The process of claying sugar was discovered by accident, a hen with muddy feet having walked over a cooler full of sugar, it was noticed that where the clay from her feet had remained, the sugar beneath it was altogether cleared. The three principal kinds of sugar-canes in Bengal, are the *kajure*, or purple-coloured, growing in a dry soil, the *puri*, or light-coloured, and the *kullor*, or white, growing in swampy lands.

*Teng (Saccharum procerum)*.—Stalks used for screens.

*Shar (Saccharum sara)*.—Arrow-cane. Its long stalk of twenty feet, with the beautifully soft silky hairs of the flower waving in the wind, gave it the Sanskrit name *gundra*, “the playful,” and *shara*, “the arrowy.” It is often mentioned in the Puranas, the Indian god of battle, Kartikeya, having been born in a grove of it, which burst into a flame. The gods gave notice of his birth to the nymph of the Pleiads, who descended and suckled the child. Menu directed that the holy threads of the *paita* should be made from the culms of this, as being holier even than *kusá* grass. From the leaves tow ropes are made by the Allahabad boatmen.

*Khaskhas ghás (Andropogon muricatus)*.—It is a fragrant grass. The Botanic name means bearded, i. e., having a tuft

of hairs on the flower. An infusion of the root is taken in India to produce perspiration in fever; an ointment prepared from the root is also used to destroy lice. Used in the Deccan for thatching bungalows. *Bena* is the name of the plant, and *khushkus* of the root. The poets have given nine names to it thus arranged in a Sanskrit sloke:—

*Abhaya, nalada, sevyā, amrinala, jalāsaya,*  
*Lamajjaea, laghulaya, avadāha, ishtakāpatha.*

*Gandha vena (Andropogon schænanthus).*—Lemon grass; known by its smell, which resembles a mixture of roses and new mown hay. Useful in colds and head-aches to produce perspiration. The infusion of the leaves is esteemed by Indian doctors to be an excellent stomachic, and a substitute for tea; the natives of the Moluccas extract from them a pleasant essential oil. The young propagating shoots issue from the axils of the leaves. Leaves near the root bifarious: the fresh ones much used as a substitute for tea. Tonic, slightly stimulant; centre of the culm used to flavour curry. Sanskrit name *mālātrinak*, “grass-garland”—*bhustrinang*, “an earth-grass.” Cultivated in Arabia, Ceylon, and the Moluccas. The Native governments so valued pasture grasses, that some of the pasture of the sandstone hills, south of the Kistna river, where the lemon grass is found, was reserved for their own cavalry.

*Pāni shirā (Hæmarthea compressa).*—Stalks very long and very thin.

*Bākshā (Rottholla glabra).*—Grows in moist places near paddy land; leaves sword-shaped.

*Makkā (Zea Mays).*—Maize. It is the rice of Mexico and the United States. Indigenous to America, hence its name Indian corn. The pride and boast of American husbandry. Extensively cultivated in Egypt, Java, and Africa. It has a jointed stalk with alternate leaves like flags. The stalk are surmounted with a loose bunch, or spike of male flowers, of various colors, having oblong oval chaffy

empalement, opening with two valves, each enclosing two flowers. Seeds sometimes blue, green, red, or yellow. From each seed issues a filament, which when out, the tree will remain barren. There are thirty different kinds. Sometimes fourteen feet high. Often yields four hundred per cent. The Indians of N. America used to sow it at the time a certain tree budded. A sugary juice is obtained from the stalk. The cause of the indigenous civilization of many of the Indian tribes. The spathe, or delicate elastic leaves, enveloping the grain in its head, is used for bedding. Named along the Dardanelles "reed wheat."

*Kanch gargar (Coix lacryma)*.—Called "Job's tears."

*Bená Yoni (Sporobolus diander)*.—Flowers in the rainy season.

*Páni durbá (Sporobolus tenacissimus)*.—Abundant in the West Indies.

*Dhán (Oryza sativa)*.—Rice. The chief food of one third of the human race, hence well entitled to its Sanskrit name *vrihi*, "the spreader." Forty or fifty different kinds of rice are known in India, and more than a hundred in Ceylon. Menu writes of rice wine, called *pishti*, i. e. arrack. Though a bag full of it was introduced into America only two centuries ago, yet it produced in 1850 more than 215,000,000 lbs. The Santals use immense quantities of a spirit prepared from rice in their feasts and religious ceremonies. The Chinese apply lime water to rice with great success; we know not whether that has been tried in Bengal. In North America the sowing rice in damp fields is very prejudicial to the health of the negroes, so also in Lombardy; it is not so in Bengal.

*Durbhá (Cynodon dactylon)*.—Three-fourths of the food of horses and cows in India is made from this grass. Some of the leaves tapering very sharply, have given rise to the Hindu saying of an acute man, his "mind sharp as the point of a *kusa* leaf." A cooling decoction is made from its roots by native doctors. Sir W. Jones says of its flowers "they are

among the loveliest objects in the vegetable world, and appear through a lens like minute rubies and emeralds in constant motion from the least breath of air." The ancient Hindus believed it was so beautiful that a nymph had taken up her residence in it.

*Nal* or *Darma* (*Amphidonax karka*).—Indian reed. The Greeks used to say that reeds had contributed to subjugate a people by furnishing arrows, to soften them by framing musical instruments, to educate them by forming pens.

*Yaba* (*Hordeum hexastichon*).—Barley. Native place unknown.

*Gom* (*Triticum vulgare*).—Wheat. Flowers in the cold season.

*Kush* (*Poa cynosuroides*).—Used in Brahmin ceremonies.

*Báns* (*Bambusa arundinacea*).—The cells and partitions are so large that they are used as cases to contain papers. The stem of all the grass tribe is originally solid, but owing to its diameter increasing more rapidly than new tissue can be formed, it becomes hollow. A flinty substance called *tabasheer*, or in Sanskrit *tvakkshirá*, is found in some female bambus; it is indestructible by fire, and is used as a tonic in medicine.

*Tulda bans* (*Bambusa tulda*).—Common bamboo. Thick shoots used for pickle; a thicker sort is the *piga bansh*, used for scaffolding, as the *bánsini bansh* is for basket-making, and the *behuri bansh* for a Brahmin to hold when invested with the páita, there is also the *bálku báns*.

#### CRYPTOGAMIÆ.

*Whose fructification is hidden, unknown, or irregular.*

83. CHARACEÆ.—Aquatics; always submerged; give out a foetid odour. With a microscope the motion of fluids in them can be seen.

Called in English stone-worts from the lime in them. Their stems being encrusted with carbonate of lime may be of use as a manure; the abundance of this weed is one of the sources of the malaria of the Campagna of Rome. The fens in Cambridgeshire are adding year by year earthy matter in abundance from the deposit of *Characeæ*, which thus elevate the low, swampy soil.

*Kantá Jjáŋghi* (*Chara verticellata*).—Joints of the stems somewhat prickly.

*Pátá Jjáŋghi* (*Chara involucrata*).—Used to purify water and sugar: it attracts the filthy particles out of the objects with which it is connected.

*Rasna Jjáŋghi* (*Chara furcata*).—Said to cause rice to rot that grows near.

84. *EQUISETACEÆ*, or *Shave Grasses*.—A name they have from their flinty stems cutting the mouths of cattle; hence they are useful for polishing furniture.

85. *POLYPODIACEÆ*.—Ferns called *Dolypodia*, from having many roots. The ashes of some ferns form a potash used in making glass; the roots of others are sudorific. In Norway, Scotland, and Himalayas, ferns are cooked and eaten. Heat and shade are necessary for their growth.

In the Madras Presidency is a fern (*Adiantum melanocaula*) called *mayur shikhanda*, from the resemblance it bears to a peacock's tail: the *káli jghamp* in Bengal is of the same species. In Jamaica, the same class are used for sore throats and consumption. The *veins* are all of equal size.

*Chitúá borá* (*Polypodium glabrum*).

*Garur* (*Polypodium quercifolium*).—Abundant in New-Holland.

*Dápu* (*Polypodium proliferum*).—Root used in fever.

*Chákulyéá* (*Hemeonitis cordifolia*).—Used as a medicine in connection with native *pánchan*, or compounds.

*Pánkánkrul* (*Aspidium unitum*).—The *indusium*, or covering, is shaped like a buckler, hence its name. Forty genera known.

*Káli Jhám̐* (*Adiantum leonlatum*).—Called *adiantum*, or dry, from the nature of its stems, which, though you plunge in water, you cannot wet.

86. MARSILEACEÆ.—Creeping plants, living in ditches.

*Susni shák* (*Marsilea quadrifolia*).—Leaves eaten produce sleep, according to native accounts.

87. LYCOPODIACEÆ, or *Club Mosses*.—Derive their Botanic name from a fancied resemblance to a wolf's foot. Moss-like plants, with creeping stems and leaves, tile-shaped; they are a link between ferns and mosses. The *thecæ* contain a powder very inflammable, used in fireworks and in theatres to produce artificial lightning.

*Sitáhár* (*Lycopodium phlegmarium*). In the Sunderbunds chiefly.

*Hátájora* (*Lycopodium imbricatum*). Flowers in the rains.

88. MUSCI, or *Mosses*.—They have been called the corals of the tree. Dr. Wallich collected in India 148 different kinds of mosses, but very few are to be found in the alluvial soil of Bengal, and with no distinct native name.

89. HEPATEACEÆ or *Liverworts*.—Few in Bengal.

90. LICHENACEÆ.—Valuable for dyes: 2400 species known.

91. FUNGI, or *Mushrooms*.—The Ostiacks, a Siberian tribe, make a preparation from a mushroom (*Agaricus muscarius*) which will kill the strongest man in twelve hours. The Russians during their fasts live entirely on mushrooms, and are often thrown into violent convulsions in consequence.

Mushrooms develop their cells with wonderful quickness, one has been known with cells  $\frac{1}{400}$  of an inch in diameter to have developed at the rate of 66 million cells in a minute, and continuing that for 12 hours: cells in aquatic plants are ordinarily  $\frac{1}{50}$  of an inch in diameter. The old cell of *fungi* is transformed into a new plant by new cells originating in it and gradually taking its place.

The old Pandits so detested *fungi*, that they put in the mouth of Yam, the Regent of Death, the following words:



"Those who eat mushrooms, whether springing from the ground or growing from a tree, fully equal in guilt the killers of Brahmins."

Twenty different species are known, but without distinct native names, all are called *bángcháttá*, i. e., "the frog's umbrella," corresponding to the English name *toad-stools*, and the Urdu *samp-ki-topi*, or "snake's hat." One species is edible, and may be distinguished by its being of middle size, the gills of a flesh colour, changing as they advance to a chocolate, and of an agreeable smell.

*Korak (Agaricus edulis)*.—Eaten by natives when boiled in oil: the widows of Brahmins and Khayists, will not eat this fungus, from a notion that it springs from stolen meat buried in the earth.

92. SALVINIACEÆ.—Floating plants, with reddish stems. Order named after a Professor of Botany at Florence.

*Páná (Salvinia imbricata)*.—Flowers in the rains.

*Indukáná páná (Salvinia cucullata)*.—Leaves shaped like rat's ears.

*Táká Páná, Ulki Páná (Salvinia verticellata)*.—Its name *ulki*, means "a Hindu sectarial mark on a woman's forehead," which it resembles.

## Correspondence and Selections.

PARTICULARS REGARDING CERTAIN SPECIMENS FORWARDED DURING 1857 FOR THE GARDEN AND MUSEUM OF THE SOCIETY; WITH NOTICES RESPECTING THE FLORA AND VEGETABLE PRODUCTS OF UPPER ASSAM.

(Communicated by Capt. W. H. LOWTHER, 2nd in Command Assam Local Battalion.)

"I am delighted to find that Government have put such facilities in our way regarding the transmission of plants; it will be indeed a great boon to this neglected but rich country. Suddyah ought in time to be the garden of Assam, as is Jorehaut at present, with its groves of oranges, orchards, &c., &c., the remains of the royal government. I must tell you that Suddyah has a soil and climate unmatched in the whole N. E., the surface stratum being a black alluvium about a foot deep,—below that many feet of sand, being the original bed of the Burrampooter. There, potatoes and onions, both which will not grow at Deebroo, and many other places, attain the greatest perfection; here, the former, taking the pick, are Rs. 1-8 as. per maund, the latter 2 as. per seer, while at Deebroo (only 60 miles off by boat) Rs. 2-8as. to Rs. 3 are commonly asked for the former, and the latter are scarce at *one Rupee* the seer.

"Will you be so kind as to have notes made from time to time as I write to you of my requirements, as otherwise both of us will forget them.

"First, all *spare* specimens of potatoes (*large and new sorts*), yams of every description, and a few seers of *Arachis* pods. We have a lazy population, and rice often reaches famine prices, when the miserable creatures eat any wild rubbish they find in the jungles, and lay the foundation of diseases; hence the need of some *prolific* roots: besides, oil is so scarce and dear here (*Cocoa-nut oil in retail 40 Rs.*), that the *Arachis* will certainly prove a god-send. That splendid maize I have been distributing for hundreds of miles; Mishmis, Singphoos, and other tribes, have received a small quantity for sowing in their very suitable hills, and I have, besides giving the sepoy and ryots at Saikwah and Suddyah a small share, made two sowings for myself in two experimental plots at both places. I had some fine heads raised by Mr. Higge's Abors given to me, they were attacked by weevils, the husks having been removed (which should *never* be done, in Upper India they

are very particular on this point), and found a use for that *naphtha* I sent you. I removed all the grains, and shut them up in a small box, stirring among them a few drops of that oil; the insects immediately perished, and the corn seems to be none the worse for the application. You may possibly find this recipe worth knowing among your stores.

"I am sending you a tin box of seeds, lately gathered, and drugs. Among the former, are several highly ornamental things, found in my late wanderings in the most uncivilised and uninhabited portions of the country, and they may possibly prove new to you; of the latter, I forward one large packet of the root *Aconitum ferox* (*Bih*), with which the savages poison all their weapons of war and the chace; it is superdeadly in its effects, even the elephant cannot resist its effects. The Singphoos are great ivory hunters, and they fire an arrow heavily imbued with the drug from an old musket into his head, and then track him till he drops! but there is a well-known and simple remedy for wounds made by these poisoned weapons, which I am at present investigating, and shall send you the result in due time. I am witness to its efficacy, for during a late raid of the savages on my beat, they, as usual, set poisoned foot-spears of sharpened bamboo during their retreat, and five villagers were desperately struck by them through the legs and feet; the remedy was immediately stuffed into the laceration, and, although the limb swelled as if it would burst, the men all recovered the use of it in a week or ten days. Next in importance I send you the far-famed "*Coptis teeta*" (*Mishmee teeta*), a root pronounced (*vide* O' Shaughnessy) by eminent medical authorities as possessing most valuable tonic or restorative qualities,—being an intense bitter (but it is not a febrifuge). It is very difficult to obtain, only a small quantity being brought down in presents and barter. Plants have often, I am told, been sent here, but they invariably died in a few months. I have ordered some in season for transmission, but they should leave for Europe as soon after receipt as possible. Should the accompanying packets not contain a sufficient quantity for medical experiment, I will send you more. There are four packets of "*Gir-thain*," the root of some "*Labiata*," evidently a favourite perfume in Assam, and used to scent hair-oil. Should any of these substances prove of value, I think there will be no trouble in obtaining a large quantity from the Mishmis, in return for spirits, tobacco, or salt,—three things they prize more than money, or indeed any thing else, perhaps, except beef.

SUDDYAH, UPPER ASSAM:

February 28th, 1857.

"I need hardly tell you how much gratified I was by the receipt of the two glass cases—"better late than never." They remained some days at Deebrooghur without my being made aware of their arrival—the distance is full seventy miles by the river; at length I met them on the 13th, as I was going down to visit some outposts of my "beat." I had heard previously that all the rose trees were *dead*, and to my grief so they *seemed* to be—and very little else but dry sticks; however, I sent word with them to Suddyah to give water plentifully, and put them in the shade. On my return, on the 26th, I was delighted to find seven-eighths growing vigorously, having thrown out a new crop of shoots and leaves! They are now all safe, transplanted into a small experimental garden in one of the best soils in Asia, but I am grieved to say that desirable acquisition, the *Amherstia*, arrived quite dead, evidently perished a fortnight before it reached Upper Assam—you must remember me again in the cold season. Nearly every thing else growing, barring two *Passifloras*, two or three *Bignonias*, and last, not least, the much coveted *Vanillas*, of which three alone are in existence, and those sickly; they have been sent without delay to the forest, where I had prepared for their reception,—do remember me again in this plant. In spite of storms and rain, we are in the most suffocating weather, and in my small huts, (an extempore bivouac) I remain till May, when I return to Deebrooghur. The jungles, are beginning to unfold their flowery and other treasures, and the birds, insects, and blossoms are *dressing*, at least in spring fashions, as gaily as your most gay Calcutta belles. Such a revelry of charms never was seen; the orchids are indeed *unearthly* in their gorgeousness, and make my poor human eye ache with their beauty. I am gradually filling the cases, but I am forced by the season into selecting *hardy* plants, so cannot be as dainty as I could wish. There are sundry parasitic and ground ferns, more of *Hoya parasitica*, *Hedychiums*, a *Polypodium*, that pretty parasitic orchid *Pholidota articulata*, some pseudo shallots—which come from Munneepoor, and seem better flavoured than our common Indian chives (*Gundeena*), and some other things.

"I wish I could have sent what I most admire, but my eyes are open, and in favorable time I shall do my best. A fine terrestrial orchid, with a large violet-coloured lip is now in full bloom; a lovely rose-coloured highly perfumed little *Magnolia* (a forest tree); a splendid lilac-coloured *Dalbergia* (climbing); a scarlet *Amaryllis* (in gardens); a free flowering pretty white *Ipomœa*, like our English bindweed; a shrubby jessamine, like *Tabernamontana*; a very handsome *Cucurbit* with large white fringed blossoms, foliage like a *Passiflora*; an *Aralid* (?) with numerous

upright spikes of rose and yellow flowers, (a large tree); and numerous other new and showy things.

"I have made you up a tin case of seeds, which you will soon get; a box also containing some packets of hill drugs, and a paper on our local pest, the *Solanum*?—dried specimens accompanying. I forgot to say that in your transmissions to me, send two strong plants of *sage*, and two also of *marjoram*, and any other pot-herbs you may have in the garden, down to rue and rosemary for my poultry.

"The various species of oranges and lemons in Assam would astonish you: in the garden at Saikwah, (the post I have just deserted,) is an orange tree forty feet high, and which bears thousands of fruit; several others of lesser dimensions. Lemons of the finest kinds *wild* throughout the forests, and a great treat to a thirsty, feverish explorer. I often come on a loaded tree, in the midst of a grass plain, without water near for miles: they are doubtless the remains of ancient cultivation.

"Any of your Chinese plants ought to do well in Assam; pray think of me if you have any to spare. I want as many handsome flowering shrubs as I can get, more pine-apples too, for they will do well that is certain, and also alligator pears. *Has that Ipomœa flowered yet I gave you?* [Yes.]—*I want seeds or a plant of it.* I am sorry to find few of our annuals will grow in Assam; they damp off shockingly, not a stock will reach four inches, and Californian flowers wither and rot most provokingly, long before they show buds. No cauliflowers either in my garden, beet bad, but most other things, especially peas, *first-rate*. Onions grow beautifully, but the country stock is bad; I want Patna, or Bombay seed, if procurable. There is a rough acid plum just coming in, like a sloe or wild damson—query, is it *Prunus Jenkinsii*?) would make good stocks doubtless for grafting stone fruit. I will send some seeds next box; some of those parasitic ferns are very tender of heat, and grow in places where the sun never shines, so for the present it is useless sending them, the dormant season will do very well without risk, in a light basket like the orchids. One or two very lovely kinds, though, I am sending, as they are so light and portable, and *may* survive the journey. *Do you know any white Erythrina?* [No, not in our garden.] By description I hear of one some miles off, and have ordered blossom, seeds and cuttings to be brought to me, to be certain on the matter. I want you to beg, borrow, or steal, any other kinds of *Passifloras* for me, this being the very climate they admire. We have that large eatable gourd-like passion-flower every where in gardens, just now it is loaded with green fruit, and self-sows itself most abundantly; a handsome flower too, this is *P. edulis*, I

think, a large growing species like a grape vine. The potato crops have just been dug, they are rising in price from Re. 1-8 as. to Rs. 2 per maund, but are not so large as they might be.

"I want a few tubers, Jerusalem artichokes, too, as a beginning here,—and the best yams to be got, those large flowery white West India ones, gigantic in size, will be the thing. The seed wheat, too, you will let me know about; we want a kind not subject to rot, or mildew, for this foggy dewy misty country: and when the maize and tobacco come from America do not forget me.

SUDDYAH, UPPER ASSAM :

March 28th, 1857.

"I lately got your kind letter, for which my best thanks. You are indeed very attentive to my numerous demands, and I feel great satisfaction in trying to send you any novelties in the vegetation of this remote country. At present there seems a great and unseasonable dearth of *flowers*, nothing to be seen beyond *Asclepias curassavica*, *Morinda tinctoria*, *Mussaenda pubescens* (?) a minute *Gesnera* (a pretty violet colour), and some coarse timber trees, with their unornamental inflorescence. But I think our Suddyah forests are naturally very poor in flora, compared with Muttuck on the other bank; our orchids, too, though very rich of their kind, are few in variety. The other day I had occasion, on the duty of exploring the line of a future road, to break through a most ancient and savage forest, the trees of which for several acres might be said to be literally devoured by vegetable parasites; most of these orchids were just out of bloom, so I missed the delight of seeing and smelling such a wilderness of beauty. I noticed several very fine specimens of a fine pendulous plant, forming such a glossy, green mass on the bark of the trees it adheres to. I sent you a specimen with the orchids, but it is just possible it withered up, and you did not notice it.

"I am sending you a small box, shortly, containing: 1st, a small bottle of the vinous extract of *Mishmee teeta*, which I find so fine a tonic and restorative of the digestive powers,—especially when exhibited in the *sequelæ* of Indian fevers. It is prepared by pouring a bottle of the best sherry wine over four ounces of the root of the *Mishmee teetu* (previously well washed in two or three waters, and then bruised), a small quantity of the peel of bitter orange, and a few spices, to impart a pleasant aroma. are added, and the whole left to stand in a closed jar for a month, in a warm, but shady place; the liquor is then to be filtered off through blotting paper, and is ready for use. One teaspoonful to a small glass of any wine, or plain water, may be taken

three times a day, and will, as might be expected, create a great appetite and sense of warmth in the stomach.

"Secondly, I send you specimens of indigenous sarsaparilla, just received from Sylhet, and which also, from enquiries hereabouts, seems to have a habitat in all the low hills of our N. E. Frontier—query, is this *Smilax glabra*, the present *chob-chenee* of our Indian bazars, and which I found in the extreme N. W. Provinces as far as Goolab Singh's territories? With the hakeems in Cashmere, who are considered among the best of our Eastern physicians, I also found it in abundance, and saw a patient who had come all the way from Delhi to undergo a course of the drug. The Asiatics use it as a purifier of the blood in the form of decoction for the same disorders as our European practitioners.

"Thirdly, I send a small quantity of the cottony down of the arboreous *Asclepiad*, with scarlet fleshy flowers, of which I some time ago sent you a small packet erroneously marked *Cryptostegia*. I had not then seen the tree in flower, and went by the near resemblance of the leaves and ripe follicles; it seems a delicate glossy product, which might rival the *muddâr* in Bengal. *Asclepias curassavica* grows in great abundance, too, in some of our jungles, and bears a great deal of similar silky down.

"Fourthly, I send you a small original packet of the natural tinder of Assam, being the spongy substance found between the fibres of "*Caryota urens*,"—that handsome palm of which I fancy your garden has an abundance; the flower shoot is a much coveted article of food, and the tree dies by its removal, hence it seems rather scarce hereabouts. I hope the ferns, *Hedychiums*, &c., have reached you all alive and flourishing.

"For a high opinion of *Mishmee teeta* "vide O'Shaughnessy's book,—and strange that those three very remarkable Alpine *Ranunculaceæ*—*Aconitum ferox*, *A. heterophyllum*, and *Coptis teeta*, are all to be found in such abundance on our Indian mountains. What a mine of medicine still probably remains undiscovered!

"I was very sorry to hear of the "*petroleum* disaster,—shall I send you more? It is wonderfully useful, white ants, and every other insect, abhor it, and it seems that even mice will not touch corn rubbed with it,—and *fungi* do not seem to like it either; but, as it evaporates by exposure to the air, the mere application to timber would not suffice. I believe it is an excellent solvent of caoutchouc, and hence an ingredient in that most desirable substance for mechanical employment in India, "*marine glue*." I dare say more virtues lie hidden in it than we are aware of. I had nearly forgotten to say,

that, as an application in all cutaneous disorders of man or beast, it is most efficacious, and often removes acute rheumatism by its penetrating heating qualities. The native physicians, who call it "*muttee-ke-tel*" (*earth-oil*) have been for ages aware of its valuable properties. Assam could probably compete with Burmah and Arracan, in furnishing the raw product, for we have numerous springs."

SUDDYAH, UPPER ASSAM:

June 7th, 1857.

"I have added to my former list of natural products, since I last wrote, some root and dried specimen of the valuable Assamese medicine *Chanda teeta*, (looks as if it belonged to *Cinchonaceæ*?) a most intense bitter, not unpleasant to the taste as *Mishmee teeta*, but evidently possessing more active principle. Use, infallible in the worst cutaneous disorders, externally, and a specific in the numerous severe bowel complaints to which the natives of Assam, from their dirty habits and bad food, seem peculiarly liable. (I must tell you that the hill tribes employ *Mishmee teeta* in the same manner, externally, for itch, and all the other foul skin diseases produced by filthy habits.) The plant called *Chanda teeta* seems to be no where very common. I never saw it cultivated, and I have known a man in search of the medicine go a great many miles without finding it; it usually grows in level grassy places on the edges of the jungle, and is a pretty little under-shrub, two or three feet high, (seldom so much) with delicate erect cymes of small rose-coloured flowers, few in number. I have marked two or three fine specimens to send you in the proper season.

I have not yet been able to procure a portion of the root of that *Asclepiad* of which the silky down is forwarded. I have also heard of a climbing *Asclepiad* with a bitter root, said to possess all kinds of wonderful virtues, and called in Assamese *Nanyal teeta*;—it is said to be scarce about Suddyah, but a man who is hunting for it still expects to find it."

June 17th, 1857.

"I had hoped this year to have astonished the ryots of Suddyah with some fine field crops: and had a good piece of land all ready for the purpose, Government having granted great facilities to introduce cultivation, in sanctioning plough bullocks, coolies, and a sum of money for clearing the jungles. As a farming and horticultural locality I consider Suddyah unmatched (as I have before told you) for the growth of successive and surface crops, and indeed root crops, when the waste lands have been well ploughed and opened, but tea, coffee, and tropical fruit trees in general languish, and die there, the sand being too deep, while



*Vanilla* flourishes in those ancient moss grown forests which the Burrumpooter has spared. I have a small piece of mustard cultivation on some newly-ploughed ground in the Suddyah cantonment, to test the efficacy of this plant in killing the indigenous jungle, a virtue which the natives say it possesses, from the acrid juices contained in the roots. Mustard is partially grown by the zemindars of Suddyah for the sake of the oil, and the surplus is bought by the wide-awake Marwarrie trader for transmission to Dacca, where it commands a high price. The soil of Debrooghur is a gritty loamy clay, in which both tea and coffee attain great perfection, as you are aware, and in which a multitude of other products, including the far-famed *Rheea*, attain great perfection. In your next dispatch of plants I shall feel greatly obliged by your sending me the plants of *Theobroma Cacao*, any Chinese fruits, and useful plants, ornamental trees, &c., also country fruits, as alligator pears, plums, &c., &c.; the former would not grow at Suddyah, but I have no doubt of their doing so at Deebroo, in well tilled soil and shade.

"I want as many *Vanilla* plants as you may be kind enough to bestow, two or three young vines of sorts will be also acceptable, though people discourage me regarding them, and say they never bear fruit in so moist a climate. I will bud them, or graft them on our wild one, and try that. What with no steamers, and no time, I have no opportunity of foraging for plants and seeds, but I have a fine plank of cedar from the far, far unknown sources of the Burrumpooter (drifted) as a specimen for your museum; a tree or two like that would be a gift fit for an emperor. Some day I may in my travels discover the forest, and then will set up a circular saw mill on the spot. What may be the market value of cedar wood?

"Our rivers are casting up gold this year at a harvest rate. I know of one party washing daily 2 tolah weight, and they got the stream for Rs. 33. All these riches of the earth, both vegetable and mineral, are, I suppose, the great means by which at no very distant period of time this remote region will be sought out and colonised as California and Australia have been; the sooner the better, for the stability of our power, and the subversion of Hindu and Moslem barbarism.

"I am getting my experimental farm here into ploughing order, and rely wholly upon your contributions from time to time, both in trees and agricultural seeds for covering its surface. As I told you once before, I think, there is no province in the empire where there is less advancement in husbandry, and more need of energetic and experimental introductions."

DEBROOGHUR:

November 29th, 1857.

CHEMICAL INVESTIGATION OF THE COTTON PLANT.

(Communicated by the Board of Revenue, Lower Provinces.)

To the SECRETARY OF THE AGRICULTURAL SOCIETY.

SIR,—I am directed by the Board of Revenue to forward the accompanying copy of a memo., furnished to the Honourable Court of Directors by Dr. Mallet, Professor of Chemistry in the University of Alabama, U. S., of specimens of cotton, and information regarding cotton plants desired by him, and to solicit the aid of the Agricultural Society generally, and its members individually, in procuring the information sought by Dr. Mallet.

Yours, &c.,

FORT WILLIAM:

E. T. TREVOR,

October 9th, 1857.

Secretary.

*Specimens of Cotton and information desired with a view to the Chemical Investigation of the Plant.*

It would be desirable to have specimens from four or five of the cotton growing localities of India, differing in soil and climate; those which are most important now, or may be expected hereafter to become so.

Separate analyses should be made of the ash of the following parts of the plant, and specimens will therefore be required of—

- (1st.) The root.
- (2nd.) The stem (with smaller branches and twigs.)
- (3rd.) The leaves.
- (4th.) The bole or pod.
- (5th.) The seed.
- (6th.) The fibre or cotton.

About four pounds of each of these parts (in the green state), would be needed, hence a sufficient number of entire plants should be collected to yield at least the above amount of each part.

The total weight of the entire plants clear of earth, and in their fresh green state, must be stated; they must be weighed free from rain or extraneous moisture.

The specimens should be gathered in dry weather, and just after the bole has fully opened.

The whole of the root, as of every other organ should be taken, each specimen should then be put up in paper or cotton cloth and distinctly marked and referred to a list, the marks legible and indelible.

Besides the plants, about four pound weight of the soil in which they were grown should be also put up in cotton cloth, and similarly labelled, carefully referring to the plants taken therefrom.

Information as to the following points accompanying the specimens would be very important and valuable.

(1st.) Nature and depth of the soil as to dryness or moisture retentiveness; what other crops are grown in it; is it deemed very fertile; any special weeds?

(2nd.) Geological and topographical character of the district; nature of underlying rock; level above the sea; well or ill-drained naturally?

(3rd.) Climate (especially as regards rains, their amount, and the seasons at which they fall; is irrigation employed, when and how long in the year?

4th. Kind of seed used, and whence obtained?

5th. General character of plant; whether herbaceous or tree cotton?

6th. Average height of plant and spread of branches; distances from plant to plant?

7th. Average spread of roots, in depth and laterally?

8th. Mode of cultivation; time of planting; distance at which plants are placed apart; amount of labour bestowed upon weeding during growth time; of flowering time; of picking duration; of picking, &c.; weight of "ginned" cotton fibre produced per acre; weight produced per hand employed?

9th. Manure used, if any cotton seed returned to the soil; stalks allowed to decay on the field?

10th. Diseases or ravages of insects to which the plant is subject?

Some samples of the "ginned" cotton ready for market might be useful, as affording, by comparison with the raw fibre, an idea of the degree of care with which the seed is separated. The value of the fibre depends to a very great extent upon the attention given to this mechanical preparation.

---

*Composition of Cotton and Niger-seed cake: By Professor ANDERSON, Chemist to the Highland and Agricultural Society of Scotland.*

In the year 1850 I brought under the notice of the Highland Society the first specimen of cotton-seed cake seen in this country, which was manufactured as a matter of experiment for Mr. Burn, C. E., who had contrived a machine for cleaning cotton. It was part of his plan to import the cotton containing the seeds into this country, and to make the seed an article of commerce, by extracting from it the oil, and vending the cake; but although this plan was not carried out, Mr. Burn's

observations appear to have attracted the attention of cotton-growers, for a quantity of cotton-cake was imported into Liverpool a couple of years after, and was used in Cheshire for feeding purposes. Since that time it has become a regular article of import, although its consumption in Scotland, at least, has been very small until the present year. The analysis which I published some years since in the *Transactions of the Society* being that of a special sample, it may be of interest for me to communicate the results of two others of the ordinary manufactured article.

Water,	..	..	..	..	11.90	14.20
Oil,	..	..	..	..	5.08	9.83
Albuminous compounds,	..	..	..	..	21.92	18.21
Fibre, mucilage, &c.,	..	..	..	..	54.52	47.54
Ash,	..	..	..	..	6.58	10.22

---

					100.00	100.00
--	--	--	--	--	--------	--------

---

Nitrogen,	..	..	..	..	3.49	2.90
-----------	----	----	----	----	------	------

The ash contained —

Earthy phosphates,	..	..	..	..	4.65	4.57
--------------------	----	----	----	----	------	------

Phosphoric acid, combined with the

alkalies,	..	..	..	..	1.05	0.54
-----------	----	----	----	----	------	------

These numbers are sufficient to satisfy any one that cotton-cake is likely to prove a useful and convenient addition to the list of our cattle foods, although it is by no means comparable to linseed-oil cake, or even to rape and poppy cakes. A reference to the detailed analyses of many different varieties of the latter substances contained in the *Transactions* for 1852 and 1853, will leave no doubt upon this point. In fact, whether we take the oil or the nitrogen as the standard by which to estimate their relative values, we find that the balance is greatly in favour of oil-cake. The usual quantity of nitrogen in linseed-cake is about 4.5 per cent; and it rarely, even in inferior samples, falls much below 4; while in the one cotton-cake it is 3.5, and in the other only 2.9; giving 3.18 as the mean. So likewise oil-cake contains in general about 10 or 12 per cent of oil, while the average of the two cotton-cakes is only 7.45. In one particular instance I have examined a sample of cotton-cake containing upwards of 20 per cent of oil; but this was obviously quite an exceptional case, for the cake was entirely different in appearance from the others, and had scarcely been pressed at all, as it was so soft as to crumble down between the hands.

If, then, we take the two samples, of which I have given the analysis, as fair average cotton-cakes, it is quite obvious that they must be

considered decidedly inferior to oil-cake; and this is practically acknowledged by the lower price at which it is sold, although it may be doubted whether the difference is sufficiently great. At the present moment cotton-cake is quoted in the lists at £8-10s. per ton, while Baltic oil-cakes are from £8-10s. to £9-10s.; and we believe there is no one who would hesitate to give an extra pound per ton for oil-cake, even though it may not be of the very best quality. The proper valuation of cotton-cake is a matter of some importance, as it seems likely to become an article of considerable trade. Its production has been hitherto impeded by the inferiority of the oil expressed from the seeds, which is very dark-coloured, and occasionally almost black; but a process by which the impurities are removed, and the oil obtained of a beautiful amber colour, and well adapted both for burning and lubricating, has recently been contrived, and it may be fairly expected that its manufacture will receive a very material extension.

*Composition of Niger Cake.*

A kind of cake is sold under this name in considerable quantity. I have been unable to ascertain from what seed it is obtained,\* but it seems to merit the attention of feeders, as its composition indicates for it a high value; and if palatable to the cattle, it might be used with great economy, its price being considerably lower than that of oil-cake.

Its composition is—

Water,	..	..	..	..	..	..	10.70
Oil, ..	..	..	..	..	..	..	7.46
Albuminous compounds,	..	..	..	..	..	..	30.64
Fibre, mucilage, &c.,	..	..	..	..	..	..	41.98
Ash,	..	..	..	..	..	..	9.22

---

100.00

Nitrogen, ..	..	..	..	..	..	..	4.88
--------------	----	----	----	----	----	----	------

The ash contains—

Phosphates,	..	..	..	..	..	..	2.77
Phosphoric acid in the Alkaline salts, ..	..	..	..	..	..	..	1.19

If the proportion of albuminous compounds be here taken as the measure of the value of this cake, it must stand on a very high level, and fully equal in feeding value to linseed-oil cake of the best

\* It is obtained from the seed of *Perbesina sativa*, Roxb: *Gutierrezia Abyssinica*, Cass: It is known on this side of India under the names "Ram-til" and "Sirgooja." It is also cultivated in Western India, and known there as "*Kalee-til*." The oil obtained from this seed is used by the poorer classes in various parts of India as a substitute for *ghee* (clarified butter). For some interesting particulars regarding this useful plant, see *Journal A. and H. Society of India*, Vol. VII, p. 40, and Vol. VIII, page 61.—Eds. *Journal, A. and H. S.*

quality. The oil, no doubt, is under the quantity usually found in the latter, but its deficiency is more than counterbalanced by the larger quantity of albuminous compounds, which are also the most important nutritive constituents of all kinds of food. Without placing too much reliance on a single analysis, which may not give a fair representation of the average quality of niger cake, the results now given ought to direct the attention of feeders to this article; and any one who has experience of its practical use would do a benefit to agriculture by making it public.—*Journal of the H. and A. Society of Scotland*, January, 1858.

---

*Destruction of the GUTTA PERCHA Trees at Singapore.*

A valued friend and correspondent, a mercantile gentleman in Singapore (Charles Wilsone, Esq.) has given us the following interesting particulars relative to the destruction of the trees of Gutta Percha (*Insonandra Gutta*) in that island:—

“Your letter of the 3rd October reached me by last mail, and I assure you it will give me much pleasure if I can be of use to you in any way out here, either in collecting any information you may require about our vegetable substances in Singapore and the neighbouring countries, or in procuring specimens of them for your museum as Kew.

“I have commenced to collect all the different Guttas that are brought to Singapore in the Malay and Bugis prahus, and when I have succeeded in procuring specimens of the principal part of them, I will send them to you.

“May of those passing under different names however are merely different qualities of the same stuff, or prepared in a different manner. Seeds of the Gutta Percha tree, and flowering specimens of the plant, I am afraid I shall not be able to procure in Singapore, as we have nothing but very small trees left in the island now; all those old enough to yield even a very small quantity of sap having been cut down by the Malays; but Sir James Brooke, who has been staying here, has promised to send me both from Sarawak, where there is no difficulty in procuring them, there being abundance of full-grown trees still.\*

\* The Brone Gutta Percha, we believe, is much less esteemed than that of Singapore, and from specimens of the leaves that have been sent us by Sir James Brooke, it would appear that the species is different from the true Gutta Percha. The veritable *Insonandra Gutta* has however recently been detected in Sumatra, and a specimen has been sent to us by our excellent friend Professor De Vriese, of Leyden.—Ed.

#### 14 *Destruction of the Gutta Percha Trees at Singapore.*

The trees are always cut down here to procure the sap, though I have no doubt it is very bad policy to do so, since by tapping them a good quantity of sap easily runs, and it might be repeated again after giving the trees a reasonable time to recover. Natives will never consider any future advantage, their great object being to get the largest quantity at a time. Their argument, too, that unless the trees were private property, and could be looked after, it would be impossible to protect them from one's neighbours, is very true; and this would be quite out of the question in the extensive forests where the Gutta trees are found. At some future period, I have no doubt the Gutta Percha tree will be quite extirpated in all the countries about Singapore. Being always cut before it has a chance of seedling, it cannot continue to exist unless the price rises, to such an extent as make it worth while planting the tree on private property.

"It is to be found" (the identical species?) "over nearly the whole Archipelago that is inhabited by the Malay race, but as far as I know does not extend further to the east. True Gutta Percha is called *Guttu Tabbon*; most of the other Guttas are varieties of Caoutchouc. Neither the Malays nor the Chinese make much use of Gutta Percha as far as I have seen. Knife handles and small buckets seems to be the principal uses they put it to; it is sometimes made into bands for tying things with also, but I have not often seen it used in this way.

"The quantity of Gutta Percha exported from Singapore in 1855 was about 1,200 tons but this year it will be much short of that amount, probably not over 1,500 tons. Its present price is 22 dollars per picul (133½ lbs.) for good quality."—*Hooker's Journal of Botany for August, 1857.*

## Correspondence and Selections.

PARTICULARS REGARDING CERTAIN SPECIMENS FORWARDED DURING 1858-59 FOR THE GARDEN AND MUSEUM OF THE SOCIETY: WITH NOTICES RESPECTING THE FLORA AND VEGETABLE PRODUCTIONS OF UPPER ASSAM.

(Communicated by Capt. W. H. LOWTHER, 2nd in Command Assam Local Battalion.)

If you will believe me, I will tell you that I have been working in behalf of our industrious Society as zealously as a honey-bee for the hive. Since the commencement of October I have been scouring the entire Suddyah frontier in pursuit of marauding Mishmees, and at the same time "opening up". (*America*) the vegetable treasures of the "great eastern wilderness" (as I always style my locality). If there be one remarkable feature in the botany of our valley, it is that of monotony; for whole days together you will often see many thousand specimens of *Mussaenda*, *Thunbergias*, *grandiflora* and *coccinea*, *Asclepias curassavica*, and many equally common plants without novelty: but it so happens that, occasionally, some rich or rare denizen of the mountains is transported by landslips, or torrents, to the shores of our great rivers, where the stranger deposits itself, and exists. Under these circumstances, far up the Debong, I was so lucky as to discover a floral treasure, which will certainly prove an acquisition to the parterre (if new, as it is to me), recommended by hardiness, height, beauty, and fragrance. I will not take upon myself to classify this beautiful shrub, which is gaudy as an *Ixora*, and sweet as a rose: dried specimens are seasoned for an opportunity of transmission. *Description*—habit, trailing; stems, 3 or 4 in. circumference, leafless for 7 or 8 feet, then suddenly expanding into delicate branches; leaves rich green, glabrous and abundant; the bloom in a mass consisting of terminal corymbs, delicate rose color, and as sweet as *Echites caryophyllata*; altogether, it has the habit of an *Apocynum*. There was but the one vigorous specimen, and this I divided piecemeal into herbarium samples, cuttings, and rooted stems; the latter but two in number: and, owing to the present cold, I cannot tell you more than that they are alive: of the old wood slips nearly all have failed, as expected; but of a few terminal



shoots I have been so fortunate as to strike four, this, by the aid of a hand-glass, and much attention. I have also obtained for you root and branch, as above, two remarkably beautiful *Acanthaceæ*, viz., a *Justicia*, with rich blood colour, or lake whorls of flowers, and a *Ruellia*, with delicate crimson bugles (similar to a *Russellia*) both frequenting the darkest and dampest portions of the forest, and, therefore, *tender*, without doubt, as garden flowers, but your garden will do well enough for them. Two other *Justicia* I shall send you are medicinal bitters of much value: the larger, coarse, with whorls of white bugle blossoms, a fine aromatic, used by the Border Kampteas in their fermented liquors, just as we employ hops; the other and smaller plant has a dull scarlet or red inflorescence, giving it a weedy look, and it is common enough in all woody places: used as a *sâg* by the Assamese, and as a bitter tonic by Europeans.

The first mentioned one is, I think, *not Maha testa* of Bengal, though allied to it. This plant seems to possess great attractions to the wild bison, and it is difficult to find one which has not been bitten within the circle of their haunts. I have not been very successful in obtaining seeds; in my various jungle travels I undergo the anxieties of Tantalus, for all the hanging fruits, pods, and capsules are either green or empty, or decayed. I was priding myself on a gigantic follicle, of cucumber dimensions, the offspring of some superb *Asclepias*, picked up amid the boulders of the Depong, when, to my disappointment, after two months' anxious examination, it burst, only to disclose several score of fine seeds in a fermented state! I have obtained for you another delightful garden plant, *Labiata* allied to *Ocimum*, an elegant under-shrub, with all the aromatic qualities of that family; and a mass of rose-colored bloom, highly attractive, from its spicy odour, to the surrounding colonies of bees. The specimen is perfectly hardy, no doubt, though it was solitary. The cuttings have all perished, but the main root is alive. Of orchids I commenced a wholesale harvest, but have since discontinued for want of water carriage—neither steamer nor country boats to be had. I shall send you sundry seeds by *dâk banghy* at times, and some cuttings perhaps by the same method; but boxes, cases, or baskets, alas! Now to fruit trees: with some difficulty I have managed to accumulate for you a few seedlings of *Pierardia sapida*, *Garcinia pedunculata*, and *Flacourtia cataphracts*, nearly all self-sown, of these three stubborn and delicious trees. I have also set about procuring for you a rarity, the wild leeches of the Naga Hills, known to me only by description, and evidently needing but the gardener's art and a good locale (Bangalore and Deyrah ?) to render it a first-class dessert fruit: Assamese

name, *Naga Fenga*. For the last named *desideratum* I am specially indebted to Lieut.-Colonel Hannay.

I have been very successful this season in rearing your American assortment of "squashes:" they could not be finer in their native country. I am in great hopes I shall be able to send you enough acclimated seed for general distribution, with hints for the culture of this most excellent class of vegetables: the bush squash in my garden would surprise you, each small erect plant is bearing ten to twenty delicious gourds, of which two or three are nearly ripe. The large and trailing sorts are all covered with produce also, but they will not come into table use for a very much later period. I have just obtained in a late overland packet some seeds of the new *custard marrow squash*, so highly praised by Professor Lindley in the *Gardener's Chronicle*—they cost beyond their own weight in silver, *i. e.* 6d. *per seed*: I wish they had arrived with your Squashes in September, for I cannot now sow them till February. I have also obtained, by the same opportunity, the still more costly seed of *Passiflora tacsonia ignea*, the most dazzling of all that gorgeous species. We have *Modecca palmata* (the large tuberous *Passiflora* of our old forests, with fine green foliage, and large buff white flowers). Do you want any? I shall be able before very long to give you some practical hints on coffee growing: besides my old stock, I am now planting out, in this fine foggy season, some 400 more seedlings of sizes.

I find the *Khamar* a very scarce plant; rather local I should say. Dr. Pyster of the Naval Brigade has tried it with success, but he found the same difficulty in getting a good supply of leaves. I am propagating the plant both here and at Suddyah, and shall in time get you a lasting quantity of the same for distribution. It is *not* identical with the dye *Ruellia*, but I have not seen either in *flower*; as far as appearances go there is a mere alliance. I send you *per dāk banghy* a small pot of boiled juice, inspissated to the consistence of an extract, and slightly impregnated with turpentine, as a precaution against decay. I have no doubt it will be found to possess the concentrated virtues of the fresh weed in the cure of therapeutic, and other eruptions so peculiar to Bengal. I also forward a small specimen of *Chanda teeta* root, furnished by a pretty little (*Cinchonaceous*?) plant, with coffee-like leaves, and pale terminal inflorescence. The demand for this drug by the Assamese is much greater than the supply, and (except in one spot, amid the Muttuck forests,) I always observed that it had been carefully preserved and planted for officinal use. At Suddyah I have frequently sent out for miles without meeting with it, for indeed, it seems to be the popular

panacea for everything, from jungle-fever down to the itch! I can speak from experience of its tonic properties *internally*, and its specific curative effects *externally*, and I think I have long ago noticed the plant in a letter. It is a penetrating bitter as you may suppose, not much unlike fresh *Gentian* in flavour. According to the Border Kampteas the *Room* plant is not actually indigenous to Assam, wherever plentiful, there are usually the vestiges of former Kamptee, or Singpho settlements. The use of lime in the dye has the effect of rendering the colour almost *black*. I have some worsted so prepared. The wood ash formula seems conducive to real good *blue*, of the dark military shade. I forward a few seeds: No. 1 taken from the potato-like fruits found in a large forest tree near the Upper Burrampooter, said by the savages to be *edible* when ripe. No. 2 from a delicate leguminous shrub, resembling an *Indigofera*, but I have not seen the flower. No. 3, great bitter *Justicia* of the Kampteas. No. 4, lesser white bindweed, the character that of *Ipomæa rubro cœrulea*, but flowers are smaller, snow-white, with yellow centre: requires shelter and shade of a forest tree. There is a very fine larger variety, not yet seeded; both common in our jungles.

The mustard crop of this year is a failure in Upper Assam, caused by too much rain at sowing time, and *too little* during growth; with me it flowered when scarce out of the soil! But my two kinds of Bengal wheat, provided the creatures of *feræ naturæ* will spare them, are most promising, and I am reckoning on eating cheaper bread than eight for the rupee. I send two tubers I just picked up in a clearing in the forest; I think this is the above described *Modecca*.

*Bee-keeping* is decidedly profitable in Assam. I was surprised when I entered the valley to find the custom unknown. In Kumaon, Nepal, Cashmere, and along the whole N. W. Himalayahs, I observed these insects carefully domiciled; while in Assam the numerous species are only seen in their aboriginal state. Wild bees are abundant in the forests. The best kind seems partial to the abodes of man. I have seen a heavy comb attached to the bottom of an *almirah*, in a *bed-room*, much to the fear of the inmate; that circumstance led me to waylay and ensnare a young swarm on the wing from the above birth-place, and I have since added two more swarms to the "*Apiarium*" constructed of beer chests, under lock and key, in a coal godown. I intend to put some of them into a glazed case soon, so as to learn more of their habits. You know the modern plan of "*chloroforming bees*," I suppose, by which *not one is killed*, and a *child* may take the honey!—*Suddyah, Upper Assam, Decr. 29, 1858.*

The red flowered *Til*, I am sorry to say, has disappointed me at the last stage of growth;—our heavy rains suit its flowering and increasing properties well enough, but then succeeds the great check of cold fogs, and weak sunshine, just at the ripening period; the pods externally look healthy and swelled, but the seeds are little more than husks. I have a promising patch of maize just now from your American stock, grown one season at Debrooghur. I am putting your late bestowals into the soil as fast as I can. I shall soon send you a few seeds of a most excellent native bean, brought by me from Upper India originally; it is a most prolific vegetable, and unsurpassed at the table by any European or Asiatic species I know of,—however old it may be, yet it boils tender; it is as succulent and well-flavored as squash, or asparagus; Hindoostanee name *gheea seem*. I intend to send you an account of my squashes by-and-bye. I do not see this vegetable mentioned among the good things of your shows. How is this? Is it too common, or is it a failure? Nothing can surpass the luxuriance of the whole tribe in Suddyah, their fecundity is as remarkable as that of the Tomato. The *bush squash* is a great favorite here, from the little room it occupies, and the great supply of food it furnishes. I cannot supply the demand for seed, and, unless I can ripen some of my own, must monopolise the growth. Have you a cold-weather cucumber in Calcutta (I mean *bonâ fide out-door*, of course,) we have in Assam? I sliced up four of some 6 or 7 inches long each, on Christmas Day, from a native garden. I have also three or four large plants (from what seed, I do not remember) now growing in Suddyah, but they show no signs of flowering at present. This reminds me what a service you will do Assam, if you will undertake so much trouble as to get me all the *Cucurbitaceæ* of Kashmir, the *Brassicæ*, and Tobaccos—all eminently fitted from their aquatic habitat (especially the first-named from the floating gardens) to our mild and moist cold season. I remember two kinds of *squash*, three or four *cucumbers*, the best a long, slender, rich green-coloured vegetable, a famous large melon-like. The *Surda* is a small unmatched water-melon, with deep purple flesh, as sweet as sugar, and as cold as ice. The turnips, called *googloo*, rank among the best flavored in the world. There are two or three kinds of Beans well worth getting. The *China Asters* are very fine, indeed, and as common as the earth they grow upon; name *gool kuthâi*. The Cabul *Surda* melon seed is brought down also to Lahore and Umritsur, and I think would grow here as well as it does out of doors in *Ireland*, where a friend of mine brought them to a quality and weight not inferior to those of Cabul, *viz*, nearly 4 pounds in weigh, sweet, and crisp!

I yesterday sent you by dāk three small packets, one of that large white *Ipomœa*, one of white Pulse, one of black mixed do, (both used green as a vegetable by the Border savages, and also as dhāl when dry.) Local name *miri māl*, or the *miris lentil*, a pretty glycine-like creeper of tall growth. I am particularly anxious to introduce here all such tuberous edible roots as are suited to a deep sandy alluvium, with water near the surface, *i. e.* potatoes from all parts, yams, Jerusalem artichokes, &c. &c., also every kind of spice plant, such as *West India ginger*, *capsicums*, &c., and also sugar-cane, which here attains a magnificent growth and quality. The very best citrons I ever saw were growing wild last month on a barren island (of nearly pure sand,) of the Upper Berham-pooter. I should not be believed if I told you the probable produce of that one bush: and its growth was very remarkable for any plant in *Aurantiacæ*, the lower branches trailing creeper-like along the ground, and heavily laden with bunches of ripe perfumed fruits, some weighing more than 2 lbs. a piece, of which I have converted several into candied citron, and can vouch for their delicious flavor. I carried off, besides, as many rooted offsets and shoots as I could obtain, and they are now mostly thriving in my orchard. Would you like to get a specimen of this variety for your garden? It is possible that it may be an improvement on the old kinds: the deep white sand is all it seems to want for its welfare. I am most anxious to get everything in *Aurantiacæ* worth growing, and am devoting a great deal of land in my Debrooghur garden to that particular class of fruits; the China peach (*flat*), and some good *plums* I shall also value, if you can spare any.

I am just now "hiveing" a large swarm of another kind of bee, a large reddish-brown, and fierce looking, quite different from my two species at Debrooghur; it is decidedly domestic, though, having swarmed spontaneously inside my bullock shed, and even permitting men and animals to walk close under the colony: my large mustard cultivation seems in all instances to have been the bait of attraction, and I recommend all bee-keepers to grow a patch of this, and the two or three kinds of *Ocymum*, as food for their insects. The common *toolsee*, you are aware, is the plant of which the leaves are used by the gardeners of the N. W. Provinces to rub on their hands and faces when taking honey-combs, and alone constitute the vaunted charm of these apparently magical gentry! The metamorphosis of a lovely nymph into the *toolsee* plant, to escape the persecution of an amorous god, as sung in Indian poetry, doubtless first gave the superstitious mallees an idea of its soothing virtues.

I shall from time to time send you brief notices of our Assamese trees, plants, and flowers, after the manner of the Rev. Mr. Long in your pages, as I have no doubt some of the readers take an interest in these subjects. I shall soon be enabled to send you any quantity of seeds of the large and handsome tree "*Monkey's grief*," and which Colone Hannay tells me is *Careya arborea* (?) if so, is *Careya* abundant with you—or the reverse? I can send you seedlings, too, if desired, when the good days of "*Wardian Cases*" return to us. *Suddya, Upper Assam, January 19, 1859.*

I lose no time in sending you two tubers of that handsome edible cucumber (of which you received seeds), i. e., because the Assamese tell me the really good kind for the table is alone to be ensured by these means, and that seed is not to be trusted. Also, I send tubers of a very pretty fragrant little orchid (white) common in our low marshy grass plains.

Seed of a pulse used much by frontier savages, and suited to your Bengal cultivation,—also sending other seeds to fill up the little box.

We have had heavy rain, and my wheat is really splendid for a Bengal crop, more than 5 feet high, full in ear. I believe this is the most N. E. point of her Majesty's Indian territory in which it has ever been grown. Most of your maize, too, is above ground, but, as I wrote you, the other seeds have arrived too late.

The *Hulluck* and other perishable seeds I of course transmit per letter.

*Hulluck* of Assam is a *Terminalia*; of fine, tall, straight, durable timber growth: for common carpentry excellent, and even as a canoe, lasting five years, or more. Lovely when in blossom; one mass of deep rose, or carmine red tiny flowers;—no larger than these seeds,—grows in the vicinity of the great rivers on alluvial soil,—chiefly composed of sand and vegetable deposit. Forests with a dense under-growth seem necessary to its primary increase, and then it speedily overtops and overshadows every thing in its vicinity; ought to do in the greater part of Bengal,—and if not too near the sea.

The large creeper, *Tenga gootee*, looks like a *Smilax*, but not having seen it in flower I cannot speak with certainty; grows on the edges of forests' streams, clinging to the bank reeds, or grasses; berries used throughout Assam as the natural bait for the better kinds of fish, which seem in those localities of its growth to care for little else. I have a number of magnificent terrestrial orchids (3 or 4 feet high,) planted ready for you: these superb plants are only to be found in the most dark and unhealthy forests, and I have therefore availed myself of this dry, healthy period to collect them. You will certainly have to

make a jungle in some wet, dark corner of those picturesque gardens, to meet the *shy* nature of many of my donations.—*Suddyah, Upper Assam, February 6th, 1859.*

*March 2. The Great Dihing River, Abor Expedition.*—Just a few lines to say that I got your's anent the Munjeet seed a few days ago, and that I lost no time in writing to a friend on the Naga frontier, with the view of obtaining some, if procurable, (if for loan, barter, or money). There is little or none on the Suddyah frontier, and that little is a wretched woody kind of stuff, containing but a minimum of colouring matter. The Naga product is the best I have seen in Assam, but I am told the Bhote frontier (Durrung) furnishes the quantity A 1. I know very little of the subject, so will not trust myself to any further information. I will try and assist you if I can, through Native agency, in procuring seed also from the last mentioned locale. I send herewith three seeds of that pretty shrub wild coffee, which I first noticed as a jungle plant on the Goalparah hills, subsequently in various parts of Upper Assam, and very abundant indeed, where I am just now encamped, on the undulating shores of the Dihing, in a densely wooded tract; the soil, stone, sand, and alluvium.

*March 20, Suddyah.*—I only returned yesterday from the 'seat of war,' having stayed behind the force for a few days to construct an entrenched post, where we have left a small detachment temporarily to prove to the savages that we intend to 'hold our own.' While engaged in stockading, I amused myself with collecting a few seeds for the Society, and send you herewith a small lot of the *Koroi acacia*,———? the most valuable of all timber (next to teak) to the Engineer and Railway Mechanician, nearly *as hard*, almost as durable, and as *enormous*, and indeed in every way the most desirable as a forest tree of all our indigenous woods. It prefers the alluvial *churs*, the seedlings being nurtured in the dense moist shade of the giant grasses, and rank vegetation of such tracts. We have had so much *unseasonable* rain that I can send you but few sound seeds of *anything*, blight and decay having made sad havoc. I shall, however, be able to transmit another packet or two of sundries very shortly. I collected about a pound of ripe berries of the wild coffee, and had the curiosity to roast and make a *brew* of the same. The powerful medicinal bitter flavour of the decoction forbade my drinking much of the same; it was two *cinchonaceous* by a great deal. The savages of South America, I believe, employ it in the cure of malarious fever in preference to the indigenous bark of *Cinchona*, so precious in our European practice; *probandum est, I say*, and you can have as many young plants and seeds as you choose to ask for, in the event of your garden not possessing it already.

For a shrubby hedge it is decidedly elegant and desirable, and seems, too, most hardy.

This dreadful thirty days' rain has done for a great deal of horticulture and agriculture at Suddyah, and I can only boast of my "Squashes", a dry March would have made me triumphant with that vegetable, and I must now remain content with a *fraction* of my previous hopes, *viz.*, some—

"Early Bush Squash" (ripe), weight 5 pounds, full of perfect seeds.

"Cocoa Squash" (ripe), weight 11 pounds, full of fine mature seeds as good as those from America.

"Marrow Squash" (ripe), weight 9 pounds, ditto ditto, as above.

Warted Squash, 2 or 3lbs weight (ripe), yielding only a very few seeds, but these ripe and perfect.

Other squashes (various) from ten to five pounds weight—seeds not yet examined. I would like to have sent you a basketful if we had *Steamers*. I have been most anxious to acclimate this particular class of vegetable, it being essentially a "poor man's provender" from the productiveness of the plants and small amount of land necessary to grow them. I need hardly tell you that I am beset with applications to furnish the seed—and, indeed, I have been robbed at night of sundry fine ripe specimens.

*March 20th, Suddyah.*—You will get a small box very shortly with the squash and other seeds, which in our very moist climate I have dried by the very gradual sand process, and which method I recommend to our European importers; the final stage should not exceed *blood-heat* in canvass bags, to enable the operator to prepare any amount without admixture.

I am now reaping my Bengal wheat; in spite of a month's rain and mist, the ears are full and sound, and the crop an excellent one altogether. Some Mishmee savages who saw it, tell me the Ber Abors have similar grain (obtained originally from Lama), and I have directed them to bring me down samples. The same party have brought me a small parcel of *Munjeet*, and I have promised them a fine donation of *country liquor* (the omnipotent key to the savage heart) if they bring me two handfuls of the seed. This they have promised to do, but it does not ripen till October or November, so they tell me. I think I told you that I have written for a small supply to the Naga frontier, where great quantities seem to be produced. I am also trying the *Bhootan* gardens, but here I do not expect success: the whole Thibetan frontier is excessively jealous of its exports, so much so, that they sell only *male* animals at their fairs, lest we might breed from their stock.



Nearly all the *Cereals* you so liberally sent me were riddled by "Weevils," and I fear two-thirds will not last till next season. Here I beg to suggest another small hint. Import all your agricultural seeds in the *natural* protection—the *husk*. The natives of Upper India are fully aware of its advantages, and you will see their stock of maize, seed, wheats, &c., suspended in bunches from the cottage roofs, in which position, too, they receive ventilation, or *smoke*, the two main preservatives. The bulk of package is a very secondary consideration, I think, compared with the loss of a whole season's sowings, and the consequent disrepute of European seeds among the natives.

A large percentage of your sorts (American maize) germinated famously, but that farmer's curse, the "Mole Cricket" (*Gryllotalpa*), has devoured nearly every one of some kinds, and more than two-thirds of others: this minimum produce, however, is remarkably fine; both soil and climate are well suited to the growth, and I am daily receiving applications from the frontier savages to give them seed. I find that the middle of December is the proper period for sowing this description of grain, but your box arrived too late, and I had only a supply raised from home acclimated (American), wherewith to try the experiment. Of this batch not a plant was eaten, for the abominable insect seems to hybernate, and to that circumstance I attributed my promising crop of the cold season's sowing: it is now entirely covered with green "Cobs," some of them full a foot long. Your Grass seeds are now germinating well in the trial gumlows; "Red Clover" and "Lucerne" the fourth day from time of sowing. Are these two acclimated? You may judge of the legion-like voracity of the mole-cricket, when I tell you that in the eighth of an acre a digging party of boys earned in two days nearly 3 rupees, at 6 *crickets* for the *pice*.

I found this experiment so expensive and so ineffective, that I have abandoned it, and must look to other modes of extirpation, which I will duly report to you. Their subterranean habit, descending to three and four feet, and only feeding by night, render these pests as bad as locusts, and they breed incredibly. Nearly all my fine annual cabbage plants, seedlings, shrubs, capsicums, tobacco and ginger, indeed, three-fourths of everything, have been nocturnally chopped to pieces, and dragged into their burrows, and I have been all but disheartened by their attacks.

The country people of this district are compelled to shift their cultivation from time to time through the above cause, for the more you clear the surface of the soil, the more do these pests multiply and devour: on lands covered with rank vegetation, or high jungle, they do not remain, but shift to the open plain, for some delightful reason of

their own. The sun kills them instantly, and they die very soon after you bring them to daylight, so that I think a heavy sub-soil cultivator, suited to elephant draught (or two pair of large bullocks), might possibly annihilate them, and once above ground they form a favorite food to all manner of birds: indeed, when full grown and winged, to the Assamese themselves, who relish them, as we English do our *prawns*. At Debrooghur they are comparatively scarce, but that does not mean *few* or *far between*, or *harmless* exactly. I have collected a few more seed for you; among them a lot of *Hibiscus (fragrans;)* a small tree common to our jungles, flowers on panicles, delightfully fragrant of honey and most attractive to the wild bees:—the fibre excellent for string purposes: the Assamese name *Bun Kupas*, literally jungle cotton, but by this name they call two or three other plants of the same order, and cause confusion. In no country of the world do there seem to be so many fibrous substances, and I am collecting specimens of these particular products for transmission to Europe, and you can have the duplicate if you wish. The *Oodal (Sterculia)* I find the most generally useful to me as an agriculturist, and shall send you seeds in season: elephants and wild buffaloes are snared with the cordage of this fibre, so you may imagine its great strength: I use the fresh strips for all purposes of Basts and the tying of fences and enclosures; I find the tree furnishes just now a fine white gum, which seems sufficiently adhesive for common use. Some of the Allumdie Mishmees have brought me down bags made of a jungle fibre which I will ascertain; they are made to hold small supplies of grain, salt, &c., as required by these wandering people. I will send you one with the “Munjeet.” Those large terrestrial orchids from the forest seem to stand removal and exposure famously, they are all now flowering on an open spot, in spite of the foliage having perished, although the spikes were almost in bloom when the plants were transmitted. The unusually heavy rains, perhaps, have contributed to preserve them.

My mode of packing bulbs, tubers, &c., by overland. If only a few very choice kinds, put them up with proper marks tallying with the letter of advice in small canvas bags (*carpet-work canvas, like a sieve*), prepare a light pasteboard box with tightly fitting lid (an old envelope case I found excellent), punch holes in this on all sides, half a dozen altogether, with a common hole punch for leather, then pack the little bags in dry sawdust, or old moss, sewing up the box in a piece of coarse linen, attaching a leather label for the direction. Out of the above 8 tuberosae bulbs 7 reached me at Suddyah in a sprouting state, although they had been delayed in Calcutta for a month or two, they

were certainly not less than four months on the long journey from London. Seeds also forwarded in the same manner have always reached me in great perfection, nearly every one for the last ten years has germinated, but the bags are usually put up in letters, and are made of coarse gauze for lightness. I never lost but one packet, and that arrived in the midst of the cold weather rains, a mass of mould and rotteness, the result of some smoking peon's "hour of idleness," no doubt. Cuttings of fruit trees were sent me at great expense, but all packed after the prevailing fashions entirely failed. Doubtless a large Society like ours would find it best economy to have a Wardian case tightly packed with as many cuttings as it would contain; the more together the better, perhaps, for their freshness: a neat work of wire effectually guarding the case from any accident *en route*.

*March 25th, Suddya.*—Many thanks for your last despatch and the promised seeds, &c. I am making you up another dâk packet of newly ripened seeds, viz., the arboreal Hibiscus? (*Hibiscus fragrans*), called here, like many other things of the same order, *Bun Kupas*: this small tree furnishes a good fibre, its flowers are beautiful, and are the favorite resort of all bees; cultivation would doubtless improve it. In certain localities it forms a small forest. I also send you a few seeds of a shrubby *URTICA*-looking thing, perhaps a wild *Morus*: this also seems to contain fibrous material, but is mostly remarkable for the fine fiery hue of its orange fructification, only seen in the most dense forests.

I have also obtained for your Museum, grain bags and striped canvas said to be manufactured from *Urtica crenulata*, called here *Sir-nat*. It ought to be named, I think, "*Travellers' Terror*," for often in forest excursions man and beast suffer fearfully from its stings; the inflammation lasts for days together, and the slightest touch of water to the part gives a sensation of hot iron or hot oil! The other and less venomous nettles, called *Bichoo*, literally "*poison touch*," are also used for the same purposes. The above fabrics are brought down annually by the "*Cropped-hair Mishmees*" of the Dehong, as also are some very prettily designed cotton pieces of a coarse web, used as clothing, jacket, &c., by the Assamese; you will get samples of all these by-and-bye. I am also preparing a little twine of the *Bun Rheea*, or indigenous *Boehmeria* of our forests, rivalling the *Sir-nat* in height and size. Lastly of *Paderia fatida* (*Rubiaceæ*). Assam could turn out millions of tons if required to do so. From the Gawalparah district to the foot of the Abor mountains, high up the Burrampooter and Dihing, this weed forms the chief undergrowth of the jungles, and constitutes

a natural network of creeping foliage, rendering the advance of any human being on foot an *impossibility* ! Elephants, their riders armed with the *dao* or north-eastern war-knife, are the sole pioneers on such occasions, and even then the progress is but slow and uncomfortable. while the odours from the bruised *Pæderia* are perfectly in keeping with its classical epithet. I am sending you a few seeds for trial, but I suspect the Sunderbuns have more than enough to spare. I will dry some specimens when in flower. Our Assamese orchids begin to look lively. I am thinking, some of the rotten old trees, just now sparkling with these floral gems, would startle the Londoners if suddenly sent to Covent Garden market ! That fine one allied to *Dendrobium cærulescens* will shortly bloom in all its grandeur on the Mishmee war-path, where none but the well armed backwoodsman dare venture to view it, and it is so with most of the finer and rarer kinds which “waste their beauty on the desert air,”—“and die with civilization,” as I said to myself on seeing a clearing lately opened out near the military road, where numerous felled trunks covered with dry orchids lay ready for burning. I have been timber-hunting this last cold season in the beds of both the Burrampooter and Dehong (the Dihing which holds all the finer kinds is just now an enemy’s country). In the first named I found a profusion of superb pine,—*Koroi acacia*,—and many other very useful and durable kinds, all in drift, and evidently of great age. On the Dehong I found some noble growing specimens of *Cedrela toona* and *Terminalia*, &c., &c. The Bonger Abor savages of this river also brought me down 2 magnificent canoes, one of *Lauras sassafras*, 40 feet long, and one of a beautiful *Cedrela*, much smaller : the wood of this latter was exquisitely veined, and marbled like mahogany : I much regretted that such valuable wood had been sacrificed to so common a purpose. The *L. sassafras* timber is so highly valued that I had to pay Rs. 44 for the large canoe, and it was considered even in the jungles as dirt cheap. I have just finished raising a splendid tree from a quicksand of the Koondil, (our Suddya streamlet of Hindoo classical fame,) it cost me a lot of personal superintendence, and four days’ labor of sundry carpenters and coolies : not until I dammed and diverted the river did I succeed in chopping the giant into four pieces, and pulling them out with ropes and levers ; this mast-like log was straight as an arrow for more than seventy feet, and for a third of its length four feet in girth, the color bright yellow, on cutting, but changing to dark brown almost immediately : grain very close, handsomely veined, fibrous, tough, and elastic, and evidently some *Terminalia* (perhaps allied to *Bhola Terminalia*). But few of our native woods are elastic,

and I had long sought in vain for such a quality. The Assamese here call it "*Hukun*," and say it drifted originally from the Mishmee Camer Range, which is its habitat. I am busily engaged in preparing a collection of woods for the Museum at Kew, in conformity with a circular I lately received from Sir W. Hooker; also one of fibrous plants, and their products, dye-substances, and drugs, &c. This is necessarily a work of time, but I shall manage it gradually by instalments. Any woods which you may not already possess, I shall be happy to give you. It is a pity that "*Xylogy*" is not better conducted. To render such samples of value, the respective specimens of timber should be accompanied by dried foliage, both in bloom and in seed, to prevent doubts and manifold mistakes. I much fear your liberal despatch of maize arrived too late for any produce, this sultry weather is forcing several of the young plants into premature flower, while those (from acclimated) mentioned to you in my last, as sown 15th December, are in famous bearing condition.

I was much amused the other day in my village rambles by a vegetable curiosity, "a family tea plant;" now I will explain. On a sandy chur of this vicinity there dwells an Assamee zemindar who, among a general collection of fruits, pot-herbs, and greens, has a solitary bush, and a remarkably healthy one, of *Thea Assamica*. This individual and his numerous progeny delight in washing down their opium with a cup of the harmless beverage, just as the Chinese do, and they gather the leaves as they require them, merely putting them through an extempore process of hand-rubbing, drying, and boiling, and strange to say that the aforesaid plant is thriving, and covered with nice young leaf in spite of the greedy gatherings in the sandy soil! There is a considerable plantation near me of the *room* dye plant, belonging to a small colony of Kangongs, a border race of Kamptee descent, and they are now dyeing some blankets for me both European and Thibetan. With these people, both male and female, *dark blue* wearing apparel seems to be the prevailing colour, as with their neighbours the Chinese. I observed the other day in the head-dresses of some mountain Abors who came down to me, a plume of goat's hair of brilliant orange colour, evidently dyed with *munjeet*, as are the common scarlet ones usually worn by these people (the Nagas), and was told they procured all these from the Lama country.

*On the Mammoth-tree of Upper California: By BERTHOLD SEEMANN,*  
Ph.D., FLS.

When, at the conclusion of the Mexican war, Upper California was ceded to the United States of America, a report that the newly transferred territory was teeming with gold suddenly changed lonely forests into busy mining districts. Exploring parties of adventurous immigrants spread over the face of the whole country, and many a valley and creek never before trodden by the foot of the white man was visited, in hopes of reaping there an abundant harvest of the precious metal. Stories of most wonderful discoveries soon filled every newspaper, some of which proved utterly fictitious, while, again, others seemed to bear out the old adage that "truth is stranger than fiction." But, as often happens, fiction was in many instances implicitly believed in, whilst the sober truth was absolutely rejected. Among the statements which shared the latter fate, was that of an adventurous Californian, who, penetrating into the recesses of the Sierra Nevada, had met, near the head-waters of the Stanislaus and San Antonio rivers, with a grove of trees, rivalling, if not surpassing in height, the highest buildings in the universe. So little, indeed, was it believed, that even the name of the discoverer is not known, unless we accept a Californian tradition, which points to J. M. Wooster, and is so far borne out by actual evidence, that there exists on one of the trees, now termed "Hercules" by the people, the inscription of "J. M. Wooster, Ju. 1850." Soon afterwards, this extraordinary grove, which henceforward obtained the name of "the Mammoth-tree Grove," from the vegetable giants being called the "Mammoth-trees," was visited repeatedly, and the accuracy of the rejected statement was ascertained beyond a doubt. Strangers from all parts of the country now thronged to the place, making it quite a fashionable resort of Californian society, and inducing Mr. Wm. W. Lapham to establish there, as early as July, 1853, a hotel, with all the comforts the nature of the country would admit of. About the same time Mr. William Lobb, the botanical collector of Mr. Veitch's Nursery at Exeter and Chelsea, visited the grove, and did not fail to procure leaves, cones, specimens of the wood, and an excellent sketch of one of the trees (drawn from nature by Mr. Wm. W. Lapham). These materials, having been transmitted to England, were placed at the disposal of Dr. Lindley, who thought he recognized in them a new genus of *Coniferæ*, on which he conferred, in commemoration of the Duke of Wellington, and in consideration of the huge size of the tree, the name of *Wellingtonia gigantea*.

It was supposed, at the time, when the first scientific accounts were published in England, that this tree might possibly be identical with a *Taxodium* described by the unfortunate Douglas, in one of his letters to Sir William J. Hooker (*Bot. Mag. Comp.* ii, p. 150), as imparting to the mountains of California a most gloomy appearance, and attaining the height

of 300 feet. Douglas had transmitted no specimens with his account; but a barren branchlet of *Pinus* (*Abies*) *bracteata*, Don, was thought by Sir W. J. Hooker to be part of the plant alluded to, and figured by him in the *Icones Plantarum*, t. 379, as *Taxodium sempervirens*. This mistake was afterwards corrected by the author of it himself, but unfortunately not until Endlicher (*Synopsis Coniferarum*, p. 198) had founded a new species of *Sequoia* (*S. gigantea*, Endl.) upon this figure, with which he also coupled Douglas's account. The referring of Hooker's figure to its proper species (*viz.* *Pinus* (*Abies*) *bracteata*, Don.) left it again doubtful to which plant Douglas's account referred, and justified in a measure the supposition of Dr. Lindley and others, that it might possibly apply to the newly discovered Mammoth-tree; but this supposition has not been verified. Douglas, in saying, "The great beauty of Californian vegetation is a species of *Taxodium*, which gives the mountains a most peculiar, I was almost going to say awful, appearance—something which plainly tells us we are not in Europe," evidently alludes to rather a common plant, such as the Redwood (*Taxodium*, or now *Sequoia sempervirens*) really is in the mountains of Upper California; he cannot possibly speak of the Mammoth-tree, as that, if not confined to the grove called after it, is at all events very local. We are, besides, furnished with a historical proof that Douglas's account does not relate to any other plant than the Redwood (*Sequoia sempervirens*, Endl.) Mr. W. Lobb, who avows himself perfectly familiar with the route followed by Douglas, has shown (*Gardeners' Chronicle* for 1854, p. 22,) that that enterprising traveller was not within 120 miles of the Mammoth Grove; and in the other localities in which the tree has as yet been discovered, it has not been found attaining the height which Douglas records. We may therefore fairly conclude that Douglas did not see the Mammoth-trees, and that until the year 1850 these monsters of the vegetable creation were totally unknown to Europeans.

The generic name of *Wellingtonia* did not meet with approbation in the United States. The Americans would have felt more pleased if George Washington, the father of their great Republic, had been commemorated in the nomenclature; and they even commenced in their newspapers an agitation against the adoption of the name "*Wellingtonia*," quite ignoring that the savans of their country bow to the same code of scientific laws which govern the conduct of their European brethren, and that no amount of popular clamour could cause the right of priority here at stake to be set aside. When, therefore, Dr. Winslow exhorted his countrymen, in grandiloquent language, to call the Mammoth-tree, if it be a *Taxodium*, *T. Washingtonianum*,—if a new genus, *Washingtonia Californica*,—he simply proclaimed to all the world that he knew nothing whatever of the laws governing systematic botany. The genus *Wellingtonia* would have suffered nothing from this and similar attacks, if otherwise it had enjoyed a firm foundation. Such, however, was not the

case. When more perfect specimens of the tree than were (in 1853) at Dr. Lindley's disposal came to hand, it was found that the Mammoth-tree (*Wellingtonia gigantea*, Lindl.) presented the same generic characters as the Redwood (*Sequoia sempervirens*, Endl.) and that consequently *Wellingtonia* must henceforward be considered merely as a second species of *Sequoia*. As far as I am aware, there are only three botanists who have maintained, in print, the untenability of the genus *Wellingtonia*—Torrey, Decaisne, and myself. Torrey seems to have been one of the first who received specimens of the tree, and who arrived at the conviction that he had before him a new species of *Sequoia*. But he refrained from publishing it; nor did he, after the institution of *Wellingtonia*, make it generally known; he communicated it, however, to several of his friends, among them Asa Gray; and it was the latter who first stated, in the "American Journal of Science and Arts," (Second Series) Vol. xviii, p. 286, that Torrey had given to the Mammoth-tree the name of *Sequoia gigantea*; and in August, 1855, Dr. Torrey made to the American Association for the Advancement of Science a communication to the same effect. This remark is the more necessary, as Dr. Torrey, in the "Report on the Botany of Whipple's Expedition," (Washington, 1857), p. 84 [140], refers to a paper of his, in "Silliman's Journal," on the subject, which would naturally lead us to expect that the name had there been published by him. But such is not the case, as a careful search of the said journal, and a conversation with Dr. Torrey during my last visit to New York (1857) enable me to state. The first time that the name of *Sequoia gigantea* occurs in Dr. Torrey's own writings is in the Report just quoted, where, after alluding to Dr. Bigelow's Report (not yet received in Europe?) for a full account of the tree, he says:—"We have shown that in this tree, as in many species of *juniperus*, the leaves are dimorphous; we have also proved that there is no generic distinction between the two trees (viz. *S. gigantea*, Torrey, and *S. sempervirens*, Endl.) The male aments of *S. gigantea*, which were not known to Lindley and Hooker, prove to be in all respects like those of *S. sempervirens*." Torrey's views were borne out by Decaisne in a communication to the Botanical Society of France (Bull. de la Soc. Bot. de France, i. p. 72, 1854). Finally, after examining the specimens in the Museum at Kew, and some that had come into my possession, I stated that *Wellingtonia* was a congener of *Sequoia sempervirens* ('Bonplandia,' iii. p. 27, in adnot. Jan. 15, 1855), at the same time changing the name into *Sequoia Wellingtonia*, Seem. The time has now arrived when it must be decided which of the three names (*Wellingtonia gigantea*, *Sequoia Wellingtonia*, or *Sequoia gigantea*) is to be adopted. After every doubt respecting the generic identity of the Redwood and the Mammoth-tree has been dispelled, there cannot be two opinions about the retention of the name *Wellingtonia gigantea*; it must be given up, and one of the others take its place. My reasons for rejecting the specific name "*gigantea*" were to avoid



a possible confusion with that strange compound, the *Sequoia gigantea* of Endlicher, which belongs as a synonym, partly to *S. sempervirens*, Endl. partly to *Pinus (Abies) bracteata*, Don. Torrey not taking this danger into consideration, retained Lindley's specific name, which, under any other circumstances, would have been the only true course to follow. I am fully aware that, by putting *S. gigantea* Torrey (nec Endl.!), and *S. gigantea* Endl. (nec Torrey!), that danger may be guarded against, as is done in numerous instances, and that my name would have no chance of being adopted on that account alone. But it has, besides, the recommendation of enjoying the right of priority; for, as I have stated, although Dr. Torrey was undoubtedly the first who determined the true systematic position of the tree under consideration, he did not publish his name until 1857, whilst mine was published in January, 1855. The synonymy of the Mammoth-tree and its ally, the Redwood, will therefore stand as follows:—

*Sequoia*, Endl. Synop. Conifer. P. 197 (1847); Gen. Plant. Suppl. iv. pars. ii. P. 7. n. 1808 (1847). *Condyllocarpus*, Salisb. MSS. *Taxodii* Sp., Lamb.

1. *Sequoia Wellingtonia*, Seem.\* Bonpl. iii. p. 27, in adnot. (1855).

*Wellingtonia gigantea*, Lindl. in Gard. Chronicle for 1853, p. 823 (1853); Hook. Bot. Mag. t. 4777, 4778 (1854); Van Houtte, Flor. des Ser. ix. p. 93, t. 892, 893, &c. p. 121, t. 903 (1853-54).

*Washingtonia Californica*, Winslow in Californian Farmer for 1854; Hooker's Journal of Bot. and Kew Misc. vii. p. 29 (1855).

*Taxodium Washingtonianum*, Winslow, *Ibid.*; Hooker's Journ. *l.c.* (1855).

*Sequoia gigantea*, Torrey (nec Endl.!) in Rep. On Bot. of Whipple's Expedition, p. 84 [140] (1857).

\* The entire literature of the Mammoth tree is already very voluminous, and, as far as it is known to me, may be here subjoined:—

American Journal of Science and Arts (Second Series), xvii. p. 440; xviii. pp. 150, 286, xx. p. 381; xxiv. p. 440.

Bonplandia, ii. p. 238; iii. p. 27; vi. 343.

Botanical Magazine, t. 4777, 4778.

Bulletin de la Soc. Bot. de France, i. p. 72 (1854).

Flore des Serres et des Jardins, ix. p. 93, t. 892, 893, p. 121, t. 903.

Gardeners' Chronicle and Agricultural Gazette for 1853, pp. 819, 823; for 1854, pp. 22, 40, 118, 134, 373; for 1855, pp. 7, 69, 83, 838; for 1856, pp. 260, 502, 518, 534, 567, 580, 631, 643, 694, 728, 742, 774, 790, 805; for 1857, pp. 517, 534, 550, 678, 629, 643; for 1858, p. 671, 686, 702, 717, 732, 814.

Hamburger Garten-und Blumenseitung, x. pp. 61, 139, 239, 423, 439; xi. p. 120; xii. pp. 35, 469; xiii. pp. 93, 158; xv. p. xv. p. 12.

Hooker's Journal of Botany, and Kew Garden Miscellany, vii. pp. 106, 150, by George L. Trask, &c. 4 pp. (Two pamphlets issued to the visitors when the bark of the tree was exhibited in the Philharmonic Rooms, Newman Street, Oxford Street, and Adelaide Gallery, Strand, London, and containing numerous extracts from the New York and London newspapers in reference to the tree.)

Report on the Botany of Whipple's Expedition, by John Torrey, p. 84 [140] Washington, 1857.

Nomina vernacula : "Mammoth-tree," "Big tree," "Wellingtonia."

2. *Sequoia sempervirens*, Endl. Synop. Conifer. p. 198 (1847).

*Taxodium sempervirens*, Lamb. Fin. ii, t. 64.

*Taxodium Nutkaense*, Lamb. Herb.

*Taxodium*, sp., Dougl. in Bot. Mag. Comp ii. p. 150 (1836).

*Sequoia gigantea*, Endl. (nec Torrey!) Synop. Conifer. p. 198 (1847).

Nomen vernaculum : "Redwood."

The Mammoth-tree is rather local in its geographical range. True. Carrière states that an officer of the French navy brought cones identical with those obtained in California from a latitude about 10 degrees north of the locality in which it was first discovered ; but as no difference between the cones of *Sequoia sempervirens* (a common tree in that latitude) and *S. Wellingtonia* has as yet been pointed out, the evidence adduced cannot be looked upon as conclusive. More probable seems the statement that *Sequoia Wellingtonia* has been met with in Carson Creek, a few miles northward of the Mammoth-tree Grove, and that of its having been observed in various other parts of the Sierra Nevada, where, however, according to the unanimous testimony of the various accounts, it does not attain those gigantic dimensions we are wont to associate with it. It is beheld in the greatest perfection in the Mammoth-tree Grove situated near the head-waters of the Stanislaus and San Antonio rivers, in the county of Calaveras, latitude 38° N., longitude 120° 10' W., at an elevation of between 4000 and 5000 feet above the sea, and about fifteen miles from Murphy's Camp, the nearest gold-diggings, ninety-five from Sacramento city, and eighty-five from Stockton (by stage route). In visiting the place, the traveller can obtain vehicles and animals at Murphy's Camp, and proceed to his destination by carriage-road, gradually ascending, through a splendid forest of pines, cedars, and firs, here and there dotted with fine oaks. The valley in which the grove is situated contains about 160 acres of land, and, according to Winslow, is a basin of coarse siliceous material surrounded by a ridge of syenitic rock, which in some places projects above the surface. The soil is a rich and very deep-black loam. The climate is delightful. During the summer it is entirely free from the scorching heat of the lower country, the vegetation remaining fresh and green, while the water is as pure as crystal, and almost as cold as ice. The vicinity, we are assured, offers every inducement to sportsmen, many kinds of game abounding, while the brooks teem with excellent trout. Delightful horse-back rides conduct the visitor to the Falls of San Antonio, the basaltic cliffs on the North Fork of the Stanislaus, and other interesting points of scenery and objects of curiosity.

Things are easiest judged of by comparison ; and what proclaims loudly the enormous size of our vegetable giant is its growing in a country as distinguished for huge trees as Kentucky and Virginia are for tall men. Bate-man has attempted more special comparisons, strikingly illustrated in a

series of diagrams which he exhibited in a lecture on the subject at Con-  
 ston, and afterwards in the rooms of the Horticultural Society of London.  
 One of these diagrams (on the scale of 1 foot to 10 yards) represented a  
 Mammoth-tree 300 feet high, and a ladder of a common length, with a man  
 half-way upon it, leaning against the trunk : by comparison the ladder assum-  
 ed the appearance of a walking-stick, the man that of a beetle. More fully to  
 illustrate these extraordinary dimensions, sketches had been drawn of some  
 of the tallest buildings in the world,—the Pyramids of Egypt, St Peter's  
 at Rome, Salisbury Cathedral, and St. Paul's in London,—showing that  
 the Mammoth-tree contested the palm with St. Peter's, and was but a small  
 distance below the Pyramids. In a comparison with other trees, the  
 Californian giant came off equally victorious, : the highest palm dwindled  
 down to the appearance of sugar-cane, the spruce to that of Juniper, and  
 even the far-famed Cedar of Lebanon to that of a mere bush. A quotation  
 of the absolute height of the *Sequoia Wellingtonia* is equally calculated  
 to impress us with amazement. Most of the specimens now standing at the  
 Mammoth Grove attain the average height of 300 feet ; but one of them—  
 known as the "Mother of the Forest," and stripped of its bark to the  
 height of 116 feet, for the purpose of being publicly exhibited —actually  
 measures 327 feet in height, and 90 feet in circumference ; or if we  
 are disposed to credit the statement put forward by the exhibitor of the  
 bark in New York and London, its full height is 363 feet, diameter at base  
 31 feet, and diameter 100 feet from the base, 15 feet. Enormous as these  
 dimensions may be, they are as it were put in the shade by remembering  
 what those of another tree must have been when in full vigour. This  
 "Father of the Forest," as the specimen has been appropriately termed,  
 measuring 112 feet in circumference at the base, can be traced 300 feet, where  
 the trunk was broken by falling against another tree : it here measures 18  
 feet in diameter ; and, according to the average taper of the other trees,  
 this giant must have been about 450 feet, and was no doubt one of the  
 highest vegetable forms of the present creation.

Other Coniferæ often attain an enormous size, as for instance the Red-  
 wood (300 feet), or the *Pinus Lambertiana*, Dougl (150,200 feet, and more) ;  
 and some of the Gum-trees of Van Diemen's Land are 215 feet high ; but  
 they are all topped by a fully developed Mammoth-tree. The mind invol-  
 untarily asks how many years were requisite to pile up such mountains of  
 vegetable cells, and begins to speculate on the possible age of such monsters.  
 When the Mammoth-tree first came into notice, it was assumed to be 3000  
 years' old ; or, in the editorial language of the 'Gardeners' Chronicle,'  
 "it must have been a little plant when Samson was slaying the Philistines or  
 Paris running away with Helen, or Æneas carrying off good Pater Anchises  
 upon his filial shoulders." Subsequent investigations, however, have proved  
 his assumption to be erroneous. The *Sequoia* under consideration is evidently

a fast-growing species, performing, according to the careful observations made by J. Reed of Peterborough, its growth between 6 P. M. and 6 A. M., and retarding and increasing in proportion to the warmth of the night. Plants raised from the seeds brought to England towards the end of 1853, had already in 1857 attained 6 feet in height, thus having grown in every year about  $1\frac{1}{4}$  foot; so that if they continue growing at the same rate, it would require two hundred years to produce a tree 300 feet high. But it is a well-known fact that the growth does not proceed at such a uniform rate; and no process except that of counting the annual layers of the trunk can be applied for the purpose of computing the age of these trees. Asa Gray, in a paper on the age attained by the largest known trees, has attempted to do this; unfortunately, the section of the trunk exhibited at Philadelphia, and supplying him with the principal data, was not that of the *Sequoia Wellingtonia*, as he at the time believed, but that of the *Sequoia sempervirens*\*; and it is probably owing to this mistake that the scientific public

\* By carefully bearing in mind that the trunk exhibited at Philadelphia was that of *Sequoia sempervirens*, and not that of *S. Wellingtonia*, Gray's article, weeded of all matter arising from the confusion of the two species, may still be made to bear indirectly upon the questionable age of the Mammoth-tree. This I have attempted to do in the following. Gray says:—"The size of this tree is such as to give it a presumptive claim to rank amongst the oldest of the present inhabitants of the earth, its length being (on the authority of the proprietor of the section) 322 feet . . . . This section was taken at the height of 25 feet from the ground, and, according to the measurement of my friend Thomas P. James, Esq., of Philadelphia, it is about  $12\frac{1}{2}$  feet in diameter, including the bark. Mr. James, at my request, has taken a careful measurement of the wood itself, excluding the bark. The three diameters taken by him respectively measure 9 feet 6 inches, 10 feet 4 inches, and 10 feet  $10\frac{1}{2}$  inches; the average diameter of the trunk, at the height of 25 feet from the ground, is a little over 10 feet 3 inches . . . . . The section of the trunk at Philadelphia has been hollowed out by fire and other means to a shell of 3 or  $4\frac{1}{2}$  inches in thickness. Of this I have, through the kindness of the proprietor and of Mr. James, a piece of the wood, including nearly 3 inches of this section. What is now wanted, and what, unfortunately, I do not possess, is a foot or two of the wood from the central parts of the tree,—a desideratum which may doubtless be supplied hereafter. The data at hand, however, will suffice for determining an age which the tree cannot exceed, unless it be supposed to have grown more slowly during the earlier 9/10ths of existence than during its later years, which is directly contrary to the ascertained fact in respect to trees in general. Now, the piece of wood in my hands exhibits an average of forty-eight layers in an inch. The semi-diameter of the trunk at the place where it was taken is about 5 feet 2 inches. If the tree increased in diameter at the same rate throughout, there would have been 2976 annual layers, which, allowing twenty-four years for the tree to have attained the height of 25 feet, would give it an age of 3000 years from the seed. This corresponds so closely with Dr. Lindley's estimate [of *Sequoia Wellingtonia*!], that we may suppose him to have employed equivalent data in a similar manner. How great a deduction must we make from this estimate, in consideration of the greater thickness of the layers on a younger tree? The only direct data I possess bearing on this point are derived from a piece of a transverse section,  $\frac{1}{2}$  inches deep, of a 'rail,' which the exhibitor says was taken from the trunk at the height of 275 feet from the ground. As its layers, on a breadth of nearly  $\frac{3}{4}$ ths of an inch, show only a slight curvature, it must have come from a part of the trunk still

still fancy the age of 3000 years, originally allotted to the tree in question by vague computation, may still be considered as correct,—quite overlooking that Dr. Terrey, counting the layers on a complete radius of another trunk, about the genuineness of which there was no doubt, has furnished the following data :—

“The 1st hundred layers occupy a breadth of  $17\frac{1}{4}$  inches.

2nd	”	”	”	14	”
3rd	”	”	”	$12\frac{1}{4}$	”
4th	”	”	”	13	”
5th	”	”	”	$16\frac{1}{4}$	”
6th	”	”	”	$8\frac{1}{4}$	”
7th	”	”	”	$7\frac{1}{4}$	”
8th	”	”	”	11	”
9th	”	”	”	10	”
10th	”	”	”	11	”
11th	”	”	”	$11\frac{1}{4}$	”

several feet in diameter. On this section, the exterior inch nearly all alburnum, contains 90 layers, the next 60, the next 45, the remaining half-inch 16, making 32 to the inch. That the exterior layers should be thinner at this height than more near the base of the tree, is just what would be expected. If we apply this ratio of decrease of the number of layers to the inch as we proceed inwards to the section of 25 feet from the ground, we should, at 4 inches within that part of the circumference which I have examined, have only seventeen layers to the inch, which, taken as the average thickness, would make the tree only  $1024 \div 24 = 1058$  years old. But it is not probable that the thickness of the layers increases so rapidly. The data we possess on other trees go to show that a tree, after it is 400 or 500 years old, increases in diameter at a pretty uniform rate for each twenty additional years, on the whole, although the difference of the thickness of any two or more contiguous layers, or the same layer in different parts of the circumference, is often very great. Still, when we consider how very much thicker are the annual layers of a vigorous young tree than of an old one, perhaps we should not be warranted in assuming more than the average of seventeen layers to the inch for the whole section. Some useful data may be obtained from a tree more nearly related than any other to those of California, though of a different genus, namely the so-called Cypress of our Southern States (*Taxodium distichum*, Rich). I possess three sections of different trees of *Taxodium*, reaching from the centre to the circumference. One of these, on an average radius of 27 inches, exhibits 670 layers; a second, on a radius of 20 inches, has 525; a third, on a radius of 22 inches, has 534 layers. The average is 576 layers to a semi-diameter of 26 inches, or about 22 layers to an inch. Half of this growth (13 inches radius) was attained at the close of the first century, while the exterior layers of the oldest specimen were only the 15th or 16th of an inch in thickness. . . . We may safely infer, I think, in the absence of other data, that when the tree in question had attained the size of 26 inches in semi-diameter, it was only 576 years old. If, therefore, we suppose it to have increased at the intermediate ratio of thirty-five layers per inch for the next 26 inches, and at the actual rate of the last century (as ascertained by inspection), namely at forty-eight layers per inch for the remaining 10 inches, we should assign to it the age of 3066 years as its highest probable age. I think it more likely to be shown, when the wanting data are supplied, that the tree does not antedate the Christian era.”—Asa Gray, in *American Journal of Arts and Science*. Second series, Vol. xvii. p. 449 (1854).

The remainder of 20 layers occupies over 1 inch: 1120 layers on the semi-diameter of 135 inches, or 11 feet 3 inches. We have ventured to reduce by more than one-third the accredited statement or estimate that this tree was 3000 years old. The facts show that the tree lacks almost three centuries of being half as old as it was said to be! Its enormous size is owing to its continued rapid growth rather than to any extraordinary age. The Mammoth-tree, therefore, so far from having been a contemporary of the unhistorical personages whom Homer's immortal songs have made famous, has sprung up in quite a historical epoch—a few centuries after the commencement of the Christian era; and, moreover, its still considerable age is equalled, if not surpassed, by its congener the Redwood (*Sequoia sempervirens*, Endl.).

The tenacity of life keeps equal pace with the vitality of the tree. One of the specimens in the Mammoth Grove has been stripped of its bark to a height of 116 feet, but, we are assured, without being in the east affected in its growth; and most of the other specimens there have, in consequence of the fires raging through the forest, or perhaps the fires kindled by the Indians, burnt cavities, a few of which are sufficiently large to admit a person on horseback to enter, and they are moreover 40 feet deep; but the trees do not seem to have suffered particularly from this. In some of the dead, fallen-down trunks, cavities 200 feet long [caused by age?] can be traced. The large tree, felled by speculators, put forth several young shoots after it had been felled for some time (Conif. Bonpl. ii. p. 238). Such an almost willow-like tenacity of life is met with in but a few *Coniferae*, and may with justice be counted among the most prominent peculiarities of the *Wellingtonia*.

The wonderful invention and discoveries of our age have in more than one instance outstripped all limits of poetic fancy. By means of the electric telegraph, we have outdone Puck's startling promise to

“put a girdle round about the earth  
In forty minutes;”

and our Californian giant more than rivals the tree placed by Milton in the hands of Satan as a lance,

“to equal which,  
The tallest pine hewn on Norwegian shores,  
To be the mast of some great amiral,  
Were but a wand.”

But this very fact, the realization of much that was thought ideal, has engendered and nursed a desire to behold with our own eyes whatever belongs to this category. There probably never was a time in history when “sight-seeing” was regarded with more favour, or found readier advocates, than the present. Speculators were therefore not backward in making capital out of this state of feeling as applied to the Mammoth-tree. To transport masses

of people to the grove was impossible ; but to transport at least portions of the famous giants to the centres of our great cities, practicable. The latter accordingly, was done ; and the earliest accounts of the Mammoth-tree, which reached Europe were coupled with the sad intelligence that a piece of Vandalism had been perpetrated in Upper California, unexpected in our enlightened days. One of the finest trees of the grove, we were informed, had been felled for the purpose of being publicly exhibited. This individual. was 96 feet in circumference at the base, and solid timber. The work of destruction commenced by boring with augers and sawing the spaces between,—a labour engaging twenty-five men for five days. But when this was done, the tree was found to stand so nearly perpendicular that it would not fall ; and it was only by applying a wedge and battering-ram, during a strong breeze, that the trunk was finally upset. In falling, it convulsed the earth, and by its weight forced the soil from beneath it, so that it lies in a trench ; and mud and stones were hurled near a hundred feet high, where they left their mark on neighbouring trees. The bole forms the bed for two bowling-alleys. A section of 2 feet long taken from the stump, also a portion of bark, were both exhibited. The latter was put up in a natural form, and constituted a spacious carpeted room, containing a pianoforte, with seats for forty persons. On one occasion 140 children were admitted without inconvenience. The surface of the stump, still remaining in the ground, is smooth, and affords ample space for thirty-two persons to dance, it being 75 feet in circumference ; theatrical performances have also been given upon it on various occasions. It is covered by a rustic arbour, and connected by a floor with the Mammoth-tree Hotel, founded by Mr. Lapham, to whom we are indebted for much valuable information respecting the plant under consideration. The success with which the public exhibitions of these specimens in San Francisco, New York, and Paris had been attended, induced, in 1854 another speculator to strip a second magnificent tree, called the “Mother of the Forest,” up to a height of 116 feet, of its bark, fortunately without affecting by this ruthless process the vitality of the tree. It required the labour of five men ninety days. During this time a person had a fall of 100 feet from the scaffolding, and, curiously enough, escaped with a broken limb. The bark was removed in sections 8 feet in length, and each piece marked and numbered, so that it could be put up in precisely the same position that it occupied on the tree. It was then, after being carted eighty miles overland, shipped down the river to San Francisco, and thence on a clipper vessel around Cape Horn to New York, where, after being exhibited for a season in the Crystal Palace, it was transmitted to London, and was for the first time on view, April, 1856, in the Philharmonic Rooms, 14, Newman Street, Oxford Street, and afterwards at the Adelaide Gallery, Strand. But both of these localities were too low to admit of the whole section of the stripped

bark being put up ; nor, indeed, was there any other available building in the British metropolis could serve the purpose. Fortunately the Crystal Palace at Sydenham possessed the necessary height ; and ever since the autumn of 1856 the whole of the bark, to the height of 116 feet, has there been exhibited. The interior is fitted up with a table, chair, and other furniture, and forms a large and spacious drawing-room. Daguerreotypes and photographs of the tree and grove can also be seen, together with living specimens of the species ; and if this exhibition on the one hand fills us with regret at the Vandalism of mercenary men, it on the other brings home to us the prodigious power of American vegetation.

It was at one time feared that not many years would elapse before the last vestige of the Mammoth-trees would be destroyed. It was the 'New York Herald' which, on the 17th of December, 1854, first pleaded for their protection. "We say," argued the 'Herald,' "that Congress should interpose, upon the presumption that these trees are public property, are on the public lands of California, and because Congress has already interposed to protect the public Live-Oak (*Quercus virens*) forests of Florida from the rapacity of unscrupulous speculators. . . . We repeat that it is the duty of the State of California, of Congress, and of all good citizens, to protect and preserve these Californian monuments of the capabilities of our American soil." In Europe, the danger in which the trees were placed was viewed with equal apprehension, inducing a correspondent of the 'Gardeners' Chronicle' to suggest that a petition of the scientific men might be sent to the American Government, praying for the protection of this eighth wonder of the world. Fortunately the authorities were fully alive to their duty, by prohibiting the removal of any tree under any circumstances whatever, and thus, by throwing the sanctity of the law around the hallowed grove, preserved to North America an object quite equal in grandeur to the famed Falls of Niagara, the Mammoth Cave of Kentucky, or the Natural Bridge of Virginia.

The number of large specimens still standing in the Mammoth-tree Grove amounts to ninety-two, nearly all of which have received from the people some appropriate and romantic name. A few of the most prominent it may not be uninteresting to describe. After leaving the hotel, and proceeding into the forest by the upper trail, we are at once struck with the magnitude of the trees, and passing several immense specimens, we reach the "Miner's Cabin," measuring 80 feet in circumference, and attaining 300 feet in height. The "cabin," or burnt cavity, measures 17 feet across its entrance, and extends upwards of 40 feet. Continuing our ramble, admiring the luxuriant growth of underwood, consisting of firs, cedars, dog-wood, and hazel, we come to the "Three Graces." These splendid trees appear to grow, and perhaps do grow, from one root, and form the most beautiful group in the forest, towering side by side to the height of 290 feet, tapering symmetrically from their base upwards ; their united circumference amounts to 92 feet ;



it is 200 feet to the first limb on the middle tree. The "Pioneer's Cabin" next arrests our attention, rising to the height of 150 feet (the top having been broken off), and 33 feet in diameter. Continuing our walk, we come to a forlorn-looking individual, having many rents in the bark, and withal the most shabby-looking in the forest: this is the "Old Bachelor;" it is about 300 feet high and 60 feet in circumference. The next tree is the "Mother of the Forest," already mentioned as having been stripped of its bark by speculators in 1854. We are now amidst the "Family Group," and standing near the uprooted base of the "Father of the Forest." This scene is grand and beautiful beyond description. The venerable "Father" has long since bowed his head in the dust; yet how stupendous even in his ruins! He measures 112 feet in circumference at the base, and can be traced 300 feet, where the trunk was broken by falling against another tree. A hollow chamber or burnt cavity extends through the trunk 200 feet, large enough for a person to ride through. Near its base is a spring of water. Walking upon the trunk, and looking from its uprooted base, the mind can scarcely conceive its prodigious dimensions, while on either hand tower his giant sons and daughters. Passing onward, we meet with the "Husband and Wife," leaning affectionately towards one another; they are each 60 feet in circumference, and 250 feet in height. "Hercules," one of the most gigantic specimens in the forest, stands leaning in our path. This tree, like many others, has been burnt at the base; it is 325 feet high, and 97 feet in circumference. The "Hermit," rising solitary and alone, is next observed. This tree, straight and well-proportioned, measures 320 feet high and 60 feet in circumference. Still returning towards the hotel by the lower trail, we pass the "Mother and Son," which together measure 93 feet in circumference; the "Mother" is 320, the "Son" a hopeful youth of 300 feet. The "Siamese Twins and their Guardian" form the next group: the "Twins" have one trunk at the base, separating at the height of 40 feet, each measuring 300 feet high; the "Guardian" is 80 feet in circumference, and 325 feet high. Beyond stands the "Old Maid," slightly bowing in her lonely grief; she measures 60 feet in circumference, and is 260 feet high. Two beautiful trees, called "Addie and Mary," are next to arrest our attention, measuring each 65 feet in circumference, and nearly 300 feet high. We next reach the "Horseback Ride," an old fallen trunk of 150 feet in length, hollowed out by the fires which have, in days gone by, raged through the forest. The cavity is 12 feet in the clear in the narrowest place; and a person can ride through on horseback a distance of 75 feet. "Uncle Tom's Cabin" next claims our admiration, being 300 feet high and 75 feet in circumference. The "Cabin" has a burnt entrance of  $2\frac{1}{4}$  feet in diameter; inside, the cavity is large enough to seat fifteen persons. Two other trees we must note; one of which, named the "Pride of the Forest," remarkable for

\* In some accounts, "Bride of the Forest," I hold "Pride" to be correct.—B. S.

the smoothness of its bark, measures 280 feet in height and 60 feet in circumference. The "Burnt Cave" is also remarkable; it measures 40 feet 9 inches across its roots, while the cavity extends to the distance of 40 feet,—large enough for a horseman to ride in, and turning round, return. We now reach the "Beauty of the Forest," a tree 65 feet in circumference, fully 300 feet high, symmetrical in form, and adorned with a magnificent crest of foliage. Reaching the road, and returning to the house, we pass the "Two Guardsmen," which tower to the height of 300 feet, and are 65 and 70 feet in circumference, forming an appropriate gateway to this wonderful forest.

The trunk of the Mammoth-tree is very straight, and covered with a bark much resembling that of the Redwood in appearance; it is of a rich cinnamon-brown, and from 18 to 22 inches thick! The wood, when first cut, is white; but it soon becomes roddish, and long exposure makes it as dark as mahogany; it is soft, yet nevertheless of slow decay, and abounds in the red colouring matter soluble in water, from which the Redwood takes its name. The branchlets are round, somewhat pendant, and resemble those of a Cypress or a Juniper. As is the case in a more or less marked manner in most *Coniferae*, not excepting even *Sequoia sempervirens*, there are two kinds of foliage, the same branch often presenting both imbricated and distichous leaves. The leaves are alternate, perennial, in the younger plants oblong-subulate, apiculate or mucronate, semiamplexicaul, keeled at the back, plane within, but with a slightly elevated central ridge; in the older plants they are smaller, shorter, more compact and crowded, ovate-lanceolate, acute. Both male and female flowers present the same structure as those of *S. sempervirens*; the same may be said of the cones; the only difference in the latter being that those of *S. Wellingtonia* are generally a little larger than those of its congener.

The Mammoth-tree was introduced into European gardens by Mr. William Lobb; and in 1853 single plants were sold by Veitch's Nursery for £2 2s.; but since then quantities of seeds have been imported, and there is now hardly a horticultural establishment without one or more representatives of this remarkable evergreen. In England it seems to stand the winter without injury; and even in Germany and other parts of Northern Europe it does not require the protection of a glass-house; so that even in those countries it may become a forest and useful timber-tree. In July, 1856, complaints were heard that, in spite of the most careful culture, a peculiar disease had befallen this new *Sequoia*, in consequence of which the twigs were observed to die off in the same manner as they do in *Crytomeria Japonica*. Horticulturists began to take alarm, and feared that their new acquisition would inevitably be lost; but Dr. Lindley soon discovered that, though the twigs died, the main stem and branches continued to grow vigorously, and that the so-called disease was constitutional, and could not be

looked upon as a sign of ill health, or proof of bad culture. In 1858 it bore ripe fruit in England, under the skillful treatment of Mr. J. Buckle, at Thetford. May the Mammoth-tree continue to flourish, and display in the gardens and pleasure-grounds of Europe the same gigantic proportions that render it an object of wonder and amazement in its native valleys of America!—*The Annals and Magazine of Natural History*, March, 1859.

# Monthly Proceedings of the Society.

(Wednesday, the 14th January, 1857.)

(ANNIVERSARY AND ORDINARY GENERAL MEETING.)

Rajah Pertaup Chunder Sing, Bahadoor, Vice-President, in the chair.

Read a letter from the President, expressing his regret that public business would prevent his attending the Meeting.

The proceedings of the last monthly general meeting were confirmed. The Secretary read a letter to his address from Mr. W. Haworth, requesting that his name might be removed from amongst the Members of the Council and from the various Committees in which he has taken part, in consequence of his not having the necessary time to devote to the duties connected with them. "I regret much"—adds Mr. Haworth—"that I have to take this step, as I feel great interest for the welfare of the Society, and it would have given me great pleasure to have taken an active part in its affairs, but I feel that I should not be in a position to do my duty, if I continued to hold the various appointments as heretofore."

The meeting then proceeded to the election of Officers and Council for the current year, and Messrs. Longueville Clarke and Walter Landale having been appointed Scrutineers, reported the result to be as follows:—

*President.*—The Hon'ble Sir Arthur Buller.

*Vice-Presidents.*—Mr. A. Grote, Rajah Pertaup Chunder Sing, Bahadoor, Dr. Thomas Thomson, and Baboo Peary Chand Mittra.

*Secretary.*—Mr. A. H. Blechynden.

*Council.*—Mr. C. A. Cantor, Mr. S. Douglas, Baboo Shib Chunder Deb, Mr. B. Warwick, Mr. J. Church, Baboo Gobind Chunder Sen, Mr. J. Agabeg, Mr. S. P. Griffiths, Mr. W. G. Rose, Baboo Ramgopal Ghose, the Rev. James Long, and Mr. S. H. Robinson.

The revision of the Standing Committees was next entered on, and the names of the following members were added to the Committees in which there were vacancies; namely to the Committees for Sugar, Fibres, Grain, Oils, and Implements of Husbandry and Machinery; Messrs. S. H. Robinson, J. Cowell, Peary Chand Mittra, C. B. Wood, and H. Mornay respectively, in the room of Mr. W. Haworth; Mr. R. Eames was also added to the last named Committee in the place of Colonel H. Fraser; and Mr. C. A. Cantor, to the House Committee, in the room of Mr. Staunton, resigned.

---

The Annual Report from the Council was next submitted. It announces the continued prosperity of the Society, that the number of Members elected during 1856 was 109, exceeding any year, except 1851, for the last 15 years; that

the total number on the list was 707, from which deducting Honorary, Corresponding and Associate Members, and those absent from India, leaves 565 as the actual number of paying members at the close of the year, or 27 more than in 1855.

The report alludes to the satisfactory financial condition of the Society. The total receipts during the year are Rs. 30,449 and disbursements Rs. 29,236. The liabilities amount to Rs. 5,659 and the dependencies to Rs. 8,787.

On the motion of Mr. L. Clarke, seconded by Mr. Peter McArthur, it was *resolved* that the report be received and adopted.

The business of the ordinary monthly meeting was then proceeded with, and the following gentlemen who were proposed at the meeting in December were duly elected members, viz : Dr. D. McL. Falconer, Baboo Ramananth Gossain, Captain C. W. Miles, Mr. J. A. Charriol, Captain C. Burbank, Mr. L. B. Oliva, Baboo Omachurn Mitter, Dr. Brandis, Aga Syud Hossein Shoostree, and Dr. E. C. Thorp.

The names of the following gentlemen were submitted as candidates for election :—

J. A. Crawford, Esq., C. S. ;—proposed by Mr. S. Douglas, seconded by Mr. W. Stalkartt.

Charles A. Cave, Esq., Konah factory, Purneah ;—proposed by Mr. E. Mackintosh, seconded by the Secretary.

E. F. Flouest, Esq., Allumchand, Allahabad ;—proposed by the Secretary, seconded by Baboo P. C. Mittra.

Baboo Mudden Mohun Thakoor, Bhaugulpore ;—proposed by Mr. Walter Landale, seconded by Mr. Thomas Grant.

P. T. Onraet, Esq., of Bhaugulpore ;—proposed by Mr. Landale, seconded by Mr. Grant.

A. J. Camaratta, Esq., Merchant, Ummeerapoorra ;—proposed by Mr. Joseph Agabeg, seconded by Baboo P. C. Mittra.

C. J. Pittar, Esq., of Calcutta ;—proposed by Mr. F. Jennings, seconded by the Secretary.

Baboo Issurehunder Sing ;—proposed by Baboo P. C. Mittra, seconded by Rajah Pertaup Chunder Sing.

The following contributions to the Library, Garden and Museum were announced :—

1. Selections from the Records of the Government of India, Nos. 13, 14, 16, 17, and 18, Selections from the Records of the Government of Madras, No. 32, Journal of the Indian Archipelago, Nos. 10 to 12, Vol. 9, and No. 1, New Series. *Presented by the Government of Bengal.*

2. Half-yearly Report of the Committee of the Bengal Chamber of Commerce. *Presented by the Chamber.*

3. Notes on the Herbarium of the Calcutta Botanic Garden. Presented by Dr. Thomson.

4. A small assortment of seeds, and Orchids from Upper Assam; also oil from the seed of *Messua ferrea*. Presented by Captain W. H. Lowther.

5. Three packets of Australian vegetable seeds from Melbourne. Presented by Mr. R. Scott, of the H. C. Botanic Garden.

6. Samples of fibre from the "Dheroos" (*Hibiscus esculentus*) and from *Hibiscus Abelmoschus*, prepared at Khalboalya factory, Kishnaghur. Presented by Mr. M. Tweedie.

7. Samples of 4 kinds of fibres from the Punjab. Presented by Mr. H. Cope, namely:—

No. 1, Sample is the fibre of *Urtica heterophylla*, which yields the nettle fibre of the hills about Kangra: the seed is said to yield from 18 to 20 per cent. of a superior burning oil.

No. 2, Sample of "Sunn" (*Crotalaria juncea*) grown near Shalimar, in the neighbourhood of Lahore, in the low Khadir lands, during the year 1856, by order of the Fibre Committee.

No. 3, Sample of "Sun okra" (*Hibiscus cannabinus*) from plants grown in the same locality.

No. 4, Sample of Hemp (*Cannabis sativa*) grown at Dhurumkote, near Kangra, during the rainy season of 1856, by order of the Fibre Committee.

8. Samples of his seamless gunny bags. Presented by Mr. G. A. DePenn-  
ing.

9. Two specimens, unrefined and refined, of oil from the seed of the "China Korofee" (*Cerbera Thevetia*). Presented by Mr. C. B. Wood.

10. An excellent sample of coffee, the produce of plants raised in the Barrackpore Park. Presented by the Superintendent, Mr. C. Sharp.

---

The recommendation from the Council, that the sum of One Thousand Rupees be placed at the disposal of the Garden Committee for the purposes set forth in their report which was submitted at the last meeting; and that an increase of hands be granted to the garden establishment, to the extent of Rs. 50 per mensem,—was brought up for disposal: whereupon it was moved by Mr. L. Clarke, and seconded by Baboo Shibchunder Deb, and resolved, that the recommendation of the Council be adopted.

Another recommendation was also submitted by the Council, for disposal at the next meeting, namely, that an additional sum of Rs. 15 per mensem be granted for increase of pay from the commencement of the year, to three of the writers in the Secretary's department.

The Council further recommended that the first show of the season be held in the Auckland Garden on Wednesday, the 28th January; the second on Thursday, the 6th of March; and the third in the Town Hall on Wednesday, the 1st of April. Agreed to.

The Gardener's monthly report was read. Mr. McMurray states that the usual quantity of peas of 18 kinds have been sown, of which the majority are doing well, and will, from present appearance, yield an abundance of seed. "Among these kinds there is one sort deserving particular notice from its early habit, that is Carter's Daniel O'Rourke pea, which was sown on the 8th November, and on the 28th of the same month produced flower, from which there was, on the 16th December, the young crop of peas fit for picking for table use, making a total of 85 days from the time of sowing to the time of being fit for the table. The crop is now ripe, as will be seen from the muster forwarded for laying before the present meeting, and there is every reason to believe that there can be a second crop raised from the same seed this season, which I intend to try, and will report the result to the Society hereafter.

The crop of sugar-cane which has been growing four years upon the same ground is now fit for cutting. The canes are not very large, owing to their remaining so long on one plot, at the same time they are very good for forming a young plantation, where such a crop is required, and as I purpose removing the whole, and having the ground trenched, I would suggest that the Society dispose of the whole at 1-8 annas per 100, after a sufficient quantity has been put down for garden stock in a new plot of ground."

The Gardener closes his report with notices of several contributions to the garden, including plants of the *Araucaria imbricata* and *Phalenopsis amabilis* from Mr. C. B. Stewart, and a plant of *Brunfelsia erecta* from Mr. R. Wood.

Mr. McMurray adds his calendar of operations for the present and beginning of the ensuing month :—

"In the Flower garden and Conservatory get all kinds of plants requiring more pot room shifted as soon as circumstances will allow, in order that they may be well established before the hot weather sets in; and see that all kinds under cultivation in pots are not allowed to get too dry at the root, as at this time they are apt to do where attention is not paid, which can soon be found out from the want of substance, and the sickly appearance of the foliage and flowers.

"Canellia plants are apt to shed their flower-buds at this time, when exposed to the dew at night and sun during the day, cold blasts, and the want of water at the roots; when such plants are cultivated, it would be advisable to guard against such occurrences, otherwise the success of obtaining a healthy expansion of the bloom, is nothing but a mere chance, and over-watering these plants at the root is equally as bad, and causes the flowers to drop off.

"Where deciduous plants have to be shifted, there should be no time lost in forwarding this work, as the spring growth will soon commence, after which the same success need not be expected as when the sap of the plant is in a dormant state. Look over the rose beds frequently, and remove all decayed flowers, and when stocks are ready, budding should be commenced.

"Continue the propagation of all kinds of soft-wooded plants, such as geraniums, verbenas, clove pink, &c., &c., for next year's stock, as during the hot and rainy season this work cannot be carried out with the same certainty of success as at the present time. Put down rose cuttings and other such wooded plants in beds in a shaded place, where they will strike freely, and make nice plants for lifting for any purpose of culture about the commencement of the rains. Let no plant suffer at this time for the want of water, and where it is considered necessary, use liquid manure occasionally, which will throw a vigour of growth and freshness into the whole plant, that otherwise cannot be expected. The stagnant water in some localities about Calcutta is capital for this purpose, but care must be taken that it is not too strong for the plants to which it may be applied; should such be deemed the case, the proper consistency can be made by adding pure water to it.

"*In the Orchard and Kitchen garden*, where the peach trees and vine plants have not already been pruned, no time should be lost in forwarding this work, as the sap will soon be in circulation, after which bleeding is sure to take place where this work is too long left undone. The peach trees should be well headed in, and all useless young and decayed wood cut away, which otherwise will encumber the plant, and prevent a healthy young growth taking place, which is necessary, not only for the encouragement of the present crop of fruit, but the production of bearing wood for next year.

"The vines at this time should also be cut back to within three or four eyes of last year's growth.

"The season is too far advanced to sow the majority of vegetable seeds with much prospect of success: still where knole-kole, cabbages, lettuce, &c., have been raised in beds, they should be planted out at once on well prepared ground, the different kinds of cucumbers, melons, squashes, vegetable marrow, &c., ought to be sown at this time.

"Lift yams where not already done, and get the ground prepared for other crops. Arrowroot and tapioca bulbs should also be taken up, and the powder prepared.

"Attend to former directions, and keep the whole of the grounds clear of leaves, and in a neat and tidy condition."

In connection with the above, the Secretary submitted letters from Mr. Betts, Honorary Superintendent of the public garden at Berhampore, Mr. Sharp of the Barrackpore Park, and Mr. Scott of the H. C. Botanic Garden, reporting the result sowings of several descriptions of seeds. Mr. Betts gives a favorable report on the flower seeds from Messrs. Rollisson. Mr. Sharp also states that they have proved much better than those received from Messrs. Carter and Co., while the vegetable seeds from Ootacamund have turned out a complete failure. Mr. Scott submits comparative statements of trial sowings of Cape, American, and Scotch vegetable seeds, and offers some interesting remarks thereon. These reports were referred to the Garden Committee.



*Communications on various subjects.*

The following letters were also read :—

1. From the Right Hon'ble Sir Lawrence Peel, Isle of Wight, dated 16th December, 1856, in reply to the reference made to him on the subject of the Society's application to the Hon'ble the Court of Directors for an additional pecuniary grant. "You will see by the enclosed"—writes Sir Lawrence—"though probably you know it already, that the Hon'ble the Court of Directors have increased their allowance to the Society, and thereby shewn liberality and sense. You will see also that I did my duty to the Society in backing the application, though I do not suppose that that at all influenced the decision. I am intending to send out some musters of improved flower-pots, which may perhaps answer in India. Pray command my services at all times in aid of the Society."

The following is the letter from the Secretary of the Court, dated 10th October, 1856 :—

"I have laid before the Court of Directors of the East India Company your letter dated 29th ultimo, forwarding a letter from the Secretary to the Agricultural and Horticultural Society of India, applying for further pecuniary assistance from the Court towards the Society's operations, and supporting the application by your own testimony to their value.

"In reply, I am commanded to inform you, that the application of the Agricultural and Horticultural Society, with which you have been so long and so beneficially connected, had previously been brought before the Court by the Government of India, and that the Court's authority has been given for the enlargement of the annual payments by Government towards the objects of the Society from Rs. 2,620 to Rs. 5,000 per annum."

Moved by Mr. L. Clarke, seconded by Mr. Cantor, and carried by acclamation, that the best acknowledgments of the Society be tendered to the Right Honorable Sir Lawrence Peel, for the interest he has taken in the above matter, and for the further offer of his valuable services.

2. From the Secretary, Government of Bengal, intimating the compliance of the Lieutenant-Governor with the Society's request for free transmission by steamer of cases of plants to and from Upper Assam.

3. From H. Cope, Esq., suggesting a cheap and simple mode of preserving seeds from moisture during a long voyage. Referred to the Garden Committee.

4. From Messrs. Gillanders, Arbuthnot and Co., forwarding on behalf of the Hon'ble Walter Elliot, of the Madras Civil Service, a quantity of gum of *Euphorbia Cateemundoo*, to compete for the prize offered by the Society for an efficient substitute for gutta-percha.

5. From C. Gubbins, Esq., dated 24th December, acknowledging receipt of copy of report of the Dundee Chamber of Commerce on the flax straw raised at Allyghur, and forwarded by him to the Society in 1855. Mr. Gubbins remarks, "I consider the report extremely favorable, and the more so, as I find the

*acclimated seed of last year's growth is succeeding most admirably: the plants (which have come up very thick and even,) are already of an average height."*

6. From G. W. Hemming, Esq., Oorai, dated 28th December, conveying his best acknowledgments to the Society for the resolution passed at the last meeting on the subject of "Atees," and enclosing copy of another letter from Dr. Balfour of Delhi, intimating that the drug will be brought prominently before the Medical Board. Dr. Balfour adds,—“Dr. Row sent my report to the Superintending Surgeon of Umballah, who put the case into the hands of Dr. Butt of Looddeeanah; he found “Atees” in the bazar there brought down from the hills, and at a reasonable rate. It has been found to answer wonderfully, and all the papers are to be sent up.”

7. From Lieutenant R. Stewart, a few items of information regarding tea planting in Cachar :—“The tea gardens here are getting on very well—several hundreds of acres have been cleared and planted, and some of last year's seedlings are already three feet in height—others again are weak and sickly, and not over a few inches above the ground; this disparity arises, it is supposed, from the pooriness of the seed, or of that portion of it which has produced the weak plants; the seed is a very delicate one, and soon feels the exposure to the air, and the kernel begins to dry up and shrivel; put in in this state, but small germinating power remains, and the plant produced is sickly, and unable to bear the sun.

“Transplanting small indigenous plants from the jungle into the gardens, does not appear to have succeeded well; many of the plants had not been more than a few months above ground, and that too in the shade of a dense forest, they were not therefore able to stand the change: plants of a year's growth or two can be safely transplanted.”

*( Wednesday, the 11th of February, 1857.)*

The Hon'ble Sir Arthur Buller, President, in the chair.

The proceedings of the Anniversary Meeting were read and confirmed.

The gentlemen proposed at the last Meeting were elected members, viz :—

Messrs. J. A. Crawford; C. A. Cave; E. F. Flouest; P. T. Onraet; A. J. Camaratta; C. J. Pittar: Baboo Mudden Mohun Thakoor; and Baboo Issur Chunder Sing.

The names of the following gentlemen were submitted as candidates for election :—

Major R. Strachey, Engineers, Calcutta ;—proposed by Sir Arthur Buller, seconded by Dr. Thomson.

R. Berkeley, Esq., Assistant-Commissioner, Lahore ;—proposed by the Secretary, seconded by Mr. W. G. Rose.

Mr. W. Willocks, Deputy-Superintendent, Eastern Jumna Canals ;—proposed by Dr. Thomson, seconded by Mr. C. A. Cantor.

The following contributions were announced :—

1. Selections from the Records of the Government of India, No. 19. *Presented by the Government of Bengal.*
- ✓ 2. Memoirs of the Geological Survey of India, Vol. I. Part I. *Presented by the Government of India.*
3. Journal of the Society of Arts of London, Vol. 4. *Presented by the Society.*
4. Journal of the Asiatic Society of Bengal, Nos. 6 and 7 of 1856. *Presented by the Society.*
5. Directory and Calendar for the N. W. P. and Punjab; and the Almanac and Companion for the N. W. P. and Punjab. *Presented by Mr. W. H. Carey.*
6. Report of the Calcutta Public Library for 1856. *Presented by the Curators.*
7. A further supply of the bark of *Daphne mucronata*, for experiment as a material for the manufacture of a fine description of paper. *Presented by Captain D. Briggs.*
8. Specimens of cocoons of mulberry worm, the result of cross-breeding between the annual worm of Europe and the monthly worm of Bengal. *Presented by F. Bashford, Esq.*
9. An excellent specimen of the tuber of the Chinese potato (*Dioscorea Bata-tas*.) *Presented by Baboo Nobinchunder Doss, Secretary Local Committee, Public Instruction, Baraset.* This tuber was raised, with several others, in the Baraset garden, from stock supplied by the Society in December, 1855.
10. Seed of the Chinese rice paper plant (*Aralia papyrifera*) from the Society's Garden.

---

The motion of which notice was given at the last meeting, "that an additional sum of Rs. 15 per mensem be granted for increase of pay from the commencement of the year, to three of the writers in the Secretary's office," was duly submitted and carried.

---

*Provision of Vegetable, Flower, and Agricultural Seeds for 1857.*

Read the following report of the Garden Committee on the above subject:—

"Your Committee having taken into consideration the subject of the provision of seeds for 1857, have to report as follows :—

"*Vegetable, Cotton, Tobacco and Maize seeds from North America.* It was recommended by the Council in November last, that a consignment, similar to that of 1856, be again ordered for the next season; and, this recommendation having been adopted by the General Meeting, an order was transmitted by the Overland Mail of 22nd November to the extent of \$1,250. The attention of the seedsmen was called to the fact, that a portion of the peas and beans included in their last consignment was altogether of inferior quality, and not sufficiently well ripened and dried; further, that some of the papers, especially the cauliflower and artichoke, did not contain a sufficient quantity of seed for sowing in a moderate size garden.

*" Vegetable Seeds from the Cape.*—The reports furnished by Mr. R. Scott, Head-Gardener, H. C. Botanic Garden, Mr. C. Sharp, Superintendent of the Barrack-pore Park Garden, and by the Society's Gardener, being altogether favorable, as respects the germination of the seeds forwarded last year by Messrs. Villet and Son, the Committee recommend that another similar order be given them. Messrs. Villet should, however, be instructed to send a better description of 'White French Bean' than the last, which was very inferior; this remark is also applicable to a small and inferior description of pea, similar to the common Patna pea, which was sent under the erroneous designation of 'Marrowfat.'

"Your Committee have had before them a communication from Dr. J. R. Withecombe, a member of the Society (in reply to a letter from the Secretary), dated from Cape Town in May, 1856. Dr. Withecombe encloses copy of a correspondence with Messrs. Villet, and two letters to his address from Messrs. Upjohn and Templeman, also seedsmen of Cape Town, offering to supply the Society with seeds. Dr. Withecombe suggests that the Society share their patronage between these three seedsmen, instead of confining it to one, by which, he is of opinion, the Society may be better served. Dr. Withecombe has interested himself much in this matter, for which he deserves the best acknowledgments of the Society; but, before recommending that his suggestion be acted on, the Committee think it would be advisable to request Messrs. Upjohn and Templeman to send trial parcels to the Society, stating precisely what quantity of seed they could annually supply, *the produce of their own grounds*, and the cost thereof. The Committee will then be in a better position to offer a recommendation on the subject in their next annual report.

*" Flower Seeds from England.*—The Committee regret to announce that, with one exception, the reports received by the Secretary respecting the flower seeds supplied last year by Messrs. James Carter and Co., are unfavorable.

"The exception is a report from a member at the distant station of Umballa, who states that 60 out of 80 kinds had germinated most readily in his garden. It is not improbable, the Committee think, that the failure has been caused by the consignment having reached Calcutta a month before the usual time, whereby the seeds were exposed to the humid atmosphere of the rainy season. They would recommend that Messrs. Carter and Co., be directed to adhere strictly to previous instructions, namely, to send the next consignment not earlier than by the 20th August steamer, whereby it will reach this the first week in October. They should, at the same time, be informed, that if the next consignment prove unsatisfactory, the Society's patronage will be withdrawn. It should be added that Mr. McMurray's report of his first sowings of these seeds, made immediately after their arrival, is satisfactory, while his general sowings from the same packet failed; which tends to confirm the previously expressed opinion that they were afterwards affected by damp.

"The Committee have to report that the seeds contained in the trial parcel from Messrs. Rollisson and Sons of Tooting, received in the middle of November, have germinated very fairly, which has been attributed by the Society's Gardener, not to the seeds having been originally of a better description than those sent by Messrs. Carter, but to their having arrived at a drier and consequently more favorable season. Messrs. Rollisson's charge, it should be added, is double that of Messrs. Carter and Co., for precisely a like assortment of seeds. Messrs. Carter and Co., can be directed to send with the flower seeds a supply of two desirable kinds of peas, namely the 'Early Emperor' and 'Daniel O'Rourke,' for cultivation in the Society's garden, with the view of raising a quantity of seed for general distribution in 1858; they might also send a small collection of bulbs of ornamental plants for the garden.

"*Ootacamund Vegetable Seeds.*—The reports on the trial collection of seeds from the Horticultural gardens at Ootacamund, in the Neilgherry Hills, having proved unsatisfactory, the Committee are not, at present, prepared to recommend another order from that locality.

"*Agricultural Seeds.*—The Committee have further to suggest that an order be sent to Messrs. Gibbs and Co., seedsmen to the Royal Agricultural Society of England, for an assortment of agricultural seeds (independent of the cotton, tobacco and maize seeds from North America.) The assortment should consist of flax seed, cereals of sorts, grasses of sorts, field carrot, turnips, cabbage, mangul-wurzel, &c., to the extent of say £100, as a beginning, to be paid for from the additional pecuniary grant recently accorded by the Hon'ble the Court of Directors of the E. I. Company. The consignment should reach this by the latter end of August. In order to admit of a fair average distribution, members of the Society, and others, should be requested to send in their applications before the month of August, specifying the kinds required, and the quantity of ground they are desirous of cultivating. With the view of enabling the Society to meet the wishes of the Court for an annual return of the result of the distribution of these seeds, each applicant should undertake to send in a full report in due course to the Secretary, giving full particulars of success or failure, and it would be desirable if specimens of such staples as flax, wheat, barley, oats, &c., raised from the seed, were sent in at the same time.

"The Committee have had before them a letter from Dr. Mouat, Inspector of Jails, Lower Provinces, applying for a good supply of American and Cape vegetable seeds for his jail gardens. The application has unfortunately reached too late as respects American seeds, but they recommend that a quantity of Cape seeds be placed at Dr. Mouat's disposal, at cost price, for the required purpose.

"Lastly, the Committee beg to recommend that members be allowed, as heretofore, an extra packet from each consignment of seeds, at cost price, provided they are required *bona fide*, for their own gardens: otherwise the

charge to be the same as to a non-subscriber : further, that for all these extra parcels, cash be paid on delivery.

"In conclusion, your Committee beg to subjoin a memo. of the probable total cost of the consignments above mentioned, amounting in the aggregate to Rs. 7,800, exclusive of freight, insurance, and other contingent charges :—

*Memorandum.*

For vegetable, cotton, tobacco and maize seeds from North America,							
\$1,250,	..	..	..	..	..	..	Rs. 2,500
For vegetable seeds from the Cape of Good Hope,	..	..	..	..	..	..	2,000
For flower seeds from England,	..	..	..	..	..	..	2,800
							<hr/> 6,800
For agricultural seeds £100,	..	..	..	..	..	..	1,000
							<hr/> Rs. 7,800
W M. G. ROSE.				S. DOUGLAS.			
C. A. CANTOR.				JOSEPH AGABEG."			

A recommendation was brought up from the Council for the adoption of the above report, with the following addition, viz:—"That a sufficient quantity of the two kinds of peas known as the 'Early Emperor' and 'Daniel O'Rourke' be obtained from Messrs. Carter and Co., for general distribution to members; and that a less quantity of beans than heretofore be procured from the Cape."

Proposed by the Rev. J. Long, seconded by Baboo Sibchunder Deb and resolved, that the recommendation of the Council be adopted.

*Horticultural Exhibition.*

Read the following reports of the Judges regarding the show of vegetables, fruits and flowers held in the Auckland Garden on the 28th January :—

"*Horticultural.*—The Judges beg to offer the following remarks regarding the first Horticultural exhibition of 1857.

"*First as regards Foreign Vegetables,* it may be observed, that cauliflowers were equally as well exhibited on this occasion as at any previous show, though the quantity was not so large; while Brussels sprouts was better represented at this time than on any former occasion. Scotch kale of two kinds were well shown and abundant. Of cabbages there were five sorts placed on the stands, the whole of which were well exhibited, both as regards quality and quantity, save the sugar-loaf, of which there were only a few heads, but of good quality. Endive of three sorts were abundant, well blanched, tender and young. Of spinach the broad-leaved and prickly seeded were well exhibited, being both young, green and tender. Of lettuce there were four kinds brought forward, viz., cabbage, black-seeded coss, brown Dutch and Paris coss, the whole in excellent condition and abundant. It is satisfactory to note that better specimens of celery are shown year after

year, and on this occasion, both the red and white kinds raised from seed during the rains, exhibited a marked improvement upon that of any former season. Celery raised from off-sets was also abundantly represented, but, as may always be expected, it was hollow, and only fit for flavoring soups, &c. The purple and white nolo-kole were abundant and good. Of turnips the yellow stone, white flat Dutch, globe and purple, were submitted in large quantities, and of excellent quality. Of carrots four kinds were placed on the stands, namely the long and short orange, early horn and long red, all in good order. Of beet-root, the blood red was perhaps better shown on this occasion than any other; besides these there was a large display of inferior sorts: also mangul-wurzel in abundance, and of good quality. Potatoes of four kinds were brought forward in different stages of maturity, the whole of excellent quality. The long-pod, Lima, French, and horse beans were placed on the stands in large quantities, and of good quality. Of peas the display was very fair and the quality excellent. Among the kinds recognised, were the Cape, marrowfat, Bishop's dwarf, early marrow, imperial blue, American imperial blue (this pea is generally taken for the Prussian blue, but it is a very different kind) sugar pea, and an ill-flavored variety with very large pods, which has been submitted on previous occasions. Of squash, the collection was not large, but the specimens placed on the table were good. Of asparagus the collection was small and poor, as might be expected so early in the season.

"In addition to the above there were baskets of onions, leeks, chives, turnip-rooted and long-radish, water-cress and pot herbs of sorts.

"*Of Indigenous Vegetables*, the collection was large and varied, including brinjalls of nine kinds, Tenasserim and other descriptions of yams, cucumbers, pumpkins, beans, sags of sorts, &c. A few baskets of ginger from West India stock, in excellent condition, were likewise placed on the stands.

"*Of Fruits*, the pomegranates were abundant and of good quality. Of sapotas there were many baskets, the size large, and the quality good. The mandarin orange, kumquat, and another red variety, which were submitted, were apparently grown in Bengal. Pine-apples and long and round plums were shown in abundance, and of excellent quality. Of pummelows there were three sorts placed on the table, of which the Madras white was the best. Guavas were large and well represented. Bullock's heart, loquat and rose-apple were indifferent, the quantity being small, and the quality bad. Plantains of three sorts were placed on the stands, the whole of good quality. Papia and bail were well represented. Of custard-apples, as might be expected, there was only a few baskets. A few mangoes from Raneegunge were produced, large, and nearly ripe. In addition to the above, several other kinds of fruits were brought forward, which would occupy too much space to detail. It may, however, be added that there were some fine specimens of sugar-cane raised from Mauritius and Singapore stock, fully equal to any previously exhibited.

"The show, on the whole, may be considered as very satisfactory. The competition was spirited; about 200 mallees having been in attendance, to 59 of whom prizes were awarded to the extent of Rs. 355, also 4 bronze medals for the best specimens of celery, potato, turnip, and Windsor bean. The amount was distributed by Dr. Thomson, Vice-President.

S. DOUGLAS.

WM. G. ROSE.

PEARY CHAND MITTRA.

JOSEPH AGABEG."

"*Floricultural*.—The Judges have to remark that the collection of plants was limited, as is usually the case at this first show of the season; the competition too was less than at the January Exhibition of 1856; the produce of only 20 gardens being submitted, to 13 of which prizes were awarded to the extent of Rs. 79, as per annexed list.

"Among the few plants calling for notice, were *Pelargoniums* from the garden of Mr. H. Wood; though not 'in flower,' the Judges considered them deserving of a prize, as the collection comprised 18 exceedingly healthy, well grown specimens. The Auckland Garden contributed a good collection of roses of 7 kinds, which received the first prize in that department. Mr. J. A. Cockburn submitted a fine collection of begonias; from the garden of Mr. Currie, came an excellent assortment of violets, perhaps the best yet exhibited; and good specimens of *Astrapaea Wallichii* and *Epiphyllum* — ? from the gardens of Mr. H. H. Poe and Baboo Kissory Chand Mittra. The Barrackpore Park Garden contributed several well-grown plants, including a *Thibaudia segitera*, a novelty at our shows. The Hon'ble Company's Botanic Garden and the Society's Garden both contributed plants for exhibition only; in the collection from the latter garden were some exceedingly well-grown samples of *Euphorbia jacquiniiflora*, *Abutilon Bedfordianum* and *Habrothamnus fasciculatus*.

"There was an equally great, if not greater number of visitors than at the show held on the 25th of January last year.

"The Judges conceive that the best acknowledgments of the Society are due to Major Clarke and the other officers of H. M. 53rd Regiment, for the services of their fine band; also to Captain Mark Currie, Commissary of Ordnance, Captain J. C. Hodgson, Garrison Engineer, and Messrs. Burn and Co., for the loan of tents, stands, &c., for the show.

THOMAS THOMSON.

BENJ. WARWICK.

E. W. WINGROVE."

---

#### Nursery Garden.

The Gardener's monthly report was submitted. Mr. McMurray forwards a tabular statement wherein the result of the trial sowings of the Melbourne



vegetable seeds, presented last month, by Mr. Scott, is shown : from this it appears that, with exception of 5 kinds, the per centage is favourable, namely 63 per cent. Mr. McMurray goes on to report as follows :—" In continuation of the few remarks made in my last report on Carter's Daniel O'Rourke pea, I have now to state, that a second sowing has been made, which germinated freely, and from the present appearance of the crop I hope to be able to submit some of the produce at the next meeting of the Society. It may also be interesting to record that the Chinese rice paper plant (*Aralia papyrifera*) has yielded a good crop of seed this season in the garden, which is probably the first time the plant has been noticed to produce seed since its introduction by Mr. Fortune in 1854, and which proves the climate of Bengal to be well adapted to the cultivation of the plant. The seed now forwarded may be distributed to Members desirous to send some of it to their friends at a distance from Calcutta, as the plant will soon become a common weed in this neighbourhood, from the readiness with which it increases itself by throwing up suckers from the roots."

The Gardener next notices several contributions to the garden during the past month, and closes his report with the following calendar of operations for the present and beginning of the ensuing month :—

" *In the Conservatory and Flower Garden.*—If previous directions should have been attended to, the young stock for next season's bedding out stuff will be pretty well advanced, and fit for potting off singly into pots ; where such is the case, there should be no time lost in getting the plants established in their new situation before the hot weather sets in. The majority of soft-wooded plants thrive best in a light rich compost, but where verbenas are cultivated, a good portion of gravel should be mixed with the soil as those plants are liable to damp off very much during the rainy season. Where the stock of all or any of these plants are short, cuttings should be put down without delay, as during the hot and rainy seasons there is great difficulty in making successful striking. Chrysanthemums and Artemesias and other like plants, which have done flowering this season, should have their roots divided and potted off singly into small pots at first, and as they advance in growth, the plants should be shifted into larger sized pots, so as to ensure a healthy young growth before the setting in of the rains, which will well repay the trouble by an abundance of flowers during the cold season.

" Bulbous rooted Gloxinias will at this time require repotting into a light rich soil, and at first but sparingly watered until they have made a few healthy young leaves, after which they will require a plentiful supply of water to bring the flowers to perfection. Some of the early sown annuals will by this time be beginning to ripen seed, which should be attended to, and collected daily in the morning, as many of the kinds scatter the seed when the sun is strong by ten o'clock in the day. Attend to former directions and keep the ground clear of leaves, &c., &c.

*"In the Orchard.*—Where young grafts of peach trees, mangoes, pum-melows, &c., &c., have been set out during the last season, attention should be paid to pinching off the suckers, which spring up from the stocks at this season, which, if neglected, will kill the scion. Plant out peach trees and other fruit-grafts, as at this time, where the ground is well prepared, the trees will be well established before the setting in of the rains, when a healthy growth will be the result during that season, and as soon as the sap be fairly in circulation, grafting or inarching should be commenced; peach trees that have had the present season's crop of fruit well set, should be well supplied with water at once, and continued at least once a week while the fruit is swelling.

*"In the Kitchen Garden.*—The remarks on last month apply generally to this, but there is less chance of success in rearing vegetables as they will seldom acquire much strength before the hot weather sets in; but still radishes, mustard, and cress, lettuce, spinach, and indeed the whole of the cabbage tribe should be tried in this month, and indeed throughout the year. Sow melons and all the *Cucurbitaceous* tribe; be careful about dashing water into the hearts of celery, otherwise they are sure to rot, and cabbages that have been firmly bound should not have the same quantity of water as those that are not in a closed state."

---

The Council reported that they had elected the following members to their Sub-Committees; viz. *Finance.*—Messrs. Cantor, Douglas, and Peary Chand Mittra. *Papers.*—Mr. Grote, Dr. Thomson, and the Rev. J. Long. *Correspondence.*—Messrs. Rose, Grote and Douglas.

---

*Communications on various subjects.*

The following letters were also read:—

1. From Captain D. Briggs, Superintendent Hill Roads, dated Umballa, 19th January, suggesting the introduction of the sweet chesnut and olive into the valleys of Kunawur:—

"You are doubtless aware that the valleys of Kunawur produce some of the most magnificent horse-chesnuts in the world. I am of opinion that at a lower elevation the Spanish (or sweet) chesnut would succeed admirably. The inhabitants of Kunawur are in the habit of steeping the horse-chesnut in water, to extract its acrid flavour, and grinding the nut into flour, which they mix with barley or wheat flour, to increase the limited quantity of the latter they possess. The substitution of the sweet chesnut for this unwholesome and unpalatable nut, would be a real boon to the poorly fed hill-men, and if the Society see fit to provide me with seed, I will do my best to introduce the tree.

"I also beg to suggest the introduction of the olive in the valley of Kunawur, as a matter of no little importance. A climate that is so favorable to the growth of the vine, is surely not unsuited to that which, in almost every other country, is its companion."

The following recommendation of the Council in respect to Captain Briggs's suggestion, was unanimously adopted :—

"That an application be made to the P. and O. Company to request their agents at Gibraltar to endeavour to procure a quantity of olive and chesnut seed ; that Mr. Cantor's kind offer to apply to his correspondents at Marseilles be thankfully accepted ; and that an application be made to the Superintendent of the H. C. Botanic Garden, Dapoorree, for acclimated seed. Further, that Captain Briggs be recommended to apply to Dr. Jameson for seeds and seedlings of the China chesnut raised at the Saharunpore Garden from seed forwarded by Mr. Fortune."

2. From F. Bashford, Esq., forwarding some cocoons, the result of his cross-breeding with Europe and Indian silk-worms. "These are not my best, by far," observes Mr. Bashford, "I have had worms spinning every day for upwards of three months, and have now (22nd January) a very large quantity of young worms, but the weather is so cold and mulberry so scarce, I am very doubtful about success ; they feed now double as long as in milder weather, and get so numbed with the cold as to have scarcely strength to form a cocoon. My cross and even fine French, Italian and China eggs of last year are hatching now daily in large numbers, notwithstanding the cold : I am sadly puzzled how to keep them, so many different stages going on in the same house. Our Bengal cocoons this year have been very fine, the crop has been small, but finer cocoons from indigenous worms I never saw."

3. From the Secretary, Society of Arts, London, dated 15th December, acknowledging receipt of the bales of straw of different kinds which were sent last year for experimental purposes as materials for paper-making. "I will use every endeavour," writes Mr. Foster, "to obtain an opinion with regard to the bales of straw, but there has been some difficulty about this, as the machinery used by the paper-makers here is usually unfit for treating such a material. However, I am now in communication with a firm, who will, I have reason to believe, be able to do all that is necessary."

4. From Dr. F. J. Mouat, acknowledging receipt of the Society's communication on the subject of Atees, and stating he has sent for a quantity of the powder, with the view of having a full and fair trial given to it in the Jails under his superintendence.

5. From H. Cope, Esq., submitting a specimen of Himalayan Box to compete for the prize for the best substitute for Turkish Box.

6. From Captain F. W. Ripley, Sandoway, advising despatch, in compliance with the Society's application, of a quantity of fresh cocoons of the mulberry silk-worm of Bassein. Captain Ripley states that all previous attempts to send the eggs having failed, he hopes this despatch of cocoons may prove more successful.

The Secretary announced that the moths of this fine description of worm had, unfortunately, escaped from the cocoons during the passage.

From H. M. Low, Esq., dated 5th January, a few items on horticultural subjects from Thayet Mythe. "Of the Ootacamund seeds you sent me the best and tomato have succeeded very well, but I cannot report favorably of the others. The China yam has produced well, considering the sets were small. The quality of this yam is very good, white as snow and mealy. I have some white yam from Ammeesrapoora, much larger, but then the original tubers were of a corresponding size. The yam principally grown in Pegu is purple and watery. We have peas now : Windsor beans very fine, celery well blanched, 8 inches long and  $1\frac{1}{4}$  inch thick ; carrots large and good quality, sown about the 24th May, others in succession. Cabbages and cauliflowers very tardy, and until we succeed with our own *douce* seed, I do not expect cauliflower before the middle of January. Turnips of different sorts fine, and what I have not before seen, beautiful Swedish Turnips, though not yet ripe of course : it is always slow in its growth at home. I have English vines in the ground and peach trees ; but I do not expect much from them. Oranges and litchees are thriving, and will do better."

(The 18th March, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

Major R. Strachey, Messrs. R. Berkeley and W. Willocks, proposed at the last meeting, were elected Members.

The following gentlemen were proposed as Members :—

W. M. Smith, Esq., Jutropore, Kishnaghur ;—proposed by Mr. Edward Lushington, seconded by Mr. J. W. Smith.

Lieutenant G. H. Hale, Adjutant 2nd Regiment Infantry, Oude Irregular Force ;—proposed by Mr. W. G. Rose, seconded by the Secretary.

The Rev. C. E. Hadow, B. A., Chinsurah ;—proposed by Mr. G. B. Robinson, seconded by Mr. James Church.

Baboo Sham Churn Mullick ;—proposed by Baboo Peary Chand Mittra, seconded by Rajah Pertaup Chunder Sing Bahadoor.

Mr. W. Berrill, Allahabad ;—proposed by Mr. E. F. Flouest, seconded by the Secretary.

The following contributions were announced :—

1. Selections from the Records of the Government of India, Nos. 20 and 21. Presented by the Government of Bengal.

2. General Report on the administration of the several Presidencies and Provinces of British India during the year 1855-56, Parts 1 and 2. Presented by the Government of Bengal.

3. The Philosophical Magazine, 43 Volumes. Presented by James Morris, Esq.

4. Journal of the Royal Asiatic Society, Volume 16, Part 2. *Presented by the Society.*

5. A small supply of New Granada Paddy. *Presented by W. Jordan, Esq., of Lima.*

It was resolved, on the recommendation of the Council, that this seed be distributed to members willing to give it a trial, and communicate the result ; further, that a portion be placed at the disposal of the Commissioner of Pegu, for trial in that Province.

6. Samples of Himalayan cotton and castor-oil seed ; also a few seeds of *Coniferae*. *Presented by Lieutenant J. F. Pogson.*

The following is extract of a note from Lieutenant Pogson, on the above subject :—

“I send some seeds of the Paper plant [*Chaptalia gossypina*] of which I think Captain Briggs sent you the bark as stated in the last proceedings of the Society. The parcel also contains some choice Himalayan seeds, amongst others, the red or real Pencil Cedar, which I obtained from Thibet. I hope it will grow at Darjeeling, Cherra Poonjee, and Ootacamund, also in the Society's garden.”

7. Samples of Potatoes raised at Shahapore Oondee, Tirhoot, from acclimated Darjeeling stock. *Presented by Mr. J. Willis on behalf of Mr. Justin Finch.*

A few copies of Volume 9, part 3, of the Society's Journal, just received from the press, were placed on the table.

---

The following recommendation of the Council was unanimously adopted :—  
 “That Mr. Nash, having been unable to procure the Sea Island cotton seed, for which the sum of Rupees 250 was voted in January 1855, the same amount be applied for obtaining a quantity of Pernambuco cotton seed, and That Mr. Stewart Douglas be requested to assist the Society in obtaining it.”

---

#### *Garden School.*

A long report by a Sub-Committee of the Council, (consisting of the Rev. Mr. Long, Dr. Thomson, Baboo Peary Chand Mittra, and the Secretary,) on the present unsatisfactory state of the Garden School, with suggestions for the training up of a body of practical gardeners, was submitted by the Council, with a recommendation for the adoption of the proposals contained therein.

The Committee give a sketch of the origin of the School in 1847, and its operations to the present time. They detail the various measures which have been adopted to introduce lads into the school ; they also allude to the unsuccessful appeal which was made two years ago to Mofussil members, and to subsequent ineffectual attempts to obtain boys from the interior, and close this portion of their report with the following note on the result :—

“It is worthy of notice that after an existence of 9 years, during 6 of which about 60 boys have entered the school, and the expenditure of about

Rupees 3,500 for wages to scholars and masters, only two lads—so far as can be traced—have followed the profession of gardening, both of whom are at present employed in Calcutta. Dr. Thomson has stated to your Committee that this result, poor though it be, is more favorable than that of the school attached to the Botanic Garden, which, he believes, has not turned out a single *mali*.

“The failure thus recorded has not arisen from want of encouragement. Due notice was given to the lads on entering the school—and frequently reiterated,—that when sufficiently acquainted with their work, they would receive good situations in the Garden, and, that as applications were made to the Society, they would obtain situations with wages ranging from 8 to 16 Rupees a month, according to their ability. The failure may rather be attributed, the Committee think, to the desire which a little knowledge of reading and writing has imparted to them of following occupations which are not only considered more respectable, but which probably give a more *immediate* profitable return in the shape of wages :—thus, a lad would rather take employment as a sircar at 7 and 8 Rs. a month, than as a *mali* at 6, though he might in the course of a few years, obtain *double that sum* : in fact, the one is more *tangible* than the other, consequently more prized.”

The Committee conclude their report with the following suggestions :—

“To combat such a state of things is a difficult task. Nevertheless, your Committee think efforts should be continued ; and that as it is impossible any permanent improvement can take place in horticulture without an intelligent and trained body of *malis* to carry them out, and as much money is wasted in the distribution of seeds, and the establishment of gardens, owing to the ignorance of the existing class of *malis*, they would propose :—

“*First.* That the Society apply to the magistrates of certain districts of Bengal, say 24-Pergunnahs, Hooghly, Kishnaghur, Berhampore, Bhaugulpore, Patna, Jessore, Tirhoot, Dacca, Rungpore, Dinagepore, and Rajshahaye, to send down a *mali* from each district, or 12 in all as a beginning—men not beyond 30 years of age, to learn practical gardening in the Society’s Garden, the Society giving them mere elementary education in Bengali for a period of one or two years, and agreeing to allow each man Rs. 6 per mensem, exclusive of travelling expenses, from the period of engagement, till the completion of the proposed period. After which time a certificate of proficiency if entitled to it, to be granted to them, to enable them to obtain situations elsewhere of Rs. 10 a month ; and further, guaranteeing them that amount till they obtain such situations : it being distinctly understood that, a *mali* declining to accept a situation, will not be entitled to receive any further stipend from the Society, and, in the event of a *mali* not obtaining a certificate of proficiency within two years, the Society’s engagement with him will cease.

“*Second.* That the present system having proved a failure, the services of the Schoolmaster be dispensed with temporarily.

"*Third.* That the 5 Christian boys be continued on the establishment, and as many more be received, if obtainable, until the replies are received from the Magistrates, when the subject can again be brought forward for consideration."

The subject matter of the report having been discussed at some length, it was duly proposed and resolved, that the recommendation of the Council for its adoption be confirmed.

It was subsequently proposed by Mr. Stalkartt, seconded by Mr. Charles Gubbins, and resolved,—“that the gardeners sent down shall be able to read and write their own language, and be generally intelligent.”

In connection with this subject, the Secretary read a letter from Baboo Puddun Lochun Mundul, zemindar of Balasore, sending two young men at his own expence to be trained up as gardeners in the Society's garden; whereupon the following resolution was duly passed :—“That the cordial thanks of the Society be given to Baboo Puddun Lochun Mundul of Balasore, for his liberality, and the Society hope that this good example may be followed by other zemindars and planters.”

---

*Vegetable Fibres.*

A report was submitted by a section of the Flax and Hemp Committee (Messrs. William Thomson and William Haworth), on sundry samples of vegetable fibre received during last year by the Society from Arracan, Berhampore, Gorruckpore, and the vicinity of Calcutta.

Another report was submitted by a section of the Committee (Messrs. Stalkartt and Thomson) on sundry samples of flax from Punjab and N. Berar.

Ordered that copies of these reports be sent to the respective contributors for their information, and that the originals be transferred to the Committee of papers for publication in the Journal.

The Secretary brought to the notice of the meeting a bundle of flax straw and of fibre therefrom, cultivated and prepared in the vicinity of Chandernagore by Mr. George DePenning. The straw is fully four feet in length, branchless, and of a fair thickness; the fibre prepared from it is considered by the Committee a very creditable specimen; it would probably realize as much as from £45 to £50 per ton in England. Mr. DePenning mentions that it is the produce of the Dutch seed he obtained from the Society last year, it was sown about the 15th November, a maund to the biggah, and pulled about the 15th February. The process usually adopted of water-retting was followed, and two days' steeping, Mr. DePenning found to be quite sufficient.

The Secretary further drew the attention of the members to certain samples of flax straw submitted by Mr. Joseph Willis, and read a communication from that gentleman respecting them :—

“I obtained from you a few seers of Dutch linseed early in December 1856, and at the same time I procured a few seers of large Patna linseed from

the bazar for a small experimental cultivation in my garden ground at this place [Garden Reach.]

"The land was not well tilled and but barely manured, and it is rather tenacious in its nature.

"The sowings were made from the 10th to the 16th December, 1856, when the land had become somewhat too dry after the last fall of rain on the 30th, and 31st October, 1856.

"I will now observe a little on the two specimens of linseed or *Tessee* plants, which I lay before you to be shown at your Agricultural and Horticultural Society's Meeting of this day. The plants were taken from the garden yesterday. First are four (4) plants from the Dutch linseed. Length from 2½ to 3 feet each plant.

"Seed ripe and unripe and in flower at same time, seed very small, and inferior, and scarcely yielded from two to five stems in each plant.

"The root a short tap and branching.

"Plants healthful and at dimensions apparently sufficient to afford encouragement to cultivation for the sake of the fibre only.

"Second are three (3) plants from the Patna linseed. Length from 1 foot 6 in. to 2 feet each plant.

"Seed all ripe and ripened at once.

"Seed of middling size, but not equal in size to the parent seed.

"Seed tolerably abundant on the plants.

The plants have from 5 to 10 or 12 stems each. The roots are longish tap, and but little broken or divided.

"Plants healthful, and of dimensions less encouraging of the growth for the sake of fibre, than those from Dutch seed, but much encouraging as respects produce in seed.

"Without pretending to claim any merit in this matter, as the specimens with my few observations in connection, may be of some interest to some of the members of your meeting to-day, I have thought it well to lay them before you."

#### *Raw Silks.*

A report was submitted from a section of the Silk Committee (Messrs. Rose and Willis) on sundry samples of cultivated raw silk from the Punjab, and of wild silk from Mouhmein, which were forwarded to the Society at the end of 1856, by Mr. Cope, Major Burnett, and Captain Haughton.

Ordered that copies be sent to the contributors for their information, and that the report be transferred to the Committee of Papers.

#### *Horti-Floricultural Exhibitions.*

Submitted the following reports of the Judges on the show of vegetables, fruits and flowers held in the Auckland Garden on the 5th March:—

"*Horticultural*.—The Judges have the pleasure to report that the second show of the season held in the Auckland Garden on the 5th March was equally



as well supplied with samples of vegetables and fruits, as that held on the 1st March, 1856.

*“As regards Foreign Vegetables,* it may be stated that the Brussels' sprouts were as well exhibited on this occasion as at the last show, which surpassed any previous exhibition. Cauliflowers were submitted in small quantities, but of fair quality. White broccoli of two kinds were abundant and good. Scotch kale of two kinds were well represented. Of cabbages, sugar loaf, Savoy, early York, Battersea, red and drum-head, were placed on the tables in large quantities, and of excellent quality. The broad leaved and curled endive were well blanched and abundant. Of spinach the broad leaved and prickly seeded were shown in a green and tender state. The cabbage lettuce, brown Dutch and black seeded coss, were abundant and well blanched. Of celery the red and white kinds were in excellent condition, being both solid, well blanched and large; these were raised from seed. Celery from off-sets were more abundant than the former, but, as may always be expected, it was hollow and altogether inferior. The purple and white nolo-kole were placed on the stands in different stages of maturity, and in large quantities, some in excellent condition, and others over-grown. Of turnips the white flat stone, yellow stone, globe, and the Aberdeen red, were all abundantly represented, and in good order. Onions in different stages of maturity were also well represented. Chives were not abundant, but the samples brought forward young and green. Leeks were exhibited in abundance, and of excellent quality. Carrots of five kinds were placed on the stands, viz., long red, short horn, orange, white and black,—all good. There were several good specimens of turnip-rooted and long red beet. Mangul-wurzel was also abundant, and of large size. Potatoes of five kinds were placed on the stands in different stages of maturity, abundant and of fair quality; but unfortunately, the disease was observable among some of the samples: the New Zealand purple potato imported this season was exhibited in the above number, free of this malady. Several good baskets of beans, viz., the Windsor, long pod, Lima and French were exhibited. Of peas, the collection was very good, and the quality excellent; of squash, the collection was but small, but the quality good. Several bundles of asparagus were placed on the tables in pretty fair condition. The same remark is applicable to artichokes. The usual kinds of herbs were introduced, all in good order. Horse-radish was abundant, and of good quality. Fennel and sea kale were exhibited on this occasion in pretty fair condition, and also the triple-curved parsley.

*“Of Native Vegetables,* there were many baskets of the usual kinds, such as saugs, beans, brinjalls, kurrillas, cucumbers, pumpkins, yams, chillies, capsicums and ginger; the whole in a green and tender-looking state. And of *Fruits,* guavas, limes, lemons, and oranges were well exhibited, as also pomegranates, pine-apples, sapotas, and loquots—though early in the season for the latter. Bails of three kinds were abundant, and of good quality; likewise pummclovs of three kinds. Peaches and mangoes were shown in a green state,

but were not considered worthy of a prize ; a few good strawberries were likewise brought to notice. Papias were plentifully exhibited and good—and plantains were very abundant and good.

“ A few good bundles of sugar-cane and some fine cobs of maize, apparently from American stock, were likewise submitted.

“ About 150 gardeners were in attendance on this occasion, and prizes amounting to Rs. 300, and 4 bronze medals, were award to 55, according to the annexed list. The Rajah Pertaup Chunder Sing, Vice-President, distributed the prizes.

WM. G. ROSE,

ST. DOUGLAS,

PEARY CHAND MITTRA.”

“ *Floricultural*.—This show was not equal to that held on the 1st March, 1856, either as respects the quantity or quality of the specimens submitted. The produce of about 30 gardens were brought forward and prizes, amountng to Rs. 103, awarded to fifteen, as per annexed detailed list.

“ Among the few novelties were plants of *Franciscea eximia* from the garden of Mr. Grote, of *Abronia umbellata* from Mr. Bartlett's garden, a species of *Venedium* from Mr. Warwick's garden, and a new kind of *Oncidium*, and a *Rutaceous* plant from the garden of Rajah Nursing Chunder Roy. There were large collections of phloxes, portulacas, pinks, heartsease neither large nor good, and verbenas, and a few good specimens of campanulas, and double larkspurs. The bulbous tribe were very indifferently represented, but the collection of orchids was tolerably fair. Of oxalis, only a few plants were submitted, and not a single specimen of German asters, of which there was such a good collection at the March show of last year.

“ The collection of annuals was very limited, as was to be expected, in consequence of the failure of the seeds, and the unusually dry season we have experienced, unrelieved by a single shower of rain for four months.

“ Some wellgrown plants were introduced from the H. C. Botanic Garden, and the Society's garden, for exhibition only, not for competition.

“ The attendance of visitors was great, though not so numerous as at the last show.

“ The judges have again to bring to the notice of the Society the kindness of Major Clarke and the other officers of H. M. 53rd Regiment for the services of their Band ; and the assistance so obligingly rendered by Captain Currie, Commissary of Ordnance, Captain J. C. Hodgson, Garrison Engineer, and Messrs. Burn and Co.

THOMAS THOMSON,

BENJ. WARWICK,

S. P. GRIFFITHS.”

*Nursery Garden.*

The Gardener's monthly report was submitted. Mr. McMurray remarks "that Carter's Daniel O'Rourke pea has matured the second crop this season from the same seed. The produce of the small quantity sown for that purpose is now forwarded for laying before the present meeting. As two very different kinds of peas have been sent to the Society under the same name (Daniel O'Rourke), it may be as well to state that Messrs. Carter's Daniel O'Rourke pea plant only grows eighteen inches in height, while Messrs. P. Lawson's Daniel O'Rourke pea plant, received at the same time, grows from four to four and a half feet in height, and is only a secondary kind in comparison with that of Messrs. Carter's; although it is an excellent bearer, well flavored, and is quite a new and distinct variety to any I have previously met with in India.

"I may here state that neither of the crops received any artificial watering during their whole growth. As the Society proposes to order out from England two kinds of peas for general distribution to the members, I would suggest that it would be desirable to procure two or three quarts of seed of each of the leading kinds of peas now cultivated in England, as an experiment for growing in the garden, from which it would enable the Society hereafter to know what kinds of peas were best adapted for cultivation in Bengal; for instance, Knight's tall marrow-fat pea is not at all adapted for that purpose, as may be seen from the returns of the produce of the peas grown in the garden during the last seven years.

"The Chinese Green Dye plants are flowering very freely at present in the garden, from which a good quantity of seed will probably be obtained for distribution to the members next season; in addition to this there have been between three and four thousand layers and cuttings of the same plants put down for the same purpose.

"The prospect of a crop of fruit this season in the garden is generally very fair; of mango and lichees there are very few indeed, but of peaches there will be a fair crop from present appearance. The several kinds of pine-apple plants are also showing well to yield a good return; of pummelows, limes, and lemons the produce will also be abundant from the present appearance of the set of fruit, the Avocado pear trees are at present laden with flowers from which a good return of fruit may be expected.

"The *Vanilla planifolia* is flowering freely, and the fruit is being set daily. The belt of cocoa-nut trees along the North boundary of the garden is bearing a heavy crop of fruit, and the American apple trees are showing flowers."

*Resolved.*—That the Gardener's suggestion in regard to the peas be adopted.

A detailed report from Mr. Scott, Head Gardener, H. C. Botanic Garden, on trial sowings of Messrs. Carters' and Rollisons' flower seeds, was likewise submitted.

*Communications on various subjects.*

1. From A. Forbes, Esq., Dacca, suggesting the propriety of experiments being made as to the proper quantity of indigo seed to be sown in a beegah of ground. The following is extract of Mr. Forbes' letter :--

"There is a subject which is one of the very greatest importance to the country, and which has never been taken up by the Agricultural Society, and it is one on which the most varying theories prevail among Indigo Planters, and that is, what is the proper quantity of Indigo seed to be used? Some say that the plant ought to be very thick in order to make it grow up quickly, others vote for thinly sown plant. From what I know of planters they are a race very unwilling to enter upon a set of experiments, and rightly so too, for they are generally managers for others to whom they would be accountable should their experiments be the cause of failure, but I think the Society, which now numbers a good many Planters on its subscription list, should make itself a set of experiments with different quantities of seed in various soils, and should issue a circular to its planting members begging them to do the same. The subject is one involving the expenditure yearly of many thousands of Rupees. The experiments should be made with different quantities of seed sown on the same day on both *muttal* soils and sandy soils. The number of ploughings should be given with the size of the plots in square feet not in *nalls* or *haths*. The weather soon after sowing, and during cutting, should be noted. The height of the plant, whether it was leafy or stalky, whether the leaves were *cutchu* or *pucka* at the time of cutting, the quantity of bundles fairly measured with the six feet chain, the cubic contents of the vat, and the produce in seers per vat ought to be given. I trust that the Society will consider the subject of sufficient importance to be taken up in as earnest a spirit as has been given for some years past to the cultivation of fibrous plants."

*Resolved*,—on the recommendation of the Council, that a circular be issued, embodying the particulars contained in Mr. Forbes' communication, to all the members of the Society engaged in indigo cultivation, and that they be requested to communicate the same to their friends, who are not members, and furnish the Society with the result.

2. From W. Tayler, Esq., Commissioner of Revenue, Patna, returning thanks for the donation of a set of the publications of the Society for the recently established "Behar Industrial Institution," and forwarding a copy of a little pamphlet detailing the particulars of the scheme.

*Resolved*,—on the recommendation of the Council, that such portions of this pamphlet as relate to Agricultural subjects be embodied in the proceedings of this Meeting; further, that supplies of seed, more especially of the Agricultural seeds expected in September next, be placed at Mr. Tayler's disposal.

The following are the extracts from the pamphlet :—"Agriculture.—The object of this department of the Institution will be, to disseminate scientific truths, to introduce new products, to test by experiment such of the more

obvious of the plans and improvements as have been found eminently successful in Europe, and as may appear in the eyes of cautious and experienced people to be applicable to Indian farming. To direct the attention of the zemindars, farmers, and agriculturists to these products, plans and improvements, and to induce them to adopt such as may be found to answer or to offer fair promise and likelihood of success.

“If nothing else were to be gained, it would be no little matter to have excited the interest of the landholders and people and to have roused a spirit of enquiry.

“The native mind is well able to appreciate the results of scientific experiments when made palpable to the senses, and the farmers of Behar will not be slow to adopt what is proved to be profitable.

“I have no idea of attempting to force upon the people an artificial system of high farming with its elaborate appliances and doubtful results, but I feel very sanguine that the gradual and judicious introduction of better ploughs, threshing machines, and similar aids to industry will be eminently useful.

“*Cattle*.—The improvement of the breed of cattle is a matter of practical utility and speedy results.

“A few English bulls have, at various times, been introduced into these districts by individual gentlemen, and the greediness with which their society has been sought for, and the acuteness with which clandestine interviews have been contrived by the cow-keepers, has proved how fully they understand the value of superior stock.

“The half-breeds which have sprung from this illicit intercourse are now eagerly sought for, and purchased at high prices.

“This will form a regular branch of the Institution, and I anticipate the hearty co-operation of the great Landlords, Indigo Planters, and others in the work.

“Whether any satisfactory results are likely to be attained by endeavours to improve the breed of sheep, I cannot venture to predict, but the subject will form matter for careful enquiry and experiment.

“Questions have been circulated through the Collectors of the Districts to all those who are supposed competent to supply information on this subject, and much valuable information has already been collected.”

3. From the Secretary Medical Board, acknowledging receipt of the reports furnished by the Society regarding the drug “*Atees*,” and returning the thanks of the Board for them. “Many months since,” adds Dr. Chevers, “portions of “*Atees*” were sent by the Board for trial at the Presidency General Hospital and Medical College Hospital. Since the receipt of your letter, the Medical Officer's reports upon this trial have been again called for. Upon their receipt the Board will have much pleasure in furnishing the Society with any additional facts of importance regarding the medicinal action of the drug which they may convey.”

4. From C. B. Stewart, Esq., Superintendent P. and O. Company, intimating that the wishes of the Society for a supply of seed of the sweet chesnut and olive, through the medium of the Company's agent at Gibraltar, will be attended to.

5. From Dr. Gibson, Superintendent Botanic Gardens, Bombay Presidency, intimating his inability to send acclimated olive seed, as though many of the trees in the Botanic Gardens under his charge are as large as any of the sort to be found in Eastern Italy, they have never seeded. Dr. Gibson, however, offers to send as many young rooted plants as may be required, but suggests that their despatch be deferred till a more favourable season.

*Resolved*,—that the thanks of the Society be tendered to Dr. Gibson, for his obliging offer, and he be requested to send the plants at the time he may consider the most favourable for their transmission.

6. From Lieutenant J. F. Pogson, Simla, dated 4th March,—“As you are writing home for seeds would it not be advisable to try the French and Spanish cork trees up here, as also the olive and sweet chesnut? The ordinary horse-chesnut grows luxuriantly up here, why should not the sweet-chesnut thrive as well: it would be of immense importance if this tree could be introduced into the Himalayas.”

The Secretary announced that this suggestion had been anticipated by the resolution passed at the last meeting.

7. From Lionel Berkley, Esq., Delhi, dated 4th March, alluding to the English flower seeds received last season from the Society:—“I was surprised to see from your report that the English flower seeds distributed last year were a failure. Those supplied to me, though sown with much less care than they generally receive from me, germinated remarkably well. I think only 15 or 16 kinds failed. I do not think the failure in the seeds, should chiefly be attributed to their being received early and exposed to damp, but in a great measure to the way they are sown by the native gardeners and swamped with water. I have always been most successful in raising English flower seeds in pots about the 15th or 20th of September. The pots are kept in a sheltered situation during the heat of the day, moderately watered, and put out in the evening.

“This care is only necessary for a fortnight or so, after which they should be kept out entirely. The seeds sown early require a little more care at first than those sown late, but the former always come to greater perfection, and produce healthy flowers for a longer period. I only put in some portulacas, balsams, zinnias, minor convolvulus, and ipomeas the other day, which I had reserved for trial at this season in a summer-house, and they have all germinated, so that the damp could not have affected all the seeds.”

(15th April, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

Lieut. G. H. Hale, the Rev. C. E. Hadow, Messrs. W. M. Smith and W. Berrill and Baboo Sham Churn Mullick were elected Members.

The following gentlemen were proposed as Members :—

H. T. Raikes, Esq., Civil Service, Calcutta ;—proposed by Mr. E. T. Trevor, seconded by Mr. W. Dampier.

Capt. W. H. Oakes, Deputy-Commissioner Chota Nagpore ; and Captain J. S. Davies, Senior Assistant-Commissioner ;—proposed by Captain E. T. Dalton, seconded by the Secretary.

George May, Esq., Merchant, Calcutta ;—proposed by Baboo Peary Chand Mittra, seconded by Baboo Rangopal Ghose.

Lieutenant Swanston, Assistant-Commissioner, Roy Bareilly ; and P. Carnegie, Esq., Assistant-Commissioner, Pertabghur, Oude ;—proposed by Mr. M. H. Court, seconded by the Secretary.

Baboo Puddum Lochun Mundul, Zemindar of Balasore,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Shib Chunder Deb.

The following contributions were announced :—

1. Irrigation in the Madras provinces, by Colonel Baird Smith. *Presented by the Government of Bengal.*

2. The Tenasserim and Martaban Almanac and Directory for 1857. *Presented by Sir A. Bogle.*

3. A Collection of Orchids from Upper Assam. *Presented by Captain W. H. Lowther.*

4. A quantity of Kemaon tea seed. *Presented by Dr. Jameson.*

5. A few seeds of Ceylon coffee seed. *Presented by Messrs. G. Hall and Co., of Colombo.*

6. A few seeds of mandarin orange from Malta. *Presented by Lieutenant-Colonel H. Spottiswoode.*

7. A specimen of the preparation of the juice of "*Euphorbia pentagonia*." *Presented by Captain David Briggs, Superintendent Hill Roads, Simlah.*

"You will perceive"—writes Captain Briggs—"that this preparation has many of the qualities of 'gutta percha.' Place the lump in boiling water, and it will become as soft as 'gutta' would, and very elastic ; but you must first manipulate it well, in order to bring the whole mass to an equal consistency. When boiled in a vacuum at a high temperature, it becomes one of the best and strongest adhesive substances I have ever known, and wholly unaffected by temperature. Had I more time at my disposal I feel confident that I would find out some means of making the substance of very general use. Even now, if properly treated, I believe it would answer the purpose of 'gutta' in Electric Telegraph operations."

*Resolved*,—that this specimen be forwarded to Mr. Brunton, at Bombay, and that he be requested to favor the Society with his opinion as to its applicability as a substitute for gutta-percha.

8. Specimen of a substance called "*Pwai-yet*" in the Tenasserim Provinces. *Presented by Sir A. Bogle.*

"It is procurable"—observes Sir A. Bogle—"at about one anna per pound. It has only to be moistened with earth-oil till of the consistency of paint, and then spread with the fingers on a bit of cloth on the cracks of a pukka-roof, to make them quite weather-proof, and to stop all leakage whatever, and it dries in an hour or two. I have found it quite invaluable, and I therefore beg to bring it to the notice of the Society."

*Resolved*,—that further enquiry be made regarding this substance, and its source of supply.

A recommendation from the Council that the sum of Rs. 200 be appropriated for obtaining a supply of Sychelles' cotton seed was submitted and adopted.

In connection therewith, Mr. S. H. Robinson, submitted, and the Rajah Pertaupchunder Sing, seconded the following proposition :—

"That the experiments in cotton cultivation in the Society's garden from American seed having proved very satisfactory, it is desirable to cultivate a sufficient quantity to ascertain the cost of production, and therefore that a plot of ground, not less than three beegahs, in the vicinity of the Society's garden, be leased for the above purpose, and that the cost of cultivation and preparation be carefully noted, and the produce sent for sale in the Liverpool market." Referred to the Council for report.

#### *Horticultural Exhibition.*

Read the following remarks of the Judges respecting the last exhibition of the season :—

"*Horticultural.*—The Judges beg to offer the following remarks on the exhibition held in the Town Hall on the 1st of April, 1857.

"*First.*—As regards exotic vegetables, it may be observed, that there were a few bundles of asparagus of a large, young and tender description. Of globe artichokes two kinds were well represented. There were several baskets of beans,—viz : Windsor, long-pod, Lima and French. Of beet some good specimens were submitted of the long red and turnip-rooted kinds. The Early York, Battersea, drum-head, red and Savoy cabbages were all abundantly represented, and in good condition. Of carrots, of the long-red, large yellow, early and short horn varieties, there were several baskets, all well raised. Of lettuce and endive the collections were but small, but the quality was very good. Herbs, in both a green and dried state, of good quality, were submitted. There were a few good specimens of horse-radish. The turnip-rooted and long radishes were abundant, young and tender. Scotch kale was but poorly



represented on this occasion. Many baskets of potatoes of four kinds were submitted in different stages of maturity, all of good quality save one, which was a little diseased. Of turnips, the white flat, yellow stone, and globe were in excellent condition, notwithstanding the lateness of the season. The same remark is applicable to *nole-kole*. In addition to the above, specimens were submitted of the following: tomato, maize from North American stock, ginger (West Indian), onions and leeks, triple-curved parsley and water-*cress*: there were good specimens of all these. Of peas two small baskets full were shown in excellent order, although so very late in the season. The sulphur and white brocoli were pretty plentiful, and of good quality.

“*Second*.—Of Native Vegetables the show was well supplied with bringals, sags, yams and beans of various kinds.

“*Third*.—In the fruit department the collection was good, consisting among other specimens, of bail of three kinds, guavas, limes of three kinds, several baskets of loquots, melons, and mulberries of three kinds; of pomegranates the quantity was small, but the quality very good; of pine-apples the display was large, but the quality indifferent. Pummelows of three kinds were well represented. There were several baskets of peaches, but the quality was bad, owing to the fruit having been plucked while green, and then forced. Of sapotas there was a fair quantity, and of good quality. Two baskets of good soursops were submitted. Of strawberries there was only one plant in a pot, bearing a few small fruits. Besides these were specimens of rose-apples, papiahs, plantains, &c., &c. There were some good cocoa-nuts from Singapore and Ceylon stock; also a few good bundles of sugar-cane apparently from Mauritius and Singapore stock.

“The show was altogether satisfactory, equal, if not superior, to that of last year. About 85 gardeners competed for prizes, which were awarded, to the amount of Rs. 190, to 43, as per annexed list in detail.

WM. G. ROSE.

PEARY CHAND MITTRA.

ST. DOUGLAS.

JOSEPH AGABEG.”

“*Floricultural*.—In submitting the annexed detailed list, the Judges have to offer a few remarks respecting the last show of the season held on the 1st April.

“The number of plants exhibited, it may be observed, were about the same as at the show of the 4th April, 1856, but the competition was not so great, there being 20 contributors on that occasion, and only 14 on this; while prizes aggregating Rs. 100 were given at that show to 14 malis, but to 9 only at this, to the amount of Rs. 87.

“As was to be expected, the orchids formed the chief attraction. Eight gardens contributed towards this department, including the H. C. Botanic, and the Society’s Garden, the produce of both which, however, was sent for exhibition only, not for competition. Among those from the Botanic Garden

came beautiful examples of *Phalænopsis amabilis* from Manilla and *Renanthera coccinea* from China ; also two species of *Ærides*, red and pink flowered ; a new species of *Calanthe* ; *Dendrobium aggregatum* and *densiflorum*, all from Assam ; likewise *Epidendrum crassifolium*, and *Eulophia virens*. The Society's Garden shewed a beautiful specimen of *Dendrobium Paxtoni*, and a well-grown plant of *Dendrobium densiflorum*. Mr. Warwick's garden contributed 14 kinds, including a new species of *Dendrobium*, and fine specimens of *Dendrobium cerulescens* and *Wallichianum* ; also *Phalænopsis amabilis*, *Renanthera coccinea*, and *Ornithochilus nebulosus*. In the collection of 7 kinds from Mr. R. F. Ross' garden, there were two new species of *Dendrobium* from Burmah, and a *Phalænopsis amabilis*. From the Rajah Nursing Chunder Roy's garden came 5 kinds, including an exceedingly well-grown plant of *Oncidium luridum*, also specimens of *Oncidium flexuosum* and *Phalænopsis amabilis*. Baboo Kissory Chand Mittra shewed a specimen of *Dendrobium*, nearly allied to *Pieradii*, but of a more upright habit.

" In the class of novelties were good specimens of *Pleroma Tisanerva*, and of a Liliaceous plant raised from Texas seed, both from the garden of Rajah Nursing Chunder Roy ; also a new species of *Cyrtoceras*, and some well-grown plants of *Delphinium Chinense*, from Mr. Warwick's garden ; and a specimen of *Allamanda nerüfolia* from the garden of Mr. F. Pereira.

" There were but few plants in the general collection deserving of notice. There were good assortments of *Anaryllids* from the gardens of Messrs. R. Wood and R. F. Ross ; some well-grown plants of *Stephanotis floribunda* contributed by the gardens of Mr. Poe and the Tank Square ; a splendid example of a white flowered *Icora* contributed by Mr. Ross, and a fine collection of double-pinks from the Society's Garden.

" The prizes were distributed by Baboo Peary Chand Mittra, Vice-President.

BENJ. WARWICK.

SAM. PRYCE GRIFFITHS.

A. GROTE."

#### Nursery Garden.

Read the Gardener's monthly Report of which the following are extracts :—

" In submitting my report for the month of March last, I have now the pleasure of forwarding a tabular statement of the pea crop for the season 1856-57, from which it will be seen that the American peas, which yielded but a poor per-centage when sown in gumlahs last July, did not germinate at all when sown in the open ground in November following, and that some of the kinds came up, but produced no seed, although the plants made a healthy growth, and were in every way cultivated like those which have given a good return.

" The arrow-root (79 seers), tapioca powder (5 seers) made from the surplus tubers grown in the garden last year, and which have been forwarded to the

office for distribution to the members, will I hope turn out equally as good as that prepared in the garden in former years.

"The American sumach trees (*Casalpinia coriaria*) have yielded a heavy crop of seed this Spring, part of which is now forwarded for distribution to the members.

"It may also be worth remarking that the seed of the Chinese rice-paper plant (*Aralia papyrifera*) produced in the garden at the close of last year, has yielded seventy per cent. from the seed sown in the garden, on purpose to know whether the seed would germinate or not.

"Ten of the twelve kinds of tree and shrub seeds presented to the Society by Capt. Lowther of Assam, have germinated freely.

"The plant of *Magnolia grandiflora* contributed by F. Pereira, Esq., in 1853, has flowered this season for the first time in the garden, and, as will be seen from one of the cut flowers now forwarded, that it is a most exquisite and sweet-scented flower.

"In conclusion, I may state that out of thirty different kinds of the *Brassica* tribe grown last year in the garden on a rich and well manured plot of ground, and well attended to with water during the whole season, on purpose to produce seed if possible from them, the three following kinds flowered, viz. :—cauliflower, brocoli, and Scotch kale : the other twenty-seven kinds, being all cabbages, not one showed the least signs of producing seed ; the Scotch kale ripened a little seed, but the cauliflower and brocoli were attacked by green fly, while in full flower, and destroyed, although tobacco water was used to kill the fly."

#### *Communications on various subjects.*

The following letters were likewise submitted :—

1. From Secretary, Government of Bengal, forwarding, with reference to previous correspondence on the subject, indents for seeds for the use of soldier's gardens in various parts of the country.

The Secretary mentioned that steps had been taken to meet this requisition.

2. From Captain W. H. Lowther, Assam Light Infantry Battalion, dated from Suddiya, 28th February, an interesting communication on various subjects.

3. From Hodgson Pratt, Esq., late Inspector in the Department of Public Instruction, Lower Provinces, acknowledging receipt of the recently printed number (Part VI, of Vol. 1) of the *Indian Agricultural Miscellany*, in Bengali. Mr. Pratt remarks—"I think it a publication of the highest value. I have distributed a considerable number of copies of previous Parts in the several districts which were visited by me in my capacity of Inspector of Schools ; and some interest in the work has been shown by the people (zemindars and others) in the interior. Much greater interest will be felt when the Education

Department takes up the subject of instruction in the principles of agricultural chemistry."

4. From E. W. Moloney, Esq., Magistrate of Jessore, intimating in reply to the Society's circular that he has made enquiries among the *malis* in his district, whether they are willing to accept the terms offered by the Society, and finds that no one wishes to go alone, but that if two would be taken, he could send them down.

*Resolved*,—that this matter lie over for the present, till replies are received from the Magistrates of other districts.

5. From J. C. Murray, Esq., Serampore, dated 7th April, reporting on the fibre of *Daphne mucronata*, which has been sent down by Captain Briggs as a probable good material for paper manufacturing :—

"I have carefully examined the sample of the *Daphne* fibre sent me. It seems to me to be admirably adapted for making good serviceable strong paper, but before this can be done, it will require to be better prepared and cleared from bark than the present sample. The cost of carriage from the hills would raise its cost too high to allow of my using it here ; but I see no reason why it should not be profitably employed on the spot, either for paper making, or spinning into yarn and weaving. I can try it both ways if you could get me about ten maunds of it."

Ordered, that a copy of this report be sent to Captain Briggs.

6. From D. Hanbury, Esq., London, dated 19th February, acknowledging receipt of a further supply of the root of "*Ates*" (*Aconitum heterophyllum*) "I wish I could tell you,"—writes Mr. Hanbury—"that I was likely to make an useful application of the drug which you have taken so much pains to place at my disposal. I must say, however, that for any successful chemical examination of such a substance many pounds' weight are generally required ; but even if we had this quantity, it is very questionable, judging from the known properties of the root, whether the result obtained by chemical analysis would at all repay the time and labour it would demand. Thinking some medical men might feel disposed to give the "*Ates*" a trial here, I brought the subject before the *Pharmaceutical Society* on the 5th November, 1856, as you will see if you refer to the *Pharmaceutical Journal and Transactions* for last December, page 311. No one, however, has applied for a supply of the drug."

7. From H. Cope, Esq., submitting a small block of wood of the wild olive, to compete for the prize for a substitute for Turkish Box.

8. From C. E. Davies, Esq., Superintendent Behar Industrial Institution, returning thanks for the offer of cereal and other seeds ;—seeks information respecting works on agriculture in Oordoo.

The Secretary stated that he had sent Mr. Davies a copy from the Society's Library of Fenwick's *Hand-Book of Agriculture*, the only work available in Oordoo.

(18th May, 1857.)

W. G. Rose, Esq., senior member present, in the chair.

---

The following gentlemen were elected members :—Messrs. H. T. Raikes, P. Carnegy and George May, Captain W. H. Oakes, Captain J. S. Davies, Lieutenant Swanston and Baboo Puddumlochun Mundul.

The following gentlemen were proposed as members :—

Captain J. C. Haughton, Magistrate of Tavoy ;—proposed by the Secretary, seconded by Mr. Grote.

Baboo Khalutch Chunder Ghose, of Calcutta ;—proposed by Baboo Peary Chand Mittra, seconded by Rajah Pertaub Chunder Sing Bahadoor.

W. Johnston, Esq., Civil Service, Shajehanpore ;—proposed by the Secretary, seconded by Mr. W. G. Rose.

E. DeCruz, Esq., Financial Department, Calcutta ;—proposed by Mr. S. F. Seymour, seconded by Baboo Peary Chand Mittra.

Rajah Sutish Chunder Roy, Rajah of Nuddea ;—proposed by Mr. Grote, seconded by Mr. C. A. Cantor.

Major J. G. Holmes, Commandant 12th Irregular Cavalry, Segowlie ;—proposed by Major-General Hearsey, seconded by the Secretary.

Rev. Thomas Smith, of the Free Church Institution ;—proposed by Baboo Peary Chand Mittra, seconded by the Rev. J. Long.

J. W. H. Campbell, Esq., of Calcutta ;—proposed by Mr. G. L. Young, seconded by the Secretary.

G. O. Wray, Esq., Solicitor, Calcutta ;—proposed by Mr. C. A. Cantor, seconded by Mr. C. E. Cresswell.

Baboo Bissumbhur Sing, Zemindar, Beerbhoom ;—proposed by Baboo Peary Chand Mittra, seconded by Baboo Shib Chunder Deb.

The following contributions were announced :—

1. Two large size flower stands. *Presented by R. Blechynden, Esq.*

2. Specimens of lac wax, of molasses from the date tree, of farina from the Tenasserim yam, or "*Sooshnee aloo*," (*Dioscorea fasciculata*) and seed of a species of *Datura* brought from the Fort of St Salvador in S. America. *Presented by Dr. George Evans.*

Dr. Evans submits some interesting remarks regarding all these specimens ; these papers were transferred to the Committee for publication in the next number of the Journal. The *Datura* seed is available to members.

3. A small but valuable collection of 14 plants from Australia, consisting of *Araucarias*, *Dacrydium*, *Grevillea*, &c. *Presented by C. B. Stewart, Esq.*

4. A few grafts of *Cordea Sebestena* of the variety yielding a bright scarlet flower, seeds of the same and of *Poinciana regia*. *Presented by Andrew D'Cruz, Junior, Esq.*

5. Seeds of *Amherstia nobilis*, *Poinciana regia* and *Bombax Gossypium*. *Presented by Mr. Sharp, Superintendent of the Barrackpore Park.*

6. A supply of seeds of *Colvillea racemosa*. Received from Mr. Robert Scott, of the H. C. Botanic Garden.

Portions of all the above seeds are available to members.

7. A small quantity of Egyptian cotton seed for trial in the Society's Garden. Presented by James M. Hall, Esq.

8. Lithographed copies of his designs for three of the Pegu cantonment gardens. Presented by Mr. R. Scott.

Mr. Scott, also submitted for the inspection of the meeting, a neatly executed copy of his design for a public park at Rangoon.

9. A kettle as a specimen of common Pegu pottery. Presented by Messrs. Charles Cantor and Co. on behalf of Major Phayre, Commissioner of Pegu.

10. Sample of an oil yielding seed from Gorruckpore, called "*Tewra*," and of oil expressed from it. Presented by William Peppe, Esq.

11. Sample of essential oil obtained from a grass covering all the hills near Benares and Mirzapore. Presented by Dr. A. H. Check, Civil Surgeon, Benares.

(Further particulars regarding these oils will be found in the body of the proceedings.)

The following specimens from the Society's Garden were also placed on the table :—

A. Two fruit raised from seed of the "*Calabash pumpkin*," presented by James Cowell, Esq., in November, 1856.

The larger of these specimens weighs upwards of 20 seers.

B. Specimens of 5 kinds of potatoes, viz. :—

1. White potatoes, received from Cherra, the produce of Madras seed sent to Mr. C. K. Hudson.

2. Red potatoes, received from Cherra, the produce of California stock, sent to Mr. Hudson.

3. Purple seedling potatoes from Van Dieman's Land, received from Captain Harris of the *Barque India*.

4. Yellow potatoes from English stock, received from Mr. Dean of Howrah.

5. Potatoes from Darjeeling stock, received from the Rev. Dr. Boaz. All these potatoes have degenerated in size, but the quality is excellent, more especially that of Nos. 1 and 2.

#### *Nursery Garden.*

The Gardener's monthly report was read. Mr. McMurray announces that the severe storm on the night of the 7th of May caused some injury in the Garden. "Of fruits, nearly all the mangoes, peaches and pummelows, in an unripe state, were shaken off the trees; the whole of the plantain plantation was levelled to the ground, destroying more than one hundred branches of fruit-bearing plants and others coming into flower. The lime and lemon trees in a bearing state were much damaged, but on them there is still remaining a fair crop. Of the rose-apple fruit nearly all were knocked down.

None of the large fruit trees suffered much damage, except the fruit and some small branches being broken, but many of the young trees were much shaken at the roots, and a few thrown on their sides, which have, however, been again upraised, and apparently sustained but little damage. The pine-apple plants in a bearing state were much knocked about, but none of the fruit broken off:—the plants have again been erected, and are looking well at the present time, but if dry scorching weather set in, I fear many of them will die. Of the grafted plants in pots, and attached to the trees, a few mangoes, peaches, and roses were broken off where the junction took place. The small conservatory was also blown down, but little or no damage was done to the pot-plants underneath it. One half of the coolies' lines was also knocked down, but fortunately none of the men sustained any injury;—the thatched buildings generally suffered more or less damage. Since the late rains I have been busy getting the garden cropped with the different kinds of rainy season crops, among which is the experimental cotton seed raised in the garden from the Eddisto Island, Melbourne, and imported Sea Island stock, of which I will have sufficient seed and plants to plant the three beeghas of ground as proposed at the last meeting. The ground and situation selected for this experiment is equal in quality to any in the garden or its vicinity, and has been well cultivated and manured previous to setting out the plants, so that there may be a fair trial made of the produce yielded with that of the first year's produce. It may be as well to state that the plants now set out were raised from the seed produced by the plants the cotton of which was reported on in 1856 by the Cotton Committee to have degenerated considerably from the original stock grown in the garden. The fact is, the ground on which the cotton was grown in 1855 had not received a top-dressing of any kind previous to planting, nor during the whole growth of the plants, and the soil in this plot was of two kinds, one part of it was very sandy, and contained little vegetable matter, while the other was of a black loamy nature, on this the plants grew best and produced the finest cotton, while on the sandy part of the plot the plants did not grow so rank, but produced an abundance of small pods, the cotton of which was inferior to that produced on the black soil; this accounts for the difference observed in the sample reported on in April, 1856, by the Cotton Committee." Mr. McMurray adds that the New Granada Paddy received in April has been twice sown, but as yet none have germinated. He concludes his report by a notice of several contributions, including 5 plants from Aden, presented by Captain Patterson of the P. and O. Company's service.

A report was brought up from the Garden Committee suggesting a remodeling of the flower-garden, with the view of saving labour, and improving its general appearance. The Committee also recommend the formation of a new ghaut and barrel drain, both which are urgently needed; further, the purchase of another cart and a pair of bullocks, to aid in conveying manure from

Howrah, of which a quantity has been already obtained, but much more is required. The total expense is estimated at Rs. 300.

*Resolved*,—on the recommendation of the Council, that the Report be adopted.

Read a letter from Mr. McMurray, tendering his resignation of the office of Head-Gardener, in consequence of his having obtained more lucrative employment in one of the Cachar Tea Companies.

Read also the following minute of the Council :—

“The Council, in submitting to the meeting this letter of resignation, desire to record their sense of Mr. McMurray's useful, zealous and faithful labors, extending over a period of seven years, and to express their regret at the loss of his services to the Society.”

Proposed by Mr. S. H. Robinson, seconded by Mr. Joseph Agabeg, and unanimously *resolved*, that the meeting adopt the above minute of the Council, and that a copy thereof be communicated to Mr. McMurray.

The Secretary submitted, on behalf of the Council, a report from the Garden Committee recommending the steps necessary to be taken towards filling up the vacant situation.

*Resolved*,—that this Report be adopted, the Council notifying the result to the next General Meeting.

#### ✓ *Indian Agricultural Miscellany.*

A Report was read from the Translation Committee, announcing that Part VI of the “*Indian Agricultural Miscellany*” in Bengali, completing the first volume, has been issued from the Press; and that they purpose commencing on an early date, on the first part of the second volume. The Committee recommend a reprint of Parts II and III, which are out of print. They also recommend that a certain number of copies of the entire volume, be placed at the disposal of certain official authorities and public bodies, with the view of making the work more generally known: further, that Part VI be sold to members and the public at 3 annas a copy (or half the cost price), and that the price of the six Parts together be 12 annas, or separately 2½ annas a copy. The Committee recommend, in conclusion, that a selection from the first volume be made and printed for the use of Vernacular schools, &c., if there is a good prospect of its being sold.

On the recommendation of the Council, the report of the Committee was adopted.

#### *Oil from the Tewra Seed, and from a description of Grass.*

Read letters from Mr. Peppe, of Gorruckpore, and Dr. Cheek, of Benares, regarding the samples of oils above alluded to, as also minutes of the Committee regarding them.

Ordered, that copies of the above reports be sent to Mr. Peppe and Dr. Cheek, and that the former be requested to send down a few gallons of the



Tewra oil, for transmission to Mr. Wilson, manager to Price's Patent Candle Company's Works.

The motion of which notice was given at the last meeting, relative to the leasing of 3 beegahs of ground outside the Society's Garden as an experimental cotton plantation, was reported on by the Council, to the effect that sufficient ground was available for the purpose in the Society's Garden, and that a portion of it had been already planted out, as notified in the Gardener's Report. Disposed of accordingly.

---

*Communications on various subjects.*

The following letters were also submitted :—

1. From Major A. P. Phayre, Commissioner of Pegu, furnishing, in reply to the Society's request, some information regarding the production of palm sugar in that province. Referred to the Committee of Papers.

2. From the Secretary, Society of Arts, London, in reference to the various kinds of straw forwarded last year, with the view of ascertaining their applicability for paper-pulp, &c.

3. From George E. Evans, Esq., offering his services to the Society as Agricultural Chemist, and stating his antecedents in Ireland, and forwarding certificates.

The Council, in submitting the above letter, state, that they consider the subject a very important one, and would desire to offer Mr. Evans every encouragement in their power, and with the view of endeavouring to turn his knowledge of agricultural chemistry to practical account, suggest that he furnish a list of his charges for analyses for the information of the members of the Society.

*Resolved*,—accordingly, and that the list be submitted at the next general meeting.

4. From Captain W. H. Lowther, Suddiya, Upper Assam, dated 28th March, acknowledging receipt of two glazed cases of plants from the Society's Garden, and advising despatch of certain seeds and articles of interest. Captain Lowther also offers some remarks on horticultural matters.

5. From W. J. Longmore, Esq., Magistrate of Rungpore, intimating his inability to aid the Society in obtaining a *mali* from his district to be trained in the Society's garden.

6. From James M. Hall, Esq., expressing his readiness to endeavour to procure through his correspondents at Mauritius, a quantity of Seychelles cotton seed, as agreed on at the last general meeting.

7. From Captain H. Ternan, Deputy-Commissioner, Nursingpore, (Saugor and Nerbudda Territories) applying for foreign cotton seed and sugar-cane for trial in his district.

*Resolved*,—that this application be met in the proper season, as far as the means of the Society will admit.

(10th June, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

The following gentlemen were elected members :—Captain J. C. Haughton ; Baboo Khalutch Chunder Ghose ; Messrs. W. Johnston, C. S. and E. DeCruz ; Rajah Sutish Chunder Roy ; Major J. G. Holmes ; Reverend Thomas Smith ; Messrs. J. W. H. Campbell and G. O. Wray ; and Baboo Bissumbhur Sing.

The following gentlemen were proposed as members :—

Lieutenant-Colonel J. A. Crommelin, Darjeeling ;—proposed by Mr. Stewart Douglas, seconded by the Secretary.

Wells Butler, Esq., C. S. Gya ;—proposed by Mr. W. Blundell, seconded by Mr. W. G. Rose.

Baboo Shorodapersaud Roy, Zemindar, Chuckdegye, Burdwan ;—proposed by Baboo Peary Chand Mittra, seconded by Rajah Pertaub Chunder Sing.

Philip Blyth, Esq., Merchant, Calcutta ;—proposed by Mr. James Church, seconded by Mr. G. B. Robinson.

George Field, Esq., Sub-Deputy Opium Agent, Arrah :—proposed by Mr. D. Cunliffe, seconded by the Secretary.

Edward Mohr, Esq., Merchant, Arracan ;—proposed by Captain F. W. Ripley, seconded by Mr. C. A. Cantor.

Baboo Kalee Prosono Sing, Calcutta ;—proposed by Baboo P. C. Mittra, seconded by Baboo Rangopal Ghose.

The following contributions were announced :—

1. Selections from the Records of the Government of India, No. 22, and of the Government of Bengal, No. 25. *Presented by the Government of Bengal.*

2. Journal of the Asiatic Society of Bengal, Nos. 1 and 2 of 1857. *Presented by the Society.*

3. Selections from the Bethune Society's Papers, No. 3. *Presented by the Society.*

4. Specimens of Jaggery manufactured in the districts of Prome and Henzada in the Pegu province, from the juice of the Palmyra tree (*Borassus flabelliformis*), and regarding which full particulars are given in his communication read at the last meeting. *Presented by Major Phayre, Commissioner of Pegu. Referred to the Sugar Committee.*

5. Two small specimens of wheat and barley raised in the Jail garden at Sandoway. *Presented by Capt. F. W. Ripley.* "They are, perhaps, hardly worth notice," observes Capt. Ripley, "except to show that the grain will grow at this place, which has been generally doubted. I have made arrangements with the Deputy-Commissioner at Prome for a supply of wheat for seed, and intend next season to sow four or five acres." Capt. Ripley adds,—“I have also tried ‘Urhur Dhall,’ which has come up well, but is not yet ripe. I am going

to ask you to send me in September a small quantity of each other kind of 'dhall' for trial as seed. They are not procurable here, and no dependance can be placed on that casually bought in the bazar at Akyab. If we can get them to grow here, it will be a good thing for the people, who now have to pay for one kind with another about Rs. 5 a maund."

The above specimens were transferred to the Grain Committee for report. It was also agreed that with the dhall seed a quantity of cereal and other seeds of field crops, expected from England in August, be sent to Capt. Ripley for experimental culture.

6. A collection of plants from Upper Assam consisting of *Hedychium*, *Alpinias*, *Hoyas*, ferns, and several epiphytal plants, such as *Pothos*, *Aridca*, &c.; also an assortment of seeds of ornamental shrubs, climbers and trees, and a few specimens of drugs. *Presented by Capt. W. H. Lowther.*

Regarding two of the seeds in this collection, Captain Lowther writes as follows:—

"By the next steamer you will probably get a box containing fruits of that fine "*Garcinia*" (growing to a noble tree) called here "*Tekna*;" fruit very large like an apple, but most intensely acid, far more so than any lemon that ever was known. Also in the same box some of the local damsons or sloes. (*Prunus Jenkinsii*?) making famous jams or tarts, a beautiful tree, tall, straight stem, looking like a cherry, the foliage green, shining, likes heat and moisture evidently, no where *wild*—comes I think from the mountain ranges near us. Stone, or rather its kernel, so full of prussic acid from neglect in culture, that we never allow them to enter the cooking pot:—they should be carefully removed previous to preparing the preserves or tarts. I have used a few, however, as bitter almonds in custards, for which they are well adapted, with care in the quantity. I preferred sending you both the above in bulk and pulp—as the seeds might otherwise have proved a failure. That "*Prunus*" will make fine stocks for grafting any stone fruit you might be able to send me. Our potatoes are just dug, and in my opinion have *degenerated*: we require a new stock; I shall be truly obliged if you will send me a few good seedlings of a gigantic sort. The ryots here are keenly alive to the great benefits of agriculture, and have this year raised their price from Rs. 1-8 per maund (potatoes) to 2 Rs. I have not seen any land since quitting the Punjab with such promising qualities as Suddyah. You cannot send me too many kinds of field crops. I want to grow enough linseed for a few gallons of drying oil, and introduce this Assamese article of demand to the people if I can."

#### Nursery Garden.

The Gardener's Monthly Report was submitted. He states the number and kinds of fruit grafts and layers in store with which to commence the approaching issue season. "Of mangoes and peach-grafts there are upwards of four hundred healthy plants of each kind, and of each eighteen sorts, besides a number of the former kind attached to the trees, which will be ready to be

removed in July next. Of pummelows, loquots, sapotas, wampees and bale grafts, layers and seedlings, there are more than one thousand healthy plants; of the avocado and dessert pears there are eighty-one plants; of vines of four kinds there are in pots and in the ground upwards of one hundred plants; and of the American apple trees there are nineteen plants of five kinds. Of figs there are twenty-three plants, and of lemons, limes, oranges and citron layers there are upwards of three hundred plants. In addition to the foregoing there are the Otaheite apple, custard apple, rose-apple, long plum, jamrool, guava, bullock's heart, star-apple, and a few other kinds of fruit grafts, making in all more than three thousand fruit trees; besides the pine-apple plants of which there are a large stock in hand.

"Of dwarf flowering plants, trees and shrubs in pots there are upwards of thirteen thousand—besides from eight to ten thousand ready struck plants in the cutting beds and seed *gumlahs*, as also a very large stock of seedlings ready for potting off so soon as the rains set in. The new cutting nursery has been laid out into beds, and in that there may be from twenty to thirty thousand cuttings put down during the rains, which will come in for issue during the latter end of the present season, and to commence next year's issue. Five *Victoria regia* plants have been planted out in the tank at the north end of the rosery, and are now well established. In addition to those planted out there are fourteen *Victoria* plants in *gumlahs*, of which ten may be made available to any of the members desirous to cultivate the plant."

---

*Indian Agricultural Miscellany.*

The Rev. Mr. Long, laid before the Meeting the following circular, a copy of which had been recently addressed to him, by H. Woodrow, Esq., Inspector of Schools; "I have the honor to bring to your notice a valuable periodical, which has not yet received that share of public support, to which it is justly entitled. I allude to the "*Indian Agricultural Miscellany*." It is written in Bengali. The language used is clear and simple. The subjects treated of are, as the title suggests, agricultural. The price is exceedingly low, being only two annas each for the first five numbers and three annas for the sixth, while the size is medium octavo.

2. I have the honor strongly to recommend the Periodical to the notice of all School Committees as a Library Book. Applications may be addressed directly to, "the Secretary of the Agricultural Society, Metcalfe Hall, Calcutta."

---

Read a letter from Mr. Stewart Douglas, resigning his seat in the Council, and in certain Committees of the Society, consequent on his approaching departure from India.

A recommendation was submitted from the Council, for consideration at the next meeting, in accordance with Section 5 of Chapter X of the Bye-Laws, that Mr. George May be elected to fill the vacancy in the Council. It was

further proposed by the Council and resolved that Mr. S. P. Griffiths fill the vacancies in the Garden and Finance Committees, and Mr. D. H. Freeland, the vacancy in the Cotton Committee.

---

*Communications on various subjects.*

The following letters were also submitted :—

1. From H. G. French, Esq., suggesting that information be obtained respecting the mode adopted in the Madras Presidency of drying the Indigo leaf and manufacturing it into Indigo.

2. From J. F. MacLagan, Esq., Secretary A. and H. Society, Madras, enclosing a letter from Mr. Fischer, of Salem, in reference to Mr. French's enquiry.

3. From the Rev. C. S. Parish, Moulmein, affording some interesting and useful information regarding the substance ("Pwai-nyet") presented by Sir A. Bogle at the April Meeting; sending a specimen of it for identification, as also the small bee which produces it.

The above communications were referred to the Committee of Papers. It was agreed to send a sample of the Pwai-nyet to the Society of Arts for report.

4. From G. W. Henning, Esq., Oorai, enclosing copy of certain reports, from Dr. Balfour, on the merits of the drug "Atees" in hospital and private practice, and asking for the prize which he supposes (erroneously) has been offered by the Society for an efficient substitute for quinine.

5. From Lieutenant R. Stewart, dated May 10, a few items of information regarding tea-planting in Cachar :—

"There is nothing to write to you about from Cachar except tea, and I have not been out to any of the plantations for a long time. But from what I hear the seedling plants are getting on first rate. The planters now, however, acknowledge having made two grave mistakes, the one in clearing off all shade from the lands they prepared for cultivation, and the other in having for the most part chosen lands to plant, which had previously been cleared, cultivated, and abandoned by the Hill tribes, such lands being less expensive in clearing a second time. It seems that the tea plant requires the full nourishment of a virgin soil, and that the seedlings cannot do without shelter for at least half the day. A succession of showers and sunshine has stimulated vegetation, and the leaves are fast appearing on the old trees, so manufacture on a small scale has already commenced."

6. From the Secretary Government of Bengal, enclosing further indents for seeds for Soldiers' Gardens at Dugshai and Dum-Dum.

7. From the Secretary Dacca Museum, asking for copies of the Society's Journal.

8. From the Secretary Local Committee Public Instruction, Barrackpore, applying for copies of the "Indian Agricultural Miscellany" in Bengali, for the Library of the Barrackpore School.

Agreed that these applications be met.

9. From Messrs. D. Landreth and Co. of Philadelphia; Messrs. Thomas Gibbs and Co., and James Carter and Co.; of London, advising despatch, respectively, of the Society's annual indents of vegetable, agricultural and flower seeds.

(15th July, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

The proceedings of the last general meeting were read and confirmed, and the gentlemen proposed on that occasion elected members, viz :—

Lieut.-Col. J. A. Crommelin, Messrs. Wells Butler, P. Blyth, G. Field, E. Mohr, Baboos Shorodapersaud Roy and Kalee Prosonoo Sing.

The following gentlemen were proposed as members :—

W. Wagentrieber, Esq., Tea-planter, Debrooghur,—proposed by Captain W. H. Lowther, seconded by the Secretary.

Baboo Gobind Chunder Dutt, Merchant, Calcutta,—proposed by Baboo Ramgopal Ghose, seconded by Baboo P. C. Mittra.

W. Daunt, Esq., Peepra, Champarun,—proposed by the Secretary, seconded by Mr. W. G. Rose.

F. H. Sieveking, Esq., Engineer E. I. Railway,—proposed by Mr. C. Durrschmidt, seconded by the Secretary.

Pelloquin Cosserrat, Esq., Babrowlee, Goruckpore,—proposed by Mr. B. R. Landale, seconded by the Secretary.

The following contributions were announced :—

1. Half-yearly report of the Committee of the Bengal Chamber of Commerce, April, 1857. *Presented by the Chamber.*

2. Journal of the Asiatic Society of Bengal. No. 3, 1857. *Presented by the Society.*

3. A few copies of an address to the Chamber of Commerce of Dundee, on Tropical Vegetable Fibres, by J. B. Sharp, Esq. *Presented by the Author.*

4. Meteorological Tables kept at Hobart Town, for January, February, and March, 1857. *Presented by the Royal Society of Tasmania.*

5. Sample of raw silk, the produce of the Sandoway district. *Presented by Captain F. W. Ripley.*

Captain Ripley states that this is an average sample, and the price varies from 10 to 12 Rs. per viss of 140 tolas. Referred to the Silk Committee.

6. Three small glazed cases containing 35 olive grafts. *Received from Dr. Gibson, Superintendent Botanic Garden, Bombay.*

Of these grafts, the Gardener reports that 17 are in a healthy condition, 9 sickly, and 9 dead.

7. Three grafts of a China mango. *Presented by Mr. Sharp, Superintendent of the Barrackpore Park.*

The recommendation of the Council, of which notice was given at the last meeting, that Mr. George May be elected to fill the vacancy in the Council, caused by Mr. Stewart Douglas' departure from India, was submitted and unanimously agreed to.

A recommendation was also submitted from the Council, for consideration at the next meeting, that Mr. C. B. Wood fill the vacancy in the Council caused by the departure of Mr. B. Warwick.

*Nursery Garden.*

A report was submitted by the Garden Committee of a recent visit to the Garden, of which the following are extracts :—

“The Committee report that, Mr. J. Manuel having been appointed to the temporary charge of the Garden, Mr. McMurray transferred it to him on the 6th instant, together with all the property belonging to it.

“The Garden is altogether in good order. The young cotton and cane plants look remarkably healthy; the plots were previously well manured. Nearly the whole of the ground not occupied by the orchard, kitchen-garden, and flower-garden, has been cropped with fibre-yielding plants, arrowroot, tapioca, Guinea-grass, and other useful products. As the labor of keeping these plots in order will be comparatively light for the next three months, and as but little watering will be needed during the same period, the Committee have instructed the Officiating Gardener to discharge eight of the *Dhanger* Coolies, from the 1st proximo; the establishment will even then be larger than it was at the close of last year.

“The *pucka ghat* to the east of the tank adjoining the large banian tree, which was recommended to be made in the Committee's last report, is nearly completed; the new beds to the north of the banian tree, have been recently well stocked with cuttings. The smaller of the conservatories has also been taken down, and that portion of the garden opened out.

“The Committee recommend that the alteration in the flower garden, recommended in their last report, be postponed for another season, or till the arrival of a new Gardener.

“The Committee have to advise the receipt, in tolerable good order, of 3 glazed cases of olive grafts forwarded by Dr. Gibson from Bombay, they have directed that these be carefully tended till the cold season when, perhaps, the majority can be despatched to localities suitable for their culture.

“It having been brought to the notice of your Committee, that certain Members have obtained fruit grafts, at the reduced rates, for the benefit of non-subscribers, your Committee beg to suggest that, in future, Members applying for such grafts be requested to state that they are intended *bond fide* for their own use.”

In connection with the above the Council recommended that Mr. Manuel be allowed to draw Rs. 125 per mensem, while in charge of the Garden. Agreed to.

A Report was read from the Grain Committee on the specimens of wheat and barley, the produce of Sandoway, which were received from Captain Ripley, and submitted at the last Meeting. The Committee consider the wheat of fair sound quality, it is what is called "*Gungajelly*," with some mixture of "*Jamally*." Such wheat ordinarily sells at Rs. 1-8 to 1-10 per bazar maund, but at present, (28th June,) would fetch as much as Rs. 2-5 to 2-6, the market being quite bare. The barley sample is considered of a superior quality, being bold, plump and well grown; it would fetch at present Rs. 1-8 to 1-10, but the usual range of prices is from 12 annas to one rupee.

Ordered that a copy of this report be sent to Captain Ripley.

Letters were also read :—

1. From the Secretary Government of Bengal, applying, on behalf of the Government of Madras, for information on the subject of rearing of silk-worms and the production of silk.

The Secretary stated he was collecting the required information.

2. From Dr. Mouat, applying for fruit grafts of all sorts for a large garden at Baraset recently established by the Magistrate of that district.

*Resolved*—that these grafts be furnished at the lower scale of prices.

3. From the Secretary Local Committee Public Instruction at Baraset, returning thanks for copies of Journal and for seeds supplied for the garden attached to the Baraset School: also submitting extracts from the Report of the Baraset School for the year 1856-57, of which the following are portions :—

"The agricultural class received lessons from Lindley's Theory of Horticulture, and worked in their own gardens on the farm. Twenty plots of ground, each about a cottah in area, were assigned to them, where they raised, unassisted by *mallees* in any way, peas, beans, cabbages, endives, cress, tomato, lettuce, water-melon, gourd and other cucurbitaceous plants. They reared also such plants as Russelia, Jatropha, Balsam, &c., but they did not succeed in cultivating parsnip, salsify, and asparagus; and even of those plants which grew in their gardens, very few, it must be confessed, reached that degree of perfection which could alone elicit praise from visitors. The following vegetables may be said to have succeeded :—peas, endives, cress, tomato, turnips, mustard and tobacco.

"As these boys do not belong to that class of people who look to agriculture as their ultimate aim in life, they naturally pay less attention to this branch than to their other studies. Besides, the masters are overburdened with other very onerous duties, which do not leave them that degree of leisure which can alone make success possible, in a field where they have every thing to do for themselves. The high-caste Hindoos look with disdain on agricultural pursuits, and even consider them as forbidden by their Shastras. It is enough that in Baraset this silly prejudice has been overcome, and that sons of Boidhos and Brahmins fearlessly hold the plough and till the ground.



The general garden kept up by *malees* is in progress. The improvements effected in it during the year were the construction, in part, of a puckah road on all sides of the tank, the laying out in an ornamental style the spot of ground on the south of the tank, and the addition of the following plants:—Indian tamarisk, wing leaved *Ipomea*, *Michelia champaca*, *Spondias mangifera* (best sort), *Areca catechu*, *leeches*. Crops produced were arrow root, millet, ginger, paddy, sugar-cane, country potato, Chinese potato, maize, coriander, mustard, patul, brinjal, &c. A specimen of China potato produced in this garden having been forwarded to the Agricultural and Horticultural Society of Calcutta, was laid before their general meeting in February, 1857, and has met with a favorable notice in their proceedings.

“In the latter part of September last, Cape and Scotch vegetable seeds and English flower seeds were received from the Agricultural and Horticultural Society of Calcutta, to whom the Committee take this opportunity of tendering their cordial thanks for such aid. Most part of the vegetable seeds were tried with success by the boys as well as *malees*, but the flower seeds could not be made to germinate even at the second attempt. The lateness of the season when the sowings commenced, may be assigned as one cause of this partial failure.”

(19th August, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

The proceedings of the last general meeting were read and confirmed, and the gentlemen proposed on that occasion elected members, viz :—

Messrs. W. Wagentrieber, W. Daunt, F. H. Sieveking, P. Cosserat, and Baboo Gobind Chunder Dutt.

The following gentlemen were proposed as members :—

J. W. Bradbury, Esq., Kishnaghur ;—proposed by Mr. James Agabeg, seconded by Mr. R. H. Hollingberry.

Lieut. C. T. Hitchens, (late 54th N. I.) Executive-Officer, Dacca ;—proposed by Major Fleetwood Smith, seconded by the Secretary.

The following contributions were announced :—

1. Kane's Arctic Explorations, Vols. 1 and 2, and Lippincote's Pronouncing Gazetteer of the world. *Presented by Messrs. D. Landreth and Son.*

2. Selections from the Records of the Government of India, No. 23, (2 copies.) *Presented by the Government of India.*

3. Journal of the Indian Archipelago, Vol. I, Nos. 1 and 2, new series. *Presented by the Government of India.*

4. A pamphlet (2 copies) on increased supplies of cotton from India. *Presented by the British India Association.*

5. Meteorological Tables kept at Hobart Town for April and May, 1857. *Presented by the Royal Society of Tasmania.*

6. A large quantity of Cuba, Java, and Sandoway tobacco seed. *Presented by Captain F. W. Ripley.*

7. A bag of Hamburg peas. *Presented by Mr. H. L. Butler.*

8. Seeds of *Garcinia cornea*, an ornamental tree. *Presented by Mr. C. Sharpe, of the Barrackpore Park.*

9. Two specimens of gum collected by Mr. J. P. Meik, from trees known as the "Putmye" and "Rajmye," growing abundantly in the jungles of Cuttack. *Presented by G. F. Cockburn, Esq.*

*Nursery Garden.*

The Officiating Gardener's Monthly Report was read, of which the following is an extract :—

"The report for the previous month fully embraces all that can be said for the operations to be performed during the present season, as every available ground has been usefully laid out, and until the ensuing season no other operation can be progressed on.

"The work done during the past month has therefore been principally in grafting and layering fruit trees, and putting in layers and cuttings of the flower plants, as well as adding those ready to the stock. In the floricultural department I have on hand a great many plants both rare and useful as well as ornamental, and as an addition to these, I beg to say that I have received one hundred and eight descriptions, containing above three thousand plants, all useful and ornamental, from the Hon'ble Company's Garden, which with the others can be made available to the members.

"Of the entire number, there are 8 species of Palms, 3 of *Cordias*, 3 of *Sterculias*, 7 of *Bauhinias*, 3 of *Gardenias*, 2 of *Combretums*, 2 of *Eugenias*, 2 of *Nepheliums*, 2 *Echites*, 2 *Swietenias* (*Mahagoni* and *Choloroxylon*), 1 of *Triphosia trifoliata*, 2 *Cassias*, 3 *Acacias*, *Cinnamonum Zeylanicum*, *Chrysophyllum Canito*, 2 *Mimusops*, 2 *Garcinias*, and several others."

Mr. Manuel also submits a very favorable tabular statement of the germination of the American vegetable seeds received from Messrs. Landreth and Son, shewing a general average percentage of seventy-five, which is fully equal to any previous season.

Mr. Sharpe, the Superintendent of the Barrackpore Park, also writes in corresponding terms regarding these seeds; he says, "they are very good; I opened every packet myself, and would never wish for fresher or better seed; all so far as to-day have germinated well, many of them cent per cent."

#### *Reports on Sugar, Raw Silk and Gum.*

A report was read from a section of the Sugar Committee (Messrs. S. H. Robinson and James Cowell,) on the musters of "goor" prepared in the districts of Prome and Henzada from the Palmyra tree (*Borassus flabelliformis*) and submitted at a previous meeting by Major Phayre, the Commissioner of Pegu.

A report was likewise read from a section of the Silk Committee (Messrs. W. G. Rose and Joseph Willis) on the musters of Bassein raw silk submitted at the last Meeting by Captain F. W. Ripley, Principal Assistant Commissioner of Arracan.

A report from Dr. J. B. Barry was submitted on the specimens of gums from Cuttack received from Mr. J. P. Meik.

The Secretary in reading Mr. Meik's communication stated, that the specimen leaves of the trees yielding this gum had reached in too imperfect and decayed a state to admit of recognition.

*Resolved*,—that copies of the above reports be forwarded to the respective contributors: that Mr. Willis' suggestion of forwarding the Arracan raised silk to the Society of Arts be acted on; and that Mr. Meik be requested to send fresh specimens with flowers of his gum-yielding trees.

Read a letter from the Librarian to the Society of Arts and Sciences of Batavia, requesting an interchange of publications. Agreed to.

The recommendation of the Council, of which notice was given at the last meeting, that Mr. C. B. Wood, be elected to fill the vacancy in the Council caused by Mr. B. Warwick's departure from India, was submitted and unanimously agreed to.

(9th September, 1857.)

The Hon'ble Sir Arthur Buller, President, in the chair.

The proceedings of the last general meeting were read and confirmed, and the gentlemen proposed on that occasion elected members, viz:—

J. W. Bradbury, Esq., and Lieut. C. T. Hitchens.

The following gentlemen were proposed as members:—

Lieut. F. S. Stanton, (Engineers), Shergotty,—proposed by Captain C. H. Dickens (Artillery), seconded by Mr. C. A. Cantor.

C. A. Saubolle, Esq., Nopara, Kishnaghur,—proposed by Mr S. P. Griffiths, seconded by Mr. C. E. Creswell.

The following contributions were announced:—

1. Selections from the Records of the Government of Bengal, No. 26 (two copies). *Presented by the Government of Bengal.*

2. Maps of the Administration Report for the year 1855-56. Part 3, *Presented by the Government of India.*

3. Catalogue of the Geological Museum, in connection with the Geological Survey of India, Part 1, Minerals. *Presented by the Director.*

4. Meteorological Table, kept at Hobart Town for June, 1857. *Presented by the Royal Society of Tasmania.*

5. A large quantity of Mignonette seed. *Presented by P. Rayson, Esq.*

6. A specimen of the vinous extract of "Mishmee teeta" (*Coptis teeta*). *Presented by Captain W. H. Lowther, of the 1st Assam Light Infantry Battalion.*

The Secretary stated that specimens of several other articles had been enclosed in the same box, but they had, unfortunately, received such damage in transit by dawk banghy from Debrooghur, as to be quite worthless.

7. Specimens of eight kinds of paddy from the Sandoway districts; of a description of wood oil; of dried plantains; also a glazed case containing plantain trees, &c. *Presented by Captain F. W. Ripley, Principal Assistant Commissioner of Arracan.* (Further particulars will be found in the body of the proceedings.)

#### Nursery Garden.

The Gardener's monthly report was read, of which the following is an extract:—

"I will now draw your attention to a large stock of fruit trees in hand, viz.: loquots, custard-apple, rose-apple, star-apple, sapota, pomegranate, whampee, bale, guava and cocoa-nut seedlings, the last is from the Singapore stock, and of a description well deserving the attention of both the members and non-members. The loquots and custard-apples are reared from stock which was judged to be the best in the fruit exhibition, and the first prizes awarded to them. These plants, with a little more than the ordinary care by *mallees*, can be reared to perfection, and the fruit yielding will assuredly be of the best kind that may be procurable in Bengal.

"I shall soon have ready a stock of lychees, mangoes, peach, pumplenose, orange and lime grafts, also apples and pears available, but as a limited number is made up for the stock for the ensuing season, it would be desirable for such members as are desirous to possess them to send in their names for registry. To this I may add a stock of various kinds of palm, which are well worth a place in any gentleman's garden.

"The Indian corn is ready, and within the week I shall have them cut and sent over for distribution to the members.

"In the Floricultural department I shall have a few plants (cuttings) of *Cissus discolor* ready and fit for distribution. I have put down a few more cuttings, and it would be desirable to have a few names of such members desirous of possessing them registered.

"There is now available about a dozen of the *Victoria regia* and a good number of assorted roses, both rare and good, also a variety of *Jasminum*, *Hibiscus*, *Passifloras* and some of the following—*Gloxinia maculata*, *Ardissia umbellata*, *Aralia papyrifera*, *Euphorbia jacquiniiflora*, *Colvillea racemosa*, *Jacquinia* species, *Abutilon Bedfordiana*, *Buxus* sps., *Eranthemum crenulatum*, *Lilium longifolium* and Mr. Fortune's China chrysanthemum.

"I have now to inform you that two of the *Colvilleas* are in flower for the first time this year. One of them is a plant raised from seed presented by Dr. Mouat in 1851, which has the most flower; and four of the eight *Victoria Regia* put down in the centre tank have also flowered.

"In submitting the report on the Cape Vegetable Seeds of Messrs. C. M. Villet and Son, I beg to state that I found them as I opened each packet to be fresh and good, and judging from its result, I am of opinion that it is nearly as good as the American seeds from Messrs. Landreth and Sons. The accompanying tabular statement will shew the result of the trial sowing, which I think is satisfactory, as it yielded an average percentage of above sixty per cent. which I find to be fully equal to previous year's sowing.

"In conclusion, I regret to say that the present severe blowing has slightly injured the *Mammea Americana* presented by the late Mr. R. W. G. Frith, in December, 1848, and one of the Colvilleas planted near the Conservatory—they are both slightly up-rooted, but I have taken all the precautions necessary to hold them up. I have every reason to hope both will do well."

Communications were received:—

1st. From Captain W. H. Lowther, advising despatch of the specimens referred to among the presentations, and offering some interesting remarks respecting them:—

2nd. From Captain F. W. Ripley, regarding the plantain trees, specimens of paddy, &c., referred to among the contributions. In the first communication dated Sandoway, 22nd May, Captain Ripley writes as follows:—

"I have to-day despatched a Ward's case containing twenty-seven plantain trees to your address, and shall feel obliged by your presenting them to the Society in my name. I have filled up the rest of the box with some cuttings of the Shan potatoe, it is an excellent vegetable, sweet like a chesnut. The tuber grows to a large size, and is an elongated oval, pointed at each end,—it is propagated by cuttings the same as the common sweet potatoe,—I do not know whether you have it in Bengal, but I expect not; it is not known in the Akyab and Ramree districts, and the Chittagong *mallees* say it is not known there.

"The plantains are numbered from 1 to 24. There are nineteen varieties.

"No. 1, Is a very large sized plantain, called the Hnet-pyau-meng or royal plantain,—I have seen it fifteen inches in length, and as large round as my wrist, it is generally eaten roasted in the skin.

"No. 2, Is called Hpeegyan it has a thick rind;—of a darkish brown, and is a very pleasant fruit, being of a mellow sub-acid flavour.

"No. 3, Thenaisa,—this is a small sized fruit, but of excellent flavour and considered most wholesome both for adults and children—it is called the child's food.

"No. 4, Beela, a good plantain.

"No. 5, Nathaboo. This is a very rich luscious fruit.

"No. 6, Same as No. 2.

"No. 7, Byat Taus. This is a large well-flavoured fruit.

"No. 8, Tsengan. The Elephant tooth,—this is a very large plantain, but

"No. 9, Gyeeswé. The hog-deer's tooth, is a long thin plantain of good flavour.

"No. 10, Magalea. This is a good fruit, but very mealy.

"No. 11, Mounbya. This is much liked, it has a pleasant sub-acid flavour; the skin is of a dead white, and very thick.

"No. 12, Peemwé, is also a sweet well-flavoured fruit.

"No. 13, Theelawa. This bears a very handsome bunch of large sized fruit, but it is not worth much as an edible plantain.

"No. 14, Wet Tsway, the boar's tusk, is an excellent flavoured handsome fruit.

"No. 15, Same as No. 12.

"No. 16, Rakoing knetpyauthec. The Arracan plantain, *Musa Arakanensis*, the same as I previously forwarded on account of the fibre. These plants I have sent from my own garden, the old trees yielding particularly fine fruit.

"No. 17, Same as No. 7.

"No. 18, Mounget. This is much the same as No. 2, only darker in the rind.

"No. 19, Kyetkee. This is a very long and large sized plantain but coarse eating.

"No. 20, The same as No. 5.

"No. 21, May daulethé. This is a long narrow plantain, it grows in handsome bunches, and is a luscious fruit.

"No. 22, Same as No. 8.

"No. 23, Tsapouk. This a sweet fruit, but full of seeds.

"No. 24, Moungne. This is another thick-skinned plantain, of good flavour."

In his second letter, dated 29th May, Captain Ripley states:—

"I send you by to-day's dak a box containing eight kinds of paddy, of the best kinds that are most popular in this district, namely, 'Aboungnee,' 'Bhya Yaneegree,' 'Konbyah,' 'Gnakewai,' 'Kolastee,' 'Toungthoogree,' and 'Paloungsa.' The 'Yaneegree' is a red rice, and 'Paloungsa' is a very small table rice. The Bhyat and Aboungnee are most liked. I have also enclosed a small tin box containing a specimen of dried plantains from the *Musa Arakanensis*, and another with a little of the cleaned table rice, and a bottle of a wood oil, called Eng Isee by the Burmese—it is different from the Gurjun, and is used as a preservative for wooden rails, the topsides of boats, &c. I have not been able as yet to procure a young tree of the kind to send up, but hope to do so next month with other specimens that I am collecting. The wood oil at this season sells for two annas the vis, which is about three rupees the bazar maund, but in the dry season in the circles to the Southward, right down to Negrais, it is procurable in large quantities, at about six rupees the 100 vis, or 365 lb English."

The Secretary intimated that the glazed case had, unfortunately, not reached him till 3 months after its despatch, and that during the greater part of

that time it had by mistake been kept in a godown : consequently, on opening the case, the contents were found to have entirely perished.

3. From Mr. J. McMurray, an useful practical paper on the cultivation of the Dahlia in Bengal. Referred to the Committee of Papers.

4. From Dr. Brandis, Superintendent of Forests, Pegu, applying for a small quantity of cotton seed of sorts, for trial at Pegu. Complied with.

5. From Messrs. C. M. Villet and Son, Cape of Good Hope, advising the despatch per *Hastings* of the Society's annual consignment of vegetable seeds.

6. From R. Berkeley, Esq., Secretary A. and H. Society, Lahore, applying for any available surplus stock of vegetable seeds, from this Society's consignments. Forwarded.

7. From the Secretaries, Royal Asiatic Society and Society of Arts, returning thanks for copies of this Society's Journal, Vol. IX. Part 3.

(14th October, 1857.)

The Hon'ble Sir Arthur Buller, President, in the chair.

The proceedings of the last meeting were read and confirmed, and the gentlemen proposed on that occasion were elected members, viz. :—

Lieut. F. S. Stanton and C. A. Saubolle, Esq.

The following gentlemen were proposed as members :—

C. E. Chapman, Esq., Civil Service, Rajshaye ;—proposed by Mr. Henry Deverell, seconded by the Secretary.

J. D. Ward, Esq., Civil Service, Rajshaye ;—proposed by Mr. Deverell, seconded by the Secretary

H. W. Cooke, Esq., Sub-Deputy Opium Agent, Bhaugulpore ;—proposed by Mr. Thos. Grant, seconded by Mr. W. Landale.

Oscar Von Ernsthause, Esq., Merchant, Calcutta ;—proposed by Mr. S. P. Griffiths, seconded by Mr. C. E. Cresswell.

John Wienholt, Esq., Merchant, Calcutta ;—proposed by Mr. Griffiths, seconded by Mr. Cresswell.

O. W. Malet, Esq., Civil Service, Beerbhoom ;—proposed by the Secretary, seconded by Mr. W. G. Rose.

Adam Hume Smith, Esq., Indigo Planter, Jessore ;—proposed by Mr. S. H. Robinson, seconded by Mr. E. W. Wingrove.

The following contributions were announced :—

1. Several volumes of the Patent Office Reports of the United States, and some Reports of certain Agricultural Societies of the United States. *Presented by the Smithsonian Institution at Washington.*

2. Two Numbers of the Transactions of the Agricultural and Horticultural Society of Bombay for 1852, containing Reports on Teak and other plantations and forests, by Dr. Gibson, Superintendent Botanical Gardens of Western India. *Presented by Dr. Gibson.*

3. Specimens of black pepper, resin, gum-kino and gamboge from Arracan. Presented by Capt. F. W. Ripley.

Capt. Ripley states that the pepper is obtained from the jungles in the vicinity of the station of Sandoway; it grows most luxuriantly on the low hills, requires little or no care, and yields abundantly. The gum is the produce of a tree called "Pouk" by the Burmese: Capt. Ripley thinks it is the *Butea frondosa*. The resin is procured from a tree called "Kangyoung," which yields a kind of gurgun or wood oil.

4. An orchid (a species of *Dendrobium*) from Rangoon. Presented by Mr. H. J. Butler.

Nursery Garden.

The Gardener's monthly report was submitted, of which the following is an extract:—

"In continuation of my report for the month of September last, I beg to state that besides what I have said for the previous month, I have but little to add to that of the present month, as my time and attention have been principally occupied in laying down plots of ground in the kitchen garden for vegetables, and also making jute and other fibres. I have great pleasure in stating that the pea seeds sent to me on the 5th instant, viz. "Daniel O'Rourke" and "Early Emperor" have both germinated;—the former on the fourth day showed signs of germination of more than 60 seeds, and the latter about 20, and this day 85 of the former have germinated and of the latter above 40. In June last a few kinds of various seeds were presented by Captain Lowther of Assam, and these were put down in gumlas by my predecessor. As the result was not reported, I beg to send enclosed list showing such as have germinated and doing well. Captain Lowther had about the same time sent a few seeds of *Prunus Jenkinsii*, of these ten seeds have germinated: I intend to pot them off as soon as they grow a little more, to strengthen them, and afterwards lay a few of them in the ground in the orchard along the pine-apple plants, where I think they will suit best. Captain Lowther had also presented to the Society a packet of seeds supposed to be the *Passiflora edulis*, of these a quantity was put down, which I reported in August last, and I am happy to say that out of 100 seeds at the end of eighty days 80 seeds had freely germinated, which I consider to be very good, and shall report on them again when they are more in foliage. The *Daphne viridiflora* which I suppose was presented by Dr. Thomson, Superintendent of the Hon'ble Company's Botanical Garden, in July, 1856, having flowered in July last, I obtained three berries, which I had immediately put down, and the result I am happy to communicate is, that all three have germinated within the space of seventy days, though the seeds, I believe, take two years to vegetate in England. In March, 1850, a number of apple plants imported by Mr. Ladd, of the Ice-house, from North America, were purchased by the Society. One of these plants, known as *Pyrus malus*, or the Early Bough apple, has



for the first time this year yielded three fruit, and I am taking every care to bring it to perfection if possible."

*Chemical Investigation of the Cotton Plant.*

Read a letter from the Secretary to the Board of Revenue, L. P., requesting information, on behalf of the Professor of Chemistry of the University of Alabama, U. S. with a view to the chemical investigation of the cotton plant.

Letters were also submitted,

1st. From W. C. Brunton, Esq., Deputy-Superintendent of Electric Telegraphs in India, dated from Bombay, 26th September, reporting on the juice of *Euphorbia Cutteemundoo*, (a quantity of which was sent in January last, by the Hon'ble Walter Elliot, of Madras, to compete for the prize offered by the Society for a cheap and efficient substitute for gutta-percha,) and on the juice of *Euphorbia pentagonia* from Simla, forwarded by Capt. David Briggs. "I am satisfied"—observes Mr. Brunton—"the products in question are perfectly useless as substitutes for gutta-percha in its higher applications, and I am not aware of any purposes to which they could be applied with the advantage necessary to impart value to the substance."

2nd. From Colonel R. Strachey, Secretary to Government Central Provinces, applying for a supply of seeds sufficient to plant ground capable of giving fresh vegetables to one thousand soldiers every day for three months of cold weather.

The Secretary intimated that this application had been fully met from the Society's surplus stock.

3rd. From Messrs. Gibbs and Son, of London, advising the despatch per *Wellesley* of a consignment of Agricultural seeds, as ordered by the Society.

The Secretary announced the receipt of this fine supply, consisting of cereals and other field crops, such as carrots, turnips, cabbages, mangul-wurzul, beet, flax, grasses of sorts, including, clover, lucerne, and rye grass, &c., &c., all of which were ready for distribution to members and to the public in general.

4th. From Messrs. James Carter and Co., advising the despatch of the Society's usual annual supply of flower seeds; also a quantity of "Early Emperor" and "Daniel O'Rourke" peas, which yield crops in six weeks.

(11th November, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

The proceedings of the last meeting were read and confirmed, and the gentlemen then proposed were elected members, viz :—

Messrs. C. E. Chapman, Civil Service; J. D. Ward, Civil Service; H. W. Cooke; O. Von Ernsthausen; John Wienholt; O. W. Malet, Civil Service; and A. H. Smith.

The following gentlemen were proposed as Members :—

T. H. Bennett, Esq., Calcutta ;—proposed by Mr. T. E. Carter, seconded by Mr. W. G. Rose.

H. L. Dampier, Esq., C. S., Tirhoot ;—proposed by the Secretary, seconded by Mr. S. H. Robinson.

H. M. Reed, Esq., Civil Service, Burdwan ;—proposed by the Rev. J. Long, seconded by Baboo Gobind Chunder Sen.

Moonshee Buzlall Rhoman of Sealdah ;—proposed by Baboo Peary Chand Mittra, seconded by Baboo Shib Chunder Deb.

R. N. Farquharson, Esq., Civil Service, Patna ;—proposed by the Secretary, seconded by Mr. C. A. Cantor.

Frederick Brine, Esq., Executive Officer, Department Public Works, Hidjelee ;—proposed by Mr. E. DeCruz, seconded by Mr. S. F. Seymour.

The following contributions were announced.

1. Geological papers on Western India, with an Atlas of maps and plates. *Presented by the Government of Bengal.*

2. A few small mangosteen plants. *Presented by C. A. Cantor, Esq.*

3. A fine graft of a description of sweet lime. *Presented by R. P. Ross, Esq.*

4. A small quantity of California potatoes of a fine sort. *Presented by Captain White of the "Ficry Cross."*

5. A quantity of animal charcoal, through which cocoanut and rape oils have been passed, for experimental purposes in the garden. *Presented by C. B. Wood, Esq.*

6. A further sample of "Pwai-nyet," from Moulmein, and the little bees which produce it. *Presented by the Rev. C. S. Parish.*

7. Two samples of Tea from Tugvor (Darjeeling.) *Presented by the Rev. Dr. Boaz, on behalf of Captain J. Masson. Referred to the Tea Committee.*

*Nursery Garden.*

The Officiating Gardener's monthly report was submitted. Mr. Manuel, after alluding to the work that had been done in the garden during the past month, refers to the trial sowings of the flower seeds received from Messrs. Carter and Co., and of seeds of cereals and other field crops from Messrs. Gibbs and Co. Of the 86 kinds of flower seeds, 26 have germinated very freely, 30 freely, 18 are germinating, 3 have germinated very partially, and 9 have, as yet, failed to vegetate. The field crop seeds to have not been sown sufficiently long to give a full report, which will be included in the next month's statement : up to the present time about half the number of sorts (85) have germinated freely.

Letters were read :—

1st. From the Rev. Dr. Boaz, regarding the samples of Tea from Darjeeling above alluded to, of which the following is an extract :—

"I send you two specimens of tea grown by Captain J. Masson of Darjeeling, at his tea plantation at Tugvor. Tugvor is a Northern spur of the Darjeeling

hills, and these specimens of tea were grown at, I should state, an elevation of about four thousand five hundred feet. No. 1 is apparently a good strong tea. No. 2 appears to me to be a fine tea with a more aromatic flavour. I regret that Capt. Masson has not sent any particulars as to the seed from which the plants have been raised, or the age of the plants. From what I know of the plants, I should say that they have now arrived at maturity. The plants have been raised, and the tea has been prepared by Capt. Masson. It came down soldered up in tin, and this may have interfered with the flavor. I have tasted tea made from similar preparations at Darjeeling, and considered it of very fine flavor."

These specimens, which were well thought of by the meeting, were referred to the Tea Committee for report.

2nd. From the Rev. C. S. Parish, respecting the samples referred to among the contributions :—

"I have the pleasure to forward by this mail a small box containing a bottle with 'Pwai-nyet'. I send it as a good specimen of the substance when clean, for the shelves of your museum. When out botanizing the other day, I came upon it; I gathered it off a *rock*, the pieces sent in the bottle forming the *covered ways* by which the bees approached *their nest under ground*. The nest I did not disturb, as it would not probably have been reached without some trouble, but these covered approaches, being numerous, and reaching upwards about a foot or 18 inches above the ground, afforded me excellent specimen pieces of the substance. It was found on a rock about 1000 feet high at the back of Moulmein. The bees also enclosed, do not come from that nest, but are from the same post in Moulmein, out of which, I procured the first sent. Thinking there might be some entomologist among your members, who would like to have the insect, I send three cells with five in each."

The Secretary stated that the specimens of this curious substance, previously sent by Mr. Parish, and noticed in the proceedings for June last, had been forwarded to the Society of Arts; and the bees to Mr. F. Smith of the British Museum.

3rd. From Capt. F. W. Ripley, Assistant-Commissioner of Arracan, suggesting an application to the Directors of the Burmah Steam Company for the Society to be allowed to receive parcels of seeds and cases of plants, &c. freight free. The following is extract of Capt. Ripley's letter on the subject :—

"Now that the Government steamers are withdrawn from this coast, we have to pay very heavy freights on all cases, &c., sent up to the Society, will you at the next meeting propose that an application be made to the Directors of the Burmah Steam Company, asking them to allow all cases of plants and specimens sent to your address, to be taken by their vessels freight free; the amount will be but a small item deducted from the earnings of their steamers, although it falls heavy on individuals sending up specimens, &c., for the Society."

*Resolved.*—That an application be made accordingly.

4th.—From Lieutenant-Colonel R. Strachey, Secretary to Government Central Provinces, Benares, dated 21st October, conveying, by desire of the Lieutenant-Governor, his best thanks, on behalf of the Government, for the prompt response made to his request for a supply of vegetable seeds for the use of the European troops about to arrive in the Central and N. W. Provinces.

5th.—From Dr. F. J. Mouat, Inspector of Jails, Lower Provinces, dated 9th November, returning his thanks for the seeds supplied for the use of Jail gardens, and requesting that 50 similar parcels may be procured next season for the same purpose.

*Resolved*, that the same be included in the indents for next year.

(9th December, 1857.)

Baboo Peary Chand Mittra, Vice-President, in the chair.

The proceedings of the last meeting were read and confirmed, and the gentlemen then proposed were elected members, viz. :—

Messrs. T. H. Bennett ; H. L. Dampier, Civil Service ; H. M. Reid, Civil Service ; R. N. Farquharson, Civil Service ; Fred. Brine, and Moonsee Buzlall Rhoman.

The following gentlemen were proposed as members :—

R. Mills, Esq., E. I. Railway, Howrah ;—proposed by Mr. Wm. Stalkartt, seconded by the Secretary.

C. M. Armstrong, Esq., Opium Department, Gya ;—proposed by Mr. A. Grote, seconded by Sir A. Buller.

Lieut. D. Ross, 63rd Regiment N. I., Berhampore ;—proposed by Lieut.-Col. J. C. Hannington, seconded by Mr. W. G. Rose.

E. C. Craster, Esq., Civil Service, Malda ;—proposed by Mr. J. J. Gray, seconded by Mr. S. P. Griffiths.

R. D. Nuthall, Esq., Assistant-Superintendent Kheddahs, Deebroghur ;—proposed by Major E. F. Smith, seconded by the Secretary.

E. Prestwick, Esq., Merchant, Calcutta ;—proposed by Mr. W. G. Rose, seconded by Mr. C. A. Cantor.

Horace Abbott, Esq., of Cutlamaree, Factory ;—proposed by Mr. Henry Deverell, seconded by the Secretary.

The following contributions were announced :—

1. Thirty kinds of English flower seeds. *Presented by Baboo Gobind Chunder Dutt.*

2. A small supply of American maize, "Broom grass" and barley seed. *Presented by Mr. H. J. Butler.*

3. A case of fruit trees from Penang, consisting of mangosteen, nutmeg, sapota, &c. *Presented by A. A. Anthony, Esq.*

4. Two samples of cotton, Nos. 1 and 2, raised in different grants in the Soonderbunds, from Sea Island seed received from the Society, were placed on the table; together with a report on them from a member of the Committee in comparison with samples of original Sea Island, and with a most superior description of cotton raised at Melbourne from Sea Island seed. Mr. Freeland reports that "sample No. 1, is inferior to the Melbourne sample in length of staple, and its value is much depreciated by being so neaped. Sample No. 2, is fully equal to that from Melbourne, and would, in the Liverpool market, fetch about the same price; it contrasts very favorably with the original sample of Sea Island cotton, but is inferior in strength."

5. A supply of fine pods of *Vanilla planifolia*, the produce of the Society's Garden, gathered during the past month, was also placed on the table.

*Nursery Garden.*

The Officiating-Gardener's monthly report was read. Mr. Manuel states that the Penang fruit trees presented by Mr. Anthony, have reached in admirable order; that the ornamental bulbs received from Messrs. J. Carter and Co., have sprouted well; as also the California potatoes presented by Captain White, of the Steamer *Lightning*. Regarding the peas received this season, the Gardener reports that all the Cape kinds have germinated well, as also those received from Messrs. Carter of London; while those from America, have given an indifferent result, only one kind—the "black-eyed marrowfat" having succeeded well. Mr. Manuel adds that he has now ready for distribution a good collection of fruit grafts, such as mango, peach, lychee, orange, loquat, bail, rose-apple, lemon, avocado pear, &c. also vanilla plants; and in the floricultural department 50 plants of *Amherstia nobilis* for those members whose names have been registered.

A report from the Garden Committee was brought up, suggesting the expenditure of Rs. 150 for improving the flower garden walks and a disbursement for manure, which is much needed, and for certain articles, such as new wheelbarrows, water-cans, &c. Agreed to on the recommendation of the Council.

*Report on certain products from Sandoway.*

The following report was submitted from Dr. J. B. Barry, on the specimens of pepper, gamboge, rosin and gum received from Captain F. W. Ripley, Assistant-Commissioner of Arracan, and laid before the last general meeting:—

"The pepper is a fair specimen of the kind generally met with in the Calcutta market, but the berry does not possess that hardness and firm substance which characterizes the best Sumatra pepper.

"The gamboge is very inferior as regards color, but this must be due to the presence of foreign matter, as it possesses all the other properties peculiar to the species—no doubt the exposure to heat over the fire must have occasioned it. The Gum is not the kino of commerce—it is much less astringent, is not so rich in colour, and not grainy as the kino; it is no

doubt, as you remark, the product of the *Butea frondosa*. The rosin you describe as coming from the tree called "Kang Young" resembles nothing that I have seen before, it is not soluble in spirits of wine, and but partially so in turpentine—the varnish, however, from this solution is remarkably clear, and tenacious, although deficient in body. Where a thin coat is wanted it would answer well. On burning it gives out a most aromatic and fragrant smell, similar to frankincense and might well be substituted for that gum, if cheaper."

*Resolved*, that the best thanks of the Society be given to Dr. Barry, for this report; that a copy be forwarded to Captain Ripley, and that he be requested to favor the Society with a larger sample of the rosin, for further experiments.

*Alleged injurious effects of artificial irrigation on the Cotton Plant.*

Read the following communication, dated 4th December, 1857, from the Secretary Board of Revenue L. P. together with its enclosure, on the above subject:—

"The Board of Revenue having been instructed by the Government to obtain the opinions of persons acquainted with the cultivation of the cotton plant, in regard to the injurious effects of artificial irrigation alluded to in the accompanying extract from a letter from the Collector of Broach, direct me to solicit the aid of the Agricultural Society in procuring information on the subject.

*Extract Paras. 1 to 4, of letter from the Collector of Broach, No. 346, dated 11th June, 1855.*

"1. I have the honor to acknowledge the receipt of your endorsement, No. 120 under date the 19th January last, upon a letter to Government, from the Secretary to the Western India Canal and Irrigation Company, explanatory of the plans and views of that Association in respect to the extension of irrigation throughout this Presidency.

"2. The greater part of the land of this Collectorate being composed of a deep black soil, and rendered annually subservient to the cultivation of Cotton, for which it is peculiarly adapted, there will not, I apprehend, be found many facilities for the construction of canals within its limits, as irrigation supplied artificially, far from improving the growth and staple of the cotton crop, acts injuriously towards it, weakening the fibre, and reducing its value to a corresponding extent. The only land upon which I have ever seen cotton improved by a supply of water from artificial sources is in some parts of Sinde, but there the deep alluvial deposit differs widely from the heavy black soil of Guzerat, and there is no degree of assimilation between the two which would render the latter capable of the same treatment as the rich tracts skirting the banks of the Indus.

"3. It cannot, I imagine, be in contemplation to attempt the supersession of the cotton growth here by other crops, for though possibly these might to some extent be capable of producing a higher market value, they could never wholly, or even more than partially, take the place of the present staple of the Collectorate, and that I am assured can never here be improved by the

adventitious means adverted to : there is no doubt that in seasons of drought the security of the cotton crops would in some degree be maintained by the supply of water which would be poured over it from the canals, but the indifferent yield which would result from that mode of preservation, would seldom cover the increased amount of assessment which would be leviable.

"4. The Company, therefore, will not, I presume, initiate their proceedings by breaking ground in this Collectorate, for I have no doubt other portions of the Presidency will be found to provide a far more profitable field of speculation, and therefore one more worthy of their early efforts on its behalf; there is, however, one small tract of country lying between the Myhee and Duadur rivers, formed partly of red soils, which I am told, might be found well suited to the purpose in view, and which I shall bring more fully hereafter to the Company's notice when I have had an opportunity of personally surveying it."

*Resolved*, that the above communication be referred to the Cotton Committee; further, that it be published *in extenso*, in the proceedings of the Society, with the view of eliciting information on the subject.

Letters were likewise read :—

1. From Messrs. Mackinnon, Mackenzie and Co., Agents Calcutta and Burmah Steam Navigation Company, in reply to an application recently made to them, of which the following is an extract :—

"With reference to your letter of 16th instant, annexing copy of a letter from Captain Ripley, Sandoway, we beg to state that we comply with your request to carry specimens, plants and seeds, by the Steamers of the above Company to and from Arracan and Burmah freight free. It must, however, be borne in mind that the vessels employed in running between Calcutta and the Burmese ports are of small tonnage, and that only a limited space can be given for the above purpose. We shall inform the agents at the out-ports of this arrangement by first mail."

*Resolved*, that the best acknowledgments of the Society be conveyed to Messrs. Mackinnon, Mackenzie and Co., for their liberal compliance with the Society's request.

2. From Colonel F. Jenkins, applying for coffee seed, to meet the wants of some residents in Lower Assam. Colonel Jenkins also gives the following items of information respecting tea cultivation :—

"These [coffee seeds] are intended to be sown in some low hills where the gentlemen have now tea growing very well. We have every prospect of all the low ranges of hills near this being ere long covered with thriving plantations of tea; several are commenced on, and the plants get on well. The only pity is, we did not begin some years ago, but few then would believe that tea would thrive near this (Gowhatti.) I have not heard of the out-turn of all the private tea traders for this past season, but what I do know, and from what I have heard of last season's crops of others, I think the quantity of

private tea will be above 150,000lbs, and the Assam Company expected about 700,000lbs : so that we may state all the Assam tea of the season at 850,000lbs, and I shall be greatly disappointed if we do not exceed the million of pounds next year. But there has been considerable disappointment on many accounts this year, or the private trade (*i. e.* not Assam Company's) would have been considerably greater ; and a short crop of seed will materially lessen the extension of plantation."

3. From the Secretary Public Library, Bhaugulpore, applying for a set of the " Indian Agricultural Miscellany" in Bengali. Granted.

4. From Messrs. James Carter and Co. advising despatch of a collection of ornamental bulbs for the Society's garden.



# R E P O R T

## OF THE

### Agricultural and Horticultural Society

### OF INDIA.

*Report from the Council to the Annual General Meeting of the  
15th January, 1858.*

THE Council have to make the following Report to the Members of the Society on the occasion of their present Annual Meeting.

They have to commence, as usual, with a summary of the state of the subscription list: and they are glad to announce that, notwithstanding the year which has just closed has been an unprecedently disastrous one in the history of British India, the number of Members elected—namely 72—do not fall below the average of the last eleven years, as will be seen by a glance at the following classification list:—

CLASSIFICATION.	In 25 former years.	In 1846.	In 1847.	In 1848.	In 1849.	In 1850.	In 1851.	In 1852.	In 1853.	In 1854.	In 1855.	In 1856.	In 1857.	Gross Total.	Total real number at close of 1857 after deducting lapses.
Honorary Members, .. ..	11	1	0	1	0	0	0	1	0	1	0	2	0	17	11
Associate Members, .. ..	2	0	0	0	0	1	1	0	0	0	0	0	0	4	2
Corresponding Members, ..	0	1	0	0	0	0	1	1	1	0	0	0	0	4	3
Civilians, .. ..	232	13	15	22	8	10	22	16	18	6	23	23	17	425	162
Merchants and Traders, ..	201	14	12	13	10	14	20	12	5	16	18	31	11	377	122
Indigo and other Tropical Agriculturists, ..	190	15	6	5	1	9	19	13	10	7	14	12	10	311	99
Military Officers, ..	160	10	11	11	11	9	34	18	22	19	26	22	12	365	134
Medical Officers, ..	80	0	2	2	5	7	4	5	3	4	6	9	3	131	30
Asiatics, .. ..	63	2	14	5	6	9	8	8	8	5	5	7	14	154	58
Clergy, .. ..	14	1	0	0	0	2	1	1	1	1	2	1	2	26	10
Law Officers, ..	40	1	0	0	6	4	6	3	1	3	6	2	1	73	23
Miscellaneous, ..	9	0	2	0	2	2	6	0	0	10	0	0	2	33	23
	1002	58	62	60	49	67	122	78	69	72	100	109	72	1920	677

In the lapses referred to in the last column, are comprised 48 deaths\* 43 resignations, 4 whose names have been withdrawn, their subscriptions being irrecoverable, and 7 removed from the list in accordance with Section VI of Chapter III of the Bye-Laws, their absence from India having extended beyond four years ; making in all 102.

Of the above mentioned number (677), 33 are members who have compounded for their subscriptions, 108 are absent from India, and 16 are Honorary, Associate, and Corresponding—in all 157 ; leaving 520 as the actual number of paying members at the close of the year.

The number of members lost to the Society by death during the past 12 months is greater than in any previous year since the formation of the Society, arising from a contingency which it is to be fervently hoped, may never occur again. The general mutiny of the native army of Bengal has deprived the Society of no less than 29 members, including some of its oldest and most zealous correspondents.

\* The Hon'ble H. R. Addington, (74th Regt. N. I.) ; His Excellency General the Hon'ble Geo. Anson, Commander-in-Chief ; Sir Robert Barlow, C. S. ; Messrs. C. E. Boileau, C. S. ; H. Biddle ; Dr. H. H. Bowling ; Lieut. E. W. Barwell, (18th N. I.) ; Lieut.-Col. F. W. Birch, (41st N. I.) ; Lieut. F. W. Brodie, Malwa Contingent ; Capt. F. M. Burlton, Gwalior Contingent ; the Hon'ble J. R. Colvin, Lieut. Governor N. W. P. ; Major G. L. Cooper, Artillery ; Messrs. H. Christie and G. J. Christian, C. S. ; Lieut.-Col. C. G. Dixon, Supt. of Ajmere ; Messrs. Charles DeVerinne ; Joseph Finch ; F. Frost ; R. B. Garrett, C. S. ; E. Greenway ; Capt. H. J. Guise, (13th Irr. Cavalry) ; Brig. J. Handcomb (72nd N. I.) ; Major G. E. Hollings, (38th N. I.) ; Capt. Fletcher Hayes, (62nd N. I.) ; Major J. G. Holmes, (12th Irr. Cavalry) ; Messrs. R. H. Hewett ; R. Ince ; D. Jenkins ; Lt. Col. W. J. B. Knyvett (38th N. I.) ; Major F. Knyvett (64th N. I.) ; Brigadier-Genl. Sir Henry Lawrence, Commanding Troops in Oude ; Lieut. Monk-Mason, Political Agent at Joudpore : Messrs. C. J. Montague ; M. C. Ommaney, C. S. ; Thos. Palmer ; J. W. Payter ; R. E. Ronald ; Lieut.-Col. D. Ross, Commissioner of Leia ; Lieut.-Col. H. Spottiswoode (55th N. I.) ; Lieut. Geo. Snell (64th N. I.) ; Messrs. Gow M. Smith ; H. B. Thornhill, C. S. ; G. D. Turnbull, C. S. ; Lieut. E. Walker (Engineers) ; Major General Sir H. M. Wheeler, Commanding Cawnpore Division ; Lieut. G. R. Wheeler (1st N. I.) ; Captain F. Whiting (Engineers) ; and Mr. G. R. Wilby.

But, notwithstanding this unusually heavy list of casualties, it is satisfactory to the Council to be able to report favorably of the financial position of the Society, as a reference to the annexed statements will shew.

The total receipts during the year amount to Rs. 25,385-3-7, adding to which the balance in hand at the close of 1856, viz., Rs. 1212-14-3 shews the total of receipts as per statement, Rs. 26,598-1-10. The disbursements during the year amount to a total of Rs. 24,437-7-5, which deducted from the receipts, leaves the balance of cash in the Bank of Bengal, and with the Secretary, on 31st December, Rs. 2160-10-5. The vested fund remains the same namely Rs. 20,333-5-4. The liabilities of the Society amount to Rs. 7,235-0-0 and the dependencies, including the cash balance, to Rs. 11,884-8-11, after deducting the sum of Rs. 945-13, as assumed irrecoverable subscriptions from deceased members, and from others whose names have been removed from the list.

The usual exhibitions have been held during the year, the two first in January and March in the Auckland Garden, the third in April in the Town Hall. There is nothing calling for remark in connection with these shows, except that they were about equal in variety of produce submitted, and in quality to those of 1856. The amount distributed in prizes was Rs. 1111 and 8 bronze medals.

The Council are happy to state that the importation during the season of vegetable and flower seeds from North America, the Cape of Good Hope, and England, have given satisfaction; especially the flower seeds from England, which are, perhaps, superior to any yet received from Messrs. Carter and Co. A trial collection of seeds of field crops from Messrs. Gibbs and Co. of London, has not proved so satisfactory; several kinds, more particularly the cereals, having altogether failed. The disturbed state of the country has prevented so wide a distribution of these seeds as would otherwise have been the case.

In connection with this department, the Council are glad to announce that the Lieutenant-Governor of Bengal has been recently pleased to allow the Society to send and receive cases of plants from Assam by the Government Steamers, freight free; also the liberal

compliance by the Agents of the Calcutta and Burmah Steam Company for the free transmission of plants, seeds, and specimens, to and from Arracan and Burmah. These privileges will, it is hoped, ensure the receipt of larger supplies of plants and specimens from those parts, more especially from the Society's valued members and correspondents, Captain W. H. Lowther, of Deebroghur, Upper Assam, and Captain F. W. Ripley, of Arracan, to whom the Institution is already so much indebted.

The demand on the Nursery Garden for fruit grafts and other plants, though not quite equal to that of 1856, has exceeded all previous years. The statement submitted by the Officiating-Gardener, shews that nearly 11,000 useful and ornamental plants have been distributed, besides a quantity of seeds and a supply of bulbs and tubers of yams, sweet potatoes, arrow-root, &c. There is no doubt that the distribution would have exceeded that of last year, had not circumstances prevented the despatch of plants into the interior during the last rainy season. Notwithstanding this, the amount realized by the sale of fruit grafts (Rs. 837) is rather more than that of 1856; and there is still a large stock of these, as also of ornamental plants, on hand, steps having been taken, in the early part of the year, to propagate very largely, in anticipation of a greater demand than usual, in consequence of the non-distribution of plants, in future, from the Honourable Company's Botanic Garden. It is, perhaps, worthy of notice that there has been a greater call, during the past 12 months, for roses, than for any other description of ornamental plants; many plants of *Amherstia nobilis* have also been issued, and a fresh supply has recently been propagated for distribution at the commencement of next year. The stock of the beautiful green-striped China bamboo, presented by Mr. Arbuthnot Emerson, has likewise been increased, it being so desirable an addition to a general collection of plants. The demand for the China wax-insect tree (a species of *Fraxinus*) and for the plants (*Rhamnus chlorophorus* and *R. utilis* of *Decaisine*) from whence the Chinese derive the substance known as Chinese green; and for vanilla\* plants of sorts,

---

\* A hundred pods of *Vanilla planifolia* and *aromatica* of last season's gathering, have been sent for report to the Society of Arts of London.

has not been so great as was anticipated ; and consequently these having been largely propagated, more especially the two latter, the stock on hand is considerable. A small stock has also been raised from the Hemp palm, *Thuja* species, and *Salisburia adiantifolia*, forwarded from China by Mr. Fortune in 1854-55 ; and likewise of the Cocoa-plum (*Chrysobalanus Icaco*), the root, bark and leaves of which are prescribed in Brazil against diarrhoea and similar maladies. To Dr. Thomson, the Superintendent of the Hon'ble Company's Botanic Garden, Calcutta, the Society is indebted for a large supply of plants, which has proved a very desirable addition to its general stock for distribution, and to Dr. Gibson, Superintendent of Botanic Gardens of Bombay, for a collection of olive grafts.

In the economical garden, attention has been directed, as usual, to the culture of sugar-canec of different kinds, fibre-yielding plants, arrow-root, tapioca, Guinea grass, West Indian ginger, and yams of various sorts, such as the Chinese potato (*Dioscorea Batatas*), the yam-yielding aerial tubers from the Eastern Archipelago, and those from Rangoon, the Tenasserim Provinces, and Chota-Nagpore. About three beegahs of ground are also under cultivation with various kinds of foreign cotton, from imported and acclimated seed ; and particulars of the result will be given in the next report. The propagation of coffee has been extended, and an unusually large number of plants distributed during the past season. An addition has likewise been made to the stock of Carob plants (*Ceratonia siliqua*.) From the vegetable garden large supplies of peas and Indian corn have been raised for general distribution.

In connection with this department, the Council desire to offer a few remarks respecting the Garden School. It was mentioned in the last report that the then state of the School was by no means satisfactory, and the subject was under the consideration of a Sub-Committee of the Council. The Sub-Committee submitted the result of their suggestions in a long report to the March meeting. They mentioned, that though the school had been in existence for nine years, and many boys had entered it, only two, so far as could be traced, had followed the profession of gardening, though every encouragement had all along been held out to them to remain at their posts, till such time as they were old enough to accept

situations as gardeners in the country or in Calcutta, upon higher wages than are given to uneducated men of that class. The Committee were of opinion that, notwithstanding this failure, efforts should be continued, on the ground that it is impossible any permanent improvement can take place in horticulture without an intelligent and trained body of *malis* to carry them out. They, therefore, offered the following suggestion :

“That the Society apply to the magistrates of certain districts of Bengal, say Twenty-four Pergunnahs, Hooghly, Kishnagur, Berhampore, Bhaugulpore, Patna, Jessore, Tirhoot, Dacca, Rungpore, Dinagepore, and Rajshahye, to send down a *mali* from each district, or 12 in all as a beginning, men not beyond 30 years of age, to learn practical gardening in the Society’s Garden, the Society, giving them mere elementary education in Bengali for a period of one or two years, and agreeing to allow each man Rs. 6 per mensem, exclusive of travelling expenses, from the period of engagement, till the completion of the proposed period. After which time a certificate of proficiency, if entitled to it, to be granted to them, to enable them to obtain situations elsewhere of Rs. 10 a month ; and further, guaranteeing them that amount till they obtain such situations : it being distinctly understood that a *mali* declining to accept a situation, will not be entitled to receive any further stipend from the Society, and in the event of a *mali* not obtaining a certificate of proficiency within two years, the Society’s engagement with him will cease.”

This report was adopted by the meeting, and no time was lost in acting on it. The Council, however, regret to state that it has only been responded to in one instance, that of Mr. Molony, the magistrate of Jessore, who failing to obtain any candidates elsewhere, sent his own Gardener, who is at present working in the Society’s Garden. It is probable that the disturbed state of the country, has, in some measure, caused this absence of co-operation, and the Council would suggest that the subject be again mooted at no distant date, or so soon as tranquillity is fully restored. It is, however, gratifying to them to add, that a member of the Society, Baboo Puddumlochun Mundul, Zemindar of Balasore, has sent two young men at his own expense to be trained as Gardeners, and they have given every satisfaction, as steady industrious men, willing to improve

themselves in their business. The Council would wish it were in their power to add that a few only of the many wealthy Zemindars of Bengal, had followed the good example of Baboo Puddumlochun Mundul.

The Council cannot close this portion of their report without expressing their regret at the loss the Society has sustained in the departure of their Head-Gardener. Mr. McMurray left the Society's employ in July last, after seven years useful, zealous and faithful labors, having obtained a more lucrative employment in one of the Cachar Tea Companies. The Council having failed to secure the services of a competent gardener in this country, propose taking immediate steps to obtain one from England. In the mean time the Council have appointed Mr. J. Manuel, who was the Officiating-Gardener during Mr. McMurray's leave of absence in 1855.

Allusion was made in the last Report to the fact of several bales of the straw of certain Indian grasses having been forwarded to the Society of Arts with the view of ascertaining whether any of them contain the necessary ingredients for paper manufacturing, superior to the common rush of England. The report of competent judges is unfavorable. They consider that none of them are well adapted for the making of paper, though they do not doubt that paper can be made from all of them. The common rice straw (*Oriza sativa*) would make the best. They add that all the samples are very inferior in paper-making quality to many substances which can be obtained readily in England, but which even are not considered as worth using; in fact it would appear that materials well fitted for making paper, can be brought and delivered at the paper mills for less money than the mere freight from this country of any of the specimens sent by the Society. The remarks of Mr. Foster on this subject, are so much to the point, that it is considered desirable to reintroduce them here for the information of interested parties:—"There is much misapprehension abroad as to the want of paper-making materials here. For first-class papers and for inferior papers there is no want of materials at all, but for medium papers, for printing purposes, there is *some* scarcity of materials, as evinced by the somewhat higher proportionate price given, as compared

with the price of materials for other classes. New materials involve new machinery for reducing them to pulp, and the older paper makers have not yet established machinery suited for these new materials in addition to that at present in use. Some enterprising men are beginning to take the matter up, and are laying themselves out to make pulp or half stuff for sale to the paper-makers, and it will be by those men that any new material will be worked. It is to them that I have shown your materials. The regular paper makers would scarcely look at them."

Another article to which reference was made on a previous occasion, is the drug "Atees," obtained from the tubers of *Aconitum heterophyllum*, a native of the Himalayas. It was stated that the very favorable reports furnished by the late Mr. Sub-Assistant Surgeon Hemming of Oorai, on the valuable properties of this drug, as being, perhaps, the best known substitute for Quinine, had induced the Society to submit them to the notice of the proper authorities. Dr. Mouat, Superintendent of Jails, Lower Provinces, has stated to the Society that, attracted by the nature of these reports, he had sent for a quantity of the powder, with the view of having a full and fair trial given to it. The Medical Board have also promised to furnish the Society with any additional facts of importance regarding the medicinal action of this drug, which the reports of certain Medical Officers, to whom it has been furnished, may convey.

Another part of the Society's Journal, completing the Ninth Volume, has been published during the year, containing notices on silk, flax, cotton, sugar-cane, China green dye, &c.; also interesting papers on the Province of Cachar, its inhabitants, and its products; on the discovery of the tea plant in Sylhet, and a series of experiments for improving the present silk-worm yielding species of Bengal. The first part of Vol. X. is now in the press, and will be published in the early part of 1858.

The Council have to report that specimens have been submitted to compete for prizes for best substitutes for Box-wood and Gutta-percha, but there has been no competition for the prizes detailed in



the last report as having been offered for substitutes for hemp and flax, for rheea fibre, for best samples of cotton raised from exotic and indigenous seed, &c; or for best practical essays on certain products. The time for which these prizes were open having now expired, it will be for the Society to decide whether they shall be renewed either wholly or partially.

The Society has also accorded due attention to other subjects that have come before them during the past twelve months, in connection with samples of various products, such as fibres of kinds from certain parts of India, raw silk and other products from Arracan, oils from Gorruckpore and Benares, substitutes for Gutta-percha from the Madras Presidency and Simla, a curious description of bees-wax from Moulmein, &c.; all which having been duly referred to in the proceedings, the Council consider it unnecessary to allude more in detail in this place. They cannot, however, close this brief summary, without expressing their regret that the operations of 1857 should have been so meagre. The Society, as before remarked, has suffered, in common with all Indian Institutions, from the very disastrous events of the past year, and not the least in the cessation of extensive correspondence with residents of the Punjaub, the North-Western Provinces, and some portions of Bengal, whereby the discussion of several subjects of interest, has, in some instances been delayed, and in others, it is to be feared, altogether lost. They can only hope that the return of tranquillity, may bring not only a *renewal*, but an *increase* of interest in the manifold objects for the consideration and advancement of which the Society has been instituted.

*Statement of Receipts and Disbursements of the Agricultural and Horticultural Society of India, from 1st January to 31st December, 1857.*

RECEIPTS.

From Members, Subscriptions collected during the year, ... ..	Co.'s Rs.	15,686	7	9
„ Government Annual Donation, ... ..	5,000	0	0	
„ Ditto monthly allowance for December, 1856, ..	135	13	6	
„ The Right Honorable Lord Canning, annual donation, for the year 1857, .. ..	500	0	0	
		5,635	13	6
„ Accruings of interest on fixed assets, ... ..		613	5	4
„ Proceeds of sugar-cane delivered from the Nursery Garden, ...	15	0	0	
„ Ditto, of fruit-tree grafts delivered from the Nursery Garden, ...	822	14	0	
„ Ditto, of a portion of surplus Cape, and American vegetable, English and French flower seeds of 1856-57, ..	1,478	13	0	
„ Ditto, of English vegetable seeds, ... ..	100	0	0	
„ Ditto, of Bulbs, ... ..	2	11	0	
„ Ditto, of copies of <i>Transactions</i> of the Society, ... ..	27	0	0	
„ Ditto, of copies of <i>Journal</i> of the Society, ... ..	124	0	0	
„ Ditto, of copies of <i>Indian Agricultural Miscellany</i> , ... ..	36	12	6	
„ Ditto, of sale of old seed boxes, casks, &c. ... ..	27	12	6	
„ Members, amount repaid for postages, pots, and packing charges for seeds, &c., ... ..	446	1	6	
„ Ditto, for glazed cases, &c., ... ..	93	14	0	
„ Ditto, amount repaid for freight on boxes of seeds forwarded in 1856-57, ..	51	0	9	
„ Visitor, cost of repairing an iron chair broken by him, ..	10	0	0	
„ Mr. McMurray, balance of Christian boys & Provider's wages for October, 1856, not applied for, .. ..	13	9	9	
		3,249	9	0
Total Receipts, Co.'s Rs., ... .. 25,385 3 7				
By Balance in the Bank of Bengal on 31st December, 1856, ...	1,151	14	6	
„ ditto in the hands of the Secretary on ditto, ... ..	60	15	9	
		1,212	14	3
Grand Total, Co.'s Rs., ... .. 26,598 1 10				

## DISBURSEMENTS.

## FOREIGN VEGETABLE AND FLOWER SEEDS.

By Messrs C. M. Villet & Son for Cape garden seeds supplied in 1857,	1,788	0	0
„ Messrs. D. Landreth and Co. for American garden seeds, &c., supplied in 1856,     ...     ...     ...     ...	1,959	3	0
„ Messrs. James Carter and Co. in full of their bill, amounting to £254-19-6 for English flower seeds, supplied in 1856,     ...	2,411	9	3
„ Messrs. Rollison and Son for flower seeds supplied in 1856,	58	12	3
„ Additional packets of American and English vegetable seeds,	100	0	0
	-----	6,317	8 6

## ATEES' POWER.

By Mr. Henning for a quantity of Atees' powder,     ...     ...     ...     ...	12	0	0
---	----	---	---

## LIBRARY.

„ Books purchased during the year for the Library,     ...     ...	333	2	9
„ Binding books during the year,     ...     ...     ...     ...	29	8	0
	-----	362	10 9

## PRINTING.

„ Sundry parties for printing receipts and schedule of prizes for flower shows, &c., &c.,     ...     ...     ...     ...     ...	49	8	0
--	----	---	---

## JOURNAL.

„ Bishop's College Press, for printing Part 3 of Volume 9,     ...     ...     ..	1,076	2	6
---	-------	---	---

## NURSERY GARDEN.

„ Ordinary expences incurred on account of the Nursery Garden from 1st December, 1856, to 30th November, 1857,     ...     ...	3,986	4	0
„ Extra ditto, for purchase of fruit seedlings for grafting, for glazed cases, pots, for widening and repairing roads, and for sundry other contingent expences,     ...     . . . . .	1,328	8	6
„ Messrs. G. F. Lackersteen and Co. for a roller, harrow and bullock cart, and repairing an iron chair,     ...     ...     ...	332	0	0
„ Dr. Gibson for cost of glazed cases, &c., for olive grafts,     ...	43	0	0
„ Duty and landing charges for 2 packages of iron wire fence,     ...	10	12	0
	-----	5,700	8 6

## ESTABLISHMENT.

„ Amount for establishment from 1st December, 1856, to 30th November, 1857,     ...     ...     ...     ...     ...     ...	7,437	2	0
--	-------	---	---

## PECUNIARY REWARDS.

„ Prizes to Mallees for vegetables and fruits at the exhibition held on the 28th January, 5th March, and 1st April, 1857,     ...     ...     ...     ...     ...     ...	845	0	0
„ Ditto to ditto, for flowers at ditto, on the 28th January, 5th March, and 1st April, 1857,     . . .     ...     ...     ...	266	0	0
	-----	1,111	0 0

## ADVERTISEMENTS.

„ Advertising in the Calcutta and up-country Newspapers notices of general meetings, of shows of vegetables and flowers, distribution of seeds, offer of premia, &c., &c.,     . . . . .	365	3	0
--	-----	---	---

Carried over, Co., Rs. . . 22,431 11 3

# Statement.

lxxiii

## STATIONERY.

	Brought forward, ...	22,431-11-3
By Stationery for office books, &c., and for the use of the office, ..	77 0 0	
„ Brown packing paper for packing seeds, . . . . .	129 0 0	
		206 0 0

## FREIGHT.

„ Freight on boxes of seeds, books, &c., sent and received from the Cape of Good Hope, and America, &c., ... ..	265 0 3	
---	---------	--

## METCALFE HALL.

„ Society's proportion of assessment on Metcalfe Hall from November, 1856, to September, 1857, . . . . .	140 0 0	
„ Ditto of ditto for lighting from January to September, 1857, ...	31 8 0	
„ Messrs. Ford and Self for 12 yards carpeting ... ..	12 0 0	
„ Messrs. Jessop and Co. for repairing half of the iron gate of the north entrance, ... ..	15 0 0	
„ Modosuden Roy for Society's proportion for inspecting and looking over the Metcalfe Hall Building from April, 1855, to March, 1857, ... ..	40 0 0	
		238 8 0

## INDIAN AGRICULTURAL MISCELLANY.

„ Rev. W. O'Brien Smith for printing 550 copies of Indian Agricultural Miscellany Part 6 Vol. 1, ... ..	166 4 0	
„ Ditto for reprinting 550 copies each of ditto, Part 2 and 3, Vol. 1, ... ..	80 0 0	
„ Mooktaram Surmono for translating certain papers for ditto, Part 6 Vol. 1, ... ..	50 0 0	
		296 4 0

## GRINDLAY AND CO.

„ Messrs. Grindlay and Co. for a set of Bills for £20 on account, . .	191 0 9	
---	---------	--

## PETTY CHARGES.

„ Sundry charges, including postage on letters, &c., sent and received, copies of the Journal, . . . . .	503 7 9	
„ Extra packermen for subdividing seeds, . . . . .	27 1 0	
„ Soldering tin boxes and lining with wooden boxes with tin, . .	10 9 3	
„ Expences incurred in putting up a fence round a portion of the Auckland Circus, &c.; for superintending the erection of tents for flower and vegetable shows for the season, . .	183 14 0	
„ Messrs. Grindlay and Co. being balance due to them as per account dated 21st November, 1856, ... ..	9 14 9	
„ Presents to constables for attending at Horticultural and Floricultural Exhibitions during the year, . . . . .	48 0 0	
„ Bank of Bengal for renewing notes and for fees and commission, ... ..	6 0 5	
		788 15 2

Total Disbursements, Co.'s Rs., 24,437 7 5

By Balance in the Bank of Bengal on 31st December, 1857, ...	2,145 7 5	
„ Ditto in the hands of the Secretary on ditto, ... ..	15 2 0	
		2,160 10 5

Grand Total, Co.'s Rs., 26,598 1 10

## MEMORANDUM.

DISBURSEMENTS.		RECEIPTS.	
To Amount of Disbursements during the year 1857,		By Amount of Receipts during the year 1857, as	
as per Statement, .. ..	24,437 7 5	per Statement, .. ..	25,385 3 7
" Balance in the Bank of Bengal on 31st December, 1857, .. ..	2,145 7 5	" Balance in the Bank of Bengal on 31st December, 1856, .. ..	1,151 14 6
" Ditto in the hands of Secretary on ditto, .. ..	15 3 0	" Ditto in the hands of Secretary on ditto, .. ..	60 15 9
	<u>2,160 10 5</u>		<u>1,212 14 3</u>
Total, Co.'s Rupees, 26,598 1 10		Total, Co.'s Rupees, 26,598 1 10	
LIABILITIES.		DEFENDENCIES.	
Amount due by the Society for American seeds of 1857, .. ..		Amount invested in Government Securities lodged in the Bank of Bengal, .. ..	
Ditto for Agricultural seeds from England, .. ..	3,092 0 0	Ditto of Subscription in arrear, .. ..	20,323 5 4
Ditto for English flower seeds, bulbs, &c., .. ..	1,075 0 0	Ditto of outstandings for seeds, grafts, copies of Journal, &c., &c., against various members, .. ..	7,994 2 0
Ditto for English vegetable seeds, .. ..	2,957 0 0	Ditto of outstanding for seeds against A. & H. Society Punjab, .. ..	686 12 6
	<u>110 0 0</u>		<u>1,043 0 0</u>
	7,934 0 0		<u>1,729 12 6</u>
			<u>9,723 14 6</u>

## Monthly Proceedings of the Society.

---

(Friday, the 15th January 1858.)

### ANNIVERSARY AND ORDINARY GENERAL MEETING.

Baboo Peary Chand Mittra, Vice-President, in the Chair.

The proceedings of the last Monthly General Meeting having been read and confirmed, the Meeting, in accordance with the Bye-Laws, proceeded to the election of Officers and Council for the ensuing year, appointing Messrs. H. DeMornay and T. E. Carter scrutineers, who reported the result to be as follows :—

*President.*—The Hon'ble Sir Arthur Buller.

*Vice-Presidents.*—Dr. Thomas Thomson, Baboo Peary Chand Mittra, Mr. W. G. Rose, and Baboo Gobind Chunder Sen.

*Secretary.*—Mr. A. H. Blechynden.

*Council.*—Mr. C. A. Cantor, Baboo Shib Chunder Deb, Mr. J. Church, Mr. J. Agabeg, Mr. S. P. Griffiths, Baboo Ramgopaul Ghose, the Rev. James Long, Mr. S. H. Robinson, Mr. George May, Mr. C. B. Wood, Mr. A. Grote, and Rajah Pertaup Chunder Singh Bahadoor.

---

### *Standing Committees.*

The revision of the Standing Committees was next entered on, and the names of the following Members were added to the Committees in which there were vacancies, namely, the Rev. T. A. C. Firminger, Messrs. Joseph Agabeg, J. S. Elliott, and H. DeMornay, respectively, to the Fruit and Kitchen Garden, Coffee and Tobacco, Floricultural and Tea Committees.

---

### *Annual Report.*

The Annual Report from the Council was read.

On the motion of Mr. George May, seconded by Mr. H. DeMornay, it was *resolved* that the report be received and adopted.

---

The business of the ordinary Monthly Meeting was then proceeded with, and the following gentlemen, who were proposed at the Meeting in December, were duly elected Members, *viz.* :—Lieut. D. Ross, Messrs. R. Mills, C. M. Armstrong, E. C. Craster, C. S., R. D. Nuthall, E. Prestwick, and H. Abbott.

The names of the following gentlemen were submitted as candidates for election :—

Richard Main, Esq., Merchant, Calcutta,—proposed by Mr. T. E. Carter, seconded by Mr. H. DeMornay.

Rajah Jogender Chunder Roy,—proposed by Baboo Gobind Chunder Sen, seconded by Baboo Peary Chand Mittra.

Baboos Kettremohun Chatterjee, Nilmoney Muttyloll, and Degumber Mitter, —proposed by Baboo Peary Chand Mittra, seconded by Baboo Ramgopaul Ghose.

The following contributions to the Library, Garden, and Museum were announced :—

- ✓ 1. Madras Journal of Literature and Science, Nos. 39 to 43. Presented by the Madras Literary Society.
- ✓ 2. Report on the Government Botanical and Horticultural Gardens, Ootacamund, for 1857. Presented by Dr. H. Cleghorn.
3. Report of the Bombay Chamber of Commerce for 1856-57. Presented by the Chamber.
4. Half-yearly Report of the Committee of the Bengal Chamber of Commerce, 1857. Presented by the Chamber.
5. Journal of the Asiatic Society of Bengal, No. 4 of 1857. Presented by the Society.
6. Selections from the Bethune Society's Papers, No. 4. Presented by the Society.
7. A Lecture on Chemistry applied to Agriculture, delivered before the Bethune Society, by G. E. Evans, B. A. (2 copies.) Presented by the Author.
8. General Report on Public Instruction in the Lower Provinces of the Bengal Presidency for 1856-57. Presented by the Government of Bengal.
9. Meteorological Tables for July, August, and September 1857, kept at the Observatory, Hobart Town. Presented by the Royal Society of Tasmania.
10. A glazed case, containing a collection of useful and ornamental plants from Arracan. Presented by Captain F. W. Ripley, Assistant Commissioner, Sandoway.

The following is a list of the contents of this case, of which, unfortunately, only six had reached alive, namely, Nos. 1, 3, 11, 13, 14 and 22 :—

- 1.—A species of Lance Wood, called Purowah.
- 2.—Is called Khapoung, which Mason has down as *Nux vomica*.
- 3.—Eng, the Wood-oil Tree, of which I sent specimen in May.
- 4.—Khankho, Croton Tree.
- 5.—Bhaman, a very handsome growing tree, a species of Lance Wood.
- 6.—Lek-louk, a handsome flowering tree, produces a Resin something like Copal: *Vateria Roxburghii*, Mason. I will send some of the Resin after the rains.
- 7.—Kangyeng, a species of *Garcinia*.
- 8.—Pouk, the tree from which the Gum sent is collected: this is very abundant in the junguls in this district: *Butea frondosa*, Mason.

9.—Ya-seng-shaw.

10.—Kaguyoung, a species of Wood-oil Tree. Timber excellent, lasts well when not exposed to rain. I have seen plants 36 inches broad of this wood and 40 to 50 feet long. The Resin sent is from this tree.

11.—Bhot, a species of Ebony, Mason. The fruit of this yields the preparation with which the Burmese umbrellas are made water-tight.

12.—A species of Aloe I found on the sea-coast in the Terub jungul.

13.—A very handsome Lily found in these junguls. Flowers large pink.

14.—Ditto white.

15.—Wek-shaw.

16.—A species of Fig.

17.—A species of Jamon.

18.—A jungul Yam, called Tan-myookoo.

19.—Another called Then-daie.

20.—This is also a jungul Yam, Myetloik.

21.—A handsome flowering jungul plant called Phala, one red, the other a kind of pink.

22.—A species of Mulberry, on which the silk-worm is reared in Sandoway.

23.—Tha-na-tan, a species of Gamboge, of which a specimen is sent.

24.—A kind of Pith Plant used in making artificial flowers; grows close to the sea-shore, called Pen-lay-na-pouk.

11. A few more seed, of the Moreton Bay Chesnut (*Castanospermum Australe*.) Presented by Dr. H. Cleghorn.

Dr. Cleghorn observes that this Chesnut Tree grows to 30 or 40 feet at Bangalore, without any care, flowering and fruiting freely; but it does not like the climate of the Neilgherries, nor that of the Carnatic.

12. Fruit of a curious description of Orange. Presented by Mr. A. J. Sturmer.

Mr. Sturmer states that this fruit is the produce of a plant he obtained from the Upper Provinces and has promised a few grafts of it for the Society's Garden.

---

#### Recommendations from the Council.

The following recommendations from the Council were next submitted:—

"1st.—In consequence of Mr. A. H. Blechynden, the Secretary of the Society, having been offered the Secretaryship of the Military Orphan Society upon a salary of 750 per mensem, it became necessary for the Council to take steps either to secure the continuance of Mr. B.'s services, or to look out for a successor; the Council entertaining the highest opinion of Mr. B.'s services, chose the former alternative and congratulate the Society in the prospect of having Mr. B.'s services continued as Secretary. Mr. B. has agreed to remain upon a monthly grant (in the shape of personal allowance) of 100 being made



to him, in addition to his present salary, which measure the Council strongly recommend to the favorable notice of the Society ; and were it not for the late losses of the Society in Members by the Mutiny, the Council would have recommended a higher sum than 100 per mensem, considering the sacrifice which Mr. B. is making in remaining with the Society, and considering also his long services and the very able manner in which he has discharged the duties of Secretary to the Society.

“The Council having examined the income and expenditure of the Society, are of opinion that the present state of its funds will admit of the proposed increase.”

In reference to the above, the Rev. Mr. Firminger submitted the following notice of motion :—

“That the recommendation of the Council be adopted at the next Meeting.”

2nd.—That the Society purchase the Portrait of Sir Lawrence Peel, which has been offered to them for the sum of Rupees 100. Agreed to.

3rd.—That the first show of the season of vegetables, fruit, and flowers be held in the Auckland Garden, on Friday, the 29th January. Agreed to.

#### *Nursery Garden.*

The Officiating Gardener's Monthly Report was read, of which the following are extracts :—

“In continuation of my Report for the month of December last, I beg to state for your information, that I received on the 16th ultimo a Ward's case from Captain F. W. Ripley, of Arracan, containing twenty-four species of plants, including bulbs and tubers, and beg to enclose a list of the same.

I received also, in very good health, the following from W. Stalkartt, Esq., of Ghooseeree :—

12 kinds of Chrysanthemums in pots.

1 of *Salix Babylonica*.

1 of *Asparagus adscendens*.

The Chrysanthemums are of choice kinds, and from which I shall endeavour to propagate freely for a large distribution for the next season, the whole being of a description desirable to be possessed of.

I have put the seed from the pods of yellow Capsicum received from the Rev. T. A. C. Firminger in the ground, and I am glad to say they are germinating freely.

I regret to say that the thirty kinds of flower seeds presented by Baboo Govind Chunder Dutt during last month, and sown out in gumlows, have failed to germinate, with the exception of a few kinds, as will be seen from the accompanying tabular statement.

I also regret to say that the cereals received from Messrs. Gibbs and Sons, especially the ten kinds of wheat and two of barley, have failed to germinate: this I attribute to the seeds arriving here too late in the season: had it been otherwise, I think the result would have proved more favorable. The whole of the ten kinds of wheat are of a very good description.

The Ceylon Coffee seeds presented by C. B. Wood, Esq., were sown out in large pots and have germinated freely, as also the Carob Tree or *Ceratonia siliqua*. I shall soon have a large number of plants from the above two kinds of seeds, and I think it would be desirable to have the same in every garden, especially the Carob Tree, on account of its useful properties. To these may be added the useful *Buxus* species of plants, which are available in large numbers; these will form best border plants to edge on the sides of walk; as also about fifty plants of *Prunus Jenkinsii*, reserving a few as a garden stock.

In the Orchard I have, besides a large number of choice kinds of fruit grafts and trees, a number of four kinds of *Vanillas*, viz., the *planifolia*, *grandiflora*, *albida* and *aromatica*, also a few plants of *Chrysobalanus Icaco* and several kinds of tuberous-rooted crops cultivated during the rainy season, such as Yams, Arrowroot, and Tapioca, all of which are now fit to be taken out, and all therefore can be made available to Members.

In the Horticultural Department I have available plants of all kinds of flowers, both useful and ornamental, above twenty thousand plants, besides a large number of annuals raised and potted off together, with a few seedlings of cabbages of sorts and celery, and other vegetable seedlings."

In connection with the above, the Secretary submitted statements from Mr. Michael Betts, Superintendent Public Garden, Berhampore, on the germination of a supply of American vegetable seeds received from the Society, and of a second supply received from another quarter, the result being in favor of the latter.

A return of the trial sowings of Carter's English flower-seeds received from the Society was also placed on the table from Mr. Sharp, Superintendent of Barrackpore Park. Mr. Sharp states that 33 kinds have germinated well, 29 kinds tolerably well, and 24 have failed.

#### *Tea from Darjeeling.*

Read reports by the Tea Committee on the musters of Tea from Captain Masson's plantation at Darjeeling, which were placed on the table at a previous Meeting.

*Resolved*—That a copy of the above report be sent to Captain Masson, and his attention directed to Mr. Carter's offer.

*Communications on various subjects.*

The following letters were likewise submitted :—

1. From Lieutenant F. W. Marshall, Executive Engineer, Lower Assam Division, Gowhatty, seeking information as to the best mode of destroying Jungul grass on lines of road under his charge in Lower Assam. Lieutenant Marshall writes as follows :—

“ 1.—I take the liberty of addressing you the following few lines, the subject of which I should feel obliged by your kindly communicating to the Members of your Society at the next Meeting, with the hope some practical suggestions may be offered, or remarks elicited, that may enable me to overcome the difficulties complained of.

2.—I have the charge of extensive lines of road passing through country completely over-run with every description of grass and reed, and in the rainy season flooded, or very nearly so, for three consecutive months in the year.

3.—I have ascertained the names of the more common of these grasses to be the ‘ Ailooah,’ ‘ Casseah,’ ‘ Bermah,’ ‘ Ekra,’ ‘ Nul,’ and ‘ Kuggrah.’ These have completely taken possession of the roads, to the great inconvenience of travellers.

4.—To turn and cut the jungul is a great expense, whilst the benefit lasts only till the grasses can grow up again. To root up the grasses is even more expensive, and the ground so cleared is soon sown with the seeds carried in large quantities by the wind. To plant the roads with ‘ Doob’ grass is impracticable, both on account of the very great expense that would be incurred, as well as from its scarcity.

5.—Considering on this subject, an idea struck me, which appears to my mind practical and of reasonable cost. It is this. After uprooting the jungul on the road, to sow (or plant or turf where procurable) the seeds of the most *strong, hardy, prolific, and sweet-tasted* grasses, my hopes being that the strength of the grass should enable it to hold its own under all circumstances, whilst its pleasant taste should tempt the cattle when near villages, or the deer and buffalo in the jungles to feed on it, and thus by grazing to keep the road clear.

6.—The names of the following have been suggested to me, but perhaps the gentlemen of your Society may be able to advise me to some better descriptions :—‘ Doob,’ ‘ English Rye Grass,’ ‘ Clover,’ and ‘ Guinea Grass.’

7.—The ‘ Doob’ is reputed to spring up, where the traffic is considerable, spontaneously. Could Doob grass seed be purchased ?

8.—I should feel greatly obliged, by a seer or so of the most approved grasses, if you could send it to me. I shall be happy to pay all expenses.”

*Resolved*—That an assortment of grass seed be forwarded to Lieutenant Marshall, but the Society fear that it will be found impracticable to remedy the evil complained of.

2. From Captain W. H. Lowther, Debrooghur, Upper Assam, an interesting communication on various subjects.

3. From A. Rutt, Esq., submitting a specimen of “prepared Jessore hemp,” as an efficient and cheap substitute for rags for the manufacture of paper of good quality, accompanied with the following letter:—

“With reference to the premium of Rupees 500 offered by your Society for the production of a cheap substitute for rags for the manufacture of paper, &c., I beg to send herewith a sample of prepared Jessore hemp, together with a specimen of the raw material. The prepared sample is considered to be of good quality for all the purposes of paper manufacture, and it is the opinion of those interested in paper mills, that a paper suitable in every respect for the daily journals may be produced from the fibre so prepared. A cheap substitute for cotton and linen rags is therefore available in the employment of this process, by means of which three maunds of bleached hemp may be placed for use in a paper mill, at a cost not exceeding that of one maund of first quality rags. Apart from the advantage of having the fibre in the most perfect state, securing a paper of good body, and free from all imperfections, the manufacturer is not subjected to the delays incidental to the collection of large quantities of rags, and the subsequent separation of waste, together with the unsatisfactory results in bleaching quantities of very inferior material. In this country, the quantity of first class rag cannot be obtained to meet the requirements of a mill. I may add that the proprietor of the Serampore paper mills has offered to take a considerable quantity for his mill.

With respect to the advantages of this fibre, when prepared for shipment, at the lowest calculation, I have ascertained that a profit of 40 per cent. on the invoice price may be realized—for instance, this fibre can be landed in England for £17 and will realize from £25 to £30 per ton, and it is applicable for the manufacture of canvass, sail cloth, linen, &c.

I shall be happy to meet the views of any Member of your Society who may be desirous of employing this process on payment of a royalty, and shall be prepared to make arrangements for the preparation of any quantity at reasonable notice.”

*Resolved*—That the period for which the prize was open having expired, the Society are unable to entertain the sample for competition, but that Mr. Rutt's letter be published in full in the proceedings, for the information of interested parties.

4. From Dr. H. Cleghorn, dated Madras 14th December, in reply to an application for seeds and grafts of the olive. Dr. Cleghorn writes:—“From a

considerable number of Olive Trees in the Bangalore garden, two solitary fruits only were obtained this year. I compared them with the imported article from the Mediterranean, and find them correspond to a nicety in size and weight. There are specimens of the Olive in the gardens at Ootacamund and Madras, but these have never flowered and fruited, and are very stunted in growth."

---

(Friday, the 19th February 1858.)

Baboo Peary Chand Mittra, Vice-President, in the Chair.

The proceedings of the last Meeting were read and confirmed.

The gentlemen proposed at the last Meeting were elected Members, viz. :—

Richard Main, Esq., Rajah Jogender Chunder Roy, Baboos Kettremohun Chatterjee, Nilmoney Muttyloll, and Digumber Mitter.

The names of the following gentlemen were submitted as candidates for election :—

Dr. H. Cleghorn, Conservator of Forests, Madras,—proposed by Dr. Thos. Thomson, seconded by Mr. A. Grote.

W. J. Judge, Esq., Solicitor, Calcutta,—proposed by Mr. W. G. Rose, seconded by the Secretary.

Henry Maseyk, Esq., Neemtolla, Moorshedabad,—proposed by Mr. S. P. Griffiths, seconded by Mr. C. E. Creswell.

Geo. Williamson, Esq., Senior, Camamara Tea Factory, Jorehaut,—proposed by Colonel F. Jenkins, seconded by Mr. H. DeMornay.

R. B. Mackay, Esq., Calcutta,—proposed by Mr. W. G. Rose, seconded by the Rev. T. A. C. Firminger.

---

The following contributions to the Library, Garden and Museum were announced :—

1. Selections from the Records of the Government of Bengal, No. 27. Presented by the Government.

2. Report of the Royal Botanic Garden at Peradinea, Ceylon, from September 1856 to August 1857. Presented by G. H. W. Thwaites, Esq.

3. Meteorological Tables for November and December 1857, kept at the Observatory, Hobart Town. Presented by the Royal Society of Tasmania.

4. A small assortment of South Australian seeds from South Australia. Presented by the Superintendent of the Botanic Garden at Adelaide, South Australia.

5. A packet of fresh Brazil nuts (*Bertholetia excelsa*.) Presented by Dr. R. Riddell.

6. Larger specimens of Gamboge, of Resin from the "Kanyoung," and of Wood-oil from the "Eng" tree of Arracan. Presented by Captain F. W. Ripley.

**Resolved**—That the two first samples be sent to the Pharmaceutical Society for examination and report.

7. Cocoons of the mulberry silk-worm of Arracan. Presented by Captain Ripley.

The Secretary reported that the eggs obtained from the moths which had escaped from these fine Cocoons had hatched, and portions of the next batch of eggs would be forwarded to Mr. Bashford of Surdah and Captain Hutton at Mussooree, who had expressed a wish to give them a trial in their respective localities.

8. A large supply of seeds of *Poinciana regia* and *Bignonia suberosa*. Presented by Mr. Sharp, Superintendent Barrackpore Park.

9. Samples of the fruit of the Bael (*Ægle marmelos*) in various forms of preparation. Presented by Dr. George Evans.

The following is extract of Dr. Evans's note forwarding these interesting and useful specimens :—

“ In addition to the prepared ‘ Dietetic Bael,’ I have the pleasure to send you a small quantity of the cake, from which it is made, according to my new process for preserving this extremely valuable native remedy for disorders of the digestive system, and which, as a new form of preparation, you may think worthy of laying before your Meeting of to-day. As the process of conservation is *exclusively my own*, and *one* that I think merits the attention of the public and the medical profession, I am purposing to secure the exclusive right of it to myself by Letters Patent, since the law has extended out to this country. Accompanying the cake is also a bottle of the Extract of Bael made from the shell or rind, the properties of which are identical with the pulp, the active principles being only in a larger proportion. By this plan, no part of this useful fruit is lost, while it affords ready and most convenient forms for their transmission and appliance at any time, and at all places, to which they may be sent.”

10. A few fine potatoes raised in his Garden at Ghooosree from California stock. Presented by W. Stalkartt, Esq.

The motion, of which notice was given at the last Meeting by the Rev. Mr. Firminger,—“ that the recommendation of the Council, as to adding Co.’s Rs. 100 to the Secretary’s salary, in the shape of personal allowance, be adopted at the next Meeting,”—was brought forward by the mover, seconded by Mr. D. H. Freeland, and carried unanimously.

---

The Council reported that they had elected the following Members to their Sub-Committees, viz. :—

*Finance*.—Messrs. Cantor, Peary Chand Mittra, and S. P. Griffiths.

*Papers.*—Mr. Grote, Dr. Thomson, and the Rev. J. Long.

*Correspondence.*—Messrs. W. G. Rose, A. Grote, and C. B. Wood.

*Provision of Vegetable, Flower and Agricultural Seeds for 1858.*

Read the following Report of the Garden Committee :—

Your Committee have to report on the above subject as follows :

*Vegetable, Cotton, Maize, and Tobacco Seeds from North America.*—Messrs. D. Landreth and Son having requested early intimation of the supply required for the present season, a communication was addressed them, by order of the Council, by the Overland Mail of the 10th December 1857, directing that a consignment, similar to that of last year, be again ordered—*minus* fifty packets of vegetable seeds and a corresponding deduction of peas and beans. The attention of the seedsmen was called to the fact, that most of the peas had again proved a failure, in consequence, apparently, of their not having been sufficiently ripened. The only kind that germinated readily was the ‘Black-eyed Marrowfat’; the ‘Blue Prussian’ and ‘Knight’s Dwarf Marrowfat’ have totally failed, and the others have germinated very partially.

*Vegetable Seeds from the Cape of Good Hope.*—The consignment received last year from Messrs. C. M. Villet and Son having altogether proved satisfactory, the Committee recommend that another be ordered, containing say fifty packets less than that of 1857. The seedsmen should, however, be instructed to send the consignment earlier than the last, which did not reach before the 1st of September, instead of the middle of July, as directed.

Referring to the recommendation contained in their last report, your Committee beg to state that Messrs. Upjohn and Templeman, seedsmen of Cape Town, forwarded trial parcels of vegetable seeds last year. That from Mr. Upjohn, per *Mary Hartley*, reached in so perfectly damp a state as to render the contents useless; the other, from Mr. Templeman, arrived in good order, but the contents did not germinate so readily as the seeds supplied by Messrs. Villet and Son: moreover, the rate at which Mr. Templeman offers to supply 100 packets is nearly three times as much as that of Messrs. Villet’s packets, but the latter, it should be added, contains only about one-half the quantity of the former. If Mr. Templeman will agree to supply *at the same rate* as Messrs. Villet, it may be worth while to order 100 packets on the next occasion by way of comparison. Mr. Upjohn does not mention his rates, so it would, perhaps, be desirable for him to supply this omission, and send another trial parcel this year.

*Flower Seeds from England.*—The seeds received last year from Messrs. James Carter and Co. having given satisfaction, the Committee recommend that another consignment, consisting of 500 packets, be ordered from them.

*Agricultural Seeds from England.*—The seeds obtained last year from Messrs. Gibbs and Co. did not receive a wide distribution, in consequence of the

disturbed state of the country. Many of the kinds, more especially the Wheat and Barley, have not succeeded. This may be attributed to the deep stowage and consequent long detention of the boxes in the ship after her arrival.

Messrs. Gibbs having suggested that earlier instructions be sent them for such articles as cereals, in order to admit their sending good samples before the sowing time in England, an order was accordingly sent them at the close of last year by desire of the Council, and the Committee now recommend that further instructions be forwarded for the remainder of the invoice, say to the extent of £100. Further, that Messrs. Gibbs be directed to arrange for the placing of the cases on the top of the hold.

In conclusion, your Committee beg to subjoin a memo. of the probable total cost of these consignments, exclusive of freight, insurance, and other charges :—

*“ Memorandum.*

For vegetable, cotton, tobacco and maize seeds from North America	Rs. 2,400
For vegetable seeds from the Cape of Good Hope	1,750
For flower seeds from England	2,050
For agricultural seeds	1,000
	<hr/>
	Rs. 7,200
	<hr/>

W. G. ROSE.

C. A. CANTOR.

JOSEPH AGABEG.

SAML. PRYCE GRIFFITHS.”

*Resolved*—That the report of the Committee be adopted.

*Horticultural Exhibition.*

Read the following reports of the Judges regarding the show of vegetables, fruits and flowers, held in the Auckland Garden on the 29th January :—

*“ Horticultural.*—Though the show was not quite equal to that of January 1857, attributable, probably, to the absence of rain during the last four months, it may be pronounced altogether as satisfactory. The *Brassica* tribe was as well represented as last year; the cauliflowers and Scotch kale being particularly good. Of endive several well blanched specimens were exhibited, and a few good heads of spinach. In carrots there was a falling off. Of turnips the collection was good, potatoes and peas were equal in quantity and quality to any previously shown: among the latter were several specimens of the ‘Victoria.’ Beans were a failure, and so was the horse radish, which had not received proper cultivation. Only a few heads of celery were placed on the stands, white and red; a medal was awarded to a fine specimen from Mr.



W. Stalkartt's garden. There were several baskets of artichokes out of season.

There was the usual collection of country vegetables, and a fair display of fruits. Among the latter were good specimens of sapotas, pomegranates, pine apples, (out of season) pummellows, rose apples, bail, various sorts of plums, limes, &c.

A specimen of sugarcane from the garden of Mr. R. Wood, raised from Singapore stock, obtained from the Society, was deservedly considered worthy of a prize, being well grown and upwards of sixteen feet in length. A basketful of the fruit and the bulbs of the 'potato creeper,' the 'Sooshoo' of the French (*Sechium edule*,) was likewise exhibited.

The competition was altogether spirited. About 200 mallees were present. Prizes to the amount of Rupees 297 were awarded to 59; also two bronze medals for best specimens of celery and turnips.

W. G. ROSE.

THOS. A. C. FIRMINGER.

PEARY CHAND MITTRA.

JOSEPH AGABEG."

"*Floricultural*.—The collection of plants was limited, as is usually the case at this season of the year; but the competition was greater than at the January Exhibition of 1857, and about equal to the first show of 1856: the produce of 25 gardens was brought forward, including several new competitors, and prizes to the extent of Rupees 129 were awarded to 19 persons.

No novelties were submitted, but the large collections of Pelargoniums and Roses are deserving of notice, being decidedly larger and better than at any previous show. The gardens of Messrs. H. Wood and H. H. Poe contributed respectively nine and seven kinds of exceedingly healthy and well-grown plants of Pelargoniums. The Roses from the Auckland and Tank Square Gardens, the former consisting of nine and the latter of seven kinds, were very creditable specimens; the mallees of Messrs. J. S. Elliot, H. Wood, and the Barrackpore Park each submitted a new kind of Rose, and the Garden of Rajah Pertaupchunder Sing Bahadoor contributed a fair collection of five sorts. The collection of *Euphorbia Jacquiniflora* was tolerably large, including several well-grown specimens. The same remark is applicable to Heartsease. A few good plants of *Olea fragrans*, Begonias, Campanulas, Verbenas, Phloxes, Zinnias and Nemophilas were likewise introduced, and two specimens of *Myosotis palustris*, or 'Forget me not.'

The Hon'ble Company's Botanic Garden and the Society's Garden both contributed plants, but for exhibition only, not for competition.

The attendance of visitors was as great, if not greater, than at any previous exhibition.

The amount awarded for prizes was distributed by W. G. Rose, Esq., Vice-President.

J. SCOTT ELLIOT.

A. H. BLECHYNDEN."

*Resolved*—That the best thanks of the Society be given to the Officers of H. M.'s 19th Regiment and to the Calcutta Infantry Volunteer Guards for the services of their bands on the above occasion; also to Captain Mark Currie, Commissary of Ordnance, for the loan of tents, and to the Rev. J. Ogilvie of the Free Church Institution, and Messrs. Burn and Co., for the loan of benches, &c.

*Resolved further*—That the next show be held in the Auckland Garden on Wednesday, the 10th March.

---

*Nursery Garden.*

The Officiating Gardener's Monthly Report was read.

Mr. Manuel announces contributions of plants from Messrs. C. B. Stewart, G. Bartlett, and T. G. Swinden. He states that the remaining thirteen kinds of flower seeds from Messrs. Carter and Co. have germinated partially, so that every one of the eighty kinds received from them in October last have vegetated more or less. He mentions that above 1,200 sugarcanes of five kinds (Otaheite, Bourbon, Singapore, Mauritius and China) are now ready for distribution; also a quantity of the China green dye plants, about 1,500 kinds of fruit grafts, and about 12,000 kinds of useful and ornamental plants, including the Carob (*Ceratonia siliqua*.)

Mr. Manuel likewise alludes to the state of the plots laid out with cotton of several foreign kinds, and submits specimens of each, which were referred to the Committee for report.

---

*Reports on Coffee and Vanilla.*

Read a favorable report from the Coffee Committee on a sample of coffee from Mocha stock, raised at Mr. Williamson's Tea Factory at Jorehaut in Upper Assam, and forwarded by Colonel Jenkins.

Read also communications from Colonel Jenkins and Mr. Williamson on the subject; all which were referred to the Committee of Papers for publication in the Journal.

Read a letter from the Secretary Society of Arts, respecting samples of Vanilla, the produce of the Society's Garden, gathered in December 1856, and forwarded in March last.

## Communications on various subjects.

The following letters were also read :—

1. From Dr. H. Cleghorn, Madras, forwarding drawings of the Moreton Bay Chesnut and European Olive, introduced into the Government garden at Bangalore, with a brief notice respecting them.

\* 2. From F. Bashford, Esq., submitting a few additional observations on his experiments at engrafting the silk-yielding species of Mulberry worm of Bengal with French and Italian stock.

3. From W. S. Atkinson, Esq., enclosing extract of a letter to his address from Mr. F. Smith of the British Museum, regarding the little Bee of the Tenasserim Provinces, (sent to the Society by the Rev. Mr. Parish), which prepares the useful substance known to the Burmese as "Pwai-nyet."

The above three communications were transferred to the Committee of Papers.

4. From H. Cope, Esq., regarding the *white* linseed of the Nerbudda, of which the following is an extract. Mr. Cope writes from Hureeke, *vid* Umritsur, under date the 5th February :—

"If I remember right it was you who told me that the Jubbulpore white Linseed became brown again on sowing in other parts of India, showing that the white was a mere local variety. In order to test the accuracy of what I believe was only a surmise on your part, I obtained a small quantity of mixed white and brown seed, carefully separated the white, sowed it myself, and have to inform you that so many of the flowers, which will of course produce brown seed, are *blue*, that I have no doubt those which *are* white this year will be blue next, and produce brown seeds, the whole returning to their primitive habit."

5. From Dr. Mouat, on the specimen of farina prepared by Dr. George Evans from the Tenasserim Yam, (*Dioscorea fasciculata*,) and submitted at a previous Meeting :—"Under the microscope it resembles fine potato starch, and, if perfectly freed from all foreign substances, will prove as good as the general run of arrowroot." Dr. Evans states that this Yam yields about two-fifths of its weight of farina.

5. From Secretary of Board of Revenue, applying, on behalf of Colonel Hannay, for a supply of fresh Sea Island and Pettigulph Cotton seed for further trials in Upper Assam, the former experiments having proved satisfactory. The seed is required by the beginning of July.

The Secretary reported that the Society had not any seed remaining of last year's consignment, and the new consignment was not, unfortunately, expected before July or August.

7. From Captain J. C. Johnstone, applying for a collection of Indian seeds for trial in New Zealand, whither he is about to return immediately.

The Secretary stated he had complied with Captain Johnstone's request, who had promised to reciprocate.

8. From Baboo Shibchunder Deb, applying for a set of the publications of the Society for a public library, recently established at Konnuggur, a populous village in the vicinity of Serampore. Complied with on the recommendation of the Council.

A few beautifully executed photograph drawings of Himalayan ferns by Mr. C. Lazarus were placed on the table; also some specimens of nature printing by the process of Mr. H. Smith, Superintendent Fort St. George *Gazette* Press, forwarded by Dr. Cleghorn.

*(Friday, the 19th March 1858.)*

Baboo Peary Chand Mittra, Vice-President, in the Chair.

The proceedings of the last Meeting were read and confirmed.

The gentlemen proposed at the last Meeting were elected Members, *viz.* :—

Dr. H. Cleghorn, Messrs. W. J. Judge, H. Maseyk, G. Williamson, and R. B. Mackay.

The names of the following gentlemen were submitted as candidates for election :—

H. H. Murdock, Esq., Merchant, Calcutta,—proposed by Mr. W. G. Rose, seconded by Mr. C. A. Cantor.

Lieut. H. A. Brownlow, (Engineers), Superintendent Eastern Jumna Canals,—proposed by Dr. W. Jameson, seconded by the Secretary.

Eugene Dubois De Saran, Esq., (Cootorreal factory, Kishnaghur),—proposed by Mr. S. P. Griffiths, seconded by Mr. C. A. Saubolle.

R. G. St. George, Esq., B. A., Colgong,—proposed by Mr. C. A. Cantor, seconded by the Secretary.

---

The following contributions were announced :—

1. A case containing 14 kinds of plants, useful and ornamental, indigenous to Arracan. Presented by Captain F. W. Ripley.

2. A box of Olive seeds from Marseilles. Presented by C. A. Cantor, Esq.

The following is extract of a letter from Messrs. Cantor and Co.'s agents, Messrs. Rabaud Brothers, of Marseilles, dated 26th January, regarding these seeds :—

“ We should have enveloped each separate seed in a coating of wax, did we not feel sure that they would withstand the effects of the voyage much better in their natural state; perhaps on their arrival the outside may present marks of decomposition, but the inside will not be less sound and

valuable on that account, as the Olive keeps good for a very long time. You will remark that the case is divided into two compartments, the one hermetically closed and the other pierced so as to admit the air; this precaution has been taken for the sake of more security."

3. Acorns of the Cork Oak (*Quercus suber*) from Spain. Presented by Messrs. James Carter and Co.

The following is extract of Messrs. Carter and Co.'s letter of the 23rd January, regarding these acorns:—

"In furtherance of a wish expressed by you for some Acorns of the Cork Oak, we wrote to a lady correspondent attached to the British Embassy at Lisbon (whose letter we enclose), who has kindly furnished us with some, which we have sent per Overland Mail of 20th instant, to your address, and trust they will arrive safely and in good condition; you suggested that they should be coated with *white wax*, we have sent some in that manner and others in *glycerine* and *charcoal* (both substances noted for *antiseptic* qualities): we shall be glad to hear a report of the respective successes of the different modes of packing. We have made no charge for the *Acorns*, but merely for the expenses we have incurred in their procurement and the cost of packing."

The Secretary mentioned that the above Olive and Cork seed had been procured in accordance with suggestions made last year by correspondents of the Society. A small quantity of each had been sent to the Society's Garden for immediate trial, and portions forwarded without loss of time to the Punjab, Simla, Chota Nagpore, and Assam.

4. A small supply of coniferous and other hill seeds. Presented by Dr. W. Jameson.

5. A quantity of fresh seed from Assam, of the "Nahor" tree (*Mesua ferrea*.) Presented by C. B. Wood, Esq.

6. A small packet of Bombay Brinjall seed. Presented by C. Morgan, Esq.

7. A packet of "Jowar" seed (*Holcus sorghum*.) Presented by Major General Sir J. B. Hearsey, K. C. B.

The following is extract of Sir John Hearsey's note from Barrackpore, dated 5th March:—

"I send my servant with the seed gathered from one plant of the *Holcus sorghum*. This plant came up accidentally during the early rainy season of 1857, and grew to nearly eleven feet in height. I had it supported by a strong bamboo: it spread out four shoots from the stem close to the ground, and these stems also threw down roots. This often occurs with the *Holcus sorghum* as also with the *Zea mays*. The head from the principal shoot was very large—the side shoots also headed, but these were small. It appeared to me to be a very great return for one plant. I have not had the seeds counted, but send them to you as I gathered them and took them off the heads."

The Secretary mentioned that the number of seeds received from this one plant was 12,700.

8. A few kinds of seeds from the Barrackpore Park. Presented by the Superintendent, Mr. Sharp.

9. A few roots and aerial tubers of the "New Zealand Yam." Presented by Captain Thomas Hill.

Captain Hill states that the yam may be cooked any way—"the tubers I have eaten boiled, but they are heavy and wet. I have had them cut into slices (after boiling) and then fried with a little butter, nearly dry: the product was decidedly good, not exactly mealy, but nearly so."

10. A small quantity of English potatoes in excellent condition. Presented by Mr. H. J. Butler.

11. Two samples of farina, as substitute for arrowroot and tapioca. Presented by Captain F. W. Ripley.

Captain Ripley states that the substance, like arrowroot, is obtained from a plant called "Pembwao;" and the tapioca from the root of a tree called by the Burmese "Kapalee Myoukoo."

The Secretary was directed to obtain a report on these samples, in comparison with arrowroot and tapioca.

12. Samples of the wood, bark, rope and seed of the Bhae-oul of the Himalayas. Presented by Lieutenant J. F. Pogson.

"I have the pleasure to send you,"—writes Lieutenant Pogson, from Simla, in a letter dated 8th March,—“a parcel containing: 1st.—A rope eleven yards or so in length, made from the bark of a middle-sized tree which grows in the Khuds and near villages. The name of the tree is 'Bhae-oul.' 2nd.—Two specimens of the wood, with the bark on them. 3rd.—One specimen of the peeled bark fit for rope-making. 4th.—Eight parcels containing seeds of the above. These ropes cost one anna each, and the Paharrees assure me that a rope lasts one year. They say these ropes are infinitely stronger than those made from the Himalayan hemp, which, I believe, took the shine out of the Russian hemp. The usefulness of this tree does not end here, as, during the depth of winter, the villagers feed their cattle on the leaves which sell for from three to five annas per load of 25 to 45 seers. The tree seems to thrive as well in the hot valleys, as at higher and colder situations. It supplies a crop of twigs annually, and if it could be introduced into Bengal, the Rajmahal, Darjeeling and Cherra Poonjee Hills for instance, a thriving rope traffic might be established, a species of labor to which the Santhals might take a fancy."

The Secretary stated that this bark belongs, apparently, to *Grewia oppositifolia*, which is alluded to in *Royle's Fibrous Plants of India*, p. 235, as the *Behul*, and as being employed by the mountaineers for rope-making. Referred to the Fibre Committee.

13. Sample of the juice, in a coagulated state, of a tree, found in Munnepore. Presented by Licutenant R. Stewart, Officiating Superintendent of Cachar.

(Particulars about this sample will be found in the body of the proceedings.)

Sundry samples of cotton, the produce of the Society's garden, and a few fine potatoes raised from the seed presented in November last, by Captain White, of the *Lightning*, were also placed on the table.

---

The following recommendation from the Council was read :—

"The promotion of the special objects of the Society having been considerably impeded during the past year, in consequence of the disturbed state of the country, the Council deem it desirable to recommend to the General Meeting, to extend to the 31st December 1858 the time for premia for the articles of raw produce and Essays mentioned in the proceedings of the Society, dated July 1856."

*Resolved*—That this recommendation as to the extension of time be adopted, and that the former Committee, with the addition of Messrs. S. H. Robinson and C. B. Wood, be requested to revise the schedule and submit their report to the next Meeting.

The Secretary announced, on behalf of the Council, that having failed to obtain the services of a competent gardener on the spot, they had made arrangements for obtaining one from England, in the room of the late Mr. McMurray.

---

#### HORTI-FLORICULTURAL EXHIBITION.

Submitted the following reports from the Judges regarding the second show of the season, held in the Auckland Garden, on the 10th March :—

"*Horticultural.* The Judges have the pleasure to report that the second show of the season was equally as good as that of last year.

*Of foreign vegetables,* celery (red and white), artichokes, potatoes and carrots were exceedingly well represented, which is gratifying, inasmuch as the two first-named have hitherto been very unequal in quality to the other vegetables submitted at the Society's Shows. Among the potatoes were specimens raised from California stock, by the *Malees* of Mr. W. Stalkartt and Captain H. B. Weston. Of peas, the number of baskets was small, but good for the season, especially the 'Prussian Blue' and 'Marrowfat'; the same remark is applicable to beet (turnip-rooted and long-red), nolekole (purple top and white), cauliflower, lettuce, and cabbages of five kinds, *viz.* : sugar loaf, savoy, early york, red and drumhead; among the latter variety was one measuring nearly eighteen inches in diameter and about fifty-seven inches in circumference. The Scotch kale was better shown than on the last occasion; there were about

eight specimens from different gardens. Turnips were indifferent. Parsnips good. Beans tolerably fair. A fine basket of mangel wurzel was introduced, raised from English seed imported last year by the Society, from Messrs. Gibbs and Co. There was a good collection of kitchen herbs.

*Of Native Vegetables* there was a large and varied display of about twenty kinds, including a new description of red yam from Captain Weston's garden, at Garden Reach.

Among the *Fruits*, there was nothing calling for particular remark. A few good strawberries were exhibited, also the white mulberry ;—some fine specimens of sugar-cane from foreign stock, and a few plants, in fruit, of raspberry raised in the Society's Garden, and Barrackpore Park, from seed obtained from Mauritius.

The competition was good—about 150 gardeners were present, and prizes amounting to Rs. 281 and 2 bronze medals were distributed to them, according to the annexed list."

WM. R. ROSE.

PEARY CHAND MITTRA.

JOSEPH AGABEG.

THOS. A. C. FIRMINGER.

" *Floricultural*. This show far exceeded that of March 1857 : it was fully equal to, if not better than, any previous exhibition held in the same month. The competition was good : the produce of 33 gardens was submitted, and prizes amounting to Rs. 172 were awarded to 27 gardeners, as shown in the annexed list.

At the March show of last year not a single German aster was brought forward ; on this occasion the really good collection of well-grown plants, in fine flower, formed the chief attraction, and the prizes noted in the schedule were consequently increased in number and amount ; about ten gardeners competed, and there were upwards of 100 plants, a larger number than has ever before been produced. The collection of roses, though tolerably good, was not equal to that of the last show ; the same remark is applicable to pelargoniums, though there were several well grown plants in good flower in the group. Among the orchids were a few good specimens, though the present is not the best time for a display of this beautiful family. Of piuks, antirrhinums, verbenas and phloxes the collections were large and tolerably good : among the latter were two or three new kinds. The bulbous tribe was better represented than at last year's March show, in several well-grown plants of *Lilium longiflorum*, also a few specimens of amaryllis, iris, ixia, &c.

In the list of annuals there were several well-grown plants of stock, hearts-ease, larkspur, lychnis, brachycome iberidifolia, didiscus ceruleus, loasas and



lobelias. Among the climbers were a few very fine specimens of *Cobæa scandens* and *Hoyas*. Some good plants of *Franciscea latifolia* and *uniflora* were submitted, and one of *F. eximia*; also two plants of *Cineraria* in fine flower.

Of novelties there were but few specimens, namely, a plant of *Capparis brevispina*, a few plants of *Eupatorium*, a blue flowered *Salvia*, and two *Asclepiadaceous* plants.

Collections of plants from the H. C. Botanic Garden and the Society's Garden were likewise introduced, but for exhibition only. In the collection from the latter garden there were plants of *Araucaria Bidwellii* and *A. Cunninghami*; *Cupressus funebris*; *Cryptomeria Japonica*; *Nepenthes distillatoria*, *Cyclamen persicum*, and a few orchids.

The attendance of visitors, though not equal to that at the January show, was nevertheless good, considering the difference of season.

The Judges desire to draw attention to the fact that many plants were exhibited without any labels, while others had merely the names of the owners attached. They think it advisable to recommend that, in future, the 2nd clause of the conditions of the show be strictly adhered to, *viz.* :—

‘Every flower-pot or tub to be labelled, showing the names of the owner and of the plant. No plants, without such tickets, can be judged, and therefore will lose such advantages as they might otherwise be entitled to.’

The Judges have again to bring to the notice of the Society the kindness of the Calcutta Volunteer Infantry Guard in allowing the services of their fine Band, also the assistance so obligingly rendered by Captain M. Currie, Commissary of Ordnance, in the use of tents, and by the Revd. J. Ogilvie of the Free Church Institution, and Messrs. Burn and Co., in the loan of forms, stands, &c.”

THOMAS THOMSON.

J. SCOTT ELLIOT.

#### Nursery Garden.

The Officiating Gardener's monthly report was read, of which the following are extracts :—

“In continuation of my last monthly report I beg to state that the *Vanilla aromatica* plants, placed on different trees in the orchard, have thrown out this year a larger number of flowering spikes, and I am sanguine there will be an increase in the pods produced over the previous year.

The heavy fogs which prevailed during the latter part of last month, and in the beginning of the present, have greatly tended to injure the mangoe and other fruit blossoms; though much destroyed, still a sufficient number

remains to produce quantity of fruit. In the peach orchard the result I find up to this date is more satisfactory, as almost all the plants are in blossom and nearly all have fruited, as much as can be expected from plants out of which large number of grafts have been freely propagated, especially the double and single blossom China peaches, which, I am told, have fruited this year for the first time. This will enable the Society to test the quality of the fruit, which is spoken of as of a superior description. The sapota trees are also blossoming, and I doubt not the result will be satisfactory.

The raspberry plants from Mauritius have been fruiting also this year, but as they have yielded a small produce, it would be desirable that they be retained for seeds for propagation.

In the kitchen garden I had laid down a small quantity of Russian and English flax seeds received last year from Messrs. Gibbs and Sons of London, in two plots of ground, the former germinated freely, whilst the latter failed : the young plants of the former seed are up to this day doing well and about to flower. It is to be hoped they will come to seed as the hot weather is rapidly setting in, and it may tend to destroy them. If, however, the result be as expected, it will afford an opportunity to gather a sufficient quantity of seed to make a good second sowing, and enable us hereafter to gather a larger supply of seed for a larger distribution of the same to the members for the next season.

The California potatoes, 72 in number, received from Captain White, of the Steamer *Lightning*, were sown by me in the latter end of November last, and the result of its produce is satisfactory. The largest I beg to forward for inspection, and I think they are equal if not exceeding in size any which were exhibited at the last vegetable show. The total number exceeds 600 potatoes.

The next subject which I have to bring to your notice is the cultivation of cotton reared in three plots of ground, and another which I believe is for the first time raised in the garden is the Mauritius cotton plant, and which has produced a small quantity of cotton. It appears to me that the produce of this cotton is from some imported seeds from America introduced and acclimated in Mauritius ; however, I send a small specimen which I have gathered for your inspection.

[This cotton is evidently from Pernambuco stock.] The others which I likewise send are from the three plots, of which samples were forwarded last month, with exception of one kind, which is the produce of Mr. Nash's Eddisto Island, Charleston, South Carolina cotton, which is held to be the finest discription of cotton.

The plants with the beginning of the spring have begun to appear with fresh vigor and strength, and I expect they will soon begin to produce large

supplies of cotton more freely than before. I have every reason to believe they will now produce better samples of cotton than the last, and hope to report the result accordingly.

In the flower garden the walks required to be gravelled have been completed, and the bridge over the unsightly drain connecting the Victoria tank with the Serpentine tank has been put in order.

The brinjal seeds, received from Bombay from C. Morgan, Esq., have freely germinated, and I have sown them in open ground. Of the glazed case of plants received from Captain Ripley of Arracan, with a few exceptions all have arrived in good health, especially the Shan potato and some bulbs from which the Burmese arrowroot is extracted, but which is far different to our tubers of arrowroot. I think if the case had not arrived in the dry state it did, all the plants would have arrived in better condition. Enclosed I beg to forward the usual report on the case of plants.

The gladiolous bulbs received from Messrs. Carter and Co. last year have not only sprouted and made vigorous growth, but some are now in flower, as also the cyclamen and gloxinias are coming into flower. The achimenes are freely sprouting.

In conclusion I beg to say that the silk-worms from Arracan stock have now arrived in their third stage, and are doing well. I have been so far successful in rearing them, that out of the batch germinated, I have only lost one up to this time."

#### *Arracan Paddy.*

A report was submitted from a section of the Grain Committee (Baboos Peary Chand Mittra and Ramgopal Ghose) on certain samples of paddy most popular in the district of Sandoway, which were sent up last year by Captain Ripley.

*Resolved.*—That a copy of this report be forwarded to Captain Ripley, and that he be solicited to send up larger quantities of the kinds mentioned by the Committee as desirable for trial in the Soonderbunds and in certain parts of the districts of Hooghly and Burdwan.

---

#### *Gutta Percha from Munneepore.*

Read a letter from Lieut. Stewart, forwarding a sample of the coagulated juice of a large climber discovered by Mr. Sandeman of Munneepore in his grant, and which he, Lieut. Stewart, thinks may prove a substitute for the gutta percha of commerce. He has promised to send hereafter specimens of the leaves and flowers of this climber.

Read also the following report from Dr. J. B. Barry on the above product:—

“ I have examined the specimen of gutta percha which was sent you from Cachar, and after careful comparison of this and the gutta percha of commerce, I have to report that there is a considerable difference between them. The Cachar species is more brittle, and when dissolved in chloroform or Benzole does not dry so quickly as the commercial article. This I do not think will prove a disadvantage, it will enable the manufacturers to mix it more easily with the common dry gums, and render it more convertible and applicable to general purposes.

On heating it in water it becomes most ductile and plastic, rather more so than common gutta percha ; it is dissolved by the same agents as the latter. To test its market value I have sent some I obtained direct from Cachar to England, and when I receive a reply, I will communicate it to the Society.”

*Resolved.*—That the best thanks of the Society be given to Dr. Barry for the above report and for the further promised particulars.

---

*Cotton raised in the Soonderbunds.*

The Secretary submitted the following encouraging report (dated 22nd December 1857) from Mr. Bazley, President of the Manchester Chamber of Commerce, to the Cotton Supply Association, on a muster of cotton raised in one of the Soonderbund grants adjoining the Mutla, from Sea Island seed supplied last year by this Society. It is fully confirmatory of the report given by this Society's Committee in December last on a muster of the same batch of cotton:—

“ Having carefully examined the sample of cotton grown from Sea Island seed and sent from Calcutta, I have very great satisfaction in stating that the quality of it is most excellent and beautiful. It is now worth, under the depressions of the market, only 19*d.* per pound, though some weeks ago its value would have been 2*s.* 3*d.*”

*(Wednesday, the 14th April 1858.)*

Baboo Pearychand Mittra, Vice-President, in the Chair.

The Proceedings of the last General Meeting were read and confirmed.

The gentlemen proposed at the last Meeting were elected members, *viz.*:—

Lieut. H. A. Brownlow, Messrs. H. H. Murdock, E. de Saran, and R. G. St. George.

The names of the following gentlemen were submitted as candidates for election:—

G. E. Lance, Esq., C. S., Mymensing—proposed by Mr. Henry Cowie, seconded by the Secretary.

A. B. Falcon, Esq., C. S., Noacolly—proposed by Mr. W. G. Rose, seconded by Mr. C. A. Cantor.

Capt. R. M. S. Annesley, (Meywar Bheel Corps)—proposed by Capt. J. C. Brooke, seconded by the Secretary.

The following contributions were announced :—

1. A Cyclopædia of Agricultural Machinery and Farming Implements, by W. Dray and Co., Agricultural Engineers. Presented by the Authors.

2. The Almanac and Companion for the N. W. P. and Punjab, for 1858, by W. H. Carey. Presented by the Compiler.

✓3. Madras Journal of Literature and Science, No. 44, October—December 1857. Presented by the Madras Literary Society.

4. Transactions of the Royal Society of Arts and Sciences of Mauritius (New Series), Part 1, Vol. I. Presented by the Society.

5. Tracts on the Rural Population of Bengal and Behar, No. 1. Presented by the Rev. J. Long.

6. An illustrated table, containing concise rules for the management of silk-worms according to the best method of the most skilful cultivators. Presented by C. E. Blechynden, Esq.

7. A slab of cedar-wood from Upper Assam. Presented by Capt. W. H. Lowther.

8. A number of coffee seedlings raised from Ceylon. Presented by C. B. Wood, Esq.

9. A bag containing about half a maund of Pernambuco cotton seed. Presented by the Government of India.

10. A small quantity of a description of dhall, raised at Debrooghur, Upper Assam, from seed introduced by the Kamtees. Presented by H. G. Grose, Esq.

Mr. Grose states that this dhall is much more productive than the ordinary kinds: it should be sown in August or September.

Baboo Pearychand Mittra stated that he valued this dhall at Rs. 1-4 to 1-6 per bazaar maund. It resembles the Urhur dhall, the price of which is now, he believes, 3 Rupees per maund. The Assam dhall has a thin covering, which renders it more brittle than Urhur, Khasari or Moosari, and therefore causes it to be broken into more than two parts, which is considered as a depreciation in a dhall.

Several healthy plants of *Gloxinias*, in full flower, as also *Alstroemerias* and *Gladioli*, raised in the Society's Garden from bulbs sent last year by Messrs. J. Carter and Co., were placed on the table.

The Secretary submitted a large branch of bamboo in full flower, and of seed, and flour prepared from the seed, obtained from one of the many plants of bamboos of several kinds now blossoming in Calcutta and its vicinity. He also referred to communications which were made some years ago to the Society on this unusual occurrence, by Colonel Sleeman, Dr. Wallich, and others. It was agreed that it would be interesting to obtain further particulars on the subject, and communications were invited accordingly.

*Premia for Articles of Raw Produce and for Essays.*

Read the following Report of the *Special Committee* appointed at the last Meeting :—

“ The promotion of the special objects of the Society having been considerably impeded during the past year, in consequence of the disturbed state of the country, the Council deem it desirable to recommend to the General Meeting, to extend, to the 31st December 1858, the time for premia for the articles of raw produce and essays mentioned in the Proceedings of the Society, dated July 1856.

*Resolved*—That this recommendation, as to the extension of time, be adopted, and that the former Committee, with the addition of Messrs. S. H. Robinson and C. B. Wood, be requested to revise the schedule and submit their Report to the next Meeting.”

Referring to the extract noted in the margin from the Proceedings of the General Meeting of 19th March 1858, your Committee have duly considered the subject referred to them, and now beg to submit a revised list of premia for certain articles of raw produce, and for essays on certain subjects.

Your Committee have thought it desirable to omit from this list the prize for an efficient and cheap substitute for Turkish box, because specimens have been sent in to compete for this prize. These specimens, they

recommend, should, in the first instance, be sent to the local Society of Industrial Arts for report : should the report not be deemed sufficiently specific, they might be transmitted to the London Society of Arts. Your Committee have likewise reduced the amount of prize for Rhea fibre, from Rs. 1,500 to Rs. 1,000, and the amount to be the property of the Society from 25 to 5 maunds.

Your Committee have added two more prizes to the list, namely, one for the successful introduction and cultivation of Madder, (the produce of *Rubia tinctorum*,) and another for a cheap substitute for gunny cloth for packing purposes. They have also introduced the old prize for a Gardener's *Vade Mecum* in this list, to which it did not originally belong.

Referring to the 2nd paragraph of their former Report of June 1856, your Committee beg to observe that no information has yet been obtained from the Society of Arts regarding the Indian Garancine, which Mr. Henley presented

to this Society in 1853, though they have been repeatedly addressed on the subject. They would therefore suggest that they be requested to transfer the specimen in question to some other party at home for examination and report, on receipt of which the Committee may be in a better position for suggesting the offer of a prize for the communication of a good and economic mode of preparing this article for shipment.

PEARY CHAND MITTRA.

S. H. ROBINSON.

RAMGOPAUL GHOSE.

WM. HAWORTH.

C. B. WOOD.

THOMAS THOMSON.

*Calcutta, March 1858.*

---

### LIST OF PREMIA FOR 1858.

#### PREMIA FOR CERTAIN ARTICLES OF RAW PRODUCE, &c.

##### *Fibres (substitute for Flax.)*

For the production of any new vegetable fibre which can be successfully applied to all the purposes for which flax is now used, and of which not less than 10 maunds to become the property of the Society. Rs. 1,000 and Gold Medal.

---

##### *Fibres (substitute for Hemp.)*

For the production of a quantity of any vegetable fibre, which can be successfully applied to the purposes for which hemp is now used, and equally strong and durable, and of which not less than 10 maunds to become the property of the Society. Rs. 500 and Gold Medal.

---

##### *Fibres (Rheea.)*

For the production of at least 25 maunds of Rheea fibre, the whole to be the produce of the party tendering it, and of which 5 maunds to become the property of the Society, to be accompanied by a detailed statement of the process followed in its cultivation and after preparation, and the cost of the same. The quality to be approved by the Society, and the fibre to be in a fit condition for the English market. Rs. 1,000 and Gold Medal.

N. B.—In the event of there being more than one competitor, the premium to be adjudged to the best specimen.

*Cotton (Exotic)—long staple variety.*

For the production of at least 10 maunds of good merchantable cotton raised from foreign seed of the black-seeded long staple kind. Rs. 1,000 and Gold Medal.

---

*Cotton (Indigenous.)*

For the production of at least 5 maunds of cotton raised from indigenous seed, of a quality superior to that now exported, and such as is likely to prove a substitute for the Upland Georgia or New Orleans cotton of the United States of America. Rs. 500 and Gold Medal.

*N. B.*—The producer or producers of the above cotton must submit to the Society a statement of the mode of cultivation and cost of the same.

---

*Substitute for Gutta Percha.*

For the discovery and production to the Society of any new substance, the produce of India, which can be successfully used as a substitute for Gutta Percha. Rs. 500 and Gold Medal.

---

*Materials for Paper-making.*

To the producer of at least 6 maunds of fibre suitable for manufacturing into fine paper, such as will prove an efficient and economical substitute for rags or other materials at present employed in India for that purpose. Rs. 500 and Gold Medal.

---

*Quinine-yielding Plants.*

To the introducer of 20 healthy plants of South American Cinchonas of the kind or kinds known to yield the best description of bark. The Gold Medal.

---

*Madder.*

For the production of at least 5 maunds of Madder, raised in any part of India, of which one maund to be the property of the Society. Rs. 500 and Gold Medal.

*N. B.*—This prize to be renewed for three years, in the event of a specimen or specimens not being sent in by 31st December 1858.

---

*Substitute for Gunny Cloth.*

For the production of a cheap and efficient substitute for gunny cloth,



suitable for packing sugar or grain, of which a piece of 36 yards in length, by 2-3 in breadth, or thereabouts, to be submitted to the Society. Rs. 500 and Gold Medal.

*Premia for Essays on certain subjects.*

For an approved essay on the following subjects:—

1. For the best practical essay on the production and relative cost of the various oil-seeds of India, suitable for export. A premium of Rs. 500.
2. For the best practical essay on the present state of the cultivation of the date tree in Bengal, and on the best mode of increasing its production and improving the manufacture of its sugar. A premium of Rs. 500.
3. For the best practical essay on the present mode of cultivating and manufacturing Indian fibre-yielding plants known in commerce, such as jute, sunn, &c., with practical suggestions for their improvement. A premium of Rs. 500.
4. For the best practical essay on the present mode of cultivating and preparing the various tanning products of India, with practical suggestions for their improvement. A premium of Rs. 500.

---

*Prize for a Gardener's Vade Mecum.*

To any person who shall produce, on or before the 31st December 1858, the best practical treatise on gardening, as applicable to Lower Bengal, or a Gardener's Vade Mecum, the sum of Rs. 600.

The work must afford full direction for the culture of vegetables, fruits, and flowers, whether indigenous or such as have been introduced into Lower Bengal to the present time, giving practical hints on grafting, budding, pruning, and transplanting, with descriptions of soils and manures best adapted to certain plants: a calendar of operations in the Kitchen, Fruit, and Flower Garden, for every month throughout the year, must be added, as also a copious alphabetical index.

*N. B.*—The Rules of competition for essays the same as published in 1856.

*Resolved*—That the above Report be adopted.

---

*Nursery Garden.*

Read the Report of the Officiating Gardener, of which the following are extracts:—

In continuation of my Report for the past month, I beg to state that the Australian seeds presented by the Superintendent of the Botanic Gardens at

Adelaide were sown as trial seeds, in gumflows, on the 25th February last, and I have much pleasure in forwarding a tabular statement, showing the result of this sowing. I may observe here that, on the whole, the result appears to me to be very satisfactory, inasmuch as the Australian seeds of previous years had not germinated so freely.

As regards the Australian vegetable seeds presented by G. G. Mercer, Esq., I have pleasure in stating that the result of the same is very satisfactory. I had sown these both in gumflows and in open ground, and in both the seeds germinated very freely, except the Sydney orange seeds; and all are, up to the present date, doing well.

The tabular statement forwarded with the pea crop shows the result of the produce for 1857-58. The result, though as I anticipated, did not produce as satisfactory, yet I am far from being disappointed on the whole. The partial failure must be mainly attributed to putting seeds in ground having unproductive soil on account of the Mahogany trees shading that spot; but the quantity produced from the rest of the ground is very satisfactory, and this, I must say, is owing to taking care to have the soil top-dressed properly before putting the seeds down.

The quantity of arrow-root produced for the past season is 166 lbs. Had the tubers of arrow-root been of better size, the result would, undoubtedly, have been more satisfactory, and, doubtless, the quantity would have been one-third more.

The English potatoes, presented by Mr. H. J. Butler, are laid down in the Kitchen Garden, all of which have sprouted and are thriving well.

In the Orchard, among other business, I am endeavoring to lay out plots of ground to make cutting beds, for as much available ground as can be possibly obtained for this purpose, to enable me to lay out as large a collection of cuttings as can be obtained during the autumnal season, so as to be able to meet the largest demand that may be made.

In the Kitchen Garden I have marked off plots of ground for maize and tuberous-rooted plants, such as the different kinds of yam, which will soon require to be laid down, and I am waiting for a good shower of rain to top-dress the plot of ground on which I intend to lay out the different varieties of sugar-canes and the Guinea grass, as also the different kinds of grass seeds received from Messrs. Gibbs and Sons during the last year, which I think will freely germinate if laid out in open ground in the beginning of the rainy season. The trial sowing gave a very satisfactory result, and I have every reason to think the same result will attain when laying them in open ground.

The cotton plants laid out in different plots of ground are doing well, and if there was a copious shower of rain, all the plants would have, undoubtedly, thrived better. The Egyptian cotton seeds, presented by J. M. Hall, Esq.,

and laid out in the plot adjacent to the Conservatory in November last, are now throwing out flowers, as well as those sown previously, that is, about the latter end of July and in the beginning of August last.

A few seeds of two kinds of dahlias, the red dahlia and the red quill dahlia, presented to me by Mr. Cornelius, from the stock which that gentleman had obtained from the Neilgherry Hills, were sown by me in gunlows, have freely germinated—this will enable me to lay out a large stock for issue for the next season. Both kinds of dahlias are of a description worthy of a place in the garden, being a variety of choice kinds.

The seeds of *Messua ferrea*, or Nahor, presented by C. B. Wood, Esq., are freely germinating.

#### *Recommendations from the Council.*

The following recommendations were submitted :—

1st.—That the Society allow the public to purchase ornamental plants from their garden. Members to be permitted, as heretofore, the privilege of indenting on the garden for such plants, and for fruit grafts, on the understanding that they are intended *bond fide* for their own use.

2nd.—That the Society subscribe for a copy of *The Indian Field*, on the ground that the department of Agriculture and Horticulture is the organ of the Society, and that it will be useful for future reference.

The above recommendations were adopted.

The Chairman stated, in reference to the second recommendation, that the resolution of the Council to adopt the Agricultural and Horticultural department of the above paper as the organ of the Society, had inadvertently been omitted to be mentioned at a previous Meeting. The Council propose to publish in that department the proceedings of the Society, and such papers as may call for early publication.

Read a letter from Lieutenant J. F. Pogson, Simla, dated 7th April, acknowledging receipt of the acorn and olive seeds recently presented to the Society and alluded to in last month's proceedings. "The olives," observes Lieutenant Pogson, "are perfectly sound. This I ascertained by breaking one of the stones and examining the kernel, which was perfect. Of the acorns four were broken and crushed. I do not think any of the remainder will germinate. I have put them in water, and shall keep them till they sprout. With reference to such seeds as acorns, sweet chesnuts, filberts, &c., Dr. Carte recommends that they should, after being gathered and dried, be packed in <sup>a</sup>

tin canister as follows, viz., a layer of sand, an inch and a half deep, to be spread over the bottom of the canister—on this the acorns are to be arranged so as not to touch each other; next cover the seeds with sand, following this process till the canister is filled with alternate layers of seed and sand, the uppermost seeds being of course covered with sand. The canister is then to be subjected, say in a sand bath of a temperature of between 96° and 100° F. for a quarter of an hour, the cover then to be put on and to be soldered down. Thus packed, Dr. Carte is of opinion that the seeds will keep good and arrive in a sound state. I would therefore recommend the adoption of this plan, which is based on philosophical principles, for seed would not germinate without air. I would suggest that the seeds be put in one and two-pound canisters, made like the ones in which oysters are hermetically sealed. The canisters, on arrival, to be sent to Members, &c., without being opened."

Alluding to the mango, Lieutenant Pogson writes:—

"Do you happen to know that at Mooltan there exists a mango-garden containing singular varieties of this fruit? They have there early mangoes and late mangoes, but the oddest is a *double mango*. The late mango, of which I believe there is but one tree, bears fruit in October. Moolraj kept a guard day and night over this singular tree, as the fruit was sent to Runjeet Sing, at Lahore. A letter to the Mooltan authorities might elicit information on this subject, and you in Calcutta might enjoy this fruit in October as well. Up in the interior of these Hills I have eaten mangoes in September, when they were only just ripe. Might not the stones of the mangoes, if sown in Bengal, produce fruit at the same season of the year? The mango grows within 8 miles of Rampore, the capital of Busahir, height above the level of the sea say 4,000 feet; so you see the mango is an Himalayan fruit."

Lieutenant Pogson adds:—"Perhaps some of your scientific friends will give the following recipe for fixing fleeting colors a trial—it is, I believe, a Paharee prescription. Supposing cloth has been dyed pink, green, yellow, &c., &c., take a quantity of *nettle roots*, wash and pound them; then put roots, juice and all, into a copper vessel; put in the dyed stuffs, pour in water till they are covered, and then boil them in this nettle soup for an hour or two; take them out, dry them, and afterwards wash in clean water. I have never tried the experiment myself, but I have been assured that this—to me novel—procedure will fix any color. Should this be found in experiment to be a fact, it would be of much use to the dyers of cotton and silk, as also to cotton printers."

Read a letter from Captain John Eliot, Barrackpore, giving the result of his sowings of seeds of field crops received from the Society last year.

Read a letter from the Secretary, Government of Bengal, enclosing a letter from the Quarter Master General of the Army, intimating that the Com-

mandar-in-Chief does not consider it necessary, under existing circumstances, to indent for seeds this year for Soldiers' Gardens.

For all the above presentations and communications the best thanks of the Society were accorded.

*(Wednesday, the 12th May 1858.)*

Baboo Peary Chand Mittra, Vice-President, in the Chair.

The proceedings of the last General Meeting were read and confirmed.

The gentlemen proposed at the last Meeting were elected Members, viz. :—

Messrs. C. E. Lance, C. S.; A. B. Falcon, C. S.; and Captain R. M. S. Annesley.

The names of the following gentlemen were submitted as Candidates for election :—

Maurice Tweedie, Esq., Bujunghaut factory, Kishnaghur, proposed by Mr. F. MacLagan, seconded by the Secretary.

Thomas A. Apar, Esq., Merchant, Calcutta, proposed by Baboo Peary Chand Mittra, seconded by Mr. Joseph Agabeg.

J. Wilson, Esq., Barrister, Calcutta, proposed by Mr. C. A. Cantor, seconded by Mr. Agabeg.

E. Chardon, Esq., Goldar factory, Kishnaghur, proposed by Mr. MacLagan, seconded by the Secretary.

W. L. Mackenzie, Esq., Deputy Magistrate, Serajgunge, proposed by Mr. W. G. Rose, seconded by Mr. Cantor.

Baboo Kalee Coomar Dey, Merchant, Calcutta, proposed by Mr. Cantor, seconded by Baboo Peary Chand Mittra.

The following contributions were announced :—

1. Selections from the Records of the Government of India, No. 24. Presented by the Government of India.

2. Dr. Jameson's Report upon the Botanical Gardens of the N. W. Provinces (5 copies). Presented by the Government N. W. P.

3. Journal of the Asiatic Society of Bengal, No. 1, of 1858. Presented by the Society.

4. A quantity of black pepper seed, from Arracan. Presented by Captain F. W. Ripley.

5. A few walnut seedlings. Presented by C. B. Wood, Esq.

6. A small quantity of Bombay onions and potatoes. Presented by H. J. Butler, Esq.

7. A small supply of seed of *Amherstia nobilis*. Presented by Mr. C. Sharp, Superintendent of the Barrackpore Park.

8. A sample of coffee, raised at Debrooghur, Upper Assam, from Mocha stock. Presented by Colonel S. F. Hannay. (Referred to the Committee for report.)

9. A beautiful sample of Manilla coffee, as a test specimen. Presented by Seth Apar, Esq.

10. A few specimens from China, including a description of glutinous rice and paddy; a powder in cakes, prepared from a *Fagopyrum*, for inducing vinous and panary fermentation; three specimens of ferns, the roots of which are used for food; with a specimen of the flour, which costs twice as much as wheat flour, and is used by the rich in gravies, &c.; root of a plant much employed to preserve vegetables from attacks of *Aphides*; and seed of *Pinus Massoniand*, or the Hong-Kong pine. Presented by Dr. D. J. Macgowan.

11. A fine sample of soft wheat, of a large importation from Australia. Presented by Mr. W. L. Atkinson.

12. A sample of wheat grown at the Allipore Jail. Presented by Dr. Mouat.

This flinty wheat is chiefly *Gungajelly*, with a small proportion of *Dooda Jamally*, the kind chiefly grown in Lower Bengal. It is valued at Rs. 2-6 per maund.

13. Two samples of tea manufactured in March last, from trees raised in Captain Masson's plantations at Tugvor, in the Darjeeling Hills. Presented by the Reverend Dr. Boaz, on behalf of Captain Masson. (Referred to the Tea Committee.)

14. Two specimens of artificial manures. Presented by Dr. George Evans.

The following is an extract of Dr. Evans's note regarding these manures:—

“ On leaving India, I am desirous of making over to the Society, as a record, two samples of manure of my preparation, which I am desirous of having placed in the collection of the native products of the country, if you will kindly receive them on behalf of the Society. One is what I should term ‘British India Guano,’ as made of materials collectable in and about Calcutta. The chemical combination being nearly approximate with that article, but altogether distinct and free from anything offensive or pertaining to sewage or fecal matter. The other is a superphosphate of lime from animal bones, of which there is abundance. My attention had been some time ago directed to the practicability of employing for this purpose much valuable refuse material, the residue of some of the manufactures and other sources of this large Metropolis, which, in being totally disregarded as useless matter, is variously disposed of and thrown away under sanitary provisions, but collected and chemically treated, could be better appropriated to the purpose of fertilization, not

only for use here, but for the home and other markets. Difficulties, however, presented themselves to the outset of my endeavors, and prevented my further investigating the matter, beyond the mere satisfying myself of the possibility of readily obtaining the principal of most active agents and preparing the samples, one of which, on analysis, will be found very closely to resemble Peruvian guano in its constituent elements, that having been the model on which I based my experiments. The samples, I am aware, are too small in quantity to admit of a satisfactory trial being made of them at the Society's Gardens, but in being presented to the public eye, as such, they may stimulate others to prosecute the enquiry; and I shall be gratified, at some no distant time, to learn that my views on this head, in not being chimerical, are borne out by corresponding successful results. I do not know whether the Society have included manures in the list of Prize rewards, but think it a subject highly deserving of their earliest consideration."

15. Further specimens of the bark of the "Behul" of the Hills (*Grewia oppositifolia*.) Presented by Lieutenant J. F. Pogson.

Mr. Stalkartt (a Member of the Fibre Committee) reports as follows regarding this bark :—

"Weak and brittle; like all fibres from the bark of trees, it will not bear dressing. Very probably, if worked up by hand, a common sort of rope might be made of it for local use, but I do not think it would ever become an article of commerce."

16. Three specimens of nettle fibres from Darjeeling. Presented by the Reverend Dr. Boaz, on behalf of Captain Masson.

Captain Masson wishes to know the worth of such fibre in the Calcutta market, and what they would, probably, realize at home. (Referred to the Fibre Committee.)

17. Samples of flax and tow, prepared in Scotland, from straw, raised by Mr. C. Gubbins, at Allyghur, from Riga seed, in season 1855-56. Forwarded by the Dundee Chamber of Commerce.

18. A large sample of cotton of the *second* gathering, from plants raised from Sea Island seed, on a Soonderbund grant adjoining the Mutlah. The *first* gathering was made in November 1857, (the seed being sown in the previous March,) and a portion of it submitted at the General Meeting in December last, and so very favorably reported on. (Referred to the Cotton Committee.)

The Secretary also placed on the table a branch covered with the lac insect, taken from a lychee tree, growing in the heart of Calcutta. It is believed the lac insect is not known to attach itself to the lychee, nor to be found in thickly inhabited localities.

*Nursery Garden.*

A report was brought up from the Garden Committee, recommending certain improvements to the Garden; also an expenditure of Rs. 280 for thoroughly repairing the large conservatory, and erecting a new one of a smaller size. They also suggest an increase of pay to certain *malees* of the establishment, and propose that the Officiating Gardener be allowed to draw Rs. 150 instead of Rs. 125 per mensem, from the 1st January last, on the understanding that he continue at the garden for one month after the arrival of the Gardener from England.

On the motion of the Reverend J. Long, seconded by Baboo Gobind Chunder Sen, it was *resolved* that the Report of the Committee be adopted.

The Officiating Gardener's Monthly Report was read, of which the following are extracts:—

I beg to state in continuation of my last monthly report, that I omitted to mention in the last report, of the kind contribution made by Rajah Nursing Chunder Bahadoor, of a plant of *Hoya*; and I received during the month from C. B. Wood, Esq., in two small pots, walnut seedlings raised by that gentleman.

The seeds of *Pinus Massoniana*, received from Dr. Macgowan, of Ningpoo, in China, were sown in gumlows immediately on receipt, and I am glad to state they have freely germinated. I had put the seeds in four gumlows of 200 each, and the number germinated is above 120 in each gumlow, thereby giving an average of above 60 per cent., which I consider to be very satisfactory.

I also received in two phials the Chinese water nuts, called *Trapa bicornis*, or the *Caltrops* species, forwarded by the same gentleman—containing twenty-one nuts, which I have put in gumlows and tanks, treating them (being foreign seeds) in the same manner as I would the seeds of *Victoria Regia*. I however regret to say that, whilst in transit, eight nuts had sprouted, and, apparently, they have withered since. The remaining nuts appear to be sound, and, no doubt, they will sprout out.

The Pernambuco cotton seeds, received from the Government of India, were sown for trial, and I regret to say, that though some of the seeds have germinated freely, yet the average percentage is rather unsatisfactory, it having yielded only 30 per cent.

The acclimated Sea Island cotton seed, received from Captain Dicey—the produce of the Soonderbunds—were also put in trial, and it has resulted very satisfactorily, giving an average of 80 per cent.

I received also a small packet of tobacco seeds presented by Dr. T. Thomson, Superintendent of the Botanical Garden, collected by Captain Haughton, of Tavoy, from the Kareen country, which I had laid out for trial, sowing in two



gumflows, on the 28th of last month, and in both the seeds have germinated freely. As the season for sowing the seeds in open ground, I consider, has far advanced, I have reserved the remainder of the seed till its proper time for sowing.

I regret to state that the seeds of the acorns of oak (*Quercus Suber*), received from Messrs. James Carter and Co., of London, on the 10th of March last, were laid (two-thirds of them) in the open ground in the orchard—which seeds were unfortunately attacked by ants, and the place was so infested by them, that my utmost endeavors failed to destroy them effectually, from which cause the seeds are entirely lost. I apprehend the cause of the ants attacking the seeds is, from the circumstance of the same being packed in glycerine, which, I believe, had something sweet in its composition. The seeds packed in charcoal and wax, being placed contiguously, unfortunately received the same injury.

As a precaution, I had placed the remaining portion in three gumflows. Those packed in wax resulted favorably, as out of thirty seeds seven germinated. The seeds packed in charcoal have failed; but those packed in glycerine were attacked by ants which infested the gumflow so much in one night, as to make the gumflow one mass of ants. On examining the seeds, I found all eaten up by ants. I doubt not, if the seeds packed in glycerine had not been attacked by ants, they would have turned out best, as they appeared to be more sound and fresh, much better than those packed in wax.

The seeds of *Bertholletia excelsa*, or the Brazil nuts, presented by Dr. Riddle, of London, being placed in gumflows along side of the acorns, were also attacked by ants, and sustained injury, though I would be more inclined to think that the kernel being sweet, was the more immediate cause of the ants attacking them.

The weather proving favorable, has enabled me to commence the operation of grafting, &c., in the orchard, and in the kitchen garden I have laid out all kinds of available yams, such as the *Dioscorea batatas*, (red and white,) sent out by Mr. Fortune, from China. The serial yams received from Captain Hill, of the Bankshall, as well as that obtained from the first vegetable show of this year, and also two tubers like that of Captain Hill's, obtained from our own garden, and which, I believe, were received from the *Englishman* Office, in February 1856; as also the yams obtained from Captain Weston's garden.

The garden produce maize of last year's crop has likewise been laid down; the seeds have freely germinated, yielding an average of 90 per cent. The American seeds will be laid down as soon as the plots are ready.

The *Areca catechu*, or the betel-nut plants, raised in the garden, from seeds out of a stock from Singapore, presented by Joseph Agabeg, Esq.,

in 1849-50, and laid down in the western part of the orchard in January 1850, have for the first time come into flower, and the inflorescence in the spathe appears good.

The cotton plants laid out in the three plots, as previously anticipated, have fully realized my expectations—that is, in taking a vigorous start with the spring; and after the few late showers of rain, all the plants have started in good health, and have yielded comparatively a good produce. The samples of which, with the list, I beg to forward for inspection. The samples are seven in number.

---

*Artificial Irrigation of the Cotton Plant.*

A rather lengthy report on the above subject was submitted by the Cotton Committee, in reference to a communication from the Board of Revenue laid before a previous Meeting.

*Resolved*—That a copy of this report be forwarded to the Board of Revenue in reply to their enquiry for information.

---

*Report on Flax Straw raised at Allygurh.*

Read a report on the samples alluded to under the head of contributions, as also extract of a letter from the Secretary, Chamber of Commerce, Dundee, dated 20th February 1858, giving cover to the report.

---

*Report on two samples of Farina from Arracan.*

Read the following report from Dr. J. B. Barry, on two samples of farina forwarded from Kyook Phyoo, by Captain F. W. Ripley, and submitted at the General Meeting in March last. Captain Ripley states that the substance, like arrowroot, is obtained from a plant called “Prembwaoo,” and the tapioca from the root of a tree called by the Burmese “Kapalee Myonkoo” :—

“I have carefully examined the two specimens of farina and tapioca sent me for examination, and I have much pleasure in stating that both are excellent specimens. Both, however, are very badly prepared; the former still retains some of the resinous matter of the plant, and the tapioca a still larger proportion. By ablution with *clear limpid* water, their appearance would be improved, and consequently their value enhanced.”

Ordered that a copy of Dr. Barry's report be forwarded to Captain Ripley for his information.

---

*Recommendations from the Council.*

The following recommendations from the Council were unanimously adopted :—

1. That advantage be taken of Mr. Fortune's return to China, to request his aid in procuring seeds and plants for the Society.

2. That a communication be opened with Dr. Livingstone, to obtain for the Society such seeds and roots of African plants as he may consider desirable introductions into India.

3. That a communication be opened with Dr. J. P. Walker, Superintendent of the Andaman Islands, and a collection of useful kinds of seeds sent him; and that he be requested to give, in return, any information, and seeds and plants which he may deem desirable.

*Communications on various subjects.*

The following papers were likewise submitted :—

1. From the Secretary Government of India, forwarding for the information of the Society, and in reference to previous correspondence, the following extract from a despatch from the Hon'ble the Court of Directors, respecting the cultivation of the *Cinchona* tree in India :—

“ We did not fail to take immediate measures for carrying out the recommendations of your Government on this important subject. We regret however that these measures have not yet been attended with the desired success. We hope that we may be able, at no distant period, to obtain a collection of both plants and seeds of the quinine-yielding Cinchonas, and we will give you early intimation of the same, in order that the necessary preparation may be given for disposing of them to the best advantage on their arrival in India.”

2. From H. Cope, Esq., presenting the following papers :—

*First.*—“ Some account of the silk trade and the silk manufactures of the Punjab.”

*Second.*—“ On the introduction of the silk-worm into the Punjab.”

*Third.*—“ On Munjeet as a dye-stuff, localities where grown, export, &c.”

3. From Captain W. H. Lowther—further remarks on the valuable properties of *Gisekia pharmaceoides*.

4. From Lieutenant J. F. Pogson—on the valuable properties of the “ Bael” tree (*Ægle Marmelos*.)

The above five communications were referred to the Committee of Papers.

5. From Captain F. W. Ripley, acknowledging receipt of the report on the samples of paddy sent by him at the close of last year. “ With regard to the report,” writes Captain Ripley, “ I see that Baboo Ramgopaul Ghose says, 2, 4, 5, and 7 are Nacransie rice; they are all wholly distinct from the grain called Nacransie by the Mughls; not a grain of Nacransie is grown in the Sandoway District, but I dare say many of the bolder kirbee-like grains are brought to the Akyab market as Nacransie. The natives here give 160 varieties as the different kinds of paddy that are grown in the Province. I will make the necessary inquiries to reply to Baboo Peary Chand Mittra's

queries, and send you the information when I send the larger samples of paddy of the rices you wish. I have sent for 10 maunds of each."

6. From Colonel Jenkins, dated Gowhatti, 23rd April, regarding certain seeds recently forwarded to his care for distribution :—"I have omitted to inform you that I received the cork and olive seeds in apparently good order, and I sent them immediately to Cherra, where I thought it was more likely they would succeed than anywhere in Assam. Olives might succeed, I should think, in some of our Hill countries, but there could hardly be a chance of their flourishing in the Plains."

7. From the Secretary Government of Bengal, intimating that the necessary instructions have been given for the publication, in the *Government Gazette*, of the Society's list of premiums.

The Secretary stated that a similar request had been preferred to the Government of the other Presidencies ; moreover, that the Agricultural Societies at Madras, Bombay, and the Punjab, had been solicited to make the contents of the list as widely known as practicable, within their respective localities.

For all the above presentations and communications, the best thanks of the Society were accorded.

*(Wednesday, the 9th June 1858.)*

Baboo Peary Chand Mittra, Vice-President, in the Chair.

The minutes of the last Meeting having been read and confirmed, the following gentlemen, proposed on that occasion, were elected Members :—

Messrs. M. Tweedie ; T. A. Apcar ; J. Wilson ; E. Chardon ; W. L. Mackenzie, and Baboo Kalee Coomar Dey.

The names of the following gentlemen were submitted as candidates for election :—

George Rogers, Esq., Solicitor,—proposed by Mr. R. Eames, seconded by Mr. C. A. Cantor.

A. V. Palmer, Esq., C. S., Tirhoot,—proposed by Mr. E. F. Lautour, seconded by the Secretary.

George Campbell, Esq., C. S., Lucknow,—proposed by Dr. T. Thomson, seconded by Mr. C. A. Cantor.

Manager Lucknow Botanical Garden,—proposed by Dr. Thomson, seconded by Mr. C. A. Cantor.

Colonel Charles Thynn Thomas,—proposed by Mr. C. A. Cantor, seconded by Mr. R. Eames.

Baboo Sooranth Nauth Mullick,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Ramgopal Ghose.

The following contributions were announced :—

1. Meteorological Table for January 1858, kept at the Observatory, Hobart Town. Presented by the Royal Society of Tasmania.

2. Half a maund of Peruvian Guano. Presented by A. C. Neame, Esq. Mr. Neame states he has been very successful in treating the peach tree with this powerful manure.

3. A small specimen of Affghan Munjeet. Presented by H. Cope, Esq.

This has been pronounced by a good judge to be an excellent specimen, superior to the produce of Assam, Nepal, and Central India.

4. Six maunds of four kinds of Arracan paddy, called "Aboungnee," "Byal," "Paloungsa" and "Kalathee," sent up for trial in the localities suggested by the Grain Committee. Presented by Captain F. W. Ripley.

*Resolved*—That they be distributed as judiciously as possible, and reports on the experiments requested.

5. Fruit of a tree growing in his garden at Howrah. Presented by Mr. James Chew.

The Secretary mentioned that the same description of tree had just fruited in the Society's garden. They were presented to the Society by the late Mr. R. Chew, in 1839, as the "Woondie" of the Deccan, and described to be "superior to the lychee, and the fruit very luscious." The tree has been recognized by Dr. Thomson as *Calysaccion longifolium*, Wight. Mr. J. Chew observes that his trees are now from 10 to 12 feet high and very bushy, (which corresponds with the size of those in the Society's garden,) and he thinks that they may have borne fruit before, but not knowing what they were, he took no notice of them. The Secretary added that there was no record of the trees in the Society's garden having previously fruited. The fruit was so good-tasted that he had directed the gardener to increase the stock.

---

#### Reports.

The following reports were submitted :—

1. From the Tea Committee, on the samples grown and manufactured by Captain Masson, at Tugvor, near Darjeeling, which were submitted at the last Meeting. The Committee pronounce these to be inferior to the samples presented at the Meeting in November last.

2. From the Coffee Committee, on sample raised at Debrooghur, Upper Assam, from original Mocha stock, and submitted at the last Meeting by Colonel Hannay. The Committee consider this a good description of Coffee, but not quite equal to that presented at the close of last year by Mr. George Williamson, as the produce of his plantation at Jorehaut, in Upper Assam.

3. From Dr. J. B. Barry, giving the following extract of a report received from England on the juice of a large climber found by Mr. Sandeman, of

Munneepore, in his grant, and a specimen of which was submitted at the general meeting in March, as a probable substitute for Gutta Percha :—

“The coagulated juice has been pronounced inferior, inasmuch as it is sticky, and becomes brittle when exposed to cold.” The report goes on to say “that it would be unsaleable in England.”

4. From C. B. Wood, Esq., regarding the stick lac from the lichee tree, which was placed on the table at the last meeting :—

“I regret to say I cannot report favorably on the stick lac from the lichee tree. It appears to have been made some time, and must have been much exposed. What with the rain, wind, sun and small insects (which have fed on the dye matter) very little dye has been left. I was disappointed with the *quality* of the dye also. If the lac had been collected fresh, I am certain it would have given a very large percentage of dye. I send tests, one on cloth and one on flannel.”

5. From the Officiating Gardener,—his monthly report :—Mr. Manuel announces that the “Kamptee Dhall” and “Jowar” seed, the former presented by Mr. Grose, and the latter by Sir John Hearsey, have germinated readily about 80 per cent. That the tubers received from Captain Ripley, of Arracan in March last, of a plant which the natives call “Pengbhwano,”—and of which a sample of farina was also sent and rather favorably reported on at the last Meeting by Dr. J. B. Barry,—have sprouted, and prove to be *Tacca pinnatifida*, which is known to yield an excellent farinaceous powder. That the plots of cotton plants are growing vigorously, blossoming freely, yielding a good produce. Mr. Manuel continues as follows :—

“I may add for the information of the members, that as the season for planting out fruit grafts and other trees may be shortly expected, that the fruit grafts now on hand and available to members are twenty kinds of fine mangoes and twenty kinds of peaches, of about 500 each ; lichees about 100 ; pummelows about sixty ; *Achras sapota* about 100, and *Ægle marmelos*, or bael about 200, very fine and large sized fruits ; and other fruit trees, such as oranges, lemon, lime, loquats, &c., of about 1,000 plants.

In the Flower department, of dwarf flowering plants and shrubs, which are now in pots, about 15,000 are available, besides some rare specimens of Chrysanthemums, of more than 15 kinds, in about 200 pots, and a few plants of coffee seedlings and *Ceratonia seriqua* seedlings, (carob) besides a few of the Hongkong Pine, (*Pinus Massoniana*) and Chinese rice paper plant, (*Aralia papyrifera*), as also a few *Acacia* (Australia) seedlings from seeds recently received from the Superintendent of the Botanical Garden at Adelaide, and a few varieties of palms.

“It may not be irrelevant to observe here that the temporary stage erected under the large almond tree by my predecessor, for propagating Vanilla plants

on, as an experiment, for reasons so essentially necessary and useful in enabling the malis to reach the flowering spikes and fruits more conveniently, has proved so successful to the present time, that I cannot hesitate longer to draw your attention to this easy and convenient mode of propagating such an useful plant; and I may state that in the present year the plants have yielded a larger percentage of fruit than during the preceding year, which itself bears ample testimony to the advantage resulting from this experiment; and I am fully persuaded that, if the same plan is adopted elsewhere, the result will prove equally advantageous and successful in supercession of the old system of putting plants to the trunks of trees."

*Communications on various subjects.*

The following papers were likewise submitted:—

1. From R. B. Chapman, Esq., Under-Secretary Government of India, forwarding, in continuation of his letter read at the last meeting, copy of a minute by the Right Honorable the Governor-General, on the introduction of the Quiniferous *Cinchona* plants into India; and a memo. by the late Mr. Piddington on the same subject.

2. From H. Cope, Esq., a few more particulars regarding Munjeet as a dye-stuff, localities where grown, export, &c.

3. From C. E. Blechynden, Esq., a few remarks on Mr. Bashford's experiments on cross-breeding the Indian with the Europe silk moth.

(The above communications were transferred to the Committee of Papers.)

4. From the Chief Secretary Government of Madras, intimating that the Society's new list of premiums will be advertized for two months in the *Fort St. George Gazette*, in every alternate issue.

5. From W. Jordan, Esq., Lima, dated 26th February, announcing his intention of sending another supply of New Granada paddy in place of that received last year, and which proved unserviceable.

6. From Messrs. Gibbs and Co., London, enclosing a list of seeds, of field crops, &c., forwarded per ship *Blackburn*.

For all these communications and presentations the best thanks of the Society were accorded.

*(Wednesday, the 14th July 1858.)*

Baboo Peary Chand Mittra, Vice-President, in the chair.

The minutes of the last Meeting were read and confirmed.

The following gentlemen proposed at the last Meeting, were elected Members :—

Messrs. George Rogers ; A. V. Palmer, C. S. ; George Campbell, C. S. ; Manager Lucknow Botanical Garden ; and Colonel C. T. Thomas.

The names of the following gentlemen were submitted as candidates for election :—

Lieutenant W. C. Mackinnon, H. M. 87th Fusiliers,—proposed by Mr. E. F. Lautour, seconded by the Secretary.

George Smith, Esq., Shampore Mircha factory, Tirhoot,—proposed by the Secretary, seconded by Mr. C. A. Cantor.

Baboo Bhurruth Chunder Doss, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Rangopal Ghose.

Henry Crooke, Esq., Merchant, Calcutta,—proposed by Mr. J. Cowell, seconded by Mr. W. G. Rose.

Baboo Panchanun Mookerjee, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Shib Chunder Deb.

Lieutenant L. C. D. Ryder, 14th N. I., Sasseram,—proposed by Mr. C. A. Cantor, seconded by the Secretary.

• Baboo Vindrajnaidoo, Deputy Post Master, Mooltan,—proposed by the Secretary, seconded by Mr. W. G. Rose.

John Brown, Esq. (Firm of McNicol and Brown),—proposed by Mr. G. May, seconded by Mr. S. H. Robinson.

Baboo Heraloll Seal, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Mr. C. A. Cantor.

W. C. Taylor, Esq., Assistant Commissioner, Sonthal Pergunnahs, Nya Doomka,—proposed by the Secretary, seconded by Mr. W. G. Rose.

Baboo Jotendro Mohun Tagore, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Mr. W. G. Rose.

Captain Wm. Dicey, Assistant Master Attendant,—proposed by Mr. C. A. Cantor, seconded by the Secretary.

Captain James Masson, Darjeeling,—proposed by Dr. A. Campbell, seconded by Dr. J. C. Collins.

G. J. H. Glinn, Esq., Engineer, E. I. Railway, Sahebgunge,—proposed by Mr. Gilbert Hickey, seconded by the Secretary.

The following contributions were announced :—

1. Selections from the Public Correspondence of the Punjab Administration, Vol. I., Nos. 1 to 6, and Nos. 7 to 10 of Vol. II. Presented by the Government of the Punjab.

2. Several pamphlets connected with cotton cultivation. Presented by the Cotton Supply Association.



3. Journal of a Tour through the Pegu and Martaban Provinces, by Mr. R. Abreu. Presented by the Author.

*Resolved*—That the best thanks of the Society be given to Mr. Abreu, and five copies of his work be subscribed for.

4. Printed Papers connected with the preservation of the Neilgherry forests, and other subjects: also Lieutenant Beddome's Report on the vegetable products of the Pulney Hills. Presented by Dr. H. Cleghorn, Conservator of Forests, Madras.

5. A case of valuable plants from Sydney. Presented by Captain Ledbiter, of the *Swathmore*.

6. Four plants of a variety of orange alluded to in a previous communication. Presented by A. J. Sturmer, Esq.

7. Twelve bags of Seychelles cotton seed. Presented by J. M. Hall, Esq., on behalf of Messrs. Scott and Co., of Mauritius.

8. A sample of *bearded* paddy, from Kyook Phyoo, which, when cleaned, is excellent for the table. Presented by Captain F. W. Ripley.

9. Specimen of a good sized unripe pear, from a tree in the Circuit House Compound, at Berhampore. Presented by A. Grote, Esq.

In a subsequent note Mr. Grote mentions that there were ten other fruits on the tree; one which he took stewed well: he has had some layers made for the Society.

The Secretary stated he believed this to be the largest specimen of a pear, the produce of Lower Bengal, submitted to the Society.

10. A small quantity of seed of the sweet-kernelled apricot, which grows in the interior of Simla; the kernels have the taste of almonds. Presented by Lieutenant J. F. Pogson.

11. Specimen of the "Chikree" wood of the N. W. Himalayas, which he considers identical with Box. Presented by H. Cope, Esq.

12. A sample of oil obtained from the seeds of the "kurrunjah" (*Pongamia glabra*). Presented by G. H. Grose, Esq.

13. Cocoons of a wild silkworm, which have been feeding on the mulberry trees in his garden at Simla. Presented by Lieutenant Pogson.

"The silkworms I wrote to you about," observes Mr. Pogson, "have just commenced spinning their cocoons, and I have the pleasure to enclose two specimens. If the quality of the silk is good, and if more cocoons are required, I think I shall have no difficulty in sending you down a six-dozen chest full of cocoons. The Hill people have not the remotest idea of the silkworm or its value, and they look at me with an incredulous stare when I tell them that my silk blouse was spun by the worms, and then woven by the weavers. The mulberry grows wild up here; the

fruit is small,—color, light purple—flavor, sub-acid. The Paharees grow the trees for the sake of the leaves, on which they feed their cattle.”

Mr. Bashford, to whom this cocoon was sent, reports that “it has a harsh feel, evidently, I think, from a wild race; the cocoon is of good shape, and the fibre very strong; and the silk, though likely to be harsh, would still, I think, be good: the cocoon more nearly resembles those of the domestic worms than any wild ones I have seen, and from feeding on the mulberry I have some doubts. I have never seen or heard of wild silkworms living on the mulberry tree.”

The Secretary intimated that he had applied to Mr. Pogson for eggs for Mr. Bashford, who had promised to endeavor to rear them, and report the result.

A small box, made by Messrs. Lazarus and Co., from the cedar slab presented at the April Meeting, by Captain Lowther, was placed on the table.

#### *Nursery Garden.*

The gardener's monthly statement was submitted. Mr. Manuel reports on the case of plants from Sydney, presented by Captain Ledbitter, containing 33 plants of 21 varieties, of which 11 have reached in good condition, 12 sickly and 10 dead. The Seychelles cotton seed, presented by Messrs. Scott and Co., of Mauritius, has unfortunately proved a complete failure, though tried in a variety of ways. Captain Ripley's Arracan bearded paddy has germinated 70 per cent., and Dr. McGowan's China glutinous paddy only 30 per cent. Messrs. James Carter and Co.'s trial assortment of vegetable seeds, by overland mail, have germinated very readily. “The average percentage,” observes Mr. Manuel, “I find to be better than any vegetable seeds hitherto received, as many have yielded cent. per cent., whilst the rest from 70 to 80 per cent., with the exception of a few—indeed very few—yielding 25 to 30 per cent.: but taking all in all, the result is very satisfactory, and I really believe that seeds have seldom reached India in a better state.”

The gardener next refers to the operations in the orchard and other parts of the garden, as follows:—

“In the orchard I am pushing up as much of the different kinds of grafts as can be readily propagated during this season, to lay up a large stock of grafts for the ensuing season. That which I have of the last year's stock is now rapidly being distributed, and since the issue season has commenced, I have received large demands for distribution. I have available only eight grafts of the Mauritius mango for such Members whose names have been registered for the same, according to the enclosed list.

"The seven kinds of fibrous-yielding plants laid out, though the rains have set in late, are doing as well as can be expected; as also the bulbous and tuberous-rooted plants, more especially the aerial yams and the Chinese potato, sent by Mr. Fortune, called the *Dioscorea batatas*.

"The Chinese green dye plants having started with fresh vigour after their season of pruning, are now in as good health as in any previous year, and I think in better foliage. Of this plant I have now above 500 young plants available; I have also a large number of a few kinds of pine-apples for distribution.

"In the flower garden, besides the large collections of all kinds of roses, and the dwarf and other kinds of shrubs laid out, I have put down as much of the coffee seeds received from Mr. C. B. Wood, as I had available; and Vanilla cuttings, as I can with safety propagate, for the ensuing season, and to remark that I have still available three kinds of Vanilla plants ready for distribution, and also about eight Amherstia plants."

Mr. Manuel adds in conclusion:—"That he has completed the deepening and sloping the banks of the tanks, and will shortly finish the authorized repairs to the conservatory."

In connection with the above, the Secretary read a letter from the Right Hon'ble Sir Lawrence Peel, promising, in accordance with the Society's request, to use his best endeavors to obtain a good practical Gardener for the Society; and acknowledging the remittance of £100 to pay for his passage and other contingent expenses.

---

*Communications on various subjects.*

The following letters were likewise submitted:—

1. From the Secretary, Cotton Supply Association, Manchester, dated 10th May, advising the despatch of a quantity of North American cotton seed, as stated in the following letter:—

"I am instructed by the Executive Committee of this Association, to acquaint you that they have transmitted, by the ship *Contest*, from Liverpool, on the 4th instant, addressed to you, 2 tons of the best New Orleans Gulf Petit Mexican cotton seed, of the growth of last season. This seed is transmitted by this Association, free of charge, as a present to the Agricultural Society of Calcutta, and the Chamber of Commerce of Calcutta, respectively, in the hope that those bodies will aid the efforts of this Association to increase the supply of an improved quality of cotton, by causing it to be distributed to such persons, and in such localities, as will most probably give practical effect to this object, and where notes of observation can be taken as to the results of the seed so distributed and planted. I enclose copies of the Report of this Association, recently issued, from

which you will observe, that large quantities of seed have been distributed in numerous places, and in several countries. This Association is, however, fully alive to the vast importance of stimulating and encouraging an increased supply, and an improved quality, from the immense resources of the Indian Empire: although the 2 tons now sent, and the 2 tons to Madras, and 5 to Bombay, may tend but in a small degree to this end, the Association trusts that it may be regarded as an earnest of the disposition on the part of the cotton consumers of this country, to establish a more extended commerce in cotton than has hitherto been the case with India, and that the result will be the regular production of a quality more nearly resembling the New Orleans' variety than has hitherto been observed. I may add that the Association will be happy to receive from your Society any suggestions, by means of which they may contribute more effectually to the objects in view, and to be favored with such communication from your Society as will tend to establish a permanent correspondence. The Association cannot conceive that your Society can be otherwise than desirous to extend the cultivation and improve the quality of Indian cotton; in assuming this and in transmitting the seed herewith, it relies with confidence upon your cordial co-operation and support."

*Resolved*—That the best thanks of the Society be given for this seed, and that the result of distribution be duly communicated.

2. From D. Hanbury, Esq., London, dated 2nd June, giving the following report on the specimens of Arracan gamboge and resin, which were presented by Captain Ripley, at the close of last year:—

"No. I. *Gamboge* obtained from a tree called by the Burmese *Tanatan*, I find to be in its chemical characters precisely like ordinary Siamese gamboge; it is, however, much mixed with impurities, and is in fact but rudely prepared. If carefully collected and cast in bamboos (like the Siam drug), I cannot but think it would equal the finest gamboge we get. It would be interesting if Captain Ripley would procure good, pressed and dried flowering specimens of the tree, and also the ripe fruits preserved in spirits of wine, in order that the name of the plant may be accurately determined.

"No. II. Resin obtained from a tree called *Kangyoung*, is a hard resin, something like the *Kowri* gum of New Zealand. It could probably be sold as a cheap varnish gum, and in the London market would fetch, say 1*6s.* or 18*s.* per cwt."

*Resolved*—That a copy of this report be sent to Captain Ripley, and his attention requested to Mr. Hanbury's suggestions.

3. From H. Cope, Esq., submitting, in continuation of previous communications, a memo. of the quantity of munjeet exported from Kurrachee, for the last ten years.

4. From E. Chardon, Esq., some practical directions for the culture of the strawberry plant.

(These two communications were transferred to the Committee of Papers.)

5. From Major Voyle, Deputy Commissioner, Mooltan, promising to send seeds and grafts of the "late mango" of Mooltan.

6. From Captain W. H. Lowther, Suddiyah, Upper Assam, intimating that he is progressing actively in horticultural operations, and asking for seeds and plants of all kinds.

7. From Dr. J. C. Collins, Darjeeling, regarding American and Cape vegetable seeds. "I found the American seeds," writes Dr. Collins, "(with the exception of the peas and beans, which were all bad) excellent, almost every seed germinated, but they were not seeds of the best kinds of vegetables; in some instances the beet was small and stringy, and soon ran to seed. The cucumbers were also of a very small kind. I obtained very fine turnip, best from the Cape seed. I got very fine onions also from the American seed. I measured one of the onions this morning, and it was 12 inches in circumference. I have taken a great deal of care of my vegetable garden during the past year, and have succeeded in growing almost every English vegetable in perfection, thus showing that Darjeeling is well fitted for general horticultural purposes. Our flowers are beautiful, but unfortunately they are very much destroyed by the early rains. The geraniums have been very beautiful this year in the green houses."

8. From H. Cope, Esq., alluding to the repeated failures of the Society to introduce the Cape thatching grass (*Restio tectorum*) into Bengal, either by seeds or plants, and suggesting an application on the subject to Dr. Gibson, at Dapoorree, who, he understands, has been successful in introducing this valuable grass into the Bombay Presidency.

*Resolved*—That an immediate application be made to Dr. Gibson for plants.

9. From L. Berkely, Esq., Delhi, applying for hop seed for cultivation in the Hills.

*Resolved*—That the Society's seedsmen be directed to send a small quantity of seed to meet this and applications from other quarters.

10. From G. H. Freeling, Esq., Secretary, Local Committee, Hummeerpore, applying for seeds for the public garden at that station. "Having troops here," adds Mr. Freeling, "we are anxious to get to work at once."

11. From Major G. R. Hopkins, Darjeeling, applying for seeds for the soldiers' garden at that station. "Previous to my taking over the command," observes Major Hopkins, "the men having no seeds, planted potatoes, and, consequently, have not a single vegetable besides, and have to pay two annas for each cabbage, when to be had, and that only by two or

three at a time. At Dugshai seeds were supplied to the soldiers, and the result was, the garden not only was useful to them, but the station was supplied with excellent vegetables."

*Resolved*—That seeds be forwarded from the consignments shortly expected from North America and the Cape.

12. From Messrs. D. Landreth and Son, Philadelphia, advising despatch per *Coringa*, of the Society's annual consignments of vegetable and other seeds.

13. From Messrs. J. Carter and Co., advising despatch per *Chowringhee*, of a trial assortment of vegetable seeds: also of a portion of the same, by overland mail. The latter has arrived, and is alluded to in the gardener's report.

For all the above presentations and communications, the best thanks of the Society were accorded.

*(Wednesday, the 11th August 1858.)*

Baboo Peary Chand Mittra, Vice-President, in the chair.

The minutes of the last Meeting were read and confirmed.

The following gentlemen, proposed at the last Meeting, were elected Members:—

Lieutenants W. C. Mackinnon, and L. C. D. Ryder; Messrs. George Smith, Henry Croke, John Brown, W. C. Taylor, and G. P. H. Glinn; Baboos Bhurruth Chunder Doss, Panchanun Mookerjee, Vindrajnaidoo, Heeraloll Seal, and Jotendro Mohun Mookerjee; Captains William Dicey, and James Masson.

The names of the following gentlemen were submitted as candidates for election:—

E. N. C. Braddon, Esq., Assistant Commissioner, Sonthal Pergunnahs, Deoghur,—proposed by Mr. R. Blechynden, seconded by Mr. J. Church.

Baboo Joygopal Bysack, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Rajah Pertap Chunder Singh Bahadoor.

R. Ahmuty, Esq., Superintendent of Government Estates, Mymensing,—proposed by the Secretary, seconded by Mr. C. A. Cantor.

Baboo Pearymohun Chowdry, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Ramgopal Ghose.

M. Agabeg, Esq., Calcutta,—proposed by Mr. J. Agabeg, seconded by the Secretary.

Baboo Ramnarain Mookerjee, Zemindar, Jonaye,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Joykissen Mookerjee.

James Phillips, Esq., Nakunda Factory, Mohamedpore,—proposed by the Secretary, seconded by Mr. W. G. Rose.

Baboo Praunkissen Mookerjee, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Ramgopal Ghose.

James Hill, Esq., Allahabad,—proposed by the Secretary, seconded by Mr. J. Agabeg.

Baboo Ram Rutton Roy, Zemindar, Berunagore,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Ramanauth Tagore.

Arthur Kaye King, Esq., Calcutta,—proposed by the Secretary, seconded by Mr. W. G. Rose.

Baboo Joygopal Mullick, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Rajah Pertap Chunder Singh Bahadoor.

T. C. Cadogan, Esq., Merchant, Calcutta,—proposed by Mr. P. Johnson, seconded by Mr. P. Blyth.

Baboo Ramkissen Doss, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Roy Shibchunder Deb Bahadoor.

T. Menzies, Esq., Merchant, Mirzapore,—proposed by Mr. W. G. Rose, seconded by Mr. Agabeg.

Mons. Natalis Rondot was proposed, on the recommendation of the Council, a Corresponding Member of the Society.

---

The following contributions were announced :—

1. Notice du vert de Chine et de la teinture de vert chez les Chinois, &c., &c., by M. Natalis Rondot. Presented by the Author.
2. General Introductory Lecture delivered at the Medical College, 15th June 1858, by Dr. Thomson. Presented by the Government of Bengal.
3. Townsend's Annals of Indian Administration, Parts I. to VII., and the Indian Official Thesaurus. Presented by the Government of India.
4. Journal of the Asiatic Society of Bengal, No. 5 of 1857. Presented by the Society.
5. Public Correspondence and Petitions of the British Indian Association. Presented by the Association.
6. Selections from the Records of the Government of Bengal, No. 28. Presented by the Government.
7. The Fourth Annual Report of the Komugur Seminary, session 1857-58. Presented by Baboo Shib Chunder Deb.
8. A number of cuttings of the black pepper plant (*Piper nigrum*) from Kyouk Phyou. Presented by Captain F. W. Ripley.
9. A number of Orchids from Rangoon. Presented by Captain E. H. Power.
10. Fruit of a bamboo from Chittagong. Presented by the Government of Bengal.

The following is an extract of a letter from the Commissioner of Chittagong, dated 7th July, to the Secretary to the Government of Bengal, forwarding this fruit :—

“ I have taken the liberty to make use of the post to send to you some fruit of the bamboo. Even in our district, of which whole Hill tracts are covered with the bamboo growing wild, it is very rare indeed that the plant is known to fruit. The fruit now sent, seven in number, is in excellent preservation, and it strikes me that Government may think it worth while to send some of it to Europe, that the experiment may be tried whether it is not possible that the bamboo will thrive there.”

Dr. Thomson recognizes this as the false fruit of the berry-bearing bamboo, *Bambusa baccifera*.

11. Three large baking pears, weighing nearly a pound each, raised in a garden at Dorunda. Presented by E. W. Burgett, Esq.

Mr. Burgett has promised to obtain for the Society a graft or two of this fine pear.

12. Two unusually large “limes,” a cross, probably, between the pumme-low and lime, the produce of his garden. Presented by J. Agabeg, Esq.

13. Specimens of maize, from Upper Assam. Presented by the Reverend E. H. Higgs.

This maize has been raised from American seed, received by Mr. Higgs from the Society three years ago, and distributed among the Abors; it has rather deteriorated from the original stock, but is, notwithstanding, Mr. Higgs writes, very superior to the small indigenous kind, which it has almost altogether superseded.

14. Sample of arrow-root grown and manufactured under his superintendence, and on which he is desirous of a report. Presented by Mr. J. H. Galopin.

Dr. Barry pronounces this farina to be a pure article; he states that it might be rendered whiter by washing with clear water, but in all other respects the farina is excellent.

15. Specimen of elastic gum from Raungoon. Presented by Captain E. H. Power.

The following is an extract of Captain Power's note on the subject :—

“ Enclosed is a piece of Indian rubber, obtained from a creeper abounding in the jungles here, and in almost every compound. I am sorry I cannot give you its botanical name. I enclose, however, a piece of the flower and a young leaf. The plant grows to a great size, and spreads to a great extent over high and wide-spreading trees; it blossoms profusely, the slightest incision in the bark, the fracture of a leaf, or a portion of flower, causes the



milk to exude *most freely*. That which I send was collected on the top of a bottle in the space of 2 or 3 inches. It appears to me of very good quality, but I shall be glad to learn your opinion, and if you desire further information regarding it, it will give me pleasure to take up the matter."

Dr. Thomson observes that he cannot, with certainty, determine this *Apocynous* plant without better specimens, but he is inclined to think that it is a species of *Urceola*, but it would require specimens in full flower, and also in fruit, to determine the point. "It does not exactly agree," adds Dr. Thomson, "with the only *Urceola*, of which I have specimens, a species collected by Griffith, at Malacca, which is probably *Urceola elastica*."

Dr. Barry thus reports on the gum :—

"I have subjected this Indian rubber to the usual tests, and I am glad to inform you that the specimen has turned out a most excellent one. It is easily soluble in "Benzole," "Bisalphuret of Carbon," and "Chloroform,"—is very firm, and is in a great measure free from that stickiness which characterizes and deteriorates the Indian rubber manufactured in Assam. If the juice were washed with water, well boiled in *chunam* water, and pressed, it would be rendered almost as hard and permanent as the South American."

The Secretary mentioned that, in forwarding Captain Power copies of the above reports, he had requested him to send more perfect specimens, as also a living plant : further, that he had asked for replies to certain queries, which Dr. Barry had suggested, in regard to the abundance of the plant, its accessibility to collection, the cost of collecting, &c., &c., and a larger specimen of the gum, so as to admit of the whole subject being fully and carefully taken up.

16. Samples of the fibre of a very common plant, in Upper Assam, and of the tow of the "Rheca" (*Beehmeria nivea*.) Presented by Colonel S. F. Hannay. (Referred to the Flax Committee.)

The following is an extract of Colonel Hannay's letter regarding these articles :—

"A line to say that I have sent by the *Thames*, which left this day, a small bale containing samples of fibres. One, that of a very common plant in Upper Assam, and producing, by retting, a quantity of fibre, not of any particular excellence as to quality, but which might be found useful for paper, or work where a good dry tow was required. The plant, according to the natives, is of two kinds : one grows to a large tree, and the other growing and throwing out long, slender, and graceful *withes*, like the willow. The natives call this the *Lutta* or creeper *Mohowlee*, and the other the tree or *Gas Mohowlee* ; the botanical name, with a specimen of the leaves, is sent by Mr. Masters, of Golahghat, enclosed in the bale. The other sample is

some of the tow or refuse of the *Urtica nivea* or *Rheea*, which is separated during the cleaning process, according to the Chinese method, and is as follows:—

“The stalks of the *Rheea* are cut to within 3 inches of the ground, and each being broken in the middle by a particular method, by passing the fingers towards each end and through the fibre, this is stripped of the outer bark and all; the stalks are left on the ground, and the strips made up into bundles, are placed in water for about a couple of hours; this steeping extracting a quantity of brownish-colored matter, which would discolor if not injure the fibre if allowed to remain.”

“The bundles are then tied at the small ends, and hooked on to a post; each strand is taken separately in the left hand, and with a blunt knife in the right hand they are cleverly deprived of their outer bark; one draw of the knife, along the inner side, taking away the pulpy matter which remains there, thus leaving a clean strand of fibre only, which, hung up inside to dry in wet weather, or exposed to a little sun and a night’s dew in dry weather, is fit for the English market. In scraping off the bark, a small quantity of long and short fibre goes with it. When the work is finished, take up the whole of this entangled refuse, put it in clean water for a short time, dry and beat it out, and the result is the tow I now send; and thus every particle of the fibre on each stalk is saved. The tow subjected to bleaching would, I think, be found useful in many ways, for instance, to be made up into hospital lint, or for paper.

“The above method of preparing the *Rheea* is different from that pursued by the Assamese Dhooms, and which I have already detailed in a former notice of the *Rheea* fibre. But a cheaper method of preparation, and one which is best suited for preparation on the large scale, is to subject the strips of fibre, after being taken from the stalks, to the steaming process in boxes, tubes or cylinders. The steaming will soon carry off the sap and its bad qualities, and the bundles well dried will then, I think, be quite in a marketable state.

“*Rheea*, I hear, fetches in Calcutta £40 a ton; at this rate I am of opinion it would be very remunerative to cultivate and prepare it as I have stated.”

17. Sample of the resin of the *Thengan*, of Burmah, (*Hopea odorata*.) Presented by the Reverend C. S. Parish.

The following is extract of Mr. Parish’s letter, forwarding the above resin:—

“I have the pleasure also to send a small box containing a bottle full of the resin of *Hopea odorata*—the ‘*Then-gen-zee*’ (*Zee-resin*) of the Burmese. I am aware that dammer is procured from kindred trees; but this seems such a nice, pure, white resin, that I cannot but think that it might be turned to many useful purposes. The *Thengan* or *H. odorata* is one of the

largest of our jungle trees, growing to an enormous size; and as every third or fourth large tree is a *Thengan*, the resin might be got, I believe, in any quantities."

The Secretary read the following report on the above, with which he had been obligingly furnished by Dr. Barry :—

"The gum from the *Thengan* tree, left with me yesterday, has afforded the most satisfactory results; although not soluble in spirits of wine, it is perfectly so in *benzole* and *turpentine*. The varnish afforded by both reagents is clear and limpid, and dries almost instantaneously. It should take very well at home if the prejudice of the trade does not interfere with its introduction. I may mention, however, that gums of this class do not bring a high price at home."

*Resolved*—That a copy of the above report be sent to Mr. Parish, and that he be requested to furnish a larger sample, with the view of enabling the Society to extend enquiries in regard to its useful properties.

18. A small sample of "Ava" gram, forwarded for an opinion as to quality, &c. Received from Captain Power.

Baboo Peary Chand Mittra reports this gram to resemble the Patna gram as regards size, though Patna gram of the best quality is larger and bolder. It is deficient in point of color, in which it approaches Seebunge gram; its value may be assumed at present (29th July) at 1-12 per bazaar maund.

---

*Recommendation from the Council.*

The following recommendation was submitted for disposal at the next Meeting :—

That the Reverend C. T. A. Ferminger be elected a Member of the Council in the room of Mr. George May, who has left India.

---

*Nursery Garden.*

The Officiating Gardener's monthly report was read, of which the following are extracts :—

"In continuation of my monthly report for the past month, I beg to state that I received during the month two glazed cases of plants,—one from Captain Power, of Rangoon, containing seven kinds of Orchids, consisting of 41 plants, and the other case from Captain Ripley, of Arracan, containing about 100 slips of cuttings of *Piper nigrum*, of which a former report has already been furnished.

"I beg to state that, on examining the cuttings, I found them rootless, and from this condition I consider that they would not strike root, so I made

fresh cuttings of all, and they have since readily taken root, and thrown out fresh shoots. Nearly all are in good state, and can be distributed, such as are now ready, reserving a portion for the use of the garden.

"I have also received the following contributions from Mr. W. Stalkartt, of Ghosery, and the whole appears to be from a very good stock :—

- 2 plants of apricot,
- 1 do. of lime,
- 6 do. of vines, from the Nice stock.
- 6 do. of figs,

and from Mr. J. Scott Elliott the following :—

- 1 plant of Assam Hedychium,
- 2 do. of roses, one a *Rosa Noisette* of blueish white, and the other the same but red colored.

"In the orchard I have still a few grafts of mangoes and peaches, and other fruit grafts of the past season in hand available for the Members. The heavy demand for grafts, since the commencement of the season, has nearly taken off almost all, and a few like indents will, no doubt, exhaust the whole, but I am still prepared from my present season's ready grafts to meet almost any demand about the end of the present month.

"There are a few *Mesua ferrea* or 'Nahor' seedlings, raised from seed received from Mr. C. B. Wood, available, also some plants of *Bromelia karatas*, raised from seeds received from Mr. C. B. Sharp, of London, and *Tillandsia ecaulis*. A few very useful plants of *Ceratonia siliqua*, now in full growth, as also several kinds of vegetable herbs, viz., thyme, marjoram, salvia, horse-radish, chives, &c., as well as a few of *Carica papaya*, raised from seeds of a very superior description of fruit.

"The several kinds of cotton plants put down in three plots, are doing exceedingly well, and are at present in full foliage. Some plants have sprung up to about 8 feet high, and in full vigor, and will come into blossom very soon. The plants having taken such good healthy start, doubtless the coming crop will enable us to test its real quality as compared with the original plants in their native countries. Of the entire quantity of Seychelles cotton seeds received from J. M. Hall, Esq., in June last, I have been able to raise only six plants, and they are doing well. It shall have my best attention, being a good description of cotton, to enable me to secure its produce, as much as possible, for seeds. The plants from Pernambuco cotton seeds, received from the Government of India, and laid out in a separate plot of ground, have made a good growth, and are about 2 feet in height. The plants from Captain Dicey's acclimated Sea Island cotton seeds, from the Soonderbunds, are likewise of good size, measuring about 15 inches in height.

"The plants raised from the 'Jowar' seed, or *Holcus sorghum*, received from General Sir John Hearsey, in May last; (the seeds were put in open ground at the commencement of the rains,) have now attained about 5 feet in height, and are doing well.

"I may also add that the tubers of *Dioscorea batatas*, received from Mr. Fortune, and the New Zealand aerial yams, received from Captain Hill, and laid out in the garden about the beginning of May, have made a good start, and are climbing up on bamboo posts.

"It is my pleasing duty to record the following for your information:—The Burmah bamboo, or the *Bambusa gigantea*, has made very healthy and vigorous growth; in many clumps the shoots have come out exceedingly well, and, though young and tender, its height exceeds expectation; some young shoots have now risen to the height of about 25 to 30 feet, and in the girth, at the base, is about 20 inches, and these have yet time before them to grow still higher; but two other clumps have grown astonishingly, one shoot measuring only 5 feet in height, measures in its base 30 inches in circumference; and another of 3 feet in height, measures 27 inches in circumference. This is just the description of bamboo much prized in Burmah for converting into many useful articles for domestic purposes. It also makes a very good description of bucket to draw water from large wells, by cutting it in every joint.

"The Chinese striped bamboo, presented by Mr. Emerson, has likewise made a vigorous start, and has thrown out new shoots. I have endeavored to make several cuttings of the above two descriptions of bamboo, and fully expect a large number of young plants before the winter sets in.

"In the flower department I have still a large collection of useful and ornamental plants available. A large number of *Amherstia* will be soon ready for distribution. The *Achimenes* and *Gloxinia* bulbs, received last year from Messrs. Carter and Co., have again sprouted up freely; I made a few cuttings of the *Gloxinias*, which had not only started, but had taken bulbs. I intend to make cuttings of a larger number in the ensuing season. I have at present a large collection of *Gesnera* plants, of beautiful white long flower, and a few *Achimenes longifolia* and *rosea*, which I had separated from other bulbs of the stock available; as also a few seedlings of *Callysaccion longifolium* and *Crescentia cujete*."

In connection with the above, the Secretary submitted a letter from Mr. M. Betts, Secretary of the Berhampore Public Garden, and Mr. Sharp, Superintendent of the Barrackpore Park, reporting on the vegetable seeds forwarded by Messrs. James Carter and Co., by the overland Mail. Mr. Betts states that the nineteen sorts sown by him have germinated, and he has reserved eleven for sowing in the proper season. Mr. Sharp has sown thirty

sorts, of which eighteen have come up readily, five sorts tolerably well, and seven (cabbage and coss lettuce, curled endive, onion, leek, curled parsley, and red celery,) have not shown any signs of germinating.

*Communications on various subjects.*

The following letters were likewise submitted :—

1. From H. Cope, Esq., enclosing an interesting paper on the *Gillur-kaputta*, a sea weed, which is used medicinally in the Punjab. (Referred to the Committee of Papers.)

2. From Mons. Natalis Rondot, Paris, presenting a copy of his work on the green dye of China, and expressing a desire to be enrolled in the list of Corresponding Members of the Society.

3. From James Cowell, Esq., announcing his approaching departure from India, and offering his services to the Society whilst in France and Italy.

*Resolved*—On the recommendation of the Council, that Mr. Cowell's kind offer be accepted, and that he be requested to obtain, among other things, seeds of madder, olive, and the cork oak : also any pamphlets or works bearing on French Agriculture, statistics, agricultural schools, &c.

4. From R. Montgomery, Esq., Commissioner of Oude, applying for a large quantity of vegetable seeds for soldiers' gardens at Lucknow :—

"There is a great want here," writes Mr. Montgomery, "for vegetables for the European soldiers, and I have undertaken to supply them with English vegetables in the cold-weather. It is calculated there are 4,000 Europeans here, and that 3,000lbs. of vegetables will be required per diem. \* \* \* \* The soldiers here are getting up gardens. If you can send them a supply of acclimated fresh common flower-seeds, I shall be obliged ; such as stocks, mignonette, sweet pea, &c., &c. To show the animosity that prevailed, the rebels destroyed all English fruit trees, such as peaches, apples, &c., &c."

5. From J. P. Walker, Esq., Superintendent, Port Blair, returning thanks for seeds sent to the Andaman Islands, and applying for a further supply, especially of vegetable seeds, as he is desirous of trying a great variety, in the hope of securing a very plentiful supply of vegetables for the convicts.

*Resolved*—That both these applications be met to the best of the Society's ability.

6. From H. Cope, Esq., Umritsur, intimating that he is making a collection of the raw products of the Punjab for the Kurrachee Museum, and offering to make a similar collection for the Society, the cost of which will not exceed Rs. 40.

*Resolved*—That Mr. Cope's offer be accepted with best thanks.

7. From Mr. R. Abreu, forwarding the 5 copies of his Journal subscribed for by the Society at the last Meeting.

For all the above presentations and communications the best thanks of the Society were accorded.

*(Wednesday, the 15th September 1858.)*

The Hon'ble Sir Arthur Buller, President, in the chair.

The minutes of the last Meeting having been read and confirmed, the following gentlemen, proposed on that occasion, were duly elected members :—

*As a Corresponding Member.*

Mons. Natalis Rondot, of Paris.

*As Ordinary Members.*

Messrs. E. N. C. Braddon, R. Ahmuty, M. Agabeg, James Philips, James Hill, A. K. King, T. C. Cadogan, and T. Menzies ; Baboos Joygopaul Bysack, Pearymohun Chowdry, Ramnarain Mookerjee, Praunkissen Mookerjee, Ram Rutton Roy, Joygopaul Mullick, and Ramkissen Doss.

The names of the following gentlemen were submitted as candidates for election :—

Lieut. T. F. O. Scott, Adjutant, Sylhet Light Infantry,—proposed by the Secretary, seconded by Mr. W. G. Rose.

Captain R. C. Birch, Senior Assistant Commissioner, Chota Nagpore, Chybassa,—proposed by Mr. I. N. T. Wood, seconded by Mr. W. G. Rose.

Mr. G. F. Kellner, Burdwan,—proposed by Mr. Longueville Clarke, seconded by Mr. A. T. T. Peterson.

Major H. W. Blake, Commanding Pegu Police Battalion, Rangoon,—proposed by the Secretary, seconded by Mr. W. G. Rose.

G. F. Lord, Esq., Manager, Bengal Coal Company, Raneegunge,—proposed by Mr. C. B. Stewart, seconded by Mr. W. Cockburn.

J. B. Roberts, Esq., H. M. Coroner for Calcutta,—proposed by Mr. J. F. Galiffe, seconded by the Secretary.

I. W. H. Ilbery, Esq., Merchant, Calcutta,—proposed by Mr. J. C. Murray, seconded by Mr. C. A. Cantor.

R. A. Wood, Esq., Khabuipore, Kishnaghur,—proposed by Mr. F. MacLagan, seconded by the Secretary.

C. H. Barnes, Esq., Colgong,—proposed by Mr. C. E. Creswell, seconded by the Secretary.

B. Kendall, Esq., Civil Surgeon, Balasore,—proposed by Mr. C. A. Cantor seconded by the Secretary.

Dr. James Allan, Civil Surgeon, Gowhatti,—proposed by the Secretary, seconded by Mr. Cantor.

H. T. Prinsep, Esq., Civil Service, Midnapore,—proposed by Mr. W. Terry, seconded by the Secretary.

Hartley Watson, Esq., C. E., E. I. Railway, Monghyr,—proposed by Mr. John Bean, seconded by the Secretary.

C. Paterson, Esq., Indigo Planter, Colgong,—proposed by Mr. W. Landale, seconded by the Secretary.

R. Scott Moncrieff, Esq., Bank of Bengal,—proposed by Mr. J. Scott Elliot, seconded by the Secretary.

---

The following contributions were announced :—

1. Balfour's Cyclopædia of India and of Eastern and Southern Asia (two copies.) Presented by the Editor.

2. Journal of the Indian Archipelago, Nos. 2 and 3 of Vol. II. Presented by the Government of India.

3. Report upon the Oils of Southern India, by Lieutenant H. P. Hawkes. Presented by the Author.

4. Journal of the Asiatic Society of Bengal, No. 2 of 1858. Presented by the Society.

5. Madras Journal of Literature and Science, No. 6, Vol. III. (new series.) Presented by the Madras Literary Society.

6. Report on the districts of Midnapore and Cuttack. Presented by the Government of Bengal.

7. The Mutlah as an Auxiliary Port to Calcutta, its progress and prospects. Presented by the Mutlah Association.

8. Half-yearly Report of the Bengal Chamber of Commerce. Presented by the Chamber.

9. A case of plants, and a small packet of seeds. Presented by the Superintendent Botanical Garden at Jamaica.

The Gardener reports that, with the exception of a *Bromelia* and a few ginger roots, the contents of this case have reached perfectly dead.

10. A number of healthy mangosteen seedlings. Presented by C. B. Wood, Esq.

11. A case of orchids from Rangoon. Presented by Captain E. H. Power. These have reached in good condition.

12. A small quantity of Rungpore tobacco seed. Presented by C. D. Quintin, Esq.

13. A small quantity of tobacco seed, raised at Akyab from Rungpore stock, received last year from the Society Presented by Captain F. W. Ripley.



14. Five kinds of seeds from Upper Assam. Presented by Captain W. H. Lowther.

The following is extract of Captain Lowther's letter respecting these seeds :—

"I am sending you a few Assamese seeds per dāk banghy : they are :—  
No. 1—An extraordinary bitter apple-like fruit, used in Assamese medicine both externally and internally : a handsome tree of low growth—flowers (I have not seen) said to be handsome, white in color : this fruit has a most delicious smell and appearance, just like an English crab-apple, but the least touch of its pulp on the palate leaves an intense acrid, bitter taste, lasting for some hours. It is called by the people here 'bun maduriām,' or 'jungle guava.' I have not the least doubt that it contains highly valuable properties. No. 2—Seeds of '*Passiflora edulis*,' which fruits here with us most luxuriantly ; has become quite a weed wherever introduced. No. 3—Assamese beans, bearing abundantly ; a climber of large growth ; good eating when very young, like the common Indian 'burra seem.' No. 4—A few seeds of a handsome white *Clerodendron*, of long growth, common in all our forests. No. 5—A tall climbing '*Asclepiad*' of our forests ; flower I have not seen, but is, no doubt, large and handsome, to judge by the seed vessels. I shall now be moving about on the wild frontier ; and shall, I have no doubt, add largely to the present collection before very long."

15. A small quantity of the seed of the *Pala* indigo (*Nerium tinctorum*) from the Salem district. Presented by G. F. Fischer, Esq.

16. A quantity of bamboo seed from the Burdwan district. Presented by F. M. Nicol, Esq.

17. Two cocoanuts of a large size from the Beerbhoom district. Presented by Baboo Bissumber Sing.

18. An excellent sample of raw flax from Goordaspore, in the Punjab. Presented by H. Cope, Esq.

The following is extract of Mr. Cope's letter on the subject :—

"Passing, the other day, through Deenanuggur, an entrepôt for much hill produce, in the district of Goordaspore, a native dealer mentioned, among other items, that he had recently purchased a small quantity of 'ulsee kasoolier.' Would I like to see it ? I of course expressed my readiness, and he brought me a few seers (all he had purchased) of flax, which surprised me not a little. As it is a curiosity worth placing in your museum, I do myself the pleasure of sending you a sample, which I shall be obliged by your showing to your Flax Committee. You will observe the length and strength of the fibre, also its fineness, and how particularly free it is from all particles of boon. I asked, led to do so by this last quality, whether it had been stripped from the stem by hand ? No, it had been prepared by the grower with a cotton churkha, and he (the grower) and others had assured the purchaser

that, if he could find them a market, they were ready to grow large quantities. I have submitted a sample to Mr. Steiner, late Superintendent of flax operations in the Punjab, and will communicate his opinion."

Mr. Stalkartt (a Member of the Fibre Committee) reports on this flax as being very soft, of good quality, and fine fibre.

19. Specimens of a substance called by the hill people "kuff" or "kuffee," the downy filament on the under side of the leaf of a plant called "sookta" (*Chaptalia gossypina*, syn. *Oreoseris lanuginosa*.) Presented by General H. C. M. Cox and Lieutenant W. A. Ross.

Before reading the following extracts of letters from General Cox and Lieutenant Ross, the Secretary stated that the "kuffee" had been several times brought to the notice of the Society, first by Dr. Falconer, in 1836; then by Major Charlton, in 1850; again by Captain Lowther in 1855; and in the early part of last year, by Captain D. Briggs; the last-named officer was requested to send several seers of it to admit of a fair experiment as to its capability for manufacturing into paper of a fine quality; but the Society had not heard further from him on the subject:—

*Extract of a letter from General Cox, Mussooree, dated 3rd August 1858.*—"Some months since Captain Briggs suggested to the Society, as an article calculated to make paper, the film found on the under side of the leaf of *Oreoseris lanuginosa*, which grows abundantly on these hills. Long before Captain Briggs' suggestion appeared, I had collected and taken some to England in 1855, with the intention of submitting it to some paper manufactory for trial; my brief stay at home, however, and other causes prevented my doing so. I am now collecting more of it to take home as an experiment, but without an idea, even if it answers the purpose, that it can be collected and exported in such quantity as to become an article of trade. The following result of my experiment will, I think, substantiate my opinion:—

"I had a seer of the leaves weighed and the film separated, the product was three-quarters of a chittack of film from 1 seer of the leaves, or, to state it in the nearest approximating English weight, 2lbs. avoirdupois gave  $1\frac{1}{2}$  oz. of film; consequently 1 cwt. or 112lbs. of the leaves would only produce 5lbs. 4 oz. of the film, and 1 ton of leaves less than 1 cwt. of the film. The plant, though common, produces only from three to four leaves, varying in size; I send you in a separate envelope four leaves, showing the different sizes, one a very large leaf, with the film unremoved from any of them, and a small quantity of the film."

In a subsequent note, dated 27th August, General Cox thus writes:—"I have the pleasure to acknowledge the receipt of your letter of the 14th instant. The maximum number of leaves on each plant is eight, the minimum three. I pay *one anna* to a cooley for a *kunder* or hill basket of leaves, weight

about 12 seers, and the product 1lb. 2oz. of the film; separating the film costs about one anna more, or two annas for 1lb. 2oz. In some cases the leaves get blighted by the continuous mist and fogs which prevail here, and on examining the under side of the leaf, one-half will often be found of a brown tinge, and whenever this is the case the film will not separate."

*Extract of a letter from Lieutenant W. A. Ross (Bengal Artillery), dated Murree, 25th July 1858.*—"I have the pleasure of enclosing you a substance which the natives call 'kuff,' peeled off the leaves of a plant called by the puharries 'sokhta,' and which they use instead of tinder for their matchlocks, &c. About two years ago some of my acquaintance showed me this leaf at Simla, recommending it as capital stuff for a 'felecta' for cheeroots, and on looking at it closely, it immediately struck me that it was very like the pulp of which the finest paper is made, and I had thoughts at that time of sending some of it to Messrs. Fourdrinier, the large paper manufacturers in Staffordshire, with whom I am acquainted. But, perhaps, it will be better to send you some specimens with this brief account for publication, in order that, if paper of a finer quality is made at all in India, it may be tried here first. The plant 'sokhta' is exceedingly common in the Himalayas, and is found over their whole extent from Murree to Almorah, at both of which places, as well as Simla, I have found it. When the leaves are damp and green, the 'kuff' is peeled off the back of the leaf with great facility and quickness, so much so, that it is a peculiarly pleasant occupation, and especially suited for the small delicate fingers of women, boys or natives.

"I should think, by a little cultivation, the 'kuff' would be much increased on the back of the leaf of the 'sokhta,' and be more likely to make good paper.

"I believe the supply of rags for paper-making has very much diminished in England, so much so, that the *Times* paper has offered a large reward for a substitute. I don't think this 'kuff' would make the stronger and larger kinds of paper, but am pretty certain it would be available for that of the finest and most delicate kind. I enclose also a small leaf of the 'sokhta' plant, quite fresh and green, but I suppose it will have dried up by the time it reaches you."

In a subsequent letter, dated 2nd August, Lieutenant Ross gives the following additional particulars:—

"In reply to your letter of the 14th instant just received, I beg to assure you that I was quite aware of the notice the plant 'kuff' had formerly received from Indian botanists, as well as its capability for various manufactures, but what I wished to suggest, was its apparently peculiar susceptibility of being made into the pulp, from which the finest paper

could evidently be made, and it was I who suggested this susceptibility to Captain Briggs in walking down one day, in 1856, from Simla to Lolon.

"The *plant* is a mere weed, and covers the whole of the unwooded hills in the *very greatest profusion*. The collection and disengagement of the down from the back of the leaf would cost little or nothing, but I will try, for your information, how much *one* cooley can obtain and disengage in *one* day.

"With regard to the 10 seers, I can easily obtain that, or a much larger quantity for you, and I will despatch it to your address as soon as possible.

"Besides the above, I will try and procure for you the following information regarding this little plant :—

"1st.—In what proximity to the plains it can be found.

"2nd.—How far in the interior of the hills, and towards the snow ditto.

"3rd.—At what season the leaf bears the greatest amount of the 'kuff.'

"4th.—If the leaf would be enlarged, or the 'kuff' increased by *cultivation*.

"With regard to the carriage in this country and freight to England of the 'kuff,' I should think it will cost less than those of most other substances, from its extreme lightness and capability of being closely packed.

"I would also beg to suggest, that as 'gun paper' has been found almost as efficient for blasting and other purposes, and a great deal cheaper than 'gun cotton,' the 'kuff,' from its already combustible nature, being largely used for tinder, might prove a very superior element in the manufacture of the former.

"At any rate, of whatever use this substance may be found, these facts regarding it are undeniable, *viz.*, that the supply is inexhaustible, the cost of collection and preparation little or nothing; and the carriage and freight as small as that of any useful substance can be."

*Resolved*—That on receipt of the quantity promised by Lieutenant Ross, it be forwarded to the Society of Arts for trial and report by the first paper manufacturers.

20. Samples (white and yellow) of raw silk from Deenanuggur, in the Punjab. Presented by H. Cope, Esq.

Mr. Cope states that this silk has been grown and prepared by a Cashmerian, of the name of Jaffer Ali, a resident of Deenanuggur, and that the people at Umritsur offer Rs. 16 a seer of 96 tolahs for it.

(Further particulars regarding this silk, which is considered very fair for a first experiment, will be found in the body of the proceedings.)

21. Samples of coffee and cassia from the Deyra Dhoon. Presented by H. G. Keene, Esq.

"I have despatched to your address," writes Mr. Keene, "a specimen of coffee grown by a native landholder in this district, and shall be happy to receive and communicate to him your Society's opinion thereon. I have put in with the coffee specimens of cinnamon (or cassia ?) from Jounsa Bawur, the hill pergunnahs of this district. Two or 3,000 lbs. are now available."

The coffee had, unfortunately, been put in an air-tight tin box in a green state, and had, consequently, reached in too mouldy a condition to admit of a fair opinion being formed, but it seemed to a member of the Committee to be a good description of coffee. The cassia is pronounced of good quality.

### *Nursery Garden.*

The Officiating Gardener's monthly report was submitted. After alluding to the receipt of cases of plants from Captain Power of Rangoon, and the Botanical Garden at Jamaica, Mr. Manuel proceeds as follows :—

"The imported vegetable seeds received for the present season are from Messrs. Gibbs and Co., of London; Messrs. Villet and Sons and Mr. Templeman, both of the Cape; and Messrs. David Landreth and Sons, of Philadelphia. All the trial sowings were immediately made in the usual way, after examining each packet, which I found in good condition. The tabular statement of each sowing I beg to enclose.

"Of the entire batch I found the American seeds to be unexceptionable, and feel greatly satisfied with the result. I may add that the present importation is, I consider, far superior to that of last year. As I had made both sowings myself, and had carefully watched their progress, the result fairly shows the present to be superior to that of the past season; and I expect, when the regular sowing season arrives, the issue will fully bear out my expectation.

"Next to the American seeds is that of Messrs. Villet and Sons, whose imported seeds of the present year are fully equal to that of the last; and I may add, that from the past year's seeds I took great care in rearing the onions and celery, both of which had germinated very satisfactorily; both were laid out in open beds, where they remained for the whole of the year, withstood the severe heat of this year, and the heavy rains of July and August. The celery is now coming into bloom, and I expect it will seed.

"Mr. Templeman's comes next in the list, and which I find as good as that of last year; though a few failed to germinate, yet I consider, if I allow another trial, it may redeem their character. When the season for laying all out in the open ground freely admits of doing so, it will be carefully watched to mark its progress, and the result accordingly submitted.

"As to the seeds received from Messrs. Gibbs and Co., a little disappointment is felt, inasmuch as the result of the past years shows better than that of the present, as will be seen from the tabular statement of the present year's sowing. Besides this sowing I gave another trial, but the result proved as unsatisfactory. I am unable to attribute the failure of the few seeds to any reasonable cause, as the seeds seemed to be fresh on examination. The only cause to which this can be attributed is that, perhaps, such seeds were in a package which might have been stowed in some part of the ship where excessive heat may have destroyed their germinating properties. The seeds received last year were very good, as each kind of field crop had not only freely germinated, but yielded a good return, especially the carrots, turnips, raddish, and the far superior beet which, in size, both yellow and red, was astonishingly great.

"Of the vegetable seeds received from Messrs. Carter and Co., by overland, and the report of the trial sowing given in my last, I beg to add that since then the following seeds have germinated, and I consider has yielded a good return.

Cabbage, Carter's matchless,	yielding 40 per cent.		
Endive, curled,	do.	50	do.
Lettuce, compact,	do.	30	do.
Parsley,	do.	70	do.
Spinach,	do.	30	do.

And the number failed are the celery, leek, onion and Brussels sprouts.

"I beg to forward for distribution the present year's crop of maize raised from the acclimated seeds, the produce of the garden of past year. These I raised from a small quantity of seeds which I had retained for sowing in the present year. Of the imported American seeds of last year, the quantity I had retained for sowing, I regret to say that I failed to obtain a crop. Of a quantity which had germinated, some withstood the severe heat of the past season, but others flagged much, and, consequently, gave no produce. As both seeds were simultaneously laid down, the failure of American seeds I attribute to the excessive heat which prevailed at the time, and which was, the least to be said, unexpected, the average Fahrenheit averaging from 130° to 132° out-doors. The small quantity of seeds I received from Mr. Butler, I had retained for a more favorable season, and when these were laid down, the sudden heavy showers of rain tended much to destroy them; however, I have obtained a small crop, which I consider to be satisfactory. They are of good kind, and full in ear.

"I regret to add that the same unfortunate result attended the present year's crop of jute, and the two kinds of *Hibiscus*, (the sorrel plants.) Though the seeds freely germinated, yet, owing to excessive heat and want of

good showers of rain at the time of germination, all the plants have, more or less, suffered in being stunted—and though the rains came on pretty well in July and August, yet the plants could not well revive—and now the rains having so suddenly ceased, and the sun again becoming powerfully hot, will tend to no good benefit to these plants before they come to maturity. But I may say that, in looking to the growth of the plants laid out by the ryots in the fields adjacent to the garden, I find mine to be of better growth; the poor people lamenting much their loss in the jute and sugar-cane crops, which, to them, have been a complete loss.

“I also regret to say that the English acorn seeds received from Reverend Dr. T. Boaz have failed to germinate. The failure of these I chiefly attribute to their arriving here too late in the season.

“As the season freely admits of planting out fruit grafts and other trees, I may add that I have still remaining some mango and other grafts, and have added to the stock of ready grafts of peaches of all kinds, and a few, about five kinds, of pummelows—and other grafts—all of which are available to members. Besides these, I have remaining out of the batch of plants presented by Dr. Thomson, of the Honorable Company’s Botanic Garden, some good and ornamental kinds of plants, and fine timber-yielding trees, which would make good plants for large and extensive gardens, and which can be had on payment of pot charges. These plants comprise various kinds of palms and other trees, viz. *Guatterias*, *Dilleinas*, *Bauhinias*, *Semecarpus*, *Mimusops*, *Gardenias*, *Michelias*, *Carreyas*, *Sapindus*, *Pterospermum*, *Aglaias*, *Berryas*, *Shoreas*, *Neriums*, *Bignonias*, *Nephilum*, and *Combretums*.

“I beg to forward specimens of fibres from three kinds of fibre-yielding plants: two are from the *Papeng shaw*, which I failed to extract last year; one from *Sida rhomboidea*, and one of dhuncha, which I had likewise failed to extract last year. The experiment made on the *Papeng shaw* was in two ways, and the result, as succeeded, is now submitted. One process was, that I stripped the bark and immersed it in water, keeping the same for fifteen days; and the other was to strip the bark and to allow the process of fermentation to take place before immersing the same in water, which took place in forty-eight hours, and remained immersed in water for seventeen days, when I had them washed, and the refuse separated from the bark. I believe, as the specimen will show, that the bark does not admit of the process of fermentation, as that which is without has yielded a finer description of fibre, but the period it has taken to complete is, I consider, too long; but this, I believe, arises in consequence of the plants being taken before they have arrived at maturity, and, therefore, I intend to make another experiment. The dhuncha fibres are extracted in the same way, and I don’t think, unless they are stripped of the bark, it will admit of their being extracted. Of the whole, I

consider the fibres of *Sida* to be the best ; however, I submit all for inspection of the meeting.

“ I also beg to forward two brinjals, the produce from the seeds received from Bombay, from Mr. C. B. Morgan. These are medium-sized ones, as those of the largest kind have run into seed, and therefore unable to send them for your inspection. I am of opinion that these brinjals are of very superior kind ; the largest, which is nearly treble its size, were found to be very tender and fine flavored, and therefore worthy of cultivation as the best of its kind.”

---

The recommendation of the Council, submitted at the last meeting, that the Rev. T. C. Firminger be elected a member of the Council in the room of Mr. George May, who has left India, was next brought forward and unanimously agreed to.

---

*Fibres from Darjeeling.*

A report was read from Mr. Stalkartt on the three samples of nettle fibres from Darjeeling, presented by Captain Masson, at a recent meeting, of which the following is an extract :—“ A portion of each of these musters has been passed over a flax heckle which, with its tow, I return. The fibre is strong, fine, and would make a good and, perhaps, superior substitute for flax, and might enter into the composition of linen fabrics ; its value can scarcely be determined here, but should be sent to the Chamber of Commerce, at Dundee, for valuation and demand. I beg that one portion (which has been heckled) be sent to Captain Masson, to guide him respecting the getting up of the material, which is absolutely necessary to make it sought after, with a view to large transactions. The preparers of this nettle and pooah fibres, after twisting it to take out the water, should be more careful when spreading it out to dry to twist it back again, and lay every fibre perfectly straight, or, in the process of heckling it, there will be a large proportion of tow, which should be avoided.”

*Ordered*—That a copy of the above report, and the prepared samples, be forwarded to Captain Masson.

---

*Silk Culture at Deenanuggur, in the Punjab.*

Read the following letter from Mr. H. Cope, dated Umritsur, 7th June, on the above subject :—

“ Since I had the honor to forward my impressions regarding the introduction of the silk-worm into the Punjab, I have had some opportunities of seeing how really great are the advantages available in support of such a measure. I have seen vast tracts of waste lands, situated at the foot of the



hills, suited, in an especial manner, to the cultivation of the mulberry tree: better still I have seen in almost every village through which I have passed magnificent mulberry trees that would afford food for countless numbers of worms, and I have learnt that a considerable number of the Mahomedan population would undertake the rearing of these worms if they could see their way clearly.

“ Amongst other places visited was Deenanuggur, a commercial entrepôt of some importance, situate in a fertile part of the Goordaspore district, near enough to the hills, to derive some advantage from that proximity with the Huslee Canal passing through its lands, and the promise of enlarged irrigation when the works of the Baree Doab Canal shall have been completed. It is not mentioned in any previous paper as one of those localities in which the silk-worm has, at any time, been introduced, but is admirably adapted for such an experiment. The mulberry abounds, and the climate is suitable in March and April.

“ I was, therefore, much gratified to learn that a Cashmeerce, named Jaffer, with his son Rehman, had been engaged, for the last three or four years, in rearing the silk-worm; that he had this year obtained 4 seers of silk, and was finally so well satisfied with his prospects of success, that he had *purchased* 8 beegahs of land for the purpose of forming a mulberry plantation, and this without any communication with, or encouragement, direct or indirect, from the European officers of the district. I had not time to see the man myself, but the facts are beyond a doubt, as I have ascertained through the obliging enquiries of Mr. Naesmyth, Deputy Commissioner of Goordaspore, and I believe it is the intention of that zealous officer to recommend Jaffer and his son to the consideration of Government, as deserving some pecuniary reward for their enterprise.

“ I venture to consider this man deserving some mark of approbation at the hands of your Society, and that such a mark, bestowed through the local authorities, would have a very good effect in encouraging others to follow the excellent example set.

“ I shall probably have early occasion again to visit Deenanuggur, and will report more fully on the experiment, but in the meantime beg to be allowed to recommend that the Society present Jaffer with a silver medal and a certificate in Persian, *on parchment* (heir-looms of this kind are very highly prized), stating that the members have heard with satisfaction of his efforts to raise silk at Deenanuggur, and hope they will meet with the success they deserve, or something to that effect.

“ *P. S.*—I ought to have mentioned above that hitherto Jaffer has purchased leaves from the owners of *mulberry* trees, on which to feed his worms of the past year.”

Read also a letter from Mr. Naesmyth, Deputy Commissioner of Goordaspore, dated 28th August :—

“ In reply to your note of the 7th instant, I have the pleasure to reply as follows :—

“ 1. Jaffer Ali has cultivated, with mulberry, 4 acres and 3 roods of land.

“ 2. He has cultivated the land for this purpose since May 1856.

“ 3. He has cultivated the above solely for silk-worm feeding.

“ 4. He has introduced the worm in his cultivation, which is progressing favorably.

“ 5. The above was entirely his own doing, and not at the instigation of any government official.

“ 6. He is anxious to extend the cultivation.

“ 7. Jaffer is the sole cultivator.

“ 8. I think the donation of a medal from the Society would be prized, and would

“ 9. Be likely to induce others to follow his example.

“ 10. The part of the country is well adapted for silk-worm feeding.

“ I shall be glad to supply any further information which may be required. Jaffer Ali has, at my recommendation, received a cash donation of Rs. 50 from Government for his exertions.”

Submitted also a recommendation from the Council, to the effect that the Society award its silver medal, with a suitable inscription in Persian, to Jaffer Ali, for the reasons set forth in the above communications.

Baboo Peary Chand desired to give notice of a motion to the above effect, for disposal at the next meeting.

---

The following extract from the proceedings of the Council, at their monthly meetings, held in August and September, were submitted, and ordered to be incorporated in the proceedings of this day's meeting :—

“ That a Sub-Committee, composed of the Reverend J. Long, Mr. W. G. Rose, and Baboo Peary Chand Mitra, be appointed for the purpose of reporting on the feasibility, or otherwise, of the establishment of Agricultural Schools in Bengal and the Upper Provinces, at the next meeting of the Council.”

“ In consequence of the publication of an extract from the despatch of the Court of Directors, requesting the Government not to incur any further expenditure in the Education Department, we beg to recommend that the consideration of the question, on which we have been requested to report, be postponed, until there is a change in the circumstances of the country to warrant the Society taking it up again.”

PEARY CHAND MITRA.

W. G. ROSE.

*Communications on various subjects.*

The following papers were likewise submitted :—

1. From Lieutenant R. Stewart, an interesting report on the progress of tea cultivation in Cachar.

The best thanks of the Society were voted to Lieutenant Stewart, and his paper transferred for publication in the number of the journal now in the press.

2. From Lieutenant J. F. Pogson, further remarks respecting a description of silk-worm found at Simla, and the fibre of the behul (*Grewia oppositifolia*), and rope made therefrom. Mr. Pogson also alludes to the recent flowering of the bamboo at Simla as follows :—

“ A good deal of curiosity seems to have been excited amongst horticulturists at the flowering of the bamboo, of which we have in these hills three kinds, viz. the gigantic or large, hollow bamboo, the female bamboo, which is seldom more than an inch and a half in diameter, and the solid or male bamboo, which is perhaps a trifle thicker than the above. This year all three kinds have flowered far and wide. In addition to these true bamboos, we have a bastard bamboo, called the nig-aulec; this is seldom more than three-quarters of an inch in diameter, and from 12 to 16 feet in height. It is very hardy, bears intense cold, grows luxuriantly on the crest of the Nagkunda Pass, as also on Huttoo, and on a spur of the Shaitool Pass, height 9,500 feet. It is a very graceful variety of the bamboo, and is a great ornament to the flower garden. I will write up and ascertain if this too has flowered.”

3. From the Secretary Local Committee, Public Instruction, Baraset, enclosing the following extract from the Annual Report of the Baraset Government School :—

“ The boys read *Chambers' Vegetable Physiology*, which has been made a part of the scholarship course, and cultivated separate pieces of ground, as in the last year. Three of them have been deemed deserving of prizes, to be given out of the proceeds of the sale of produce.

“ It has been proposed to invite sons of the agricultural people, say ten in number, by pecuniary inducements to work in the garden with the mallis, and to receive lessons in the elements of the Bengali language, so as to be able to read easy books on agriculture in that language. The pundit of the school is willing to give the necessary instruction at his leisure hours, on receiving a small remuneration. Owing to various circumstances, the proposition has not been carried into effect. The expense requisite for this purpose can be paid out of the surplus funds of the garden.

“ The following presents of seeds have been received from the Agricultural and Horticultural Society of Calcutta: seeds of trees and shrubs 64 sorts, Cape vegetable seeds 32 sorts, and cereals of sorts, and seeds of field crops 16

sorts. The seeds of trees and shrubs having been received in June, I had the pleasure of personally watching their progress through the various stages of growth, and am happy to find at this moment, that most of those young plants which were transplanted under my own direction, have attained to full vigor. The vegetable seeds and some of the cereals I could see sown; but of their subsequent development I know nothing, having been at that time transferred from Baraset; but I have been told, and feel pretty certain, that the vegetables grew tolerably well, but that the cereals did not germinate even."

4. From Dr. E. Balfour, Madras, presenting two copies of his *Cyclopædia*, and returning thanks for certain publications of the Society.

5. From Dr. Alexander Gibson, Superintendent Botanic Gardens, Bombay, mentioning in reply to an enquiry that he does not possess the Cape thatching grass (*Restio tectorum*.) "The only foreign grass I had for some time," adds Dr. Gibson, "was the tussack of the Falkland Islands, and this soon found the place too hot to hold it, and died off."

6. From J. Cowell, Esq., tendering his resignation of the various Committees to which he belongs, in consequence of his approaching departure from India.

7. From R. B. Chapman, Esq., Under-Secretary Government of India, enclosing copy of a letter from Monsr. Laget, of the Department of Gard (France), expressive of his desire to open a communication with some residents in India, for the supply of Indian silk-worm eggs for trial in India.

*Resolved*—That an abstract of this letter be entered in the proceedings for the information of those interested in the subject.

8. From Signor F. Lotteri, alludes to the prizes offered in former years by the Society for unwinding the eri silk cocoon; states that he has been successful in Europe, as the letters and pamphlets accompanying his letter will show; and that it should form a part of the instruction to be given in the school which he suggested the Society in his former letter to establish.

*Resolved*—That it be suggested to Signor Lotteri to communicate with the Industrial Arts Society, the subject of his former letter coming more within their province than of this Society.

9. From J. H. Allen, Esq., Manager N. W. Dāk-Company, intimating his readiness, with reference to the communication from the Commissioner of Oude, read at the last meeting, to send, free of cost, to Cawnpore, boxes of seeds for the soldiers' gardens at Lucknow, to the extent of 100 maunds.

*Resolved*—That the best acknowledgments of the Society be given to Mr. Allen for his most liberal offer, which the Secretary stated he had lost no time in accepting.

10. From R. Montgomery, Esq., tendering his best thanks to the Society for the liberal supply of seeds furnished him, and to the Agent N. W. Dāk

Company, for sending them, free of all cost. Mr. Montgomery adds that the boxes had reached him in a very short period.

11. From the Deputy Quarter Master General of the Army, requesting the transmission to the officer commanding at Benares, for the use of the troops at that station, of a good supply of vegetable and flower seeds.

The Secretary announced that no time had been lost in meeting this application.

12. From C. E. Chapman, Magistrate of Dinagepore, requesting a supply of vegetable seeds for the use of the Naval Brigade (100 men) at that station.

*Ordered*—That this application be met to the best of the Society's ability.

13. From Mr. J. Templeman, seedsman, Cape of Good Hope, advising despatch of a trial assortment of vegetable seeds.

14. From Messrs. Villet and Son, intimating the despatch, per *Gipsy Bride*, of the Society's annual consignment of vegetable seeds.

The Secretary mentioned that the letter of advice was sent by the *Defiance*, which did not leave for nearly a month after the *Gipsy Bride*, and as, moreover, the seedsmen had not addressed the cases properly, they did not reach the Society's rooms till three weeks after the arrival of the latter vessel.

*Resolved*—That Messrs. Villet be apprised of their carelessness, and be cautioned to adopt measures to prevent a repetition of such culpable neglect of the interests of the Society.

For all the above donations and communications the best thanks of the Society were accorded.

*(Monday, the 4th October 1858.)*

Baboo Peary Chand Mittra, Vice-President, in the chair.

The minutes of the last General Meeting were read and confirmed ; and the following gentlemen, proposed on that occasion, were elected members :—

Lieutenant T. F. O. Scott, Captain R. C. Birch, Major H. W. Blake ; Messrs. G. F. Kelner, G. F. Lord, J. B. Roberts, J. W. H. Ilberry, R. A. Wood, and C. H. Barnes ; Drs. B. Kendall, and James Allan ; Messrs. H. T. Prinsep, Hartley Watson, C. Paterson, and R. S. Moncrieff.

The names of the following gentlemen were submitted as candidates for election :—

Hugh Leonard, Esq., C. E., Superintendent of the Mutla,—proposed by Mr. J. F. Galiffe, seconded by the Secretary.

Colonel C. J. B. Riddell, C. B., Royal Artillery, Benares,—proposed by Sir Arthur Buller, seconded by Dr. A. H. Cheek.

W. U. Eddis, Esq., Hizlabut Factory, Pubna,—proposed by Mr. H. G. French, seconded by Mr. G. R. French.

Lieutenant Malcolm G. Clerk, (D. P. W.,) Lucknow,—proposed by Mr. C. A. Cantor, seconded by the Secretary.

George Macleod, Esq., Rajapore Factory, Rajshaye,—proposed by Baboo Peary Chand Mittra, seconded by Mr. W. G. Rose.

John Ogilvie Hay, Esq., Merchant, Akyab,—proposed by Mr. D. B. Lindsay, seconded by Mr. W. Stalkartt.

Joseph Graham, Esq., Barrister at Law,—proposed by Mr. Longueville Clarke, seconded by Mr. W. G. Rose.

---

The following contributions were announced :—

1. A pamphlet, entitled “ The Port of Calcutta and the Port of Mutla, considered in connection by a railway or ship canal.” Presented by S. H. Robinson, Esq.

2. Selections No. 2, from the public correspondence, &c., of the British Indian Association. Presented by the Association.

3. Twenty barrels of New Orleans cotton Seed. Presented by the Cotton Supply Association of Manchester.

It was resolved that this seed be advertised for distribution among members and the public generally, on the terms proposed in the letter of the Association, which was submitted at the July Meeting, namely, that the recipients undertake to furnish reports of the result of their sowings.

4. Three kinds of seeds from Upper Assam. Presented by Captain W. H. Lowther.

The following is extract of Captain Lowther's letter, descriptive of these seeds :—

“I send you by letter dāk, so as to reach you for this season's sowing, sundry seeds :—1st.—Seeds of a promising ‘Cissus,’ or wild vine—a jungle in these parts, and bearing a great abundance of capital racemes of sub-acid berries—*grapes* in fact in their pristine and savage luxuriance. I believe Major Smith attempted wine from them, but only succeeded in obtaining vinegar: there can, however, be no doubt that, in the hands of some experienced manufacturer, they would produce a good and cheap claret in the mild temperature (70°) of Suddyah. Also this hardy plant would, no doubt, furnish excellent stocks for the grape vine, which, in our moist climate, will not bear fruit, but runs to wood and leaf. The local name of this climber is ‘*Lutta Paniyal*,’ and the fruit is much sought after by the omnivorous Assamese.

“2nd.—Seeds of ‘*Flacourtia cataphracta*,’ *Paniyal* of Assam. A small tree, thorny, and bearing abundantly a very pleasant sub-acid kind of plum, much hunted after by the natives; to judge by the flavor it would make

excellent jam or chutnee,—however, you may possibly possess both this and the next described fruit, and I therefore enclose a very small amount of seeds pending that information.

“3rd.—‘*Pierardia sapida*,’ or *Lutkoo*, in my opinion, ranks next to its delicious congener, the ‘litchi,’ for which it would, no doubt, furnish famous stocks, being of large growth, and very full of sap. In our jungles the tree attains an immense size : the fruits load the branches almost to their destruction, and attain a perfection which, under culture, promises to render it an esteemed dainty. It is occasionally met with in gardens and enclosures, but seems to prefer the rank moisture and shade of the indigenous woodlands, in company with *Garcinia pedunculata*, *Dillenia speciosa*, and other shade-loving vegetation.

“The *Lutkoo* is sold during the season in all our markets, and appears to be in great request among the laboring classes as a quencher of thirst.

“4th.—I have obtained a true specific for ring-worm, among the very numerous family of *Ruellidæ*, with which every part of Assam appears to swarm. The local name is ‘*Khar-mar*,’ literally *ring-worm killer*, and indeed it richly deserves the appellation, to judge by its immediate effects in old cases of years’ duration, where the patients were covered with that troublesome eruption from head to foot. The mode of application is this:—A sliced lemon, or the bruised point of a thorny ‘*Solamun*,’ is first well rubbed on the affected parts, until irritation is produced, then a handful of the *Khar-mar* leaves, slightly bruised, and applied with sufficient force to cause pain, and produce friction : a quantity of black juice (evidently a *dye*, and having the smell of indigo) exudes from them, and appears, by its penetrating astringency, to arrest the progress of the skin disease. I have not yet seen the flower or seed-vessel of this *Ruellia*, but shall send you plants when I have an opportunity.”

5. Specimen of wild paddy from the vicinity of Tumlook. Presented by W. Terry, Esq.

Mr. Terry writes that this wild paddy grows in any quantity in marshy salt-water land near to Tumlook.

6. Specimen of stick lac from Cuttack, gathered on the *koosum* tree (*Schleichera trijuga*). Presented by J. L. Atkinson, Esq.

7. A small sample of cotton raised in his grant in the Soonderbunds from Sea Island seed. Presented by Baboo Gyanendramohun Tagore. This cotton is considered of pretty fair quality, though not equal to the samples recently submitted to the Society, which have been raised in the same locality from the same description of seed.

---

The motion, of which notice was given at the last Meeting by Baboo Peary Chand Mittra, that a silver medal be awarded to Jaffer Ali, of Deenanuggur,

with a suitable inscription in Persian, for his successful efforts at cultivating silk in that locality, was brought forward, seconded by Mr. W. G. Rose, and carried unanimously.

---

*Nursery Garden.*

The Gardener's monthly report was submitted, of which the following are extracts :—

“ In submitting my report for the past month, I beg to state that I received two kinds of American cotton seeds from Messrs. D. Landreth and Sons of Philadelphia, *viz.*, the Sea Island cotton and Petti-Gulf cotton, and they were as usual sown in trial gumlows ; and the result, I am happy to communicate, is very satisfactory, the former yielding cent. per cent., and the latter 70 per cent., and that both had freely germinated within 48 hours.

“ The Cape seeds from Mr. J. Upjohn, of the Cape of Good Hope, being recently received, I have had only time to sow them for trial, the result I shall have pleasure in communicating at a future date, but I may state that the packet contains 39 kinds of good vegetable seeds, and which I consider to be well assorted, and forms a very good collection, much better than that of Messrs. Villet and Sons, or Mr. Templeman.

“ The few country vegetable seeds received from Mr. C. Blechynden, I consider to be of good kind and deserving of attention, and for which reason I have laid them out in the open ground in the kitchen garden. I have every reason to hope the seeds will freely germinate, and as to the tubers some have already begun to sprout out.

“ In the orchard I have a large collection of the Chinese green dye plants available for members, and I may say that the present season offers the most favorable opportunity to lay out these plants where they are intended to be cultivated. The spot to be selected must be only free from heavy damp, such as any place in which water may be lodged at any considerable time, say about 36 hours or above. The plants make a healthy and vigorous growth after they are pruned or headed at the usual season of the year, and which, I perceive, has been the case with those in the garden since heading them.

“ The nutmeg and mangosteen plants, received from Mr. Antony of Penang, in October last, and in health, are now in the best condition imaginable : a few I had planted out in open ground in the orchard among the mango trees, and I may say, much contrary to my expectation and to my very great surprize, I find them thriving in a vigorous state of health. I make these remarks particularly, as in my former trials I had not only failed to succeed in rearing them, but such as were put in the open ground had all, after a short period of duration, withered off. All the coffee



plants, with indeed a few exceptions, laid out in the mango plots, are doing well.

"I have now added to the ready stock a large collection of 19 kinds of peaches, all kinds of mangoes and pummelows, the two kinds of eugenias; also custard apple, liches, guavas, a few cherries, wampie, and assorted limes, lemons, and a few mandarine oranges, with Noakolly and other kinds, and also all the varieties of pine-apples; and about 200 young runners from the small stock of the strawberry, which are now in a most healthy state, and ready for distribution to any members in want of them. A list of the members, whose names are registered, will be soon forwarded, with a view that they may be informed of the same.

"In the Kitchen Garden, besides the preparation of beds for laying out all kinds of vegetable seeds for the ensuing season, I beg to state that I have prepared a small spot in laying out the maize seeds received from America from Messrs. D. Landreth and Sons—which being the present year's importation, with a view to raise a few acclimated seeds of the same, which are of 9 kinds—and of each 200 seeds have been put into the ground. The result, I am glad to state, fully bears out the report submitted in the trial sowing, and that all the seeds have freely germinated, and yielded a return fully bearing out my trial reports. The only seed failed is the Stowell's evergreen sugar-corn.

"The cotton plants laid out in different plots are doing as well as can be expected; those from the seeds of Mr. Blundell's imported Sea Island cotton and of Mr. J. M. Hall's Egyptian cotton seeds, sown next to the Conservatory, have attained a height of 7 and 8 feet, and are now getting into full blossom. The Petti-Gulf cotton seeds received last year from America have likewise made a good growth, and are in bloom.

"The fibre-yielding plant, called the *Papeng Shaw*, has attained this year the height of nearly 4 and 5 feet, with fine healthy broad leaves, which speaks much of the plant running into vigor, and I hope I shall be able to extract a large quantity of its fibre in due time to enable the same to be properly tested.

"In the Flower Garden I have much pleasure in stating that the repairs of the Conservatory are completely finished, and I have removed there all my tender habit plants, where they have now started up in vigor, though I regret to say that, owing to the want of such protection during the past season's heavy rains, have caused me to lose many of my fine healthy plants of carnation and picoties; the few now remaining are doing well. The *Hoya* plant, presented by Rajah Nursinghunder Roy, in March last, has now come into flower, which is indeed of a very pretty description. The *Mussanda speciosa*, received from Mr. S. P. Griffiths, being one of the batch of the Java plants, is now flowering; this also bears a very pretty flower.

"I now beg to send three kinds of fibres, as specimens, to be laid before the committee; the first is No. 1, a trial experiment of fibre extracted from pine-apple leaf. This is my first experiment in it. The fibre appears to me to be rather coarse. The second is No. 2, from the *Agave lurida*; this is likewise my first experiment in it. I consider the fibre to be good and of good length, but rather coarse, taking more towards hemp or flax than that for jute and such like fibres. The third is Jubbulpore hemp (*Crotalaria tenuifolia*), which is also my first experiment, but I consider this fibre to be much inferior to that usually produced in its native place, and the strength and durability I also consider much inferior, though this might be improved if another experiment were made.

"The pine-apple fibre I have succeeded in extracting, after having pressed the leaves under a roller to extract the sap it contained, and then to steep the same for nearly a week in water, and then to take off the refuse gently with fore-finger and thumb, and afterwards to wash them properly in clean water to separate any refuse that might have adhered to it. The process for the *Agave lurida* was nearly the same, and the Jubbulpore hemp was, after stripping the bark from the stock, taken from the lowest end. To none of which I allow the process of fermentation, and therefore can't say what and how the result would turn under that process. I also send two stems of *Aralia papyrifera* (*China rice paper plant*), having dried and varnished them with the view that they may be laid before the committee, and added to the collection in the museum."

---

#### *Artificial Irrigation on Cotton Crops.*

Read a letter from the Government of India, with its enclosure, a summary of papers on the subject of the effect of artificial irrigation on cotton crops.

---

#### *Suggestions for Agricultural Improvements.*

Read the following letter from Baboo Puddunlochan Mundul, Zemindar at Balasore:—

"To the Secretary of the Agricultural and Horticultural Society.

"SIR,—I beg to draw your attention to the following points regarding the system of agriculture, that being followed out, will, in my humble opinion, lead to the progress and prosperity of that most *useful art*.

"1st.—That the Society is very diligent to promote the agricultural labor and produce of our land: but its diligence is not so directed as to have a result equal to reward, or rather to recompense, the labor and expense undergone.

"2nd.—That, for this reason, the Society may look after those districts where such a recompense is more probable than in other districts; and that

in the former the Society should not only establish a regular system of agriculture, but also encourage it as much as it lies in its power.

“3rd.—That the Society should enquire into the necessity of particular agricultural products in particular districts, and should, accordingly, deal out lands for the raising of them.

“4th.—That in every district the agricultural art should be made to practise, and be encouraged in proportion to the consumption therein of the products; and that rewards be given from time to time in order to attract the laboring class to the pursuit of the art.

“5th.—That, for an illustration, the Society is referred to the district of Balasore. The major portion of its soil is rich and productive. The demand there of the tobacco, the potato, the cotton, the flax, the hemp, the sugar-cane, &c., being very high, these articles are imported from other places; the flax, the hemp, and sugar-cane are indeed raised there with much difficulty and little success.

“Lastly.—That it is desirable that the laboring class of every district of such description should be versed with the principles of agriculture; and that the landholders of that district may readily co-operate with the Society by appropriating their land (if needs be of them) to its use, and by offering pecuniary contributions to the funds that may be raised to execute its grand and noble object.

“Calcutta, 19th September 1858.”

*Resolved*—On the recommendation of the Council, that the Baboo be informed that the Society are quite willing to co-operate with him in any practicable suggestions he may make in regard to improvements in his district. That they propose that he and the other wealthy and influential Zemindars at Balasore form a Branch Society to co-operate with this Society for the introduction of useful seeds and plants, and for such other purposes as may be suggested, with the view of attaining the desired object.

---

*Communications on various subjects.*

The following letters were also submitted:—

1. From Lieutenant R. Stewart, Officiating Superintendent of Cachar, enclosing copy of a programme of a Fair to be held in Cachar next cold season for five days, from the 30th December to 3rd January 1858-59, and applying for seeds of sorts for distribution on the occasion. “The mela has been very widely advertised in Sylhet and Cachar,” writes Lieutenant Stewart, “among the Hill Tribes, and to the east, and there is every reason to believe that it will be largely attended. Would this not form an excellent opportunity for the distribution of seed, both vegetable and corn, among a people who are proverbial for their poverty in the variety of their food?”

"2nd.—Should the Society approve of this proposition, I shall be very glad to undertake the distribution of any quantity that you may send up. Nothing in the way of a vegetable can be amiss, but I would recommend the coarse and larger kind of garden pea, the field pea and bean, different descriptions of doll, gram, large cabbage, field carrots and turnips, potatoes, onions, mangel warzel, raddish, oats, barley, wheat, varieties of rice, mustard seed, linseed, sesamum, flax, hemp, cotton; the seed of native or acclimatized fruit trees, also that of good timber trees, as forming the best assortment that could be sent up.

"3rd.—Prizes are this year to be offered at the mela for the best description of cattle produced for sale: these will comprize elephants, ponies, both Munni-poorie and Burmah, buffaloes, cows, and goats. It might be given out, while distributing these seeds, that next year prizes would be given for the best samples of their products."

*Resolved.*—That as large a supply of seeds as can be spared be forwarded immediately to Lieutenant Stewart, for the purpose indicated in his letter.

2. From Captain Thomas Hutton, Superintendent Himalayan Mulberry Plantation, Mussooree, intimating that the Government has sanctioned an experiment with his wild *Bombyx* (*B. Huttoni*;) and applying for eggs of all other kinds of silk-worms, wild and cultivated, that can be procured, for a series of experiments which he is desirous of instituting on silk-spinners generally.

The Secretary intimated that he had lost no time in writing to various correspondents, with the view of giving effect to Captain Hutton's application.

3. From J. L. Atkinson, Esq., Cuttack, expressing his wish to attempt silk cultivation at Cuttack, and asking for information on the subject, and for eggs. Mr. Atkinson observes:—"I am now trying whether by feeding the Tussur worm of this country on white mulberry leaves, and making them spin in paper funnels, will at all improve the Tussur silk. Cocoons of Tussur silk are to be had plentifully here, but more so in Colehan, where they are allowed to grow wild, little or no care being taken of them. The natives here boil the cocoons for twelve hours and wind the silk, causing a great wastage, and useless expenditure of labor, as well as discoloring the silk, making it more yellowish. 525 cocoons, wound in the native system, yield a seer of silk, of 105 tolas, and is sold for rupees 5 only. Is it at all cheap? And will careful feeding and winding at all be worth speculating upon?"

4. From Mr. J. Upjohn, of the Cape of Good Hope, advising despatch of a trial assortment of vegetable seeds. (Received and under trial in the garden.)

5. From Messrs. James Carter and Co., forwarding the Society's annual consignment of flower seeds. (Received and now in course of distribution.)

For all the above communications and presentations the best thanks of the Society were accorded.

*(Wednesday, the 10th November 1858.)*

The Honorable Sir Arthur Buller, President, in the chair.

The minutes of the last General Meeting were read and confirmed.

The following gentlemen, proposed at the last meeting, were elected members :—

Colonel C. J. B. Riddell, C. B.; Lieutenant Malcolm G. Clerk; Messrs. Hugh Leonard, W. U. Eddis, George Macleod, J. O. Hay and Joseph Graham.

The names of the following gentlemen were submitted as candidates for election :—

Alexander Ross, Esq., C. S., Civil and Sessions Judge of Furruckabad,—proposed by Mr. R. Berkely, seconded by the Secretary.

J. W. Maseyk, Esq., Indigo Planter, Malda,—proposed by Mr. J. J. Gray, seconded by Mr. H. Maseyk.

P. Augier, Esq., Calcutta Mint,—proposed by Mr. A. N. Clarke, seconded by Baboo Hurreemohun Sen.

M. W. Townsend, Esq., of Serampore,—proposed by Mr. M. Wylie, seconded by the Secretary.

A. Maclean, Esq., C. S., Kishnaghur,—proposed by Mr. A. Grote, seconded by Dr. Thomas Thomson.

E. A. Dow, Esq., Solicitor, Supreme Court,—proposed by Mr. Joseph Agabeg, seconded by the Secretary.

Captain H. Raban (36th N. I.), Calcutta,—proposed by Mr. Grote, seconded by Dr. Thomson.

The Secretary for the time being, Artillery, Head Quarter Mess,—proposed by the Secretary, seconded by Mr. C. A. Cantor.

F. Read, Esq., Superintendent of Irrigation, Rohilkund,—proposed by Major General J. T. Lane, C. B., seconded by the Secretary.

C. Connew, Esq., Calcutta,—proposed by Mr. T. H. Bennet, seconded by Mr. W. G. Rose.

T. J. Knox, Esq., Madras Civil Service, Vizagapatam,—proposed by Captain W. Owen, seconded by the Secretary.

G. B. Tayler, Esq., Benares,—proposed by Mr. R. H. Hollingberry, seconded by Mr. Joseph Agabeg.

E. H. O'Brien, Esq., Calcutta,—proposed by Mr. C. A. Cantor, seconded by Mr. W. G. Rose.

Baboo Sonatun Bysack, Calcutta,—proposed by Baboo Peary Chand Mittra, seconded by Baboo Shibchunder Deb.

---

The following contributions were announced :—

1. General Report on the Administration of the several Presidencies and Provinces of British India during 1856-57, with Maps. Parts I. to III. Presented by the Government of Bengal.

2. A few plants from Rangoon, yielding an elastic gum. Presented by Captain E. H. Power.

These have, unfortunately, reached in a very sickly state.

3. A few excellent specimens of yellow and white maize, from American stock, and an aerial tuber of "New Zealand yam," presented by Mr. C. Sharpe, of the Barrackpore Park.

The following is an extract of Mr. Sharpe's letter on the above specimens :—

"I send a tuber, the produce from a small tuber (a little bigger than a hen's egg), which I received from the late Mr. Piddington in March last, and he stated it to be a New Zealand yam. I planted this small tuber in April last; it made very little growth till the rains set in; in July it was growing very fast. I then had large bamboo branches put up to keep the runners off the ground. In August I was rather surprised to see tubers forming on the runners. This I now send is, I think, the largest of about 10 fallen from the plant—20 more tubers are on the plant, of different sizes, and many more small tubers like peas appearing. Until I saw the tubers growing on the runners 6 to 8 feet from the ground, I was only thinking about a crop of tubers at the roots. I have also put up 20 cones of American corn seed from your American seeds of 1857—sown here in December and reaped in March 1858—sown again in June, and this is part of the produce. I will sow this year's seeds in the same routine."

4. A sample of raw silk of a superior quality, from the tussur worm of the Punjaub. Presented by H. Cope, Esq.

The following is Mr. Cope's note on the subject :—

"I am very glad to hear that the tussur is so much approved of. I do not think, after a very careful comparison with Mr. Frith's description of the *Saturnia* and all he says about that beautiful moth, that there is the slightest difference between the insect of Bengal and of the Punjaub. But the worms feed up here on the common 'ber,' and not on the 'asun,' as with you. Lord Win. Hay has been so good as to send me several seers, and I will have them wound here, and send you large samples. The worm is found both in the plains near the hills, and on the lower hills wherever the 'ber' tree thrives; but not in sufficient quantities to make them an object of commerce, until they shall be cared for in the same way as in Bengal, as the numerous enemies they have greatly diminish their number."

5. A specimen of a hard and fine-grained wood from the Sonthal district. Presented by E. Johnson, Esq., of Narcoolbarea ; accompanied by the following communication :—

“ Having observed amongst the *Proceedings of the Society* a premium offered to the discoverer of any wood indigenous in India, and procurable in sufficient quantity, which shall serve as an efficient substitute for Turkish box, especially for wood-engraving, I beg to send herewith a specimen of wood, which I believe to be such as is required. It is called by the Sonthals ‘parpurool,’ and by the other natives in the district ‘parpuree.’ It bears a large leaf, two or three of which joined together form a dish for rice, &c., used by the Sonthals—the fruit is also eaten by this race. The wood is brought from ‘Cheetowloea Hill,’ 5 to 6 miles south-west of ‘Byreeco Thannah,’ which is 16 to 18 miles to the west of Rajmahal, in the Sonthal district.

“ A fair, called ‘Bahlahsundee Hât,’ about 6 to 8 miles north-west of Rajmahal, is held every four days, to which the Sonthals bring large quantities of different sorts of wood for sale, and say that they can bring the ‘parpurool’ always, if ordered one hât previously.

“ The man I sent to explore counted some 4 or 5 ‘parpurool’ trees within 3 to 4 miles, following the small hill paths ; but the Sonthals, who accompanied him, said that in the jungle (where they only can penetrate) they can procure a large quantity if required. The circumference of the sample now sent is 16 inches ; and two of the trees seen by my man were 40 inches in circumference according to the measure he brought, and which I quite believe to be correct. The other two to three trees seen by him were about the same size as the sample now sent.

“ The Sonthals make combs for the hair from this wood.

“ With the sample I have sent two specimens turned from a piece cut off one end for the purpose, and which will show the close grain of the wood—it appears also to be very hard.”

Mr. Johnson has promised to send specimens of the flower and fruit of the tree yielding this fine wood during the next hot season.

---

*Nursery Garden.*

The Gardeners’ monthly report was read, of which the following are extracts :—

“ In continuation of the last monthly report, I beg to state that I received a glazed case of plants, viz., India rubber plants, from Captain Power of Rangoon. There were five plants, or rather five branches, which had slightly taken root, before being placed in the case ; but as the whole were placed in a compost consisting principally of house rubbish, the whole dried up very speedily, and for want of moisture the plants suffered very much ; however, on

its receipt I immediately made cuttings of all, but I fear I shall not be successful with them.

"In September last I received two packets of seeds of 9 kinds, presented by Captain Lowther of Assam. The whole were laid out in the usual way : of the entire batch the following only germinated :—*Passiflora edulis*, very freely ; seeds of *Cissus-Sps.*, very freely ; and that of which Captain Lowther states to be a specific for ring-worms ; this plant is now too young to be traced out, but as soon as this is done, I shall not fail to communicate the same.

"The 39 kinds of trial vegetable seeds received from the Cape of Good Hope, from Mr. Upjohn, are really very good, and I consider both the collection and seeds to be far superior to that of Mr. Templeman, and much better than that of Messrs. Villet and Sons. The entire batch have freely germinated, excepting the two following kinds—the drumhead cabbage and sage, and the average percentage it yielded (67) is more satisfactory than the result shown in the other two, as will be perceived from the accompanying tabular statement. The whole of the seeds were also laid out in the open ground in the kitchen garden, a few days previous to the fall of the last heavy rains of the 25th ultimo, when they equally had freely germinated as in the trial sowing, but I regret to add that the whole had seriously suffered from the severe rains, in consequence of the places being overflowed by the rains. The specimen peas belonging to this batch were also laid out in open ground, but in somewhat elevated position ; such as had germinated before the rains have withstood all injury and are now doing well, those which were just developing have, unfortunately, been injured by being damped off. I may state that, much to my great surprise, I found the dwarf eclipse, and bishop's dwarf, imperial blue, and perfection peas to have freely germinated, and I expect their issue will be a satisfactory result. Had not the sad accident taken place so unexpectedly, I had every reason to hope the result would fully bear out the trial sowing. The specimen being a special one, I had carefully attended to its trial sowing, and must say that the batch far exceeds in selection and quality the others I have received during the present season ; but, I think, to establish such an opinion finally, it would be necessary to get seeds for two or three seasons more before such a decided opinion can be given, as I consider that this batch might have had some especial care and attention to its packing and despatch.

"The 12 new varieties of vegetable seeds received from Messrs. Gibbs and Co., and sent for special trial, had met my usual attention ; but I regret to state that, though I made two special sowings of the whole, they have somewhat singularly failed to germinate—even the *Sorghum saccharatum*, which is indigenous to this country ; whereas the seeds of the latter cereal, presented by General Sir John Hearsey, have not only freely



germinated, but have now grown upwards of 14 feet high, and are full of grain.

"The English flower seeds for the present season, from Messrs. J. Carter and Co. of London, are equally as good as that of the past year; though some are a little different, yet others exceed the average percentage sowing of the past year; consequently the whole may be said to be equally good. The accompanying tabular statement will show the result of the whole, which I consider to be very satisfactory.

"The Virginia tobacco seeds, presented by Mr. W. G. Rose, was laid out in gumlows, and in open ground. The seeds in gumlows have not yet germinated satisfactorily, but those in the open ground have yielded a better result, though the same had slightly sustained some injury from the last heavy fall of rains, as the seeds were sown a few days previous to the rains. The Kareen tobacco seeds, received from Dr. Thomson of the Botanical Gardens, presented by Captain Houghton, as the seeds collected from the Kareen Country, during the last year, was likewise laid out in open ground and at the same time, and I am happy to find the result to be very satisfactory.

"The general work done in the garden in the re-arrangement of all plants in the conservatory, dressing up the flower garden and securing every available spot to lay out seeds of annual flowers, and also in laying out the Kitchen Garden, each had a share of due attention, and the work was progressing satisfactorily as time and circumstance would admit; but, unfortunately, the disaster caused by the late gale, and the heavy fall of rain for a consecutive period of 36 hours and upwards, have tended to overthrow all the work previously done. Of the destruction and other damages caused by this disaster I beg to submit a statement in the accompanying memo.

"The cotton plants in the three plots have attained a very healthy growth during the past season. Many plants have attained to an extraordinary height, and formed complete bushes. I have much pleasure in submitting a rough statement of the produce of the plants of the three plots for the past season.

"In conclusion I beg to state that I have added to the ready stock, from the present year's produce, a large number of grafts of mangoes, peaches, litches, rose and star apple, pomegranates, spondias and a few cherries, and about a dozen cuttings of raspberry, fifty cuttings of gooseberry, and two hundred suckers of strawberry plants. All are available to members and non-members, at the usual rate of charges.

"In the Flower Garden a large collection of all kinds of roses, and a few of the Mauritius roses; forty-two fine healthy plants of *Anherstia nobilis*, seventy-two fine healthy plants of mahogany, from two years and upwards, and some of the satin-wood tree of the same age; a few *Fraxinus*, or

Chinese wax-yielding plant, and a variety of useful and ornamental plants are ready for distribution.

"The *Ceratonia siliqua*, or the carob trees, have this year, for the first time, come into bloom, which they have done profusely ; but have not swelled into fruit as yet in any one of the spikes. The Nepal pear trees have likewise bloomed for the first time, and the *Daphne*, named after Mr. Fortune, presented by that gentleman in 1854, has now bloomed ; the flowers of the same are exceedingly beautiful."

In connection with the above, the Secretary submitted statements of trial sowings made by Mr. Sharpe at the Barrackpore Park, of the Society's annual consignments of American and Cape vegetable, showing a general average percentage of 58 of the former and of 45 of the latter. Mr. Sharpe remarks :—" My opinion of the seeds is that they are very good. Some have failed altogether in my trials : light seeds that do not germinate quickly are apt to be carried off by ants, and other mishaps may occur."

*Communications on various subjects.*

The following papers were also submitted :—

1. From Dr. Campbell, Superintendent of Darjeeling, enclosing extract from his Report to the Board of Revenue regarding the progress of tea cultivation at Darjeeling. (Referred to the Committee of Papers.)

2. From H. G. Keene, Esq., in continuation of a previous notice about some of the vegetable productions of the Deyrah valley :—

"In reference to your inquiries about the coffee," writes Mr. Keene, " I beg to state, for the information of the Society, that I am now engaged in the publication of a pamphlet on the Doon as a scene of English colonization, which will go somewhat elaborately into the agricultural capabilities of the district ; and will, I trust, form a useful manual on the subject. In the meanwhile I may observe that the coffee, of which I sent you a specimen (which answered so badly owing to bad packing), was grown by Lalla Mohur Singh, my treasurer, from seed given to him by Mr. Vansittart about A. D. 1845 : other landholders received seed at the same time, but did not take the trouble to sow it, and Mohur Singh's labors ended with that operation. The coffee, sown in the untidy garden so universally met with in these Provinces, grew untended, but in one respect benefited ; I mean that the damp and shade of the surrounding plantains and mangoes have favored its growth. He is now propagating it by slips, and promises to turn his attention to the subject in earnest.

"The other valuable produce of the Doon is tea, which yields as much as 300 lbs. of manufactured tea per acre. It has to be shaded by straw blinds and freely sprinkled with water during the hot weather, and the seedlings are planted out when about nine months old.

"It is believed that Indigo would grow to a profit. Cereals are decidedly unsuccessful. A peculiarity of this valley is that there is no frost (in most parts) in winter, and but little hot wind in summer. These remarks apply least to the open ground of the Western Doon, and most to the sheltered neighborhood of Deyrah.

"When my pamphlet appears, you will find little else required, I hope, for practical purposes. The cassia is from the Hill Pergunnah of Jouniar Bawur, which is rich in ginger, chillies, turmeric, walnuts, potatoes, opium, wax and honey."

3. From Lieutenant J. F. Pogson, in reference to the proposed establishment of agricultural schools :—

"I am glad to see there is some chance of establishing agricultural schools —when this is done education will prosper. The system I would recommend would be lectures in the Vernacular, given at large villages, and all the interesting experiments contained in *Johnstone's Catechism of Agricultural Chemistry and Geology* being shown to the audience. The native of India is as curious as he is superstitious, and the only way to educate him is to arouse his curiosity.

"The chemical experiments contained in the work alluded to are sure to do this, and when oral education has made some impression on them, it would then be time enough to begin with reading and writing. The latter to be simply the written names of fruits, vegetables and cereals, which the student should be able to read: this much knowledge acquired, other books should be placed within his reach. If any of the Calcutta book-sellers have the work in question, I would respectfully beg all who take an interest in native education to obtain and peruse it."

4. From H. Cope, Esq., the following remarks in reference to the Cape thatching grass :—

"I see by the record of the Proceedings of the Society at their last meeting, that Dr. A. Gibson informs you he does not possess the Cape thatching grass (*RESTIO tectorum*.) I must, in justification of my former letter on this subject, request you to turn, if you have it, to *Graham's Catalogue of Bombay Plants*, where you will find it stated, at page 231, on the authority of Dr. Lush, who was, I believe, Dr. Gibson's predecessor in the superintendence of the Dapooree garden, that the *R. tectorum* was introduced into that garden from the Cape of Good Hope; and it was this assertion that induced me to draw your attention to the matter. Dr. Voigt (*Hort. Suburbanus Calc.*, p. 730,) has curiously mis-quoted the passage in *Graham's Book*. Dr. Lush says :—'Introduced in Dapooree from the C. G. H., where it is much used for thatching houses.' Dr. Voigt makes him say :—'Introduced in Dapooree, where it is much used in thatching houses.'"

5. From P. Cosserat, Esq., of Ghazee-pore, regarding his sowings of vegetable seeds this season :—

“ Both the American and Cape seeds have germinated splendidly : no failures, and all but Cape parsnip a good average. American parsnip has never failed me whenever I have had it to sow, and in Shahabad I have raised as fine roots as I have seen in England, and fine flavor.”

6. From Lieutenant R. Stewart, Superintendent of Cachar, dated 6th October, acknowledging receipt of a large supply of seeds sent by the Society for distribution :—

“ I have within the last week,” writes Mr. Stewart, “ received the different seeds you so kindly sent me, and I can assure you their distribution has been a great success. The people in this part of the country, in consequence of the failure last year, of their staple—rice—have become in a measure convinced of the benefits arising from a greater variety of cultivation ; and I had not advertised for two days that I had seed to distribute, before my verandah was crowded with applicants. To each of these, having due reference to their places of residence, so as to scatter the seed as much as possible over the whole country, I gave about half a pound of wheat and oats, and a proper portion of the other things. I desired them to report to me of the success or otherwise of the experiment they were going to make, and cautioned them not to consume any of the crop, but to keep it for next year’s seed. I shall be able to make a further report to you by-and-bye, as I shall see many of the places sown with this seed during my cold weather circuit, and, with the experience I shall then have, I will write to you for a further supply for next year.”

7. From Major W. H. Hopkins, commanding at Darjeeling, returning thanks for seeds supplied for soldiers’ garden at that station.

8. From C. E. Chapman, Esq., Magistrate of Dinagapore, conveying his thanks for seeds supplied for the use of the Naval Brigade at that Station.

9. From Dr. J. P. Walker, Superintendent of Port Blair, Andamans, acknowledging receipt of a large box of seeds forwarded to him :—“ The seeds arrived in excellent order. I beg that you will express my thanks to the Society for its kind attention, which is duly appreciated.”

10. From Lieutenant T. G. Ross, Officiating Honorary Secretary Mela Committee, Cachar, enclosing a list of prizes offered at the Cachar Mela, and requesting the co-operation of the Society.

The Council propose that the Society continue forwarding seeds for distribution, but they are not prepared to recommend a money grant.

11. From R. Fortune, Esq., Shanghai, dated 25th August, intimating that he will have great pleasure in complying with the wish of the Society for seeds and plants from China.

Letters were also submitted from the Superintendent of the P. and O. Company, Messrs. Jardine, Skinner and Co., Apcar and Co., and Gladstone, Wylie and Co., expressive of their readiness to have cases of plants and boxes of seeds from Mr. Fortune forwarded free of freight. Messrs. Gladstone, Wylie and Co. add,—“We may further mention that we shall always be happy to forward the views of the Society in any way they may point out.”

For all the above communications and presentations the best thanks of the Society were accorded.

---

The ordinary business having terminated, the meeting was made *special*, as notified a month previously, “for the purpose of considering the propriety or otherwise of continuing the Society’s official connection with the Agricultural and Horticultural department of *The Indian Field*.”

The Secretary, by desire of the President, read the following Resolution, adopted at a meeting of the Council, held on the 9th October 1858:—

“The Council, having had under their consideration the connection of the Agricultural and Horticultural Society with *The Indian Field*, are of opinion that it is undesirable that their name should continue officially connected with any publication not entirely under their control, however distinct the different departments may be kept, and however unobjectionable the Society’s part may hitherto have been found; and therefore *resolve* that the Society be recommended to discontinue the connection.”

Mr. Hume addressed the meeting against the above recommendation.

The President read the following letter to his address from Mr. James Forlong of Kishnaghur:—

“*Neechindipore, November 4, 1858.*

“TO SIR ARTHUR BULLER,

“*President of the Agri.-Horticultural Society, Calcutta.*

“DEAR SIR,—I am very sorry it will not be in my power to attend the meeting of the Society specially convened for the 10th instant.

“I regret this the more because the subjects to be brought before the meeting have arisen from matters supposed to relate solely to the indigo planting interest, and such being the case, it would only be respectful to you and to the members of the Society generally, that as many planters should attend the meeting as possible.

“I suppose the questions to be brought under the consideration of the meeting will be confined to two:—

“*First*.—The correspondence between Mr. McArthur and the Secretary.

“*Second*.—The disconnection of the Society from *The Indian Field* as its organ.

"As to the first, I hope it will involve little discussion, for in this large indigo district I have not heard one dissentient voice, as to the tone of Mr. McArthur's letters to the Secretary having been uncalled for, and most unnecessarily uncourteous.

"The second subject will, I fear, find the meeting equally unanimous, and my only cause of fear is that, by the course which has been adopted, it will give the parties editing the *Field* some little show of reason for stating that the hostility of the planters had arisen from an honest and independent expression of opinion adverse to them as a body, and almost look like an attempt to interfere with the press; now I can only say, for many other planters as well as myself, that this is far from our feeling regarding *The Indian Field*: we think the articles in the *Field* relating to indigo planting carried with them their own antidote from the strong party animus they displayed, and it seems to us only a pity that a degree of importance should have been attached to them, which they were very far from meriting, by the mode in which some members of our Society have acted; I feel assured that a quiet and temperate representation to yourself and the Council of the Society, on the part of one or two members, would have obtained all that the meeting proposed for the 10th is likely to accomplish, and that also in a much more dignified form.

"I think at the same time that *The Indian Field* is by no means entitled to be the organ of the Society—simply from the strong Anti-English spirit which it almost invariably displays, and which, without the slightest reference to indigo planting, would assuredly ere long lead even the most moderate members of our Society to exclaim against the Society being represented by such a paper; for this reason alone I record my vote against the *Field* being looked upon further as the organ of the Society, or indeed any other paper at the Presidency: it is idle to expect that any Paper would give general satisfaction, and after the experiment that has been made with the *Field*, it would be unwise to make another of a similar nature.

"In the case of the *Field* every consideration, both public and private, might have dictated to the Editor a spirit of fairness, and have guided his pen impartially in all matters between the European and Native; whereas to the former, particularly unconnected with the services, every opportunity has been seized to exaggerate failings, and in the latter case, to over-estimate virtues, making the paper a vehicle for indulging the prejudiced feeling of the few, in place of what it so easily might have been—a paper not only respected by all moderate men, but useful in healing discord between races in place of creating further irritation; it is this policy alone which has unfitted the paper to be any longer the organ of our Society, and I strongly protest, in the name of many of my brother planters and my own, against our

being thought to be actuated by any other feeling in wishing the connection of the Society with the *Field* to terminate.

"For planters to combine against any paper for articles merely unfriendly to their own interests, would, indeed, be a silly and undignified exercise of displeasure, and which might well warrant the resentment of the whole press at such interference with its freedom.

"I have noticed, with much regret, the attempts that have been made to prejudice members against our Secretary, whose services have been so valuable, and who, in place of censure, well merits the warmest thanks of every member of our Society; it is not often that the Secretary is more necessary to his office than the office to him, but it would appear to others and to myself that this is fortunately the case with Mr. Blechynden.

"I would not have addressed you at such length, did I not feel that it was only just to much the largest portion of the Indigo planters to place their opinions before you prior to the meeting on the 10th, when so few of them, just at this busy time of the season, can be absent from their factories.

"I have the honor to be,

"Dear sir,

"Your most obedient servant,

"(Signed) JAMES FORLONG.

"4th November 1858."

The President addressed the meeting at some length in support of the recommendation of the Council.

The meeting then divided: when there appeared

In favor of the recommendation	...	...	...	24
Proxies	...	...	...	10
				—34
Against the recommendation	...	...	...	34
Proxies	...	...	...	13
				—47
				—
Majority against	...	...	...	13
				—

The recommendation was accordingly lost.

Since the above meeting was held, a letter has been received from the Board of Management of the Calcutta Printing and Publishing Company, terminating the connection between the Society and *The Indian Field*.

*(Friday, the 10th December 1858.)*

Baboo Pearychand Mittra, Vice-President, in the chair.

The minutes of the last general and special meeting were read and confirmed.

The gentlemen, proposed at the last meeting, were duly elected members, viz. :—

Messrs. Alexander Ross, B. C. S. ; J. W. Maseyk ; P. Angier ; M. W. Townsend ; A. Maclean, B. C. S. ; E. A. Dow ; F. Reid ; C. Connew ; T. J. Knox, M. C. S. ; G. B. Tayler ; E. H. O'Brien ; Captain H. Raban ; the Secretary for the time being, Artillery, Head Quarter Mess ; and Baboo Sonatun Bysack.

The names of the following gentlemen were submitted as candidates for election :—

C. W. Reade, Esq., Madras Civil Service, Vizagapatam,—proposed by Captain W. G. Owen, seconded by the Secretary.

Dr. R. H. Perkins, Civil Surgeon and Assistant Salt Agent, Hidgelee,—proposed by Mr. Henry Cowie, seconded by Mr. W. G. Rose.

Roy Prosunnonarain Deb Bahadoor, Dewan of His Highness the Nawab of Moorshedabad,—proposed by Rajah Ramchand Sing, seconded by Baboo Ramanauth Tagore.

James Rowe, Esq., Merchant, Calcutta,—proposed by Mr. Pat. Johnson, seconded by Mr. Wm. Stalkartt.

R. S. Limond, Esq., Toolseah Factory, Bhaugulpore,—proposed by Mr. W. Landale, seconded by Mr. Thomas Grant.

J. Gow Smith, Esq., Ruttonpore Factory, Kishnaghur,—proposed by Mr. J. Forlong, seconded by Mr. F. Maclagan.

Robert Newcomen, Esq., Connanuggur Factory, Kishnaghur,—proposed by Mr. J. Forlong, seconded by Mr. F. Maclagan.

A. Brousmichie, Esq., Hurra Factory, Kishnaghur,—proposed by Mr. J. Forlong, seconded by Mr. F. Maclagan.

John Wienholt, Esq., Merchant, Calcutta,—proposed by Mr. H. Knowles, seconded by Mr. W. Stalkartt.

Captain F. F. Vincent, 30th Regiment N. I.,—proposed by Mr. F. Schiller, seconded by the Secretary.

---

The following contributions were announced :—

1. Selections from the Records of the Government of Madras, No. 45. Report on the Agricultural Exhibitions in the Provinces in 1857. Presented by the Government of Bengal.

✓ 2. Report of the Conservator of Forests in the Madras Presidency ; and a Manual of Accounts of the Forest Department. Presented by Dr. H. Cleghorn.



3. Journal of the Asiatic Society of Bengal, No. 3, 1858. Presented by the Society.

4. Selections from the Bethune Society's Papers, No. 5. Presented by the Society.

5. Seed of a species of *Momordica* from Upper Assam. Presented by Captain W. H. Lowther.

6. A collection of Orchids from the Andamans. Presented by Dr. J. P. Walker, Superintendent of Port Blair.

#### Nursery Garden.

The Officiating Gardener's monthly report was read, of which the following are extracts :—

" The seeds of ' Kamptie Mahi,' known in Assam as a species of wild dholi, presented by Mr. Grose in May last, were sown in due course in open ground in the kitchen garden, where they freely germinated, and have now yielded a small but good crop : the plant appears to belong to the *Mucuna* tribe, and, I believe, is known as the ' Negro bean.'

" The seeds of New Orleans cotton, received in October last, from the Manchester Cotton Supply Association, have germinated very favorably. I had sown 100 seeds in three gunlows ; out of the whole, 56 seeds freely germinated, which, therefore, have yielded an average per-centage of 60. Seeing such a good result, I have laid down some seeds in open ground, in two lines, near the cocoanut plantation adjoining the Pernambuco cotton plants raised from seeds presented by the Government of India during the present year.

" All the vegetable seeds received from England, America, and Cape of Good Hope, are laid down in open ground in the kitchen garden, and the whole have readily germinated, yielding a result equally satisfactory as when reported of their trial sowing, excepting the seeds from Messrs. Gibbs and Co. of London, which I indeed exceedingly regret to say have failed most signally.

" The Cape peas have been equally as good as the past year, and have most readily germinated, and are now thriving well. The American peas have much redeemed their character in comparison with the last year's result, but the ' black-eyed marrowfat' is unexceptionably good. The ' tall sugar' and ' Prussian pea' take next rank, but the ' tall knight marrowfat,' though not a decided failure, still may be considered unsatisfactory. As to the different kinds of beans, all have proved very creditable, as all have freely germinated.

" As the *Dioscorea batatas* or ' Chinese yam,' received from Mr. Fortune of China, and the ' New Zealand yam,' will soon be in a fit state to be dug

up, and as a good portion may be distributed to members with advantage, it would be necessary, owing to a limited supply of the crop of both, that such members requiring the above yams should have their names registered in order to make an equal distribution of them.

"In the orchard, besides the general stock of all kinds of fruit grafts, are now ready a few of the Mauritius mango grafts, layers of good kind of pomegranates, all kinds of limes and lemons, and guavas, a few seedlings of best kind of papias, cocoanuts of fine healthy kinds, between two and three years old; and a few of the *Callysaccion longifolium*, which is said to yield a very luscious fruit, equal to the litchee; and a few varieties of palms.

"In the flower garden, besides the general collection of all kinds of ornamental trees, shrubs, and climbers, a few *Thuja* *sps.* and *Cupresses funebris* raised from seeds received from Mr. Fortune from China in 1856, a few layers of *Amherstia*, some fine specimens of chrysanthemums, a few cuttings of *Araucarias*, are still available to members requiring them; as also a small number of seedlings of different kinds of annual flowers raised from Carter's present year's importation; and also a few seedlings of all kinds of cabbages and celery.

"The grains of *Holcus sorghum*, raised from those presented by General Sir John Hearsay, in March last, will be fully ripe within a few days, when they shall be reaped and forwarded for distribution to members requiring them; as also a small collection of bearded paddy, raised from seed presented by Captain Ripley about May last. The grains of *Holcus sorghum* yield a very fine flour, of sweet taste, and make a most wholesome bread, and is always eaten as baked hand-bread.

"In conclusion, I beg to add, that the stump of the *Bambusa gigantea*, now forwarded, is from the specimens of a clump which fell from the effect of the storm of 25th October last: it was reared from cuttings raised from the bamboo received, I suppose, from the late Dr. Wallich in 1843, when Superintendent of the Botanical Garden. This bamboo measured 45 feet in length and 22 inches in width; the shoot sprung up in July last in its usual season, and within the short space of four months it had not only attained that width, but that extraordinary height."

Mr. Manuel also acknowledges a contribution, from the Rev. Mr. Firminger, of a number of Ranunculus and Oxalis bulbs, imported by the October mail; and a collection of flower seeds from Captain H. B. Weston, at present in England, which have germinated very readily.

---

*Establishment of a Branch Agri-Horticultural Society at Balasore.*

The Secretary read the following communication, dated 4th December (and enclosures), very recently received from Baboo Gourdooss Bysack, announcing

the gratifying fact of the formation of a Branch Society at Balasore, of which he had been appointed Secretary :—

“ I have the honor to communicate, for the information of the Agricultural Society in Calcutta, the proposed establishment of a Branch Society of Agriculture and Horticulture in the district of Balasore.

“ 2nd.—The address of Baboo Puddolochun Mundul, and the proceedings of a meeting of the inhabitants and residents of the station, held on the 22nd ultimo, herewith submitted, contain an account of the origin and the principles on which the proposed Branch Society is to be conducted.

“ 3rd.—The list of subscribers given below will show the annual fund just now available, which amount [Rs. 657] it is proposed for the present to apply to procuring from Calcutta, with the aid of your Society, fresh supplies

of useful seeds and plants for gratuitous distribution, under certain conditions, among the farmers cultivating any of the products noted in the margin, and the services of professional *malees*, upon adequate salaries, to direct and superintend the cultivation and growth of the different products.

“ 4th.—The Code of Bye-laws, previous to its adoption by the Branch Society, is transmitted for submission to, and approval of, your Society, with a request that you will be pleased to send for our instruction and guidance a copy of the Rules that are laid down for the observance of Branch Associations.

“ 5th.—I am desired also to request that you will be good enough to move your Society to state the nature and extent of the aid and co-operation which they are willing to afford to their Branch institution at Balasore.

“ 6th.—It is needless to state what our members feel—that the kind co-operation and encouragement of the Parent Society will be the fundamental elements in the success and prosperity of this little sapling.

“ I have, &c.,

“ GOURDOSS BYSACK,

“ *Secretary, Balasore Branch Agricultural Society.*”

*Translation of an Address read by Baboo Puddolochun Mundul, on the 1st November 1858.*

“It is an auspicious day to us. Her Majesty the Queen of England has assumed the sovereignty of our country. We hail the occasion with feelings of sincere joy and gratitude. We shall cheerfully illuminate our family dwellings this evening, but while we thus rejoice, we cannot but feel the poverty of our demonstration. We are celebrating in a very poor and ephemeral way the advent of a new and happy era in India. We ought to

commemorate the day in a marked and durable manner, and, I think, nothing will be more acceptable to Her Majesty, and more useful to her loyal and devoted subjects in this district, than the establishment of an Agricultural Society in connection with that of Calcutta. You are aware how much we are dependent upon other districts for the supply of some of the common products and necessities of life.

"Cotton (kapas), potatoes, tobacco, and sugar-cane, which we borrow from other places, are annually consumed in the single district of Balasore to the value of upwards of a lakh and a half. Sugar-cane, hemp, and flax already grow here, but, compared to those of Bengal, they are wretched. The soil is sufficiently fertile, particularly in places adjacent to the river, but our products are scanty and unsuccessful. The fault is entirely our own, for we do not see how the products grow elsewhere, and what preliminaries may be necessary to ensure success to cultivation.

"Good seeds, a little instruction in manuring, &c., and a slight encouragement to the successful farmers, are all that we want. If you will co-operate with us, and spend a little money on the experiment, I dare say you shall, ere long, see us successful, and eventually become independent of other districts. We will not only benefit the people by opening up fresh resources to them, but we shall make ourselves more comfortable and happy.

"I am glad to inform you, that, on a reference having been made to the Agricultural Society in Calcutta, I have been assured by the Secretary, that the Society are quite willing to co-operate with us in any practical suggestions we may make in regard to improvements in this district. If we can obtain good seeds, which may be had almost gratuitously from Calcutta, and well-trained *malees* to instruct and superintend our farmers, I am quite sure that, with judicious management, and by bestowal of little gifts in the shape of prizes, we shall be able to achieve considerable success to make our labor yield handsome returns. When the ryots shall once have seen their way clear, they will of themselves cease to molest us in future for aid or advice."

The above address was read in Bengalee by Baboo Puddolochun Mundul to the assembly that had met to hear the proclamation on the 1st of November last. Mr. Schalch, with all the European and some of the principal native gentlemen present, repaired to the tent, and explained to them the important proposition, brought forward by the Baboo, and the claims it had upon the best co-operation of every one interested in the welfare of the district. Everybody seemed to approve of the movement, and Mr. Schalch, at the request of the Baboo and his friends, agreed to be the President of the new Society. But as Mr. Schalch thought it would be informal to proceed further, lest it should be supposed that the people were invited on the occasion for a different purpose than that of hearing the Proclamation, he adjourned the meeting, with simply adding that the new Society's existence

be dated from that day—being the day on which Her Majesty assumed the Imperial Government of India.

---

*Proceedings.*

According to previous announcement, a meeting of the principal inhabitants and residents of Balasore was held in the private residence of the Collector, on the 22nd November last, at 12 o'clock P. M.

The Chairman opened the proceedings by stating that we have met to-day for the purpose of organizing an Agricultural Society in this district. The necessity and object of such an institution have been fully and clearly described by Baboo Puddolochun Mundul in his able address read to you on the day of the Proclamation—a translation of the address will be found on the table. Baboo Puddolochun has shown much public spirit in taking the initiative in this laudable undertaking; and his efforts, I am glad to observe, already prognosticate success, for he has secured, as you will perceive from the subscription book, a considerable fund to enable us to begin operations. We can now proceed to name the Society and elect a Secretary.

Baboo Puddolochun Mundul laid on the table the correspondence that had passed between him and the Secretary to the Agricultural Society in Calcutta, on the subject of forming a Branch Society in Balasore. The Baboo, in his letter dated the 19th September last, mentioned to the Society the desirableness of directing their attention to the improvement of agricultural interests in distant and destitute districts, and requesting instructions as to the best mode of supplying the desideratum in Balasore.

The Secretary, in his reply to the Baboo, under date the 9th October last, communicated a resolution of the Society, in which they expressed their willingness “to co-operate with the Baboo in any practical suggestions he may make in regard to improvements in his district; and proposed that he and the other wealthy and influential zemindars at Balasore form a Branch Society, to co-operate with them for the introduction of useful seeds and plants, and for such other purposes as may be suggested with the view of attaining the desired object.”

*Resolved*—That, agreeably to the above kind offer of the Calcutta Society, our Society be designated “the Branch Society of Agriculture and Horticulture at Balasore.”

*Proposed* by Mr. Schalch, and seconded by Dr. Kendall, that Baboo Gour-doss Bysack be the Secretary. Carried *nem con.*

*Resolved*—That Baboo Puddolochun Mundul and the Secretary form into a Sub-Committee, to prepare and submit to the Society, at the next meeting, a Code of Bye-laws, and plan of operations that may be necessary to adopt for accomplishing the object in view.

*Resolved*—That a copy of the proceedings be forwarded for the information of the Parent Society in Calcutta, with a request that they may state in what shape and extent they are willing to aid and co-operate with the Branch Association.

The meeting separated with a vote of thanks to the chair.

V. H. SCHALCH,

*President.*

*Resolved*—That the Society have heard with much pleasure of the establishment of a Branch at Balasore, and that the Council be requested to report on the nature and extent of the assistance that can be rendered in reference to the fifth paragraph of the Secretary's letter.

---

*Communications on various subjects.*

The following letters were also submitted :—

1. From R. B. Chapman, Esq., Officiating Under-Secretary to the Government of India, forwarding a report on the silk experiments at Lahore, by the Financial Commissioner of the Punjab. (Transferred for publication in the Journal.)

2. From James Cowell, Esq., Avignon, dated 2nd October, advising despatch of a quantity of French madder seed. The following is an extract of Mr. Cowell's letter :—

"In compliance with the request made to me, when leaving Calcutta, to endeavor to procure and send you some madder and other seeds, I write now to inform you that I arrived here from Marseilles on the 17th instant, having learnt at that port that the seed of the 'garance,' or madder plant, could be obtained here of better and more reliable quality than elsewhere. I have, I believe, succeeded in the object of my visit, having purchased, through the kind assistance of an English merchant here, 50 kilogrammes (about 112lbs.) of fine fresh seed (just gathered), and which I have requested Mr. King to send to my agents, Messrs. Salavy and Co. of Marseilles, for transmission to you in a case, *via* Malta, by the P. and O. Company's steamer leaving that island about the 1st or 14th proximo. The case will be directed to you. Please apply for it immediately on arrival, and distribute the seed as soon as possible to such members of our Society in Upper India as will take any pains or interest in the cultivation of so valuable a root.

"The seed is sown here in the spring months (March, April, and May), but I think January and February will be the most suitable time for sowing in India. The hill localities will probably be the best for experiments, with a temperature of 60° to 80° Fahrenheit. The soil should be well and thoroughly loosened, and of a light nature. In Upper Scinde, and in the Punjab and Neilg herries, I think it is very likely to succeed, or that the chance of success

is greater there than in the lower provinces. The soil may be dug up after 12 or 15 months, and should then be dried in the sun; when dried, it has very much the appearance of our munjeet. Four cwt. of the fresh green root gives, when dried, 1 cwt. of the merchantable commodity. In this province the dried root is reduced to a powder by rollers, with the view of saving in freight, and this powder (garance) is then shipped largely to England, United States, &c.

"I fear there is no use of my sending you any seeds of the olive. The plant is produced from cuttings, and not from seed. I will see what I can do when I come this way again, or in Italy (Naples), where the olive is abundantly grown, and of the finest quality, and I will send you, if I can, some cuttings. The Valonica seed or acorn I will endeavor to obtain from Trieste or Smyrna.

"I have deemed it best to send you a large supply of the madder seed, as we may not again have an opportunity of procuring it under such favorable circumstances. I hope you will succeed in establishing this valuable article as an export from India. You may know that I have for some years past interested myself in this object.

"The Lahore Agricultural Society should be supplied immediately with this seed, and Mr. Cope's best attention should be solicited to its cultivation, which is simple and inexpensive. Directions for planting, &c., I have requested should be sent to you in the box."

*Resolved*—That the best thanks of the Society be communicated to Mr. Cowell for his kind and prompt attention to the Society's wishes; that the seed be distributed in the manner suggested, and to such other members as may express a desire to try it in suitable localities.

3. From C. B. Wood, Esq., reporting on the stick lac received from Mr. J. L. Atkinson of Cuttack, and submitted at the October meeting.

Agreed that a copy of this report be sent to Mr. Atkinson for his information.

4. From Captain W. H. Lowther, Suddya, dated 28th October, advising the despatch of the *Momordica* seed previously alluded to, and offering a few interesting remarks on other subjects:—

"Your 'red-flowered *tii*' is now in full blossom, and promises an abundant crop; the pods are now swelling; it bids fair to be a dangerous rival in the market to the common country small-seeded description. People from all parts come to look at the field, and carry off the flowers to their homes as curiosities, so pray let me have a good supply of this seed when you can spare it, and get an opportunity, *i. e.* by June next. Only fancy the common country is just now realizing 3 to 4 annas per seer at Deebroghur, and little to be got: the demand immense, as an edible commodity. Both your batches of vegetable seeds have proved A 1 in quality. I never before saw so large a per-centage germinate at the same great distance from the sea; at least 60 per cent. of most descriptions are now healthy plants, past all risk. I thought the

growth of every thing quite wonderful. Did this extreme vitality originate with the *Comet*, or from atmospheric electricity prevailing in force at the period of sowing? The springing up of the cabbages, lettuces, endive, tobacco, gourds, &c., was almost magical, and the natives all declared I watered the seeds with some wonderful water from my *Dewaie khanah*. And now of the *Pierardia*. I find from the natives, with whom the 'lutkoo' is the favorite fruit, that not *one* seed in one hundred is sound or can be depended upon to vegetate, which is a pity I think, for, as I wrote before, it would be an addition to our dessert, under high culture. In opening a large packet of the seed I had made up for future transmission, I discovered that the native statement is quite correct, *not one* could I find in a mature condition. A servant of mine, who has a large tree of the *lutkoo* near his house at Debroo, assures me that, out of the thousands of seeds dropped there during many years past, the produce has been but two trees. I will make further researches in this matter, and let you know the result. I have lately been exploring some ancient ruins of cities in the very heart of our frontier forests (places now the dark abodes of tigers, Mishmee marauders, and jungle fever), and was delighted with the vegetation in the immediate vicinity of these relics. It had sprung entirely from the cultivated order of trees and plants—*Garcinias*, *Mesuas*, citron worts, *jasminums*, &c., &c. The beds of the streams being almost paved with the brick and stone debris of palaces and temples, and the more humble fragments of domestic vessels of yore, of the classic times of Koondelpore and Sissoopal-nuggur, famous in Hindoo story. I am now sending you some newly gathered seeds of a very pretty '*Cucurbit*,' highly popular in Assamese cookery as 'Bat Kurreela,' so named from its outward alliance to the latter vegetable. This one, however, by cultivation, becomes deliciously palatable, and is as good and as wholesome as any plant of the order I know; but this is not the only quality—as a decorative climber in the fullest sense, where both nature and art work together, it is lovely; the foliage, the blossoms, the fruit, all well adapted to either ornament or design in reality, in wood, in stone, metal, or on paper. This found, when ripe, is orange colored, beautifully beset with spines like a hedgehog. In *Wight's Prodomus* I think you will recognize it as *Momordica mixta*, a perennial with a tuberous root: this root the natives plant out like yams. I will send you some of the cultivated seeds in my next: I think, but I am not quite certain, that I met with the plant once in a garden in South Bundelcund. This *Momordica* should have a sheltered situation under a row of maize, tall beans, &c. It should have morning and evening sun though, and plenty of rain. *Cucurbitaceæ* constitute a large proportion of our local flora. I shall send you the *handsomer* species in due season. Our gourds of edible species are few in number, and mainly contribute to feed the pauper classes—they are all suited to the European taste, however, when very young, and at a season when no other vegetables are procurable. The



want of labor in our province is greatly to be deplored ; it is truly a land flowing with milk and honey. No other spot of similar extent in the whole world can produce such varied treasures, be they animal, vegetable, or mineral : merely want a thoroughfare and inhabitants.

" I am just now superintending the clearing and guarding of a site near the great Dibong River, for the site of a fortlet, which is to hold in check those prowling marauders, the Mishmees of the mountains, by whose hands not a few villagers have been surprised and murdered within the last two years. We shall thus, in time, reclaim the magnificent lands surrounding those ancient cities above described, the richness of whose soil I cannot describe to you—tea, coffee, cotton, cane, indeed everything of commercial value would flourish there ; but where is the market, and where the roads, or the steam-boats, rather ?"

5. From Mr. C. Sharp, Superintendent of the Barrackpore Park, the following note of his mode of cultivating the American maize, of which he submitted such fine specimens at the last meeting :—

" The maize (or Indian corn) I sent you was from the Society's American seed of 1857, and planted out between rows of cabbages in December 1857 ; as the corn came up, the cabbages were cleared away.

" Irrigation was carried on every fifteen days, until the plants showed flower, and then discontinued—the seed ripe in March 1858. The seed, a portion only from the aforesaid produce, were sown in June last, and the cobs I sent you are part of the produce of the June sowing.

" I have still about half a maund of such seed as I sent you for distribution to natives or other parties requiring it.

" My space for such things is limited, but, as an experiment, I will try this year's American in the same way, and let you know the result in due course."

6. From Lionel Berkely, Esq., Delhi, announcing that the vegetable seeds (Carter's overland trial assortment) have succeeded well in his garden, but that the fruit seeds have failed.

It was agreed, on the recommendation of the Council, to appropriate the sum of Rs. 160 towards the purchase of a set of *Curtis's Botanical Magazine*, which had been offered for the Society's Library.

A few copies of the Society's Journal, Vol. X., part 2, just received from the press, were placed on the table.

For all the above communications and presentations the best thanks of the Society were accorded.

# R E P O R T

OF THE

## Agricultural and Horticultural Society

OF INDIA.

*Report from the Council to the Annual General Meeting of the  
12th January, 1859.*

The Council beg to submit their usual Annual Report.

The subscription list and financial department first claim attention.

The Council are glad to announce that the number of elections during 1858, has been 102, considerably exceeding the general average (76) of the previous 12 years. It is also satisfactory to add that the deaths have been considerably less than in 1857, namely eighteen only.\*

The following list shews, in detail, the present constitution of the Society:--

\* The Honorable Major R. Byng; Lieutenant-Colonel J. G. Gerrard; the Right Rev. Dr. Wilson, Lord Bishop of Calcutta; Baboo Russickissen Mullick; Mr. J. C. Stover; Lieutenant-Colonel H. Garbett; Messrs. H. E. Cockerell, c. s.; J. R. Grey; E. F. Flouest; H. M. Low; C. C. Jackson, c. s.; A. Larruletta; T. C. Loch, c. s.; D. H. Freeland; G. L. Young; Major W. Abercrombie; Captain F. C. Jackson; and Dr. Forbes Royle.

CLASSIFI- CATION.	In 25 previous years.	In 1846.	In 1847.	In 1848.	In 1849.	In 1850.	In 1851.	In 1852.	In 1853.	In 1854.	In 1855.	In 1856.	In 1857.	In 1858.	Gross Total.	Total real number at close of 1858 after deducting lapses.
Honorary Members, Associate Members, Corresponding Members, ...	11	1	0	1	0	0	0	1	0	1	0	2	0	0	17	10
Civilians, ...	232	13	15	22	8	10	22	16	15	6	23	23	17	19	444	166
Merchants & Traders, Indigo and other Tropical Agriculturists, Military Officers, ...	201	14	12	13	10	14	20	12	5	16	18	21	11	20	397	130
Medical Officers, ...	190	15	6	5	1	9	19	13	10	7	14	12	10	14	325	106
Asiatics, ...	160	10	11	11	11	9	34	18	22	19	26	22	12	14	379	130
Clergy, ...	80	0	2	3	5	7	4	5	3	4	6	9	3	3	134	28
Law Officers, Miscellaneous, ...	63	2	14	5	6	9	8	8	2	5	5	7	14	19	173	71
	14	1	0	0	0	2	1	1	1	1	2	1	2	0	26	9
	40	1	0	0	6	4	6	3	1	3	6	2	1	5	78	27
	9	0	2	0	2	2	6	0	0	10	0	0	2	7	40	30
	1002	58	62	60	49	67	122	78	69	72	100	109	72	102	2022	713

The lapses alluded to in the last column comprise, as above mentioned, 18 deaths, 42 resignations, and 8 removed from the list in accordance with Section VI, of Chapter III, of the Bye-Laws, the limited period of absence from India (4 years) having expired, making in all 68.

Of the total number of members (713) introduced in the last column, 33 have compounded for their subscriptions, 106 are absent from India, and 17 are Honorary, Associate and Corresponding; in all 156; leaving 558 as the actual number of paying members at the close of the year.

Among those who have been lost to the Society by death, the Council have to record with much regret the name of Dr. Forbes Royle, for 17 years an Honorary Member. The unceasing interest which Dr. Royle evinced in most questions connected with the

\* It should be 104, the names of Mr. G. D. Turnbull and Col. W. J. B. Knyvett having been erroneously introduced in the obituary list of 1857.

development of the productive resources of this country, naturally led him to take an active part in the various subjects continually coming before the Society, and to forward its views to the best of his ability. The loss of a Member and Correspondent who has assisted so much towards the advancement of Indian agriculture and horticulture is most severely felt and deplored.

The financial position of the Society may also be regarded as altogether satisfactory, as the annexed statements will shew. From these it will be seen that the total receipts during the year have been Rs. 31,509-7-6, and the disbursements Rs. 30,681-4-9. The total liabilities amount to Rs. 9,400. To meet this there is the amount due for arrears of subscription, for seeds, plants, &c., and the cash balance, forming a total of Rs. 13,157.

Only two exhibitions were held during the year, the occupation of the Town-Hall by troops not admitting of the third being held, as usual, in the month of April. The Horticultural department of the January show was deemed altogether very satisfactory, and the competition in the floricultural department was greater than at the January show of 1857; and at the March show the display of vegetables and fruits was equally as good as that of March of the previous year, and the collection of ornamental plants far better. There was a large attendance of visitors at both shows, especially at the first. The sum of Rs. 878 and 4 bronze medals were distributed on these occasions.

The importation of vegetable and flower seeds from England, North America and the Cape of Good Hope, appear, on the whole, to have afforded satisfaction. A second trial assortment of seeds of field crops from Messrs. Gibbs and Co. of London, have however, the Council regret to add, proved so decided a failure, that they have recommended that the order for 1858 be given to Messrs. Carter and Co., and that a small additional supply of cereals be obtained from Messrs. Villet and Son of the Cape.

The Society have been called on during the year to meet certain applications for seeds for soldiers' gardens, to which they have responded to the best of their ability. In reply to a reference

previously made on the subject, it was stated that the Right Honorable the Commander-in-Chief did not consider it necessary, under the then existing circumstances, to avail of the Society's offer of obtaining seeds for soldiers' gardens; but, as demands were, notwithstanding, preferred for certain localities, the Council have thought it desirable to cause another enquiry on the subject to be made to the Military authorities, as it is not improbable that applications on a larger scale will be preferred for next season, which the Society may not be able to meet to the required extent from their own resources.

The Society have disseminated agricultural seeds in various quarters, more especially to Captain Stewart, the Officiating-Superintendent of Cachar, to whom they have sent a large supply, and the distribution of which he reports as a great success among a class of people who have been hitherto dependent on one staple only, rice, which proved a failure last year in Eastern Bengal generally, causing much misery and destitution.

From the Cotton Supply Association of Manchester the Society have received a ton of New Orleans cotton seed, which they have been distributing as judiciously as possible, on the understanding that the recipients communicate in due course the result of their sowings. A small quantity sown in the Society's garden has germinated readily.

It was stated in the last report that though the demand for plants during 1857 had exceeded all previous years, except 1856, it would no doubt have been greater, but for the unsettled state of the country. The operations of 1858 have proved the correctness of this remark. A statement submitted by the Officiating-Gardener shews that from 1st January to 31st December, 1858, nearly 19,433 plants have been distributed, being an increase of upwards of 6,000 on the distribution of 1857. In this number are comprised nearly 7,000 fruit grafts and trees, and a quantity of other useful plants such as coffee, vanilla, &c.; while the remainder (9,604) is made up of purely ornamental plants. During the past year 192 delivery orders have been granted, against 146 in 1857.

In addition to the above, it should be mentioned that the distribution of plants beyond sea has considerably increased. Forty-eight

glazed cases have been transmitted to various places as per subjoined statement :—

To England, by overland steamers, by steamers and sailing vessels viâ the Cape, .. .. .	14
To Mauritius, principally by sailing vessels, . . . . .	7
To Penang, by steamers on the China line, .. . . .	3
To Rangoon, by the Burmah Steam Navigation Company's steamers, .. . . .	16
To Moulmein by ditto, .. . . .	2
To Arracan by ditto, .. . . .	6

Total,.. 48

Besides 4 cases to Assam by the Government steamers. A few more cases are also in hand to be forwarded in January.

The above-mentioned increase in the distribution has necessarily augmented, in a proportionate degree, the work in all departments of the Garden. For propagating in the ornamental department it has been found necessary to introduce *cutch* beds in addition to the old *pucka* ones; they have proved useful auxiliaries, and been found to succeed remarkably well, at a trifling expense, for plants of a *robust* character, by choosing cool and tolerably dry localities. In this manner many kinds of roses have been freely propagated; also the beautiful green-striped bamboo of China and the gigantic bamboo of Burmah. Mr. Manuel has been successful in raising *Araucarias* from cuttings, which, with the fine *Thuja* species and the beautiful *Cupressus funebris*, propagated from plants and seeds received from Mr. Fortune in 1855, have been distributed to a limited extent. There has been a good demand for *Amherstia nobilis*, of which 72 plants have been distributed in the course of the 12 months. An equal number was almost ready for distribution, when the gale of the 25th October took place, and destroyed half of them. Notwithstanding the extended call on the garden, there is still a large stock available for distribution; about 15,000 plants.

From the Orchard department, though the distribution has been active as already noticed, there is still a good supply on hand to meet demands during the early part of 1859 of various kinds of fruit grafts. Among others, the Mauritius mango may be mentioned,

which has been thriving exceedingly well; several plants of Nutmeg and Mangosteen from the stock contributed in 1857 by Mr. Anthony of Penang, have been removed from pots, and planted out in suitable spots, where they are now thriving well. The Manilla hemp plant (*Musa textilis*) is now being freely propagated, and several plants have been distributed: these derive their origin from a single plant presented by Mr. Ackland in 1853: the older plants blossomed during the past season, but did not produce any fruit. Another plant, the "Woondée" of the Deccan (*Calysacion longifolium*) which has been many years in the garden, having been presented by Mr. R. Chew so long ago as 1839, blossomed, it is believed for the first time, this year. This tree yields a luscious fruit differing in taste from any on this side of India. Several seedlings have been raised, and grafts prepared. The fine betel-nut and cocoa-nut plants presented by Mr. Joseph Agabeg in 1850 have also recently blossomed, which will probably give a good supply of fruit for propagating purposes. The Carob (*Ceratonia siliqua*) raised from seed presented by Mr. Henry Abbott of Cairo in 1844, also blossomed last year for the first time, but did not perfect its fruit. A large number of seedlings of this valuable tree is now in stock from seed received from England in 1857. Several other plants in this department might be alluded to, but that it would swell out this report to an inconvenient length.

In the department of economic products, due attention has been accorded to various fibre-yielding plants (7 in number), to yams of sorts, including those from China, and New Zealand; also arrow-root, tapioca, ginger, sugar-cane, Guinea-grass, ground-nuts, (*Arachis hypogea*) vanille, cotton, &c. The pods from *Vanilla aromatica* and *planifolia*, to which allusion was made in the last report, as having been sent to the London Society of Arts, have been favorably reported on (see *Journal*, Vol. X. p. 115.) In addition to the three plots previously under cotton, two others have been recently laid out with plants raised from seed presented by the Government of India, with plants raised from the Sea Island and Petti-gulph seed received from the Society's seedsmen at Philadelphia, and plants from New Orleans seed presented by the Manchester Cotton Supply Association. All the available space in

the kitchen garden is fully appropriated: besides the ordinary vegetables, a good extent of ground has been laid out with American maize, and a still larger plot (nearly 70,000 square feet) with peas of all kinds, to meet a probable large demand next season for soldiers' gardens, and elsewhere.

The Council regret to mention that there has been no demand for the Chinese green dye plants, though frequently brought to notice: there is a large stock of this useful plant still on hand, for those who would wish to cultivate it for the sake of the color it affords, and which is now so highly valued in Europe, more especially in France, where the dye has been recently selling as high as Rs. 135 per pound!

The Society are indebted to several contributors during the past year, more especially to Dr. Thomson, Superintendent of the Botanic Garden, Calcutta, to Captain Ledbitter of the "Swathmore," to Captain F. W. Ripley of Arracan, Captain E. H. Power of Rangoon, and Mr. W. Stalkartt.

The Society has been in correspondence during the year with the Right Honorable Sir Lawrence Peel, regarding a Gardener. Sir Lawrence has secured the services of a competent person, who will probably arrive in the early part of 1859.

It was stated in the last Report that the time expired on 31st December, 1857, for which prizes had been offered for certain staple articles, for efficient substitutes for others, and for essays on certain subjects. It was agreed at a meeting in the early part of 1858 to extend the time to the 31st December, 1858, in consequence of the promotion of the special objects of the Society having been considerably impeded during 1857, owing to the disturbed state of the country. At the following meeting the Special Committee submitted a revised list of premia, omitting a few articles and substituting two others, namely for the successful introduction and cultivation of madder (the produce of *Rubia tinctorium*) and for a cheap substitute for gunny-cloth for packing purposes. There has been no competition during the past year for the prizes offered for staple articles, and only one essay has been sent in, which is under adjudication.



The Society have received during the past twelve months many samples of various articles, such as coffee, tea, cotton, vanille, gamboge, resins, gums, farina as substitutes for arrow-root and tapioca, fibres of sorts, &c., on most of which reports have been furnished by the respective Committees to the contributors. It may here be stated that some interesting information has been published in a recent number of the *Journal* respecting an useful substance from the Tenasserim Provinces called Pwainyet, and the little bee which produces it, collected from notes furnished by the Rev. Mr. Parish of Moulmein and Mr. F. Smith of the British Museum. The substance itself which, it is probable, might be applied to several useful purposes, has been forwarded to the Society of Arts for examination and report.

It is gratifying to announce the recent establishment of a Branch Society at Balasore. It has been originated by a member of the Society, a native Zemindar, Baboo Puddolochun Mundul, who is much interested in the improvement of the vegetable resources of the district. Judging from the report of the preliminary proceedings which were submitted at the December meeting, this Branch Institution promises well, and can scarcely fail to prove most useful, if the steady co-operation of the other leading landholders can be secured.

Among other subjects that have engaged the attention of the Society during the past year, the Council would wish to record, more especially, that advantage has been taken of Mr. R. Fortune's return to China in the service of the Government of the United States of America to re-open a communication with him. Previous reports, particularly those of 1854 and 1855, record the benefits experienced by the Society on a former occasion through the agency and zealous co-operation of Mr. Fortune. Mr. Fortune has again kindly promised to use his best endeavours to obtain seeds and plants from China, and the Superintendent of the P. and O. Company, Messrs. Jardine, Skinner and Co., Gladstone, Wylie and Co. and Apar and Co., have most liberally expressed their readiness to allow such cases to be forwarded free of freight by the steamers for which they are

**Agents.** A communication has also been opened with Dr. Walker, Superintendent of Port Blair, to whom a quantity of seeds has been supplied for the use of the convicts in the new settlement of the Andamans, and he has already commenced to reciprocate by the despatch of plants from those Islands. Application has likewise been made to Dr. Livingstone, for seeds and roots of such African plants as he may consider desirable for introduction into India.

The Society have recently voted a silver medal, with a suitable inscription in Persian, and a parchment certificate, to Juffer Allee, a resident of Darrea, in the Pergunnah of Shukurghur, Goordaspore, as the first zemindaree planter of mulberry trees in the Punjaub, for rearing silk-worms.

Monsieur Natalis Rondot of Paris, the author of a most interesting and useful treatise on the Chinese green dye, has been elected a Corresponding Member of the Society.

Lastly, the Council have to report, that during the past year two numbers of the *Journal* have been published, viz. in June and December, both containing several interesting papers, among others notes on the indigenous plants of Bengal; on experiments with cross-breeds of the silk-worm; on the culture of English vegetables in the environs of Calcutta; an account of the silk trade and silk manufactures of the Punjaub, and on the introduction of the silk-worm into that province; the production of palm sugar in Pegu; the progress of tea cultivation in Cachar and Darjeeling; on the introduction of the quiniferous Cinchonas of South America into India; and various reports on tea, coffee, oils and fibrous materials.

# Statement.

## STATIONERY.

	Brought forward, Co.'s Rs.,	...	28,550	3	9
By Stationery for office books, &c., and for the use of the office,	...	77	14	0	
„ Brown packing paper for packing seeds,	...	97	10	0	
					175 8 0

## FREIGHT.

„ Freight on boxes of seeds, books, &c., sent and received from the Cape of Good Hope, America, &c.,	...	...	348	0	9
--	-----	-----	-----	---	---

## METCALFE HALL.

„ Society's proportion of assessment on the Metcalfe Hall from October, 1857, to September, 1858,	...	157	8	0	
„ Ditto of ditto for lighting tax from Oct. to September, 1858,	...	42	0	0	
„ Messrs. Modosuden Roy for Society's proportion for inspecting and looking over the Metcalfe Hall Building from April, 1857, to March, 1858,	...	20	0	0	
					219 8 0

## FURNITURE.

„ Administrator-General for a portrait of Sir Lawrence Peel,	...	100	0	0	
„ Mr. DeLaHogue for cleaning and varnishing the likeness of ditto,	...	32	0	0	
„ Gones Doss for repairing gilt frame of ditto,	...	10	0	0	
„ Sundry articles of furniture,	...	43	9	0	
					185 9 0

## PETTY CHARGES.

„ Sundry charges, including postage on letters, &c., sent and received, and for copies of the Journal,	...	604	8	0	
„ Extra writer and packermen for subdividing seeds, and writing on papers,	...	34	4	0	
„ Soldering tin boxes and lining wooden boxes with tin, sent to Non-Resident Members,	...	50	1	3	
„ Expenses incurred in putting up a fence round a portion of the Auckland Circus, &c.; for superintending the erection of tents for flower and vegetable shows for the season,	...	151	11	0	
„ Presents to constables for attending at Horticultural and Floricultural Exhibitions during the year,	...	64	0	0	
„ Mr. Bartlett for illuminating the two Gates of the Metcalfe-Hall on the day of the proclamation of the assumption of the Government of India by Her Majesty,	...	175	0	0	
„ Messrs. Grindlay and Co., being balance due to them as per account dated 11th and 31st December, 1857,	...	117	14	6	
„ Secretary Bank of Bengal for renewing notes, and for fees and commission,	...	5	0	6	
					1,202 7 3

	Total Disbursements, Co.'s Rs.,	...	30,681	4	9
By Balance in the Bank of Bengal on 31st December, 1858,	...	2,973	2	2	
„ Ditto in the hands of the Secretary on ditto,	...	15	11	0	
					2,988 13 2

Grand Total, Co.'s Rs., ... 33,670 1 11

MEMORANDUM.

DISBURSEMENTS.

To Amount of Disbursements during the year 1858 as per Statement, ...	30,681	4	9
.. Balance in the Bank of Bengal on 31st December, 1858, ...	2,973	2	2
.. Ditto in the hands of Secretary on ditto, ...	15	11	0
	2,988	13	2
Total, Co.'s Rupees.	33,670	1	11

RECEIPTS.

By Amount of Receipts during the year 1858, as per Statement, ...	31,509	7	6
.. Balance in the Bank of Bengal on 31st December, 1857, ...	2,145	7	5
.. Ditto in the hands of the Secretary on ditto, ...	15	3	0
	2,160	10	5
Total, Co.'s Rupees,	33,670	1	11

Statement.

clxxxvii

LIABILITIES.

Amount due by the Society for American seeds of 1857-58, ...	6,000	0	0
Ditto for Agricultural seeds from England, received in 1858, ...	1,095	0	0
Ditto for English flower seeds, of 1858, ...	2,305	0	0
	9,400	0	0

DEPENDENCIES.

Amount invested in Government Securities lodged in the Bank of Bengal, ...	20,333	5	4
Ditto of Subscription in arrear, ...	8,469	6	6
Ditto of outstandings for seeds, grafts, copies of Journal, &c., ...	1,181	8	6
Ditto of outstandings for seeds against A. & H. Society, Punjab, ...	518	0	0
	1,699	8	6
	10,168	15	0



I N D E X

TO THE

TRANSACTIONS

OF THE

AGRICULTURAL AND HORTICULTURAL

SOCIETY OF INDIA,

VOLUMES I TO VIII.

---

CALCUTTA:

PRINTED AT BISHOP'S COLLEGE PRESS.

1857.



# I N D E X

TO THE

## T R A N S A C T I O N S

OF THE

### A G R I C U L T U R A L   A N D   H O R T I C U L T U R A L   S O C I E T Y .

A G R	Page.	A G R	Page.
<b>A.</b>			
Agriculture of Sylhet, Rajshaye and Dinajpore, I,	49	works, on Indian agriculture and horticulture, and for certain staple products, IV, .. ..	App. 20
————— in Behar, remarks on the state of, II,	217	Agricultural Society, (Branch at Beerbhoom,) report on the garden of the, V, ..	60
Agricultural Society of India, formation of the, I,	221	————— correspondence of the, VI, .. ..	242
————— its objects, I,	222	————— (Branch at Moorshedabad,) report on the garden of the, V, ..	61
————— donation to it, by Govt., of 1,000. Sa. Rs. per annum, I, .. ..	226	————— VIII, .. ..	374
————— premiums for certain specified objects offered by, I, .. ..	ib.	————— at Bangalore, report of the, VI, .. ..	229
————— certain rules for, adopted, I, .. ..	232	————— of India, approval of its operations by high authorities in England, VIII, .. ..	302
————— a medal proposed for, I, .. ..	234	————— Branch at Hooghly, report of, VIII,	375
————— Report of the Committee appointed to enquire into the state of the, II, .. ..	275	————— at Azimghur, report of, VIII, .. ..	ib.
————— (Branch) suggestions for their establishment throughout India, IV, .. ..	176	————— at Cuttack report of, VIII, .. ..	438, 446
————— circular of, for information on the resources of India, IV, App. 14		————— at Dacca, report of, VIII, .. ..	455
————— premium offered by, for the best		Agricultural statistics, report of Committee on, VII, .. ..	Pro. 7, 21, 75
		————— VIII, .. ..	146



AMH	Page.	ASS	Page.
Ajmere, the culture of foreign maize, at, II, ..	214	Amherst Province, products of, their non-admissibility into the port of Calcutta, VIII, .. .. .	59
Akra, certain experiments made at, in the growth of foreign cotton, sugar-cane and tobacco, II,.. ..	377	Anbury, Sir Thomas, notice of a description of melon from Cawnpore, V, ..	13
———— experimental culture of arrowroot at, II, ..	393	Anderson, W. report of experiments on Nipal rice, III, .. .. .	85
Akyab, cotton raised at, from foreign seed, VI, ..	107	Anderson, Dr. James, on cotton raised at Beerbhoom from foreign seed, VI,.. .. .	107
Alexander, N. on the cultivation of indigo in Bengal, II, .. .. .	37	———— on the capabilities of the soil of Beerbhoom, and its <i>Materia Medica</i> , VI, ..	239
———— on a mode of cultivating artichokes, VI, ..	60	Animals (domestic) in use in Behar, II, .. ..	218
Allan, John, notes on flax and its export from India, IV, .. .. .	213	Apple, method of grafting on the Khasiyah crab tree, II, .. .. .	96
Allahabad district; its climate, soil, means of transit, rent of land, means of irrigation, labor, domestic animals, mode of cultivation and instruments employed; vegetable products, manures employed, obstacles to agricultural improvements, I, .. 12, 23		———— (nonpareil of Hyderabad,) notice of the, V, .. .. .	20
Allahabad, culture of foreign sorts of cotton at, II, ..	145	———— (English) its successful introduction in Tirhoot, VI, .. ..	39
———— III, 128, ..	131	Arracan province, its flourishing state, and increase in the export trade of grain, VIII, .. ..	71
———— VI, ..	107	———— its great productive prospects, VIII, .. ..	246
Amballa, soils from, IV, ..	207	———— suitability of its soil and climate for the growth of pepper, VIII, ..	247
America, (United States of,) circular to Consuls, respecting the introduction of plants and seeds from foreign countries, II, ..	312	Arrowroot, its preparation, and use, II, .. ..	79
Amherst, Lord and Lady, appointed Patron and Patroness of the Society, I, ..	230	———— experimental cultivation of, at Akra, II, ..	393
Amherst Province,—its capabilities for the culture of coffee, sugar, and other articles of commerce, VI, ..	129	Artichokes, on the cultivation of, II, .. .. 73, 257	
———— its great facilities for the production of sugar, VII, .. ..	ib.	———— VI, .. .. .	60
———— VIII, ..	54	Asparagus, on the cultivation of, at Mauritius, II, ..	74
		Assam, Gentleman Farmer's guide for, III, .. ..	57

BAL	Page.	BEH	Page.
Assam, climate of, IV, ..	39	Ballard, George, on an im-	
— zoology of, IV, ..	56	proved plough, I, ..	120
— geology of, IV, ..	1	— on the cultivation	
— tea plantations, the		of the sugar-cane, and	
extent and produce of,		manufacture of sugar in	
and the manufacture of		the Ghazee pore district, I,	121
tea, VII, .. .. .	1	Bamboo, periodical flower-	
— wild bean, species		ing of the, III, .. 139, 141	
of, III, .. .. .	166	— — — — — IV, ..	189
— gum copal, caout-		— effect of electri-	
chouc, and tea trees of, II,	181	city on, IV, .. .. .	190
— manufacture of in-		Bangalore, Agri. and Hort.	
digo and sugar in, II, 197, 259		Society of, report from	
— caoutchouc tree of,		the, VI, .. .. .	229
II, .. .. .	181	Barbadoes, the sugar culti-	
Ava, cotton of, II, ..	116	vation and soils of, VIII,	256
Azimghur district, resources		Barberie, Lt. C. S., on the	
of the, VI, .. .. .	1	wool of the Jeypore	
— introduction of the		sheep, II, .. .. .	81
Otaheite cane into the, V,	66	Bareilly paddy, its superi-	
— quantity of land		ority to that of Bengal, II,	87
under cane culture in		— cotton grown at, V,	52
the, V, .. .. .	72	Barley (diseased) at Allaha-	
		bad, I, .. .. .	48
		— of Droz, I, .. .. .	80
		Baugle pore district, cotton	
		from the, II, .. .. .	111
		Bean, wild of Assam, on a	
		species of, III, .. .. .	166
		Bedier, Hon'ble A. M.,	
		award of gold medal to, for	
		his readiness in meeting the	
		Society's wishes in pro-	
		moting the introduction of	
		the cochineal insect into	
		Bengal, VII, .. Pro. 58, 82	
		Beerbhoom, the capabili-	
		ties of the soil of and its	
		Materia Medica, VI, ...	239
		— cotton raised	
		at, VI, .. .. .	107
		Bees, (Honey,) remarks on	
		a captured hive of, in Cal-	
		cutta, VI, .. .. .	24
		Behar, remarks on the	
		state of Agriculture in, II,	217
		— domestic animals in,	
		use in, II, .. .. .	218

B.

Bair or Ber tree, on the, II,	1
Bajra grain, on a disease	
peculiar to, known as <i>kindal</i>	
or <i>kindoor</i> , I, .. .. .	11, 46
Balestier, J. on the culture	
of the sugar-cane and	
manufacture of sugar at	
Singapore, VI, .. .. .	96
— award of gold	
medal to, for best specimen	
of sugar, VII, .. Pro. 84	
— present from, of	
plants of <i>Morus multicau-</i>	
<i>lis</i> , VIII, .. .. .	387
Ballard, George, on the	
mode of treating the grape-	
vine, at Bombay, I, ..	96
— on the cultivation	
of the sugar-cane, and ma-	
nufacture of sugar in Burd-	
wan, and Rungpore, I,	98

BEN	Page.	BRU	Page.
Behar, rotation of crops in, II, . . . . .	227	Bentinck, Lord William, reply of, to the Society's address, II, . . . . .	249
— particular crops raised in, II, . . . . .	224	Bigge, Lt. H. on the destruction of orange trees by a large maggot, V, . . . . .	44
Bell, John, on the culture of foreign maize as an article of food in times of scarcity, II, . . . . .	212	Blake, C. U., an agricultural memoir of the Poorena district, I, . . . . .	123
— on the culture and manufacture of tapioca, II, . . . . .	215	Blundell, E. A., present from, of specimens of Pernambuco cotton, from Moulmein, V, . . . . .	202
— appointed Secretary of the Society, II, . . . . .	348	Bogle, Capt. A., on the cotton of the Garrow Hills, II, . . . . .	136
— on Guinea grass, III, . . . . .	46	— on cotton raised at Akyah, from foreign seed, VI, . . . . .	107
— remarks on Dr. Lush's memoir on the cultivation and preparation of cotton in the districts under the Bombay Presidency, III, . . . . .	144	— on the great productive prospects of the Arracan province, VIII, . . . . .	246
— remarks on Egyptian cotton, III, . . . . .	189	Bokhara, melon of, II, . . . . .	209
— on the culture of Guinea grass, on an extended scale, V, . . . . .	82	Bombay, mode of treating the grape vine at, I, . . . . .	96
— award of silver medal and premium to, for his cultivation of 10 beegahs of Guinea grass, and one maund of seed, V, . . . . .	200	Bosonto, on the contagious disease so called, which attacks the cattle of Bengal, III, . . . . .	126
— further notices respecting Guinea grass, with particulars of seed distributed, VI, . . . . .	30	Bourbon cotton, directions for cultivating, VI, . . . . .	23
— tribute of respect from the Society to the memory of, VI, <i>Pro.</i> 117, . . . . .	118	Brightman, John, on the cultivation of artichokes, II, . . . . .	73
Benares, culture and manufacture of sugar in the district of, VI, . . . . .	4	Broom, (English,) its culture in India recommended, II, . . . . .	201
Bengal, Gentleman Farmer's Guide for, III, . . . . .	57	Bruce, W. (of Culpee,) on the culture of cotton in Bundelkund, III, . . . . .	177
Bentall, E., present of cloth made at Dinajpore from Eri silk, V, . . . . .	85	— C. A. report on the manufacture of tea, and on the extent and produce of the tea plantations in Assam, VII, . . . . .	I
Bentinck, Lord William, on the Prangos plant, II, . . . . .	191	— W. on the cultivation of cotton in Persia, II, . . . . .	35
— farewell address of the Agri. and Hort. Society to, II, . . . . .	246	— Major R. Gentleman Farmer's Guide for Bengal and Assam, III, . . . . .	57

C A M	Page.	C A S	Page.
Bundelkund, soil of, best adapted for cotton, III,	133	Campbell, Dr. A. award of Rs. 200 to, for the purpose of furnishing seeds to the Society from Nipal, VI, <i>Pro.</i> 23, 31	
— culture of cotton in, III, .. .. .	177	— VII, <i>Pro.</i> 130	
Burdwan, culture of cane, and manufacture of sugar at, I, .. .. .	98	Candahar, a series of observations on the climate and horticulture of, VIII,	327
Burnes, Lt. Alexr. on the celebrated melon of Bokhara, II, .. .. .	209	Caoutchouc tree of Assam, II, .. .. .	181
Burney, Major H. notice on the cotton of Ava, II,	116	— formation of a company in London, IV,	223
— notice respecting the "Pan" fibre "Rheea" of the Shan country, III, ..	10	— specimens of, from the Tenasserim coast, V, .. .. .	38
Butter, to make good, V,	218	— Assam, an oil called caoutchoucine obtained therefrom, V, ..	42
C.		— specimens of, from Assam, V, .. ..	73
Cabbage, a new species of, I, .. .. .	61	— report of Committee on specimens from Assam and the Tenasserim coast, V, ..	75, 79
Cachar, cotton of, II, ..	128	— report of Committee, on specimens from Assam and Penang, V, .. .. .	199
Calcutta Flora, a synopsis of plants indigenous to, or cultivated in the vicinity of Calcutta, VII, ..	39	— Society's gold medal awarded to Lt. Hamilton Vetch, for one maund sample of the best Assam caoutchouc, VI, ..	25
Caillol, Capt. award of a gold medal to, for having brought to Bengal a supply of the <i>Grana fina</i> species of cochineal, VI, <i>Pro.</i> 90		— on various trees yielding milky juice in India, VI, .. ..	27
Calder, Miss Anna, on the production of silk at Kamptee, II, .. ..	99	Carey, Rev. Dr. a letter stating the objects of the Agri. and Horti. Society of India, prepared by, I,	222
Campbell, Dr. A. notes on the agriculture and rural economy of the valley of Nipal, IV, .. .. .	58	— on the manufacture of paper used by the natives, II, .. ..	104
— present from, of specimens of the agricultural productions of Nipal, V, .. .. .	62	— report by, on a disease incident to ulsee and other grains, VI, ..	70
— on the indigenous maize of Nipal, in comparison with the produce of American seed, V, ..	80	Casanova, Dr. J. N. on the proper soil and mode of curing tobacco, II, ..	178
— on Nipalese paper, its great durability and strength V, ..	220		

CLO	Page.	COC	Page.
Cattle, on the improvement of, in India, V, ..	26	Cochineal, the Bourbon insect pronounced to be the "Grana fina" by Major Archer, Messrs. Bedier, and Richard, VI, ..	App. 60
— a contagious disease called Bosonto which attacks cattle in Bengal, III, .. ..	126	— report of the Society's committee to the same effect, VI, ..	App. 65
— remarks on the prevention of contagious diseases amongst cattle, V, ..	217	— opinion of Mr. G. Prinsep, on further inspection, that the Bourbon insect is the "Grana fina," VI, .. ..	App. 66
— on a contagious disease termed "Goorgoor" or "Naharrooa," which afflicted horned cattle at Dorunda in 1837-38, VI, ..	120	— suggestion of Mr. Prinsep that the Society ask the Court of Directors for the lapsed premium of £ 2,000, for securing repeated supplies of plants and insects, and introducing them into India, VI, .. ..	App. 69
— the different breeds of, on the western side of the Peninsula of India, and what has been done there for the improvement of sheep and wool, VII, .. ..	111	— account by Mr. Prinsep of the method of cultivating the cochineal insect in the province of Oaxaca, VI, .. ..	App. 73
— report of Committee, with schedule of prizes, VII, .. ..	Pro. 53	— measures which have been pursued by the Court of Directors, and the Governments in India, for the introduction of the true cochineal insect into the British Territories in India, VI, .. ..	App. 85
— award of prizes for, VIII, .. ..	351	— report by Monsr. Perottet, on the means to be adopted to free the silvestre cochineal from the downy covering which characterises it VI, ..	App. 91
Cauliflowers, to secure early, III, .. ..	36	— report of Professor O'Shaughnessy on Mr. Guilding's sample of silvestre cochineal paste, VI, ..	App. 108
Cautley, Capt. P. T., on the introduction of superior kinds of rice, sugar-cane, and cotton on the line of the Doab Canal, V, ..	35	— Mr. Piddington's opinion on silvestre cochineal paste, VI, ..	App. 109
Cawnpore, peculiar description of melon grown at, V, ..	13	— claim for the Govt. reward, for the introduction in India of	
Celery, on a novel mode of cultivating, III, .. ..	103		
Central India, its capabilities, VIII, .. ..	109		
Ceylon, culture of the cocoa-nut tree in, VI, ..	52		
Charlton, Lt., on the gum-copal, caoutchouc and tea trees of Assam, II, ..	181		
Cherra-Poonjee, on the progress of horticulture at, II, ..	96		
Clover (Cabul) present of seed from Capt. C. M. Wade, III, .. ..	100		

c o c	Page.	c o t	Page.
the " <i>Grana fina</i> " variety of, VII, .. ..	Pro. 17, 30	Cochineal, instructions for the cultivation of the Nepal, and rearing of the American cochineal in Spain, VI, ..	App. 37
Cochineal grown in the vicinity of Calcutta, analysis of, III, .. ..	50	— the Bourbon insect pronounced to be the " <i>Grana fina</i> ," by Monsr. Perottet, VI, .. ..	App. 50
— (wild as compared with the domestic insects,) report on quality of, III, ..	77	— second report by Mr. Bell, VI, .. ..	52
— description of the plant, on which it feeds; mode of raising in Central America, VI, ..	App. 1	Cocoanut tree, the mode of culture adopted in Ceylon, VI, .. ..	52
— varieties of Cacti, used for feeding VI, ..	App. 5	Coffee grown in the vicinity of Calcutta, reports on, II, ..	186
— remarks on the cultivation of, as gleaned from various sources VI, .. ..	App. 7	— on the advantages which the Tenasserim Provinces afford for the cultivation of, VI, .. ..	141
— the natural history of the, VI, .. ..	App. 11	Colvin, Col. John, on the culture of Sea Island, and Upland Georgia cotton in the Delhi district, II, ..	150
— supposed discovery of the true insect in India, VI, .. ..	App. 24	— — — — — III, ..	96
— introduction of, into India, in 1788, VI, ..	App. 25	Coombs, Col., on specimen of cotton raised at Palaveram, II, .. ..	143
— difference of opinion between Messrs. Bell and Prinsep, respecting the supplies of Cochineal insect received from Bourbon and the Cape, VI, ..	App. 26	Cope, H., on cotton raised at Meerut from foreign seed, VI, .. ..	112
— distinguishing characteristics of the two varieties of; " <i>Grana fina</i> ," and " <i>Grana sylvestra</i> ," VI, .. ..	App. 31	Corbett, Major Stuart, on the cultivation of hemp, in Lohoghat, Kumaron, VIII, .. ..	278
— varieties of Cacti, upon which the cochineal is said to obtain nourishment, VI, .. ..	App. 31	Cotton, its cultivation in Persia, II, .. ..	36
— hints for securing in India, the propagation of the, VI, .. ..	App. 33	— its cultivation in the United States of America, II, .. ..	57, 63
— first report by Mr. Pell upon the cochineal insect received from Bourbon, and the Cape, and committed to his care, VI, .. ..	App. 34	— (New Orleans) the mode of cultivating, II, ..	61
		— its culture in the Doab and Bundelkand, II, .. ..	78
		— the artificial production of new varieties of, II, .. ..	84

COT	Page.	COT	Page.
Cotton, the method used in Cayenne, to preserve the cotton plant from the attacks of a species of louse, II, .. .. .	87	Cotton, (American,) its cultivation at Munipore, II, .. .. .	205
— from the Baugle-pore district, II, .. .. .	111	— prizes offered by the Govt. for samples of, II, .. .. .	277
— of Ava; notice regarding the quantity exported; descriptions grown; II, .. .. .	117, 138	— seed (exotic), present of from Government, II, .. .. .	291
— of Cachar, notice regarding the, II, .. .. .	128	— experimental cultivation of, at Akra, II, .. .. .	380
— of Dacca, from which the fine muslin is made, II, .. .. .	130	— seed, (vine,) presentation of, by Mr. G. F. Hodgkinson, III, .. .. .	12
— (Bourbon,) grown at Cuttack, II, .. .. .	132	— the soil suitable for, III, .. .. .	31
— of the Garrow Hills, II, .. .. .	134	— (American,) its introduction into Upper India, III, .. .. .	98
— specimens of, imported from Liverpool, with particulars of prices, &c., II, .. .. .	140	— (Peruvian,) notice of, III, .. .. .	93
— (Pernambuco) raised at Duckinsore, II, .. .. .	142	— (Sea Island,) result of experiments in the Allahabad district, III, .. .. .	128
— raised at Palaveram, II, .. .. .	143	— (Pernambuco,) result of experiments at Allahabad, III, .. .. .	131
— (Upland Georgia,) its cultivation at Allahabad, II, .. .. .	145	— in Egypt, mode of cultivating, III, .. .. .	133
— (Pernambuco,) its culture at Tavoy, II, .. .. .	146	— soils in Bundelkund, best adapted for, III, .. .. .	133
— (Sea Island,) raised on Saugor Island, II, .. .. .	147	— remarks on Dr. Lush's memoir on the cultivation and preparation of cotton in the district under the Bombay Presidency, III, .. .. .	144
— (Sea Island,) on its cultivation in the district of Cuttack, .. .. . II,	147	— culture of Peruvian and Egyptian varieties at Soonee, III, .. .. .	173
— ( <i>Gossypium acuminatum</i> ) notice respecting the, II, .. .. .	149	— in Bundelkund, replies to queries on the culture of, III, .. .. .	177
— (Upland Georgia and Sea Island) its cultivation in the Delhi district, II, .. .. .	150	— (Egyptian,) its introduction into Shahabad, III, .. .. .	183
— III, .. .. .	96	— (Egyptian,) remarks on, III, .. .. .	187
— (Sea Island,) its cultivation in Tirhoot, II, .. .. .	151	— (Egyptian,) report on, III, .. .. .	189

COT	Page.	COT	Page.
Cotton seed, account of the distribution of foreign sorts of, in the Upper Provinces of India, IV, .. ..	203	Cotton, report of committee on sundry samples raised from foreign seed at Hazareebaugh, Meerut, Dacca and Tavoy, VI, .. ..	112
— report on acclimated Upland Georgia, raised in Upper India, IV, ..	208	— (Upland Georgia,) result of Col. Skinner's experiments at Hansi, VI, ..	116
— seed, value of for oil, IV, .. ..	215	— soils from N. America, India, Mauritius, and Singapore, a chemical examination of, VI, ..	198
— (Bourbon and Pernambuco,) report on specimens of, grown at Singapore, IV, .. ..	217	— seed, motion respecting the procuring supplies of foreign varieties of, VI, .. ..	47, 54
— (Nurma variety of,) note on the, IV, ..	218	— ————— <i>Pro.</i> 63	
— (exotic,) its growth on the line of the Doab Canal, V, .. ..	35	— Summary of the success which has attended the efforts of the Society at introducing American and other foreign varieties of cotton into India, VII, .. ..	<i>App.</i> 1
— (exotic,) grown at Cuttack, V, .. ..	51	— memorial from the Manchester Chamber of Commerce to the Court of Directors, respecting the present state in India of the culture of, VII, ..	<i>Pro.</i> 72
— (exotic,) grown at Bareilly, V, .. ..	52	— report on sample of Upland Georgia cotton, raised by Dr. Hufnagle, VII, .. ..	<i>Pro.</i> 131
— (exotic,) grown at Shahabad, V, .. ..	53	— cleaning machine (Houldsworth's), present by the Glasgow Chamber of Commerce of a, VII, <i>Pro.</i> 136	
— (exotic,) grown at Kishnaghur, V, .. ..	<i>ib.</i>	— cultivation in India under the auspices of the Supreme Government, communication respecting the, with minute of the Governor-General, VII, .. ..	<i>Pro.</i> 164, 195
— (Upland Georgia) its culture in the Deyrah Dhoon, V, .. ..	67	— culture throughout Hindustan, report of the Special Committee, on the best means of improving the, VIII, .. ..	1
— (grown at Akra,) report upon sample bales of, sent to the Court of Directors, V, .. ..	181		
— report of committee on samples of, from Moultmein, Singapore, and Barrar, V, .. ..	201		
— (Seychelles and Bourbon,) directions for cultivating, VI, .. ..	23		
— report of committee on sundry samples raised from foreign seed at Delhi, Allahabad, Cuttack, Beerbhoom, Cossipore, Akyah, Soonderhunds, and Singapore, VI, ..	106		



CRA	Page.	DIN	Page.
Cotton, suitability of the Muttock country for the culture of, VIII, ..	28	Crane, W. specimens of cotton raised at Singapore from Sea Island seed, V,	201
— report of Committee, on some samples raised at Hansi, Jalown, Cossipore, Secundra, Gorruckpore, and Arracan, VIII, ..	30	Crooke, James, present of Peruvian cotton seed, III,	98
— (Chunderri,) and Mahmoodii cotton cloth, the mode of growth and manufacture, VIII, ..	64	Crops, rotation of, in Be- har, II, .. ..	227
— (foreign,) the ad- vantages attending its cul- tivation in the Delhi Terri- tory, VIII, .. ..	225	— particular kinds of, raised in Behar, II, ..	224
— report of Committee on samples of foreign kinds, raised at Delhi and Deyrah Dhoon, VIII, ..	244	Cumberland, Mr., present of a model of a sugar-cane mill in common use in the Cuttack province, VIII,	336
— (East Indian,) ex- periments made in Eng- land, under the supervi- sion of the Court of Di- rectors, on a new method of ginning, .. .. VIII,	301	Cuttack, culture of foreign cotton and tobacco at, II,	147
Cowles, Capt. C, on tobacco grown at Diamond Har- bour, II, .. ..	175	— — — — — V,	51
Cowell, James, information on the mode adopted in the West Indies for the cul- ture of ginger, .. VI,	227	— — — — — sugar-cane mill, in common use in, .. VIII,	336
Cracroft, W. on the Cape Fig, II, .. ..	5	D.	
— on the progress of Horticulture at Cherra Poonjee, II, .. ..	96	Dacca, culture of safflower, in the vicinity of, II, ..	87
— on a method of grafting the apple on the Khasiya crab tree, II, ..	96	Darjeeling, soil and produc- tions of, VI, .. ..	247
— present from of, specimens of Caoutchouc from Penang and S. Ame- rica, V, .. ..	195	— formation of a garden at, VII, .. Pro.	144
Crane, W. specimens of cotton raised at Singapore from Bourbon and Per- nambuco seed, IV, ..	217	Davy, Miss, on the prepa- ration of thread from the wild pine-apple plant, VI,	227
		Delhi district, culture of foreign cotton in the, II,	150
		— — — — — III,	96
		Deverinne, J. M. report on the working of the Saw Gin, II, .. ..	114
		Deyrah-Dhoon, report on floriculture and agricul- ture in the, VI, .. ..	249
		— culture of hops in the, VII, .. Pro.	102
		— introduction of foreign cotton and wheat in the, V, .. ..	67
		Diamond Harbour, tobacco grown at, II, .. ..	175
		Dinajpore, its agricul- ture, I, .. ..	49

E L E	Page.
Dinapore, culture of grape-vine at, II, ..	202
Disease incident to ulsee and other grain in the Saugor and Nerbuddah territories, II, ..	182
————— VI,	70
Dixon, Capt. C. G., on the culture of foreign maize at Ajmere, II, ..	214
Doab canal, introduction of superior kinds of rice, sugar-cane and cotton in the line of the, V, ..	35
Driberg, Rev. C. E., on the culture of the cocoanut tree in Ceylon, VI, ..	52
Drummond, Dr. John, on the value of Kyan's Patent, as a preservative to bamboo and other garden fences in India, VIII, ..	68
Dunbar, Dr. Wm. account of a disease termed "Goorgoora" or "Naharroora," with which horned cattle in the district of Dorunda, Chota Nagpore, have been afflicted throughout the hot season of 1837-38, VI,	120
Dunlop, Col. W. account of the distribution of foreign kinds of cotton seed, IV, ..	203

E.

Earle, Willis, report on specimen of cotton, from the Bauglepore district, II,	111
Edgeworth, M. P., specimens of soils for analysis from the district of Ambala, IV, ..	207
————— notice of the sugar mill, in use to the West of Sirhind, V, ..	17
Elephants, their applicability as a moving power, II,	229

F I N	Page.
Essays on Agricultural subjects, motion on the offer of premiums for, VI, ..	Pro. 31, 38, 47
————— VIII, Pro.	420, 432
Evans, Dr. Geo. report on the quality of wild cochineal, compared with that of Mexico, in its domesticated state, III, ..	77

F.

Falconer, Dr. H. present from, of specimens of seed of <i>Prinsepia utilis</i> , of "Kurfee," and of wool from the Shawl Goat of Chinese Tartary, III, ..	75
———— present of Prangos, and melon seed from Thibet and Cashmere, VII, Pro.	51
———— despatch of Cashmere and other fruit trees from the H. C. Bot. Garden, at Saharunpore, VII, ..	Pro. 101
Fane, Sir Henry, on the introduction of hops into India, V, ..	46
Farms, (experimental,) on the benefit to be derived by establishing experimental farms in various parts of India, for the introduction of new and improvement of known products, VIII,	314
Farmer's, (Gentleman's) guide for Bengal and Assam, III, ..	57
Fig, (Cape) its introduction and cultivation in India, II,	5
Finch, Jeffrey, on the successful introduction of the English apple in Tirhoot, VI, ..	38
Findlay, Joseph, report on Tavoy grown Pernambuco, cotton, II, ..	146

G A B	Page.	G R A	Page.
Findlay, Joseph, report on Saugor Island grown Sea Island cotton, II, ..	149	Garrow hills, cotton of, II,	136
Fisher, Capt. Thomas, on the cotton of Cachar, II,	128	Ghazeepore district, culture of cane and manufacture of sugar in the, I, ..	121
Flax, notes on, with reference to its export from India, IV, ..	213	————— VI,	4
———— culture in Hindustan, measures for promoting the, VIII, ..	36	Gibbon, James, on the best mode of preparing seeds, to be brought from Europe to India, II, ..	207
———— papers on the subject from the Experimental Flax Committee, and members of the Society. VIII,	36	———— remarks on the state of Agriculture in Behar, II, ..	217
———— Report to Govt. of India with request for a boon to encourage its culture, VIII, ..	52	Ginger of Kumaon, a superior description, II, ..	196
———— Reply of Govt. thereto, VIII, ..	53	———— of Rungpore, and the probability of improving it by importing roots from Jamaica, II, ..	208
———— Report of Committee on specimen of Monghyr grown flax, VIII, ..	447	———— (Jamaica) presentation of, by G. F. Hodgkinson, Esq., III, ..	12
Flowers fragrant, on rendering, I, ..	104	———— information respecting the mode adopted in the West Indies for the culture of, VI, ..	227
Foaker, Dr. E. on the culture of the Otaheite cane in the district of Tipperah, VIII, ..	89	Grafting, on a new mode of, I, ..	35
Fruit tree grafts from England, an order for a collection of, I, ..	229, 233, 236	———— II,	260
Fruits, reports of committee appointed to revise and regulate the distribution of prizes for, II, ..	305	Grant, Capt. on the culture of American cotton and tobacco at Munni- pore, II, ..	205
Furze, (English) its culture in India, II, ..	201	———— J. W. on the Nurma cotton, IV, ..	218
G.		Grape vine, at Bombay, mode of treating, I, ..	96
Garden for the Society, proposal of a, I, ..	238	———— culture at Dinapore, II, ..	202
———— at Allipore, regulations for the, II, ..	271	———— successful, plan of cultivating the, VI, ..	54
———— report of the Horticultural Committee on the condition of the, II,	295	———— on the mode best suited for cultivating in Bengal, VI, ..	61
		———— Hoare's treatment of, in Europe, recommended for adoption in India, VI, ..	63

HAL	Page.
Grasses, (Europe,) the culture of, at Kurnal, III, ..	190
——— corn and pasture of India, notice of the, VII, .. .. .	91, 254
Griffith William, report on the plant of Upper Assam, V, .. .. .	94
Guilding J. report on sugar-cane, raised in the Soonderbunds, VI, ..	56
Guinea grass recommendation for its culture in India, III, .. ..	46
——— its culture on an extended scale recommended, V, .. .. .	82
——— award of silver medal and Rs. 200 to Mr. John Bell, for his cultivation of 10 beegahs of ground, and one maund of seed, V, ..	200
——— further notices respecting, with a list of persons to whom seed has been distributed, VI, ..	30
Gum-copal tree of Assam, II, .. .. .	181
Gurhwal, cultivation of hemp and other fibres, in, VIII, .. .. .	260
Guzerat, its value as a cotton province, VII, ..	Pro. 140

## H.

Haines, John H. on the cultivation and manufacture of sugar-cane in the districts of Mirzapore, Benares, Jaunpore, and Western Ghazeepore, VI,	4
Halhed, N. J. details of the cultivation and manufacture of sugar in the pergunnahs of Chandpore, Bijnore and Mondore, Zillah Moradabad, II, ..	7

HAZ	Page.
Hall, Capt. Basil, on the culture of cotton and tobacco in the United States of America, II, .. ..	57
Hamilton, Lt.-Col. on the culture of Sea Island cotton in Tirhoot, II, ..	151
——— W., mode of growing American Sumach, III,	93
——— Dr. Francis, table of contents of his statistical surveys of seven districts of Bengal, III,	158
Hannay, Capt. S. F. on a description of fibre, raised in the Shan country, and in Upper Assam, V, ..	20
Hansi, experimental culture of cotton at, VI, .. ..	116
Hardwick, Major-General, on the cultivation of wheat, on both sides of the river Jumna, I, .. .. .	24
Hare, James, his analysis of opium, I, .. .. .	50
Harris, A. G., on sugar-cane, grown in the Soonderbunds, VI, .. .. .	56
——— report of, on plough made at Porto Novo from an American model, VI, .. .. .	58
——— F., on cotton raised at Kishnaghur from Egyptian seed, V, ..	53
Hastie, John, on cotton raised at Duckinsore from Pernambuco seed, II, ..	142
Hastings, The Marquis of, patron of the Agri. and Horti. Society of India, I,	222
——— The Marchioness of, patroness of the Society, consents to sit for her picture, I, .. .. .	228
Hazareebaugh, foreign cotton raised at, VI, .. ..	112

H E M	Page.	H U D	Page.
Helfer, Dr. mission to the Tenasserim Provinces IV, .. .. .	183	Hemp, report of committee on specimen of hemp raised in the vicinity of Calcutta, VIII, ..	449
——— notice of certain caoutchouc yielding plants on the Tenasserim coast, V, ..	38	Herat, (valley of) its productions and floriculture, VIII, .. ..	251
——— on the capabilities, topography, and great natural resources of the Tenasserim Provinces, VI, ..	122	Hezeta, Col. Joseph, on the cultivation of tobacco in the Province of Cagayan, which produces the best in the Phillippine Islands, II, .. ..	171
Hemp, (Manilla), an account of the manner of preparing it, I, .. ..	51	——— on the ginger of Rungpore, and the probability of improving its culture by importing roots from Jamaica, II, ..	208
——— from various kinds of plantain, I, .. ..	53	Hinds, Hon'ble P. L., notes on the sugar cultivation and soils of Barbadoes, VIII, .. ..	256
——— from Tavoy, notice of, V, .. ..	19	Hodgkinson, G. F. on the culture and curing of tobacco, II, .. ..	176
——— ( <i>Cannabis sativa</i> ), Despatch from the Home Government relative to the cultivation of, VIII, ..	15	——— directions for cultivating Madder, II, ..	269
——— its cultivation and manufacture, as practised in the Hills in the North of India, VIII, .. ..	74	——— presentation of vine cotton seed, and Jamaica ginger, III, ..	12
——— Manilla, its superiority as cordage in India, over the hemp rope of Europe, VIII, .. ..	76	——— report on the Rhea hemp of Assam, VIII, ..	437
——— (Nettle) as prepared in the hills in the North of India, VIII, ..	75, 275	Hodgson, B. H. notice of the hemp cultivation in the Nepaul state, .. VIII, ..	212
——— (Maloo creeper) as a substitute for other cordage, VIII, .. ..	75, 273	Homfray, R. on the Tussur silk worm, IV, .. ..	219
——— ( <i>Cannabis sativa</i> ), notice of its cultivation in the Nepaul state, VIII, ..	212	Hops, on the introduction of, into India, V, .. ..	46
——— ( <i>Cannabis sativa</i> ), notice of its cultivation in British Gurhwal, VIII, ..	260	——— growth of, in the Deyrah Dhoon, VII, ..	Pro. 102
——— "Bheemul," its cultivation and preparation in British Gurhwal, VIII, ..	274	——— its cultivations in India, VIII, .. ..	452
——— "Bhabur" VIII, ..	272	Huddleston, Capt. H. —, notice respecting the cultivation of hemp and other fibres in British Gurhwal, VIII, .. ..	260
——— "Oodala," VIII, ..	274		
——— ( <i>Cannabis sativa</i> ), its cultivation at Lohoo-ghât in Kumaon, VIII, ..	278		

IND	Page.	JEN	Page.
Huffnagle, Charles, present from, of vine and apple plants, raised from American fruit, imported in ice, V, .. .. .	69	Indigo, its culture in Tiroot, II, .. .. .	19
———— on cotton raised at Cossipore from foreign seed, VI, ..	107	———— its culture in Oude, II, .. .. .	24
———— report on cotton raised at Jalown, Hansi, and Cossipore, VIII, ..	32	———— on its manufacture, II, .. .. .	28
———— report on cotton raised at Secundra, Arracan, and Gorruckpore, VIII, .. .. .	35	———— on its cultivation generally, and in reply to the argument that the supply will exceed shortly the demand, II, .. .. .	37
———— report on cotton raised at Delhi, and in the Deyrah Dhoon, VIII, .. .. .	244	———— mode of culture and manufacture in Assam, II, .. .. .	19, 198, 259
Hugon, Thomas, on the culture and manufacture of sugar, and indigo in Assam, II, .. .. .	197	Inglelew, W., on rearing plants to seed, II, ..	12
———— II, .. .. .	259	Inglis, G. on the introduction of the potato in the Kassiah hill, III, .. ..	54
Huggins, W. on the cultivation of Upland Georgia cotton at Allahabad, II, ..	145	Irvine, Dr. R. H., on the mode of growing and manufacturing the celebrated Chunderie cotton and Mahamoodie cotton cloth, VIII, .. .. .	64
Hulse, H. C. on the improvement of cattle in India, V, .. .. .	26	J.	
Hunter, C. F. on cotton from the Bauglepore District, II, .. .. .	111	Jamaica, seeds from, III, ..	44
Hurry, W. C. on Arracan rice, II, .. .. .	72	Jaunpore, particulars regarding the agriculture of that district, III, .. ..	101
———— on Guinea grass, III, .. .. .	46	———— culture and manufacture of sugar in district of, VI, .. .. .	4
———— on Peruvian cotton, raised at Cossipore, VIII, 30, 32, 33	32	Jenkins, Capt. F. on the silks of Assam, and the plants on which the worms feed, II, .. .. .	166
Hydrabad, nonpareil apple, of, V, .. .. .	20	———— on the Rheea fibre of Assam, II, ..	206
———— mode of drawing water from wells, in the vicinity of, V, .. ..	43	———— III, .. .. .	137
I.		———— remarks on the applicability of elephants as a moving power for sugar mills, &c., II, ..	229
Implements of agriculture in use in Behar, II, ..	221		
Indigo, its culture in Bengal, II, .. .. .	16		

K I R	Page.	L A I	Page.
Jenkins, Capt. F. on the pine-apple fibre of the Khassiah hills, III, ..	137	Kirke, on the introduction of Upland Georgia cotton and Tartarian wheat in the Deyrah Dhoon, V, ..	67
——— report on Egyptian cotton and Creole rice, III, .. ..	189	——— report on floriculture and agriculture, in the valley of Deyrah, VI, ..	249
——— on Creole rice, and Assam sugar, V, ..	22	——— award of Rs. 200 to, for the purpose of furnishing seeds to the Society from Deyrah Dhoon, VI, .. ..	Pro. 23, 31
——— on the great natural resources of Muttock, in Upper Assam, VIII, ..	27	Kishnaghur cotton grown at, V, .. ..	53
Jeypore sheep, the wool of, II, .. ..	81	Kittoe, Lt. Wm., on the capabilities and great natural resources of the line of country Southward of Midnapore, between that station and Sumbulpore, VII, .. ..	Pro. 127
Jones, J. B. particulars relating to the agriculture of Jaunpore, III, .. ..	101	Kossia mountains, geology of, IV, .. ..	3
——— on the periodical flowering of the bamboos, III, .. ..	141	——— introduction of the potato into the, III, ..	54
——— on the introduction of the Otaheite cane, in the Azimghur district, V, ..	66	Kurfee, sample of (the woolly down of <i>Chaptalia gossypina</i> ), III, .. ..	75
Jubbulpore district, its condition in former times with a sketch of its present state, VIII, .. ..	214	Kurnaul, culture of European grasses at, III, .. ..	190
Jute, its cultivation in Bengal, and manufacture of gunnies therefrom, II, ..	91	Kyd, James, present of a model of a thrashing machine, I, .. ..	226
K.		Kyan's patent, its value as a preservative to bamboo and other garden fences in India, VIII, .. ..	68
Kamptee, production of silk at, II, .. ..	99	L.	
Kashmere, the fruit trees of, I, .. ..	62	Labour, price of, in Behar, II, ..	217
——— the vegetables of, I, ..	70	Lac insect, and mode of cultivating it, VI, ..	47
——— the floating gardens of, I, .. ..	69	Laidlay, J. W. on certain vegetable products of the Beerbhoom district, VI, ..	242
——— lucerne, I, ..	72	——— on a new application of wood oil to economical purposes, VIII, .. ..	344
Kemaon, culture of hemp at, VIII, .. ..	278		
——— ginger of, a superior sort, II, .. ..	196		
Kirke, Capt. on the treatment of the peach and plum trees, II, .. ..	254		

LIT	Page.	MAC	Page.
Lamb, Mr., gold medal presented to, for specimen of coffee, I, .. .. .	234	Western side of the Peninsula of India; and what has been done there for the improvement of sheep and wool, VII, .. ..	111
——— Dr. Geo., on the cultivation of safflower in the neighbourhood of Dacca, II, .. .. .	87	Logan, James R., on the agricultural capabilities of the island of Penang, VII,	101
——— on the cotton from which Dacca muslin is made, II, .. .. .	130	Lowther, Robert, remarks on Sea Island cotton seed, and mangul wurzel, III,	128
Lambert, W., on cotton raised at Allahabad, from foreign seed, VI, .. ..	107	——— on Pernambuco cotton seed, III, ..	131
Latter, Lieut. Thos., on the mode of cultivating tobacco, at Sandoway, VIII,	248	——— on mangulwurzel, III, .. ..	172
Lay, Geo., award of Society's silver medal to, for 2nd best sample of yellow raw silk, VI, .. .. .	42	——— on the culture of strawberries, IV, ..	208
Leyburn, Geo., on cotton raised at Shahabad from Egyptian seed, V, .. ..	52	Lush, Dr. C., memoir on the cultivation and preparation of cotton in the districts under the Bombay Presidency, III, .. ..	144
Leycester, W., on a new mode of grafting, I, ..	35	Lyall, Charles, on the value of cotton seed for oil, IV, .. .. .	215
——— an account of the cultivation of Joomla rice, I, .. .. .	45	Lysaght, Capt. T., on the mode of drawing water from wells in the vicinity of Hyderabad, V, .. ..	43
——— an account of a dwarf pea, introduced from Patna, I, .. .. .	47		
——— on hemp prepared from certain kinds of plantain, I, .. .. .	53		
Lichens, correspondence on the subject of, with reference to descriptions procurable in India, V, ..	86		
——— (Chulcheelera of the Himalayas,) V, ..	91		
——— list of the kinds known in commerce, V,	ib.		
Lime, on its application as a manure, I, .. .. .	58		
Little, J., on the different breeds of cattle on the			
		M.	
		Macfarquhar, Capt. H., on a description of hemp raised at Tavoy, V, .. ..	19
		——— on cotton raised at Tavoy from foreign seed, VI, .. .. .	112
		Machine for raising water, V,	211
		Mackie, J. M., notice of a peculiar sort of Bombay mango, raised at Dinapore, III, .. .. .	53
		——— on the culture of the grape vine, VI,	61



MAN	Page.	MOL	Page.
Mackenzie, the Rt. Hon'ble Stewart, communication on the Manilla hemp, VIII,	76	Marcus, J. P., observations on the uses and properties of the Roosa grass oil, V,	42
Madder, directions for its cultivation, II, ..	269	Masters, J. W., on the propagation of exogenous plants, III, ..	1
Maggot, the destruction of orange trees by a description of, V, ..	44	——— report on certain seeds from Cabul, III,	95
Mahwa, ( <i>Bassia latifolia</i> ), the conversion of its flower to sugar, III, ..	175	——— on pruning peach trees, IV, ..	232
Maingy, W., on the cultivation of Pernambuco cotton at Tavoy, II, ..	146	——— remarks on certain specimens of soils from Nepaul, V, ..	1
Maize. (foreign,) on its culture in India, II, ..	212	——— on the food of plants, VI, ..	10
——— its culture at Ajmere, II, ..	214	——— on the propagation of plants, VI, ..	15
——— its culture at Saugor, (Central India,) II,	214	——— Calcutta Flora, containing a synopsis of plants indigenous to, or cultivated in the vicinity of Calcutta; with observations on the properties and manner of cultivating some of the most interesting, VII, ..	39
——— (American,) its introduction in the districts of Saugor and Jubbulpore, III, ..	..	Mauritius, culture of asparagus at, II, ..	74
——— (American,) the advantages attending its cultivation in the Delhi Territory, VIII, ..	225	——— on treatment of seeds at, II, ..	90
Mango tree, on the cultivation of the, II, ..	13	McClelland, John, report on the physical condition of the Assam tea plant, with reference to geological structure, soils, and climate, IV, ..	1
——— notice of a peculiar description at Dinapore raised from Bombay stock, III, ..	53	McDowall, W., statement of the weather for 22 years from 1800 to 1822, made at Krishnagunge, near Rungpore, I, ..	83
——— introduction of, from the Northern parts of India into the Algerine Territories, VII, ..	Pro. 186	McLeod, D. F., remarks on cotton, sugar, Mahwa, and tussur-silk, III, ..	173
Mangosteen tree in Bengal, acclimation of the, VII, ..	Pro. 188	——— D.F., present from, of specimens of indigenous cotton from Berar, V, ..	202
Mangul Wurzel, remarks on, grown at Allahabad, III, ..	130, 131, 172	——— notes of a temporary residence on the	
Manuring lands, remarks on, III, ..	185		

MIR	Page.	MUL	Page.
table land of Omarkantak in Central India, VIII,	144	Montgomerie, Dr. W. notice of certain sugar-canes from Singapore, V, ..	15, 71
Medal (gold) to be prepared for the Society, I, ..	234	———— present from, of a model of a rice mill, V,	70
———— presented to Mr. Lamb of Dacca, for a maund of coffee from his plantation, I, .. ..	234	Montgomery, R., a statement of the quantity of land under sugar cane cultivation in the district of Azimghur, V, .. ..	72
———— offered for essays on certain subjects, I, ..	242	———— statement of the quantity of land under sugar-cane culture in the district of Azimghur, VI, .. ..	1
———— (silver) presented to Mr. A. Millet of Entally, for introducing the Karmoojah melon, V, ..	9	Moorcroft, W., on the fruit-trees and other vegetable products of Kashmere, I,	62
———— annual award to branch Societies of, VI, <i>Pro.</i> 39, 47		———— on the Prangos plant of Droz, I, ..	74
———— Committee, report of the, for encouraging improvement in the staple products of Bengal, VI, .. <i>Pro.</i> 112,	114	———— on the wheat of Hazara and Ladakh, I,	81
Meerut, foreign cotton raised at, VI, .. ..	112	———— on the barley of Droz, I, .. ..	80
Melon, "Bokhara," notice of the, II, .. ..	209	———— on the rhubarb of Ladakh, I, .. ..	82
———— "Karmoojah," notice of the, V, .. ..	9	Moore, Major J. A., on the non-pareil apple of Hyderabad, V, .. ..	20
———— (Cawnpore,) notice of the, V, .. ..	13	Moradabad, culture and manufacture of sugar in the zillah of, II, .. ..	7
Metcalf Hall, appropriation of the sum of Rs. 10,000, towards the erection of the, VIII, 350, 358,	398	Morris, Mr., on dried plantains, as an useful confection, VIII, .. ..	58
Milner, Mrs. Capt., on a successful plan of cultivating the grape vine, VI,	54	Moulmein, culture of Pernambuco cotton at, V, ..	202
Millet, A., award to of a silver medal and Rs. 200, for introducing the Karmoojah melon, V, ..	9	Mulberry cultivation in Western India, II, ..	158
Mines, J. V., remarks on the culture of tobacco and Europe grasses at Kurnaul, III, .. ..	190	———— in Bengal, II, ..	163
Mirzapore, culture and manufacture of sugar in the district of, VI, .. ..	4	———— tree (standard) its superiority for the culture of silk in Bengal and the Deccan, VI, .. ..	149
		———— new species of, ( <i>Morus multicaulis</i> ) notice of a, VIII, .. ..	340

NIP	Page.	NIP	Page.
Mulberry, presentation of plants of, VIII, ..	387	Nipal, land measure of, IV, ..	75
Munneepore, culture of American cotton and tobacco at, II, ..	205	———— average produce of land in, IV, ..	76
Munneeram Burr Bandaree Burrooah; on the Mezan-gurree silk of Assam, and the plants whereon the worm feeds, VII, ..	97	———— broad cast crops of the Turai, IV, ..	79
Munro, Capt. W., on the progress of agriculture and horticulture in the Mysore country, VI, ..	229	———— money value of produce in, IV, ..	83
Mutti, G., on the superiority of standard mulberry trees, and the culture of silk in Bengal and the Deccan, VI, ..	149	———— money value of land rent and government tax in, IV, ..	86
———— award of a medal to, VI, ..	Pro. 23, 31	———— first class lands in, IV, ..	86
Muttock (in Upper Assam), its great natural resources, VIII, ..	27	———— prices of produce in, IV, ..	87
Mysore country, progress of agriculture and horticulture in the, VI, ..	229	———— physical and marked chemical properties of the valley soils of, IV, ..	90
N.		———— weights and measures in use in the valley of, IV, ..	97
Newman, John, on the cultivation of asparagus at Mauritius, II, ..	74	———— agricultural and horticultural productions of the valley of, IV, ..	100
———— on the treatment of seeds, II, ..	90	———— fences in, IV, ..	110
Nipal, rice of, experiments made on, III, ..	88	———— irrigation, mode of, in, IV, ..	111
———— agriculture and rural economy of, IV, ..	58	———— mode of making fields in, IV, ..	113
———— geography of, IV, ..	59	———— mode of tillage in, IV, ..	114
———— population of, IV, ..	63	———— agricultural and other implements in use in, IV, ..	119, 157
———— formation of the valley, soil of, IV, ..	64	———— varieties of rice cultivated in, IV, ..	120
———— general properties of the soil, IV, ..	67	———— wheat of, IV, ..	124
———— manures, natural and formed, IV, ..	70	———— Indian corn of, IV, ..	125
———— principal varieties of soil recognised by the natives, IV, ..	73	———— vegetable products, of, IV, ..	127
		———— sugar-cane of, IV, ..	134
		———— climate of, IV, ..	136
		———— course of the seasons of, IV, ..	140

P A P	Page.
Nipal, agricultural and horticultural calendar of, IV, .. ..	141
— cotton spinning, weaving, printing, and dyeing in, IV, .. ..	165
— cotton piece goods of, IV, .. ..	172
— canvas of, made from the inner bark of trees, IV,.. ..	173
— specimens of the agricultural productions of, V, .. ..	62
— culture of hemp in, VIII, .. ..	212
Norton, Geo., on the mode of manufacturing raw silk in Europe and Bengal, II,	152
Nurma cotton, notes on, IV,	218

O.

Omarkantak, in Central India, notes of a temporary residence on the table land of, VIII,.. ..	144
Onion (Sreenuggur), noted for its size and mildness, II,.. ..	197
Opium, an analysis of, I,	50
— its retail and consumption at Penang, I,..	56

P.

Paddy (Bareilly) its superiority to that of Bengal, II,	87
— its culture in twenty different districts, II, .. ..	231
Palaveram, cotton raised at, II, .. ..	143
Paper used by the natives of India, mode of manufacture, II, .. ..	104
— (Nipalese), particulars respecting its great durability and strength, V,	220

P I D	Page.
Patrick, Wm., on the properties of the saw-gin, II,	115
Patron of the Society, The Marquis and Marchioness of Hastings appointed Patron and Patroness, I,	222
— Lord and Lady Amherst appointed, I, .. ..	230
Payter, J. W., proposal to send a small vessel to Otaheite for a supply of sugar-cane, V, .. ..	204
Pea, (Dwarf,) introduced from Patna, I, .. ..	47
Peach tree, on the cultivation of the, II, .. ..	13, 254
— on pruning, IV, ..	232
Pearson, J. T., remarks on an East Indian turnip-fly, ( <i>Haltica nigro-fusca</i> ,) VII,	134
Penang, the population of I,	55
— its agricultural capabilities, VII, .. ..	101
— retail and consumption of opium at, I,	56
Pepper (black), suitability of the soil and climate of the Arracan province for its growth, VIII, ..	247
Persia, culture of cotton in, II, .. ..	35
Petition to Parliament on the equalization of the duties upon certain staple products of India, II, ..	335
Philippine Islands, culture of tobacco in the, II, ..	171
Piddington, H., his account of the manner of preparing Manilla hemp, I, ..	51
— on the manufacture of indigo, II, ..	28
— on the artificial production of new varieties of cotton, II, ..	84

PLA	Page.	POT	Page.
Piddington, H., on the soils best suited for the cultivation of tobacco, II, ..	168	Plants, (useful) their introduction into India, III, ..	37
——— present of, Creole rice, III, .. .. .	13	—— mode of transmitting, without open exposure to air, IV, .. .. .	191
——— on the soil suitable for cotton, tobacco, sugar and the tea plant, III, .. .. .	31	—— the food of, VI, ..	10
——— on Cabul tobacco, III, .. ..	51	—— the propagation of, VI, ..	15
——— on the contagious disease called Bosonto, which attacks the cattle of Bengal, III, .. ..	126	—— interchange of, between Asia and Europe, the produce of each other's soils, VII, Pro. 82, 86, 111, 139	139
——— remarks on the prevention of contagious diseases amongst cattle, V, .. .. .	217	—— VIII, 383, 412, 423	
——— mode of making good butter, V, ..	218	Plough, on an improved one, I, .. .. .	120
——— a chemical examination of cotton soils, from North America, India, the Mauritius, and Singapore, VI, .. ..	198	—— made at Porto Novo, from an American model, VI, .. ..	58
——— an account of the Manilla hemp and mode of manufacturing it, (translated from the "Flora de las Filipinas)," VIII, ..	87	—— observations on the American plough in connection with trials on the Western side of India, VII, .. ..	111
Pine-apple fibre from the Kassiah Hills, bag made of, III, .. .. .	83	Plowden, Trevor, on the cultivation of the artichoke, II, .. ..	257
——— report on, III, ..	123	Plum tree, on the cultivation of the, II, .. ..	254
——— from Kassiah, III, ..	137	Poornea district, an agricultural memoir of the, I, ..	123
——— plant (wild) the preparation of thread from, VI, .. .. .	227	—— glossary of Hindostanee terms used in land tenures, I, .. ..	135
Plantain fibre, I, ..	53	—— ditto in native husbandry, I, .. ..	168
——— fruit (dried) as an useful confection, VIII, ..	58	—— a detailed list of various grains raised, I, ..	165
Plants, to seed, on rearing, II, .. .. .	12	—— agricultural journal, kept in, for one year, I, .. .. .	183
—— (cuttings) native mode of preserving, II, ..	77	—— the introduction of Baraset rice into the, VIII, .. .. .	107, 470
—— (Exogenous) on the propagation of, III, ..	1	Potatoes, on the cultivation of, at Alipore, in the vicinity of Calcutta, II, ..	210

PRI	Page.	RAM	Page.
Potatoes, introduction into the Kassiah hills, III, ..	54	bunds, from foreign seed, VI, .. ..	107
— remarks on, with reference to its culture in India, VIII, .. ..	207	Prinsep, Wm, report on some samples, of silk from Bombay, II, .. ..	76
Potter, Owen, notes on the system of cotton cleaning and the mode of purchasing cotton in Guzerat, VII, .. ..	Pro. 155	— report on some samples of silk from Kamptee, II, .. ..	102
— report on samples of cotton, raised at Hansi, Jaloun and Cosipore, VIII, .. ..	33	<i>Prinsepia utilis</i> , seed of, III, ..	76
— report on samples of cotton raised at Secundra, Arracan and Gorruckpore, VIII, ..	34	Privet, (Nipal) report on specimen of, III, ..	124
— report on samples of cotton raised at Delhi, and in the Deyrah Dhoon, VIII, .. ..	244	Prizes, distribution of, for vegetables and fruits, II, ..	305
Prangos, an account of a plant used in Droz for making hay, I, .. ..	74	— IV. App. 1	
— seed of, applied for, by the Society, to Maharajah Runjeet Sing, II, .. ..	191	R.	
— seed promised by Capt. C. M. Wade, III, ..	100	Radha Kanta Deva, Rajah, an account of the agriculture of the 24-Pergunnahs, I, .. ..	37
Pratt, George, on the successful introduction of Baraset rice into the district of Purneah, VIII, 107, 470		— on the agriculture of Sylhet, Rajshaye and Dinagepore, I, .. ..	49
Presgrave, Lt.-Col. D., on a new mode of grafting and budding, II, .. ..	260	— on the Bair or Ber tree, II, ..	1
Pringle, D., on the cultivation of Sea Island cotton in the district of Cuttack, II, .. ..	147	— on the cultivation of cotton and tobacco in Central India, II, .. ..	67
— on the cultivation of Virginia tobacco, in the district of Cuttack, II, .. ..	148	— on the culture of paddy in twenty different districts, II, .. ..	231
Prinsep, G. A., on cotton raised in the Soonder-		Rajkissen Mookerjee, on cotton raised at Hazareebaugh, from foreign seed, VI, .. ..	112
		Rajshaye, agriculture of, I, ..	49
		Ramcomul Sen, his report on the cultivation of Jute, and the manufacture of gunnies in Bengal, II, ..	91
		— on the manufacture of paper used by the natives, II, .. ..	105

RIL	Page.	ROY	Page.
Rhubarb, of Ladakh, I, ..	81	Royle, the non-admissibility of Amherst grown sugar into the Port of Calcutta, VIII, ..	57
— of Cabul, II, ..	245	Robison, C. K., appointed Secretary, I, ..	236
Rheea fibre of Assam, ( <i>Urtica tenacissima</i> ), II, ..	129	— on the culture of the mangoe and peach, II, ..	13
— of the Shan country, III, ..	10	— on acclimated seed as the best for sowing, in order to procure good and early crops of vegetables, II, ..	35
— of Assam, III, ..	137	— on the use and preparation of arrow-root, II, ..	79
— VIII, 379, 437		— on an improved continuous still, II, ..	263
Rice of Bengal, disease of, I, ..	10	— remarks on the real Sando-way tobacco, III, ..	136
— Joomla, an account of the cultivation of, I, ..	45	— II, ..	206
— of Arracan, notice respecting the, II, ..	72	Roosa grass oil, the uses, and properties of, V, ..	42
— (Creole) present of seed from Mr. H. Piddington, III, ..	13	Rose, W. G., award of Society's gold medals to, for best samples of yellow and white raw silk, VI, ..	41
— (Joomla mountain) III, 82, 118		— VII, .. Pro. 84, 195	
— (Creole) its trial in Assam, III, ..	189	— on the mode of preparing the raw silk for which the gold medal was awarded, VII, ..	109
— V, 22		Roxburgh, Dr. W., directions for cultivating teak, II, ..	50
— the introduction of superior varieties on the line of the Doab canal, V, ..	35	Royle, Dr. John Forbes, on the introduction of useful plants into India, III, ..	37
— (Baraset), its successful introduction into the Purneah district, VIII, 107, 470		— on the cultivation of tobacco in India, III, ..	105
Richard, Monsr., award of a gold medal to, for his attention to the wishes of the Society, in transmitting to Bengal a supply of cochineal insect from the island of Bourbon, VI, ..	Pro. 91, 103	— on the caoutchouc of India, IV, ..	221
Richmond, Capt. A. F., on the culture of potatoes, II, ..	210	— VI, ..	27
Riley, Edward, on the agricultural capabilities of Amherst Province, VI, ..	129		
— on the great facilities of Amherst Province for the production of sugar, VII, ..	ib.		
— VIII, 54			

S A N	Page.	S E E	Page.
Royle, Dr. J. F., on the Dhak or Pulas tree, ( <i>Butea frondosa</i> ,) and the kino and lac, which it yields, VI,...	51	Savi, Mr. N., directions for cultivating the Seychelles and Bourbon cotton, VI,	23
— on the advantages and practicability of cultivating hemp in India, VIII, ..	16	Saw-Gin, particulars respecting its use, and the quantity of cotton cleaned by it, II, .. ..	113
— on the corn and pasture grasses of India, VIII, 91, 251		— present of from Government, II, .. ..	291
Rum, the produce of British India, discriminating duty on, VII, <i>Pro.</i> 70, 78, 100, 197		Scott, David, on a new mode of preserving seeds, I, .. ..	33
— — — — — VIII, 435, 445		— on a new windmill, for raising water, II, ..	56
Rungpore, culture of cane, and manufacture of sugar at, I, .. ..	98	— — — Dr. K. M., present from, of specimens of Assam caoutchouc, V, ..	191
— — — ginger of, and the probability of improving it, by importing roots from Jamaica, II, .. ..	208	Secretary of the Society, Mr. C. K. Robison, appointed, I, .. ..	236
Runjeet Sing, Maharajah, on the prangos plant, II,	191	— — — Mr. John Bell, appointed, II, .. ..	348
		— — — Dr. H. H. Spry, appointed, VII, .. <i>Pro.</i> 3	
S.		Secundra, establishment of a public garden at, VII, .. .. <i>Pro.</i> 51, 126	
Safflower, its cultivation in the neighbourhood of Dacca, II, .. ..	87	— — — progress of the, VIII, .. ..	401
— — — in Assam, II, ..	259	Seeds, on a new mode of preserving, I, .. ..	33
— — — of Assam, report on, III, .. ..	122	— — — distribution of, to native cultivators, I, 235, 236	
Sage, Capt. Wm., on the culture of grape vines at Dinapore, II, .. ..	202	— — — report of general distribution of, I, .. ..	244
— — — a letter from, announcing the formation of a Branch Society at Dinapore, II, .. ..	286	— — — acclimated, the best for procuring good and early crops of vegetables, II, .. ..	35
Samuells, E. A., on certain seeds from Jamaica, III,	44	— — — on the best mode of sowing, II, .. ..	90
Sandoway district (Arracan,) its tobacco, and the mode of cultivating it, VIII, ..	248	— — — from Jamaica, description of, III, .. ..	44
Sandys, Teignmouth, present of two models of machine for raising water, V, .. ..	211	— — — advantage of boiling, before sowing, V, ..	22



SIL	Page.	SIN	Page.
Seonee, culture of foreign sorts of cotton at III, ..	173	Silk, (Moonga of Assam,) report from the Society of Arts on, V, ..	56
Seychelles Cotton, directions for cultivating, VI,	23	— (Eri of Dinagepore,) note regarding the, V,..	85
Shahabad, introduction of Egyptian cotton into, III,	183	— (wild) of Assam, Bauglepore, Dinagepore and Bancoorah, VI, ..	37
— foreign, V, ..	53	— award of Society's gold medal, to W. G. Rose, Esq., for best samples of white and yellow raw silk, VI,..	41
Shakespeare, Colin, on an improved machine for winding silk, II, ..	156	— award of Society's silver medal to G. Lay, Esq., for second best sample of yellow raw silk, VI,	42
Shan country, fibre of, III,	10	— worms' eggs, mode of preserving, VI, ..	59
Sheep, suggestions for the formation of a settlement of, in the Himalaya, IV,	214	— culture in the Deccan, on the superiority of standard mulberry trees, VI, ..	149
Showers, Capt., indigenous cotton from Jallow, VIII, ..	30, 32, 33	— (Mezangurree, of Assam,) and the plants whereon the worm feeds, VII, ..	97
Silk from Bombay, report on musters of, II, ..	76	— note on the mode of preparing the raw silk, for which the gold medal of the Society was awarded, VII, ..	109
— at Kamptee, its production, II, ..	99	— (Eri of Assam,) offer by Capt. Jenkins of Rs. 500 for promoting its culture and manufacture, VII, <i>Pro.</i> 70	
— mode of manufacturing &c., as practised in Europe, and Bengal, II, ..	152	— offer of ditto by the Society, with the same object in view, VII, <i>Pro.</i> 58, 82	
— an improved machine, for winding, II, ..	156	— of Assam, report of Committee on, VII, <i>Pro.</i> 194	
— worms' eggs from St. Helena, introduced into India, II, ..	158	Simool cotton, report on, III,..	122
— of Assam, and the plants on which the worms feed, II,..	166	Singapore, culture of foreign cotton at, IV, ..	217
— prizes offered by Government for best samples of, II, ..	277	— V. ..	201
— worms, the Italian mode of rearing, III, ..	5		
— the culture of, in Bengal, III, ..	13		
— (Tussur,) its culture at Seonee, III, ..	175		
— (Tussur,) on the habits of, and mode of rearing the worm, IV, ..	219		
— (Eri of Assam,) report from the Society of Arts on. V. ..	56		

SLE	Page.	SOI	Page.
Singapore, rice mill in use at, V, .. .. .	70	Sleeman, Capt. W. H., on the lac insect and mode of cultivating it, VI, ..	47
— certain description of sugar-cane from, V, .. .. .	15, 71	— on the Otaheite cane, contrasted with the purple and straw-coloured cane of India, VI, ..	90
— on the culture of cane, and manufacture of sugar at, VI, .. ..	95	— public spirit among the Hindoo race, as indicated in the flourishing condition of the Jubbulpore district in former times, with a sketch of its present state; also on the great importance of attending to tree cultivation, and suggestions for extending it, VIII, ..	214
Sirhind, description of sugar-mill in use, to the West of, V, .. ..	17	Smith, G. H., on the introduction of Otaheite sugar-cane in Deyrah Dhoon, V, .. .. .	65
Skinner, Col. James, on the introduction of American cotton in Upper India, III, .. .. .	98	— on cotton raised at Delhi, from foreign seed, VI, .. .. .	106
— the result of his experiments at Hansi, with Upland Georgia cotton, VI, .. .. .	116	— on the advantage attending the maize and cotton cultivation in the Delhi territory, VIII, ..	225
— Upland Georgia cotton raised at Hansi, VIII, .. .. .	31, 32, 33	— on the benefit to be derived by establishing experimental farms for the introduction of new, and improvement of known products, in various parts of India, VIII, ..	314
Sleeman, Capt. W. H., on a disease incident to Ulsee and other grain in the Saugor, and Nurbudda Territories, II, .. ..	182	— R., on domesticating in the plains the indigenous or wild honey, bee of the hills, VI, ..	24
— VI, .. .. .	70	Smyth, Major C. C., on cotton raised at Bareilly from Bourbon, and brown Nankin seed, V, .. ..	52
— on the culture of foreign maize at Saugor in Central India, II, .. ..	214	Soils suitable for cotton, tobacco, sugar, and the tea plant, III, .. .. .	31
— on the introduction of American maize in the districts of Saugor and Jubbulpore, III, .. ..	8	— specimens of, from the district of Amballa, IV, ..	207
— on the successful introduction of the Otaheite sugar-cane throughout the Saugor and Nerbudda territories, III, ..	73		
— IV, .. .. .	186		
— on the best months for planting sugar-cane, III, .. .. .	135		
— on the periodical flowering of the bamboo, III, .. .. .	139		
— IV, .. .. .	189		

STE	Page.	SUG	Page.
Soils, specimens of, from Nipal, V, .. .. .	7	Stevenson, E. B., report on the agricultural products of Travancore; baneful effects of State monopoly, VII, .. .. .	85
— (cotton) chemical examination of, from North America, India, Mauritius, and Singapore, VI, .. 1,	198	Stewart, Lieut. W., on the distribution of foreign sorts of cotton seeds in Upper India, IV, ..	204
Speed, D. W. H., notes on the culture of silk in Bengal, III, .. .. .	13	Still, an improved continuous, II, .. .. .	263
— — — on a species of bean which grows wild in Assam, III, .. ..	166	Stirling A., on the climate soil, mode of irrigation, and cultivation, vegetable products, &c., &c., of the district of, —, and of other districts contiguous to the Nurbudda, I, ..	25, 33
— — — G. T. F., on the mode of cultivating celery, III, .. .. .	103	— — — E., present of orange seeds from St. Jago, and cotton seed from Pernambuco, V, .. ..	21
— — — note on the soil and productions of Darjeeling, VI, .. .. .	247	Strawberries, mode of culture pursued at Allahabad, IV, .. .. .	208
— — — on the potatoe, and its culture in India, VIII, .. .. .	307	Strong, Dr. F. P., coffee raised by him in the vicinity of Calcutta, II, ..	186
Speir, W., report on Upland Georgia cotton, raised in Upper India, IV, .. ..	208	— — — wild cochineal as compared with domesticated, III, .. .. .	77
Spilsbury, Dr. G. G., on the capabilities of Central India, VIII, .. .. .	109	Stuart, Mr. Robert, on the mountain rice of Nipal, III, .. .. .	85
Spry, Dr. H. H., appointed Secretary of the Society, VII, .. .. .	Pro. 3	Sugar-cane, and manufacture of sugar in Burdwan and Rungpore, I, .. ..	98
Sreenuggur onions, their size and mildness, II, ..	197	— — — and manufacture of sugar in the Ghazeepore district, I, .. .. .	121
Stacy, Col. L. R.; to secure early cauliflowers, III, ..	36	— — — and manufacture of sugar in the Pergunnahs of Chandpore, Bijnore and Mindore, Zillah Moradabad, II, .. .. .	7
— — — on cotton raised at Dacca from foreign seed, VI, .. .. .	112	— — — cultivation and mode of manufacture in Assam, II, .. .. .	197
— — — a series of observations on the climate and horticulture of Candahar, VIII, .. .. .	327		
Stephenson, J., analysis of some cochineal raised in the vicinity of Calcutta, III, .. .. .	50		
Stevenson, Dr. John, on the introduction of the Otaheite sugar-cane into Oude, III, .. .. .	57		

SUG	Page.	SUG	Page.
Sugar-cane, prizes offered by Government for best samples of, II, . . .	277	Sugar-cane (Otaheite,) its growth on the line of the Doab Canal, V, . . .	35
— experimental cultivation of, at Akra, II, . .	392	— — — — — its growth in the Deyrah Dhoon, V, . . .	65
— soil most suitable for, III, . . . . .	31	— — — — — its growth in the Azimghur district, V, . . .	66, 72
— (Mauritius,) on the cultivation of, in the Bombay Presidency, III, . . . . .	42	— — — — — re- port of Committee on a proposal to send a small vessel to the island of Otaheite for a supply of cane, V, . . . . .	204
— — — — — III, . . . . .	55	— — — — — cultivation in the district of Azimghur, VI, . . . . .	1
— (Otaheite,) its introduction into Oude, III, . . . . .	57	— — — — — and manufacture of sugar, in the districts of Mirzapore, Benares, Jaunpore, and Western Ghazeepore, VI, . . . . .	4
— (Otaheite,) its successful introduction throughout the Saugor and Nerbudda Territories, III, . . . . .	73	— — — — — plantation, receipt for preventing the ravages of white ants on, VI, . . . . .	59
— (Otaheite,) its culture in the Delhi district, III, . . . . .	96	— — — — — (Otaheite,) contrasted with the purple and straw-colored cane of India, VI, . . . . .	90
— cultivation at Gowhatti in Assam, III, . . . . .	99	— — — — — manufacture at Singapore, VI, . . . . .	96
— the best mode of transmission from one part of India to another, III, . . . . .	125	— — — — — direct from the Island of Otaheite, on procuring, VI, . . . . .	Pro. 4, 13, 16
— the best months for planting, III, . . . . .	135	— — — — — the great facilities of Amherst Province for the production of, VII, . . . . .	129
— cultivation of, at Seonee, III, . . . . .	173	— — — — — (Otaheite,) its culture in the district of Tipperah, VIII, . . . . .	89
— application from the Bombay Government for the Otaheite variety of, IV, . . . . .	186	Sugar, cultivation and soils of Barbadoes, VIII, . . . . .	256
— (Otaheite,) its distribution from the Jubbulpore plantation, IV, . . . . .	189	— — — — — mill, model of a, in common use in the Cuttack province, VIII, . . . . .	336
— (Singapore,) presented by Dr. W. Montgomerie, V, . . . . .	15, 71		
— from Assam, notice of, V, . . . . .	22		
— mill in use to the West of Sirhind, notice of the, V, . . . . .	17		

TEA	Page.	THE	Page.
Sugar, report of Committee on the only sample of Sugar sent into compete for the prizes offered for the Society, VI, .. ..	46	Tea, remarks on the vegetation associated with, in Assam and China, V, .. ..	105
Sumach, (American,) notice of, III, .. ..	83	———— comparison between the climate of Upper Assam, and that of the tea provinces of Central China, V, .. ..	140
Swetenham, Major E., on the cultivation and manufacture of hemp as practised in the hills in the North of India; with notices respecting the fibres of the large nettle and maloo creeper, VIII, ..	74	———— remarks on the genus to which the tea plant belongs, V, .. ..	155
Syers, Major J. D., on cotton raised at Cuttack, from Pernambuco seed, V, .. ..	51	———— remarks on the plans of tea culture adopted by the Tea Committee, and on a proposed new and improved mode of cultivation, V, .. ..	160
Sykes, Col., notice of a new species of mulberry ( <i>Morus multicaulis</i> ), for the support of silk-worms, VIII, ..	339	—— (wild) from Tipperah hills, VI, .. ..	10
Sylhet, agriculture of, I, .. ..	49	—— plantations in Assam, produce of the, and extent and report on the manufacture of tea, VII, .. ..	1
T.		—— (Assam,) despatch from the Court of Directors on the subject of, VII, Pro. 45, 59	
Tapioca, its culture and manufacture in Bengal, II, .. ..	215	—— (Assam,) report on samples of, presented by the Government of India, and by the Assam Company, VIII, .. ..	69
Tavoy, culture of Pernambuco cotton at, II, .. ..	146	—— (Assam,) official information connected with the growth and sales of, in London, VIII, .. ..	282
Tea tree of Assam, II, .. ..	181	Teak, directions for cultivating the teak tree, II, .. ..	50
—— culture, at Kemaon, II, .. ..	195	Tenasserim Provinces, its topography, capabilities, and great natural resources, VI, .. ..	122
—— plant, soil suitable for, III, .. ..	31	—— its advantages for the culture of coffee, VI, .. ..	141
—— (Assam,) report on the physical condition of the, IV, .. ..	1	Thrashing-machine, model of a, presented by Mr. J. Kyd, I, .. ..	226
—— Assam tea soils, chemical examination of, IV, .. ..	29		
—— of Assam, report of the, V, .. ..	94		
—— enumeration of the localities where found, V, .. ..	98		
—— extent of, &c., V, .. ..	102		
—— appearance of the, V, .. ..	104		

TOB	Page.	TUR	Page.
Tipperah, culture of Ota- heite cane in the district of, VIII, .. ..	89	Tobacco, culture of at Kurnal, III, .. ..	190
Tirhoot, culture of the English apple in, VI, ..	39	——— the produce of Bri- tish India, discriminating duty on, VII, <i>Pro.</i> 71, 78, 100, 197	
——— culture of foreign cotton in, II, .. ..	151	——— VIII, 434, 445	
Tobacco in Virginia, on the culture of, II, ..	59	——— the mode of culti- vating at Sandoway, VIII, ..	248
——— in Central India, on the culture of, II, ..	67	Todd, Major E. D'Arcy, on the productions and flori- culture of the valley of Ilarat, VIII, .. ..	251
——— on the soils best adapted for its culture, II, ..	168	Traill, G. W., on the culture of the tea plant at Ke- maon, II, .. ..	195
——— on the cultivation of, in the Province of Ca- gayan, which produces the best in the Philippine Islands, II, .. ..	171	——— on the Sreenug- gur onion, II, .. ..	197
——— on the culture of, at Diamond Harbour, II, ..	175	——— on the superior quality of the ginger of Kemaon, II, .. ..	196
——— on the culture of, and mode of curing, in the vicinity of Calcutta, II, ..	177	Travancore, the agricultural products of, its rice, betel- nuts, pepper and other spices; attempts at tobac- co cultivation and silk manufacture: cotton and sugar, VII, .. ..	85
——— on the proper soil and mode of curing, II, ..	178	Tree and forest cultivation in the district of Azimghur, and measures for over- coming the scarcity, VIII, .. ..	205, 384
——— (American,) at Munipore, culture of, II, ..	205	——— in Central India, with suggestions for its extension, VIII, .. ..	214
——— prizes offered by Government for best sam- ples of, II, .. ..	277	Tucker, H. C., on the exist- ing state of tree and forest cultivation in the district of Azimghur, and mea- sures for overcoming the scarcity, VIII, .. ..	205, 384
——— seed (exotic,) pre- sented by Government, II, ..	291	Turner, Thos. J., on the soils in Bundelkund best adapted for cotton, III, ..	133
——— experimental cul- tivation of, at Akra, II, ..	390	Turnip-fly, East Indian, ( <i>Haltica-nigro-fusca</i> ), re- marks on, VII, .. ..	134
——— soil suitable for III, .. ..	31		
——— Cabool raised in Calcutta, III, .. ..	51		
——— grown at Akra, report on, III, .. ..	71		
——— its cultivation in India, III, .. ..	105		
——— Sandoway, re- marks on the real des- cription of, III, .. ..	136		

VET	Page.	WAL	Page.
Twenty-four Pergunnahs, its climate, soil, rent of land, crops, labour, live stock, implements, harvests, mode of cultivation, manures employed, vegetable products, &c., I, ..	37, 44	Vincent, W., on the culture of cotton in the Doab, and Bundelkund, II, ..	78
Tytler, Dr., on diseased rice, I, ..	10	——— Capt., on the culture of English furze and broom, in India, II, ..	201
——— on the disease of the Bajra grain, ( <i>Holcus spicatus</i> ), I, ..	11, 46	W.	
——— on the climate, soil, &c., &c., of the district of Allahabad, I, ..	12, 23	Wade, Capt., on a native method of preserving cuttings, II, ..	77
——— on diseased barley, I, ..	48	——— on the "Rae-wash," a species of Rhubarb from the Kohistan, II,	245
U.		——— experiments on cotton, tobacco, &c., III,	100
<i>Urtica tenacissima</i> , (Rheea fibre of Assam.) II, ..	129	Wallich, Dr. N., on the state of the population of Penang, and of the price at which opium is retailed on that Island, I, ..	54
——— from Tavoy, V, ..	19	——— on the application of lime as a manure, I, ..	58
V.		——— on a new species of cabbage, I, ..	61
Vaupell, John, on the culture of the Mauritius cane, at the Bombay Presidency, III, ..	42, 55	——— on the <i>Gossypium acuminatum</i> of Roxburgh, II, ..	149
Vegetables, prizes awarded for specimens of, I, 237, 239, 252		——— on Joomla mountain rice, Victoria wheat, and pine-apple fibre, III,	82
——— VI, App. 113		——— present of a complete set of the French <i>Encyclopedie methodique par ordre de matieres</i> , III, ..	84
——— report of Committee appointed to revise and regulate the distribution of prizes for, II, ..	305	——— on dried plantains, as an useful confection, VIII, ..	58
——— (European and Native,) a few plain directions for cultivating some in Bengal, III, ..	193	——— a few particulars regarding the Botanical History of the Manilla hemp plant ( <i>Musa textilis</i> ), VIII, ..	76
Vetch, Capt. H., present from, of specimens of Assam caoutchouc, V, ..	73, 78	Walters, H., suggestions for the establishment of branch societies throughout India, IV, ..	176
——— award to, of the Society's gold medal, for one maund sample of the best Assam caoutchouc, VI, ..	25	——— H., on the wild tea of the Tipperah hills, VI,	10

WIL	Page.	woo	Page.
Ward, N. B., mode of, transmitting plants without open exposure to air, IV,	191	Willis, report on cotton raised at Duckinsore from Pernambuco seed, II, ..	142
Warden, Capt W., on Arracan rice, II, .. ..	72	——— on cotton raised at Palaveram, II, ..	143
Weather, state of the, for 22 years, made at Krishnagunge near Rungpore, I,	83	——— report on acclimated Upland Georgia cotton, IV, .. ..	212
Weeks, Mr. J. T., on Bourbon cotton grown at Cuttack, II, .. ..	132	——— report on specimens of cotton raised at Singapore, from Bourbon and Pernambuco seed, IV,	217
Wells, method of drawing water from, in the vicinity of Hydrabad, V, ..	43	——— report on specimens of cotton raised at Hansi, Jaloun, and Cossipore, VIII, .. ..	30
Wheat, cultivation of, on both sides of the Jumna river, I, .. ..	24	Wind mill for raising water, II, .. ..	56
——— of Hazara and Ladakh, I, .. ..	81	Wood, Henry, on the Italian mode of rearing silkworms, III, .. ..	5
——— (Victoria), of the Caraccas, III, .. ..	82	Wood-oil, from the Tenasserim coast, VII, ..	Pro. 188
——— (Tartarian), its introduction in the Deyrah Dhoon, V, .. ..	67	——— new application of to economical purposes, VIII, .. ..	344
——— ulsee and other grain; on a disease incident to, II, .. ..	182	Wool of the Jeypore sheep, II, .. ..	81
——— VI, .. ..	70	——— of the shawl goat of Chinese Tartary, III, ..	76
White ants, how to prevent their ravages on a sugar-cane plantation, VI,	59	——— of the Hooniah sheep of Thibet, report on, III,	121
Wight, Dr. Robert, remarks on Mr. Anderson's experiments made in England on Joomla paddy, and on Mr. Speed's method of treating celery, III, ...	166	——— report on various samples of, VI, .. ..	Pro. 66, 73
Willis and Earle, Messrs., on Bareilly paddy, II, ..	87	Wools, (Indian) improvement of, VIII, .. ..	363
——— presentation of various specimens of exotic cotton, with particulars of prices, &c., II, ..	140	——— comparison of, VIII, ..	365
——— Joseph, report on certain descriptions of Burmese cotton, II, ..	125, 138	——— proper selection of climate, VIII, .. ..	366
——— Joseph report on the cotton of the Garrow hills, II, .. ..	136	——— relative standing of, VII, ..	367
		——— increased importation of, VIII, .. ..	368
		——— mode of breeding and rearing sheep, VII, ..	369
		——— washing and assorting the fleece, VIII, ..	370
		——— best mode of packing wool, VIII, .. ..	371





I N D E X

TO THE

J O U R N A L

OF THE

AGRICULTURAL AND HORTICULTURAL

SOCIETY OF INDIA,

VOLUMES I TO IX.

CALCUTTA:

PRINTED AT BISHOP'S COLLEGE PRESS.

1857.



# INDEX

TO THE

## JOURNAL

OF THE

### AGRICULTURAL AND HORTICULTURAL SOCIETY.

VOLS. I TO IX.

AGR	Page.	AGR	Page.
<b>A</b>		<b>A</b>	
Admittance fee, exemption of, to a retired member, on re-election, VI, ..	Pro. 59, 81	Agriculture, completion of printing the work on, VI, ..	Pro. 36, 42
Africa, (Central) esculent roots of, II, ..	App. 481	————— (Indian,) as practiced in the Bombay Presidency, IV, ..	App. 46
————— III, ..	App. 75	————— of different ages and countries, IV, ..	App. 102
Agabeg, Joseph, donation of two teapoys manufactured with various kinds of Penang woods, VI, ..	Pro. 7	————— in the Straits of Malacca, the state of, VI, ..	App. 137
————— donation of fruit trees, &c., &c., VII, ..	Pro. 45, 64, 70	Agricultural and Horticultural Society of India, its policy with reference to its applicability and usefulness, I, ..	101
<i>Agave cantula</i> , fibre of, VIII, ..	148	————— II, ..	App. 61
Agra, formation of an Agricultural Society at, II, ..	App. 369, 399	————— prospectus of an, II, ..	1
Agriculture, (Chinese,) a few hints on the subject of, III, ..	8, 119	————— its nature and objects, with suggestions on the best means of carrying them into effect, II, ..	11
————— Horticulture and Farming, prize for a hand-book of, in the vernacular, III, ..	App. 44, 62	————— report of the, for the year, 1842, II, ..	22
————— report on MS. .. submitted for prize, IV, ..	Pro. 13, 31	————— 1843, II, ..	Pro. 595
————— completion of MS. IV, ..	74, 84	————— 1844, III, ..	Pro. 287
		————— 1845, IV, ..	Pro. 86
		————— 1846, V, ..	Pro. 68
		————— 1847, VI, ..	Pro. 60
		————— 1848, VI, ..	Pro. 141

ALL	Page.	ARR	Page.
Agricultural and Horticultural Society, report of the, for the year, 1849, VII, <i>Pro.</i>	15	Aloe, cultivation in the district of Bolundshuhur, extension of, II, ..	<i>App.</i> 3
———— 1850, VII, <i>Pro.</i>	116	<i>Amherstia nobilis</i> , treatment of, IX, ..	314
———— 1851, VIII, <i>Pro.</i>	64	Anemones, Tulips and Ranunculuses, hints on the management of, II, ..	334
———— 1852, VIII, <i>Pro.</i>	128	———— VIII, ..	191
———— 1853, VIII, <i>Pro.</i>	191	Anstruther, Hon'ble Mr., a supply of cinnamon plants from Ceylon, presented by, I, ..	177
———— 1854, IX, <i>Pro.</i>	79	<i>Aristolochia Indica</i> , an antidote to snake bites, V, <i>App.</i>	138
———— 1855, IX, <i>Pro.</i>	165	———— VI, ..	6
———— 1856, IX, <i>Pro.</i>	273	<i>Aristolochia anguicida</i> , an antidote to snake bite, VI, ..	<i>App.</i> 131
———— proposal to revise the rules of the, VII, <i>Pro.</i>	26	Arracan, flourishing state of the grain trade of, III, ..	215
———— formation of a Committee for that purpose, VII, ..	<i>Pro.</i> 30	———— teak of, III, ..	218
———— report of the Committee, VII, ..	<i>Pro.</i> 42, 47	———— grain trade of, III, ..	<i>App.</i> 1
———— further proceedings on the same subject, VII, ..	<i>Pro.</i> 80	———— teak forests in, IV, ..	40
———— proceedings of the special meeting and alteration of Bye-Laws, VII, <i>Pro.</i>	84	———— list of woods indigenous to, IV, ..	<i>App.</i> 13
———— proposal for an application to Government for additional pecuniary assistance to, VIII, ..	<i>Pro.</i> 111, 114	———— Gurjun oil of, IV, ..	<i>App.</i> 14
———— additional pecuniary grant accorded by the Court of Directors, IX, ..	<i>Pro.</i> 249	———— powder prepared from the roots of the <i>Tacca pinnatifida</i> indigenous to, IV, ..	<i>App.</i> 24
<i>Aleurites triloba</i> , ("Deseek Akrot") oil of the kernel of, VIII, ..	220	———— a three years' bearing mango tree of, IV, <i>App.</i>	141
———— IX, ..	47	———— unsuccessful attempt to introduce Carolina paddy into, V, <i>App.</i> 53, 61, 124	
Alkanet root ( <i>Onosma emodi</i> ) (Maharunga), VIII, <i>Pro.</i>	2	———— VI, <i>App.</i>	41
Allahabad, report from the Agricultural Society of, II, <i>App.</i>	190	———— notice of rice of, cleaned by machinery in the United States, VI, <i>App.</i>	8
Allan, John, report on Jey-pore, (Upper Assam), grown tea, V, ..	<i>App.</i> 134	———— silk of, VI, <i>Pro.</i>	37 1/2
———— Dr. James, horticultural operations at Bhaugulpore, by, VIII, ..	<i>App.</i> 71	———— third attempt for the introduction of Carolina paddy into Arracan, VII, ..	226
Allyghur, flax raised at, from foreign and native seed, IX, ..	371		

	Page.
Arracan, fibrous yielding plants of, VIII, .. ..	146
———— basts of, IX, ..	8
———— tobacco of, IX,..	160
<i>Arundo arenaria</i> , report on the state of arrival of plants of, at the Government Garden at Secundra, II, ..	36
Assam, (Upper,) the most useful timber trees of, III, .. .. App.	6
———— observations on the quality, &c., of the principal timber trees, growing in the vicinity of Jeypore, IV, ..	117
———— VI, ..	24
———— botanical observations in, IV, ..	197
———— teas, reports on the sale of, in London, in February, and March, 1846, V, .. ..	79
———— a memoir of some of the natural productions of, VI, ..	34
———— dye stuffs of, VI, .. ..	67
———— fibrous materials of, VI, .. ..	181
———— Room dye of VI, .. .. Pro.	2
———— VIII, Pro. 94, 123, 142	
———— dried specimens of plants from, VI, Pro.	8
———— Rheea fibre of, VI, .. ..	181
———— VI, Pro. 41, 48	
———— its identity with the grass-cloth plant of China, VII, .. ..	19
———— cotton, report on, VII,	45
———— tapioca plant of, VII, .. ..	236
———— the Rheea or nettle grasses, and other textile fibres of, VII, ..	215

	B A R	Page.
Assam, caoutchouc tree,		
VIII, .. .. .		88
<hr/>		
mode of tapping, VIII, ..	best	102
<hr/>		
Rheea fibre of,		
and its value in the English		
market, VIII, .. ..		155
<hr/>		
VIII, Pro. 157,		163
<hr/>		
Rheea fibre, IX, App.		20
<hr/>		
Atees ( <i>Aconitum heterophyl-</i>		
<i>lum</i> ) powder, a substitute		
for quinine, IX, Pro. 154,		193
		263, 271
<hr/>		
Auckland, Earl of, commu-		
nication to, with copy of		
Society's petition on the		
Indian wheat question,		
III, .. .. .	App.	57
<hr/>		
reply from, on the		
above subject, III, ..		74
<hr/>		
B.		
<hr/>		
Baker, Capt. W. E., a brief		
summary of Major Caut-		
ley's project for irrigating		
the Doobab from the Ganges,		
V, .. .. .		119
<hr/>		
Balestier, J., view of the		
state of Agriculture in the		
British possessions in the		
Straits of Malacca, VI, App.		137
<hr/>		
Bangalore, manufacture of		
silk at, with suggestions		
for its improvement, I, ..		196
<hr/>		
progress of silk		
cultivation at, II, App.		399
<hr/>		
progress of silk		
culture at, IV, .. App.		137
<hr/>		
IV, Pro.		57
<hr/>		
V, App.		23, 131
<hr/>		
VI, Pro.		28
<hr/>		
Baraset Government School		
garden, application for		
seeds, and plants for		
the, VIII, .. Pro.		127, 174

BEL	Page.	BHA	Page.
Barley seed, suggestions for experiments on the steeping of, V, .. .. .	App. 103	Bell, Hamilton, wheat and barley cultivation in Upper India, III, .. ..	App. 193
———— (Himalayan) proposal for its introduction into Ireland, VI, ..	App. 64	———— memo. descriptive of several kinds of cotton introduced into the Agra district, VI, .. ..	149
Bashford, F., on experiments at cross breeding Europe and Indian species of silk-worm, IX, .. ..	259	———— cotton culture at Omeghur, VI, ..	App. 57
———— on the improvement of silk-worms, IX, .. ..	397	———— on improving the present mode of divesting cotton of its seed, II, .. ..	Pro. 27
Basts of Arracan and Burmah, notice of, IX, .. 8,	141	Benares, (province of) the climate, soil and agricultural capabilities of, I, ..	251
Bates, Hyde and Co., Messrs., awards of prize of Rs. 2,500 and gold medal to, for their cotton-cleaning machine, VIII, ..	176	———— of Burmah, IX, ..	141
———— VIII, Pro.	163	<i>Berberis aristata</i> , on the inspissated juice of, IX, ..	353
<i>Bauhinia scandens</i> , fibre of, VI, .. ..	185	Berberry, on the yellow colour of the, and its uses in the arts, III, ..	App. 272
———— VIII, Pro.	163	Berhampore, re-establishment of the Branch Society of, VI, .. ..	Pro. 28
Bayley, Honorable C. J., proposal to supply India with cotton seed from the Seychelles Islands, IX, ..	1	Bethune, Honorable Mr., tribute of respect to the memory of, VIII, ..	Pro. 47
Bean, (Shantung,) IX, App.	82	Betts, Michael, notice of sunflower seed oil, IX, ..	366
Bedford, Mr., on the mode and cost of separating cotton wool from the seed in Assam, VII, .. ..	253	Bhaugleapore, formation of an Agri-Horticultural Society at, II, .. ..	App. 153
Begonias, hints for the cultivation of, V, .. ..	179	———— proceedings of the, II, .. ..	App. 217
Bell, Hamilton, particulars regarding the Bera-reea cotton, from which the chundehree cloth is manufactured, II, ..	62	———— progress of the, II, .. ..	App. 324, 454, 487
———— remarks on hemp and sunn cultivation in the N. W. P., II, .. ..	84	———— exhibitions of 1844, of the Branch Society of, III, ..	App. 3, 159
———— on the culture of wheat at Agra, II, ..	282	———— exhibitions of 1845, of ditto, IV, App.	38, 90, 215
		———— of 1846, of ditto, V, App.	35, 82, 180

BLE	Page.	BOG	Page.
Bhauglepore Agricultural and Horticultural Society, exhibitions of 1847, of ditto, VI, ..	App. 17, 68	Blechynden, A. H., notices regarding flax, and other fibres, cotton, oils, tallow, &c., IX, ..	15
————— of 1848, of ditto, VI, ..	App. 120	————— notice of the Chinese potato ( <i>Dioscorea batatas</i> ), IX, ..	121
————— of 1848, of ditto, VI, ..	App. 149	Blount, J. W., report of unsuccessful cultivation of American cotton at the Government farm at Gorruckpore, II, ..	242
————— report of the rise and progress of the, VI, ..	App. 97	————— further reports on the same subject, IV, ..	106
Bhauglepore, report of an exhibition of Agricultural and Horticultural produce held at, VII, ..	App. 6	Blundell, E. A., donation of specimens of woods used in the Straits for ornamental work, VI, ..	Pro. 51
————— notice of the Branch Agricultural and Horticultural Society's garden at, VII, ..	App. 41	Blundell, W., report on cotton raised in Assam from exotic seed, IX, ..	338
————— Horticultural operations at, VIII, ..	App. 71	————— report on cotton raised in the Society's garden from North American seed, IX, ..	361
Bigge, Capt. H., notice of a valuable sort of Chinese Pea, III, ..	Pro. 170	<i>Bahmeria frutescens</i> (Pooah fibre,) of Nipal and Sikkim, VI, ..	135, 240
Black vegetable dye of the Shan country, II, ..	205	Bogle, Capt. A., memo. on soils from Arracan, I, ..	109
————— III, ..	143	————— the flourishing state of the grain trade of Arracan, III, ..	217
————— report on the, from the Society of Arts, IV, ..	App. 205	————— III, App. 1	
Black, Edward, communication from, respecting model kodalties, V, ..	App. 141	————— suggestions for growing Carolina paddy, on an extensive scale, III, ..	215
Blechynden, C. E., suggestions for improving the manufacture of silk in the Mysore country, I, ..	196	————— on the teak of Arracan, III, ..	218
————— A. H., result of an experiment on the Bussorah rose with Peruvian guano, V, ..	App. 20	————— IV, ..	40
————— appointed Secretary of the Society, VIII, ..	Pro. 20	————— unsuccessful attempt towards the introduction of Carolina paddy, into Arracan, V, ..	App. 124
		————— notice of Arracan rice, cleaned by machinery in the United States, VI, App. 8	



BRE	Page.	BRU	Page.
Bogle, notice of the silk of Arracan, VI, ..	<i>Pro.</i> 36	Brick and Tile making, on the Chinese method of, IV,	110
Boileau, Capt. A. H. E., report on Chittagong grown oak, II, ..	100	Bridgman, J. H., on cotton raised at Leerah, in Gorruckpore, from Mexican seed, I, ..	37
Bone-dust, as a manure, practical illustration of the value of, III,	<i>App.</i> 176	———— experiments made in the Gorruckpore district on cereal grains obtained from Europe, I, ..	142
———— manure, theory of, IV, ..	<i>App.</i> 172	———— on the culture of wheat at Gorruckpore, II,	268
Botanic Garden, Calcutta, effects of the gale of 1842, on, I, ..	3	———— on the ravages of weevil on wheat, III, <i>App.</i>	88
———— general catalogue of plants in the, II, ..	<i>App.</i> 517, 562	———— on fodder grasses, their introduction into India, VI, ..	<i>Pro.</i> 40
———— III, <i>App.</i> 10, 103		———— on materials for paper manufacturing, IX, <i>App.</i>	83
———— Mahogany wood, the produce of, notice of, V, ..	<i>App.</i> 13	British Association for the advancement of science, I,	154
———— Teak and Sissoo, the produce of, notice regarding, V, ..	<i>App.</i> 16	Broach, report of cotton operations at, in 1844-45, V,	37
———— Sandal wood, the produce of, VI, ..	<i>Pro.</i> 26	———— culture of wheat at, in 1843, V, ..	135
Botany in Britain, report on the progress and state of, in 1838, I, ..	63	Brooke, Lt. J. C., on the Salepmisree plant procured in the neighbourhood of Neemuch, I, ..	226
———— of H. M., Discovery Ships, "Erebus" and "Terror" in their Antarctic voyage; notes on the, II, ..	<i>App.</i> 224, 302, 325	———— recipe for the preparation of the Salepmisree root, IV, ..	<i>App.</i> 205
———— of Singapore, VII, <i>App.</i>	53	Brown, A. J., a few remarks on the cultivation of coffee in Southern India, VIII,	219
Bowring, J. C., on the plant yielding the rice paper of China, VIII, ..	<i>App.</i> 67	Bruce, J. G., the cultivation of wheat in India, and practicability of exporting it to the English market, VI, ..	154
Bradley, Dr. W. H., on the culture of wheat at Ellichpore, II, ..	306	———— observations on the indigenous cotton of India, VI, ..	202
Bramah's hydrostatic press for the extraction of oils from various products, report of trials made by, II,	219	———— culture of Mexican cotton at Cawnpore, VII, ..	208
Bread fruit tree, ( <i>Artocarpus incisa</i> ) fruited in Botanic Garden, Calcutta, VI, <i>Pro.</i>	125		

BUR	Page.	OAM	Page.
Buchanan, Capt. Duncan, on the growth of wool at the Cape of Good Hope, VI, .. .. .	Pro. 10	Burton, Capt. Charles, notice of the vegetable wax tree, ( <i>Myrica cerifera</i> ), of the Cape of Good Hope, VIII, .. .. .	188
Budaon, progress of the public garden at, III, App.	185	<i>Butea frondosa</i> , experiments on the exudations of the, III, .. .. .	App. 276
Buist, Dr. G., on the application of wind-mill power in India, for raising water, IV, .. .. .	Pro. 56	— kino from the Palamow jungles, IV, ..	App. 215
— VI, Pro.	32	— kino, notice regarding, V, .. .. .	App. 114
Bulbs, transmission of, from India to England, V, App.	69	— report on the tanning properties of the gum of, VIII, .. .	24
— (English,) report on trial of, at Meerut, VIII, App.	70	Butter-tree of Kemaon ( <i>Basia butyracea</i> ), note on the, I, .. .. .	19
Burn, Dr. A., memo. of the result of an experiment in crossing the indigenous cotton of India, IV, ..	App. 219	— described by Mr. Trail, I, .. .. .	20
— report of cotton operations at Broach during 1844-45, V, ..	37	— by Mr. Gott, I, .. .. .	21
— report on the culture of wheat at Broach, in 1843, V, .. ..	135	— analysis of the butter of, by Mr. E. Solly, I,	23
Burn, Robert, improved churka, communication from, respecting, V, Pro.	17, 56	C	
— VI, 24, 49		Cachar, culture and manufacture of tea at, IX, ..	101
Burnes, Sir Alexander, memo. on the artificial grasses of Cabool, I, 105, 107		— its inhabitants and its products, IX, ..	211
Burnett, Capt. F. C., on the cochineal of the Punjab, VII, .. .. .	31	Cactus plants and cochineal insects, report on the state of arrival of, at the Government Garden at Secundra, II, .. ..	36
— on the natural features of the country in the vicinity of Deenanuggur (Punjab,) VII, .. .. .	Pro. 15	<i>Callicarpa canna</i> , fibre of, VI, .. .. .	186
— on the soil, climate and state of horticulture at Peshawur, VIII,	41	<i>Celtis orientalis</i> , fibre of, VI,	185
— on gardening operations at Sealkote, in the Punjab, VIII, ..	App. 68	Campbell, Dr. A., on the indigenous cotton of the Sikhim valley, I, ..	39
		— on the manufacture of Nipal paper at Darjeeling, with details as to its cost, relative value, mode of bleaching, and rendering waterproof, I,	210

CAM	Page.	CAR	Page.
Campbell, Dr. A., on certain sorts of lichens from Darjeeling, I, . . .	292	Campbell, Dr. A., failure of culture of tea at Darjeeling, VII, . . .	31
— a garden-er's calendar for Darjeeling, III, . . .	209	— on the cultivation of cotton in the Darjeeling Morung; and the capabilities of that tract for the extensive growth of superior cottons, VII. . .	287
— timber trees of Darjeeling, IV, <i>Pro.</i>	46	— a supply of Darjeeling acorns from, VII, <i>Pro.</i>	2
— V, . . . <i>App.</i>	71	— specimens of Tibetan sheeps' wool, VIII, . . .	78
— culture of munjeet in Nipal and Darjeeling, V, . . .	29	— new Granada paddy, raised in the vicinity of Darjeeling, VIII, . . .	81
— notice of the walnut wood of Darjeeling, V, . . . <i>App.</i>	175	Cantor, Dr. T., notice of Malayan guano, by V, <i>App.</i>	44
— on the Kunchoorah fibre of Rungpore, VI, . . .	30	Caoutchouc, (Assam,) report from Society of Arts on sundry specimens of, I, . . .	389
— attempt at the culture of the tea plant at Darjeeling, VI, . . .	123	— use of for grafting, IV, . . . <i>App.</i>	128
— on the Pooah fibre of Nipal and Sikkim VI, . . .	135, 240	— tree of Assam, the best mode of tapping the, VIII, . . .	102
— notice of the plantain, its highest elevation, VI, . . . <i>App.</i>	1	Cape of Good Hope thatching rush, or reed, notice of, VIII, . . . <i>Pro.</i>	102
— description of a species of Tibetan barley, VI, . . . <i>App.</i>	67	— IX, . . .	187
— proposal for the establishment of annual exhibitions of cattle and country produce at the Titalya Fair, VI, . . . <i>App.</i>	95	— Rev. Dr. W., (Founder of the Society) tribute to the memory of, I, 90, 178, 249	
— proposal for the interchange of agricultural seeds between the various districts of India, VI, . . . <i>App.</i>	117	— II, <i>App.</i> 147, 268, 357, 396	
— proposed introduction of the Darjeeling species of oak into England, VI, . . . <i>App.</i>	119	— III, . . . <i>App.</i> 58, 239	
— account of distribution of prizes at Darjeeling, VII, . . . <i>App.</i>	4	— receipt of the bust of, IV, . . . <i>Pro.</i>	40
		— pedestal for bust of, V, . . .	12
		Carey, Rev. W., elected an Associate Member of the Society, VII, . . . <i>Pro.</i>	2
		Cart, (bullock,) new description of, IX, . . . <i>App.</i>	82

CHE	Page.	CHE	Page.
Carter, Major Henry, on the climate, soil, and agricultural capabilities of the province of Benares, I,	251	Celery, exhibition of, IV, <i>Pro.</i>	17
——— P. P., notice of cotton grown at Buxar from foreign seed, IV, <i>App.</i>	21	——— mode of growing in the public garden at Lucknow, IV, .. <i>App.</i>	84
——— successful cultivation of the China sugarcane, at Buxar, IV, <i>App.</i>	131	<i>Celtis orientalis</i> , fibre of, VI, .. .. .	185
Carver and Co., Messrs., award of Rs. 2,500, and gold medal to, for their cotton-cleaning machine, VIII, .. .. .	176	Cereal grains, (Europe) experiments made on, in the Gorruckpore district, I,	142
——— VIII, <i>Pro.</i>	163	Ceylon, state of botany in. in 1843, II, .. <i>App.</i>	371
Cassia, report on samples of, from Assam, II, .. <i>App.</i>	451	Chamber of Commerce, (Calcutta,) communication from, respecting Miss Davy's experiments with pine-apple and moorgavie fibres, III, .. <i>App.</i>	68
Cathcart, J. F., on the production and cultivation of Munjeet, V, .. .. .	28	——— regarding the rhee fibre of Assam, VIII, .. .. .	163
Cattle, on the prevailing epidemic of, in Ceylon, I,	235	Champaran, trial of various seeds, in the district of, IV,.. .. .	143
——— and sheep, on the selection of male animals, in the breeding of, I,	320	Champion, Capt., on the state of botany in Ceylon, in 1843, II, .. <i>App.</i>	371
——— adjudication of prizes for, II, .. <i>App.</i>	145	<i>Chaptalia gossypina</i> ,—a coarse fabric manufactured from, VII, .. <i>App.</i>	48
——— III, <i>App.</i>	42	Charcoal, its application in Horticulture, V, <i>App.</i>	143
——— withdrawal of prizes for imported cattle and sheep, II, .. <i>App.</i>	197	Charlton, Major A., a cheap mode of packing tea, VII, <i>App.</i>	3
——— correspondence relative to a murrain amongst, which prevailed in parts of Assam, VIII, ..	280	——— notice of the <i>Chaptalia gossypina</i> , and the coarse fabric made therefrom, VII, .. <i>App.</i>	48
Cautley, Major T. P., project for irrigating the Doab from the Ganges, V,	119	Cheap, G. C., suggestion of, for importing melon and onion seed from Egypt, IV,.. .. .	148
Cedars and Deodars, remarks on, VIII, <i>App.</i>	99	Cheek, A. H., on the propagation of plants by leaves, V, .. .. .	191
Celery, on the cultivation of, II, .. .. <i>App.</i>	38	——— notice of fossil specimens, VI, <i>App.</i>	5
——— prizes offered to encourage the growth of, III, .. .. <i>App.</i>	176, 182		

CHI	Page.	CHU	Page.
Cheek, A. H., on the juice of <i>Euphorbia ligularia</i> , as a substitute for gutta-percha, VIII, .. ..	223	China, grass-cloth of, IX, .. ..	44
Chew, R. W., on the best mode of acclimating and cultivating the melons of Northern India in the gardens of Calcutta, I, ..	52	— seeds and plants from, IX, .. ..	91
China, husbandry of, III, .. ..	119	— green Indigo plant of, IX, .. ..	105, 274
— implements of agriculture, III, .. ..	141	Chinese potato, <i>Dioscorea batatas</i> , IX, .. ..	121
— valuable sort of pea, III, .. ..	Pro. 170	Chinese indigo, IX, .. ..	App. 34
— mode of brick and tile making, adopted in, IV, .. ..	110	Chittagong, oak of, II, .. ..	99
— mode of burning shells, for lime in, IV, .. ..	112	— culture of coffee at, II, .. ..	App. 120
— mode of expressing oils in, IV, .. ..	113	— of hemp and flax at, II, .. ..	App. 275
— grass-cloth fibre of, VI, .. ..	209	— of tea at, II, .. ..	App. 408
— tallow tree of, VII, .. ..	164	— cotton of, IV, .. ..	135
— insect wax of, VII, .. ..	169	— — — — — <i>teree</i> , pod of, VI, .. ..	246
— IX, .. ..	App. 61, 79	— VI, .. ..	App. 6
— soap-yielding pods of, VII, .. ..	280	— VI, .. ..	Pro. 49
— mode of cultivating, the Chinese flax or grass-cloth plant in, VII, .. ..	App. 36	Chocolate plant, measures for procuring a supply of, II, .. ..	App. 208, 396, 443
— rice paper of, the plant yielding it, VIII, .. ..	66	— raised in nursery garden, II, .. ..	App. 591
— VIII, .. ..	App. 67	— donation of two, III, .. ..	App. 40
— cotton wool of, VIII, .. ..	95	— on the mode of cultivating and preparing, in the West Indies, IV, .. ..	140
— green vegetable dye of, VIII, .. ..	232	Chota Nagpore, its eligibility for the growth of coffee, IV, .. ..	App. 76
— VIII, .. ..	Pro. 183	— V, .. ..	App. 17, 156
— vegetable soap pods, &c., donation of, VIII, .. ..	Pro. 10	— VII, .. ..	7
— silk worm, IX, .. ..	App. 63	Christie, R., on the production and cultivation of munjeet in Nipal, V, .. ..	33
— vegetable tallow, insect wax, IX, .. ..	App. 110	Churka (Cotton,) in use at Broach, notice of, V, .. ..	App. 140
		— improved one, made by Mr. R. Burn, V, .. ..	Pro. 17

CLO	Page.	COF	Page.
Churka (Cotton,) applica- tion to the Government of Bombay for, V, .. <i>Pro.</i>	56	Clover, (Bokhara,) notice of its culture in England, II, .. .. . <i>App.</i>	354
———— VI, ..	24, 29	Coal from the Nerbudda valley, notice of, V, <i>App.</i>	18
———— letter from Government of Bombay, respecting the, VI, .. <i>Pro.</i>	33	Cochineal of the Punjab, notices of, VII, .. ..	31
———— communi- cation from Mr. Burn respecting his, VI, .. <i>Pro.</i>	49	———— VII, .. <i>Pro.</i>	25
———— communi- cation from Mr. Mather respecting his, VI, ..	90	———— IX, .. ..	190
———— arrival of a, from Scotland, sent by Mr. Robert Burn, VI, <i>Pro.</i>	126	Coffee, culture in India,, the best localities for, I, ..	285
———— model of a, in use in the Coim- batore district, VII, .. <i>Pro.</i>	70	———— cultivation, at Chitta- gong, prospectus of a joint-stock Company for, II, .. .. <i>App.</i>	120, 405
Cinchonas, quinine-yield- ing, their introduction into India, VIII, .. ..	13	———— culture at Amherst, on the Tenasserim coast, II, .. .. <i>App.</i>	211
———— communication to Government on the subject, VIII, .. .. <i>Pro.</i>	83	———— culture in Chota Nagpore, and formation of a Government experi- mental garden at Kishen- pore, IV, .. .. <i>App.</i>	76
———— reply from Go- vernment on ditto, VIII, <i>Pro.</i>	92	———— plant, its introduc- tion into the Deyrah Dhoon, IV, .. .. <i>Pro.</i>	50
———— their transplanta- tion from Peru into Java, IX, .. .. <i>App.</i>	92	———— culture, capability of the soil and climate of Chota Nagpore for, V, <i>App.</i>	17
Cinnamon plants, present of a supply of, I, .. ..	177	———— (Chota Nagpore,) report on, from the E. I. and China Association, V, .. .. <i>App.</i>	139
Clark, Dr. S., a new descrip- tion of bullock cart, IX, <i>App.</i>	82	———— raised in the Govern- ment plantation at Kishen- pore, Chota Nagpore, VII, ..	7
Clays from Oude, IX, <i>App.</i>	81	———— culture at Hazaree- baugh, VII, .. ..	275
Cleghorn, Dr. Hugh, report on the probable effects in an economical and physi- cal point of view of the destruction of tropical forests, VIII, .. <i>App.</i>	118	———— VII, <i>Pro.</i>	36, 39, 48
———— note on the sand- binding plants of the Ma- dras beach, IX, .. ..	174	———— VIII, .. ..	32
Clough, Messrs. John and Thomas, mode of growing and preparing flax in Yorkshire, IX, .. ..	36	———— raised in Tezporé, in Upper Assam, VIII, ..	63
		———— cultivation in South- ern India, VIII, .. ..	319

COT	Page.	COT	Page.
Colquhoun, H., on the culture of foreign cotton in Tirthoot, III, .. ..	101	Cotton, farms (Government experimental) in the Doab, failure of the crops in 1842, with suggestions for conducting further operations in the culture of cotton, II, .. ..	53
Congreve, Lieut. Col. G., report on English bulbs, received from the Society, VIII, .. ..	App. 70	———— farm at Gorruckpore, unsuccessful cultivation at the, II, .. ..	237
Cooke, W., the cultivation of wheat in India, and practicability of exporting it to the English market, VI, .. ..	158	———— IV, .. ..	106
Cope, H., notice of the establishment of the Agricultural and Horticultural Society of the Punjab, VIII, <i>Pro.</i> .. ..	33	———— cultivation in the Government experimental farms at Coimbatore, progress of, II, <i>App.</i> 2, 158, 281, 321	
Corbett, Major Stuart, Agri-Horticulture in the Punjab, notice by, VII, <i>App.</i> .. ..	51	———— cultivation in Upper Scinde, II, .. ..	App. 85
Corbyn, Dr. F., announcement of the formation of a Branch Society at Simla, III, .. ..	App. 242, 259	———— Gin, proposed introduction into India of a superior sort of, from North America, II, <i>App.</i> .. ..	204
Cotton, Report of Committee on samples of various East Indian grown, American, and other cottons, I, .. ..	24	———— report on Ceylon grown samples of, II, <i>App.</i> .. ..	485
———— farms (Government experimental), reports of progress at, I, .. ..	60	———— (foreign,) cultivation in the Dacca district, lands best suited for that purpose, III, .. ..	9, 82, 88, 149
———— report of progress of, on the Jumna, I, .. ..	114	———— IV, .. ..	151, 241
———— its culture in Sydney; notes on the growth, varieties, culture, crossing, and productiveness of the different kinds known in commerce, I, .. ..	183	———— V, .. ..	197
———— II, .. ..	243	———— manufacture at Dacca, present low state of, III, .. ..	70
———— (foreign,) directions for its culture in India, I, .. ..	205	———— suggestion for ensuring a good supply of the raw material for exportation, III, .. ..	75
———— (Chundaree,) particulars regarding the, I, .. ..	275, 277	———— supply of, raised in the Society's garden, to be sent to Court of Directors, III, .. ..	App. 66
———— II, .. ..	62	———— report on Dacca grown foreign cotton, III, .. ..	App. 99
———— (Nurma,) particulars of, I, .. ..	278	———— report on Calcutta grown foreign cotton, III, .. ..	App. 101

COT	Page.	COT	Page.
Cotton, report on Tirooth grown, III, ..	App. 101	Cotton, (Mexican,) the culture of in India, and proper time of sowing, VI, ..	189
— (American,) agriculture, notes on, as practised on the Government cotton farms in Coimbatore, III, ..	App. 126	— (indigenous,) of India, observations on the, VI, ..	202
— (foreign,) culture of, at Rungpore, III, ..	App. 262	— cleansing machine, report of the Committee on, VI, ..	222
— experimental cultivation of, by Government at Rungpore, IV, ..	92	— description of the machine to which the Society's gold medal and Rs. 500 were awarded, VI, ..	237
— of the Chittagong district, note on the, IV, ..	135	— culture of, at Omeghur, near Agra, VI, ..	App. 57
— (foreign,) report on Bhauglepore grown samples of, IV, ..	App. 20	— cleaning machine, unrestricted by any particular mechanical principle, report of the committee convened to consider the proposed prize on, VII, ..	35
— report on Buxar grown samples of, IV, ..	App. 21	— VII, Pro. ..	4, 10, 18, 21, 30, 33
— report on Goruckpore grown samples of, IV, ..	App. 21	— offer by the Government of India, of a prize of Rs. 5,000, to the inventor of the best, VII, ..	39
— (American,) result of an experiment for the introduction of, into the Shahabad district, II, ..	199	— cleaning machine, proceedings of special meeting to consider the report of the Committee respecting a, VII, ..	Pro. 40
— IV, App. ..	142	— motions respecting certain portions of the report, VII, ..	41, 45, 46
— of India, result of an experiment in crossing, IV, ..	App. 219	— report of Special Committee to examine on the, sent in to compete for prize of Rs. 5,000, VIII, ..	162
— operations at Broach, during 1844-45, ..	V, 37	— cleaning machines, award by the Government of India, of prize of Rs. 5,000 for the best, VIII, ..	175
— suggestions towards an effective and economical mode of divesting it of its seeds, V, ..	83	— VIII, Pro. ..	163
— (American,) culture of in India, and the proper time for sowing it in various localities, VI, ..	118		
— further remarks on same subject, VII, ..	20		
— introduced into the Agra district, memo. descriptive of several kinds of, VI, ..	149		



COT	Page.	COX	Page.
Cotton wool from the seed, mode and cost of separating it, in various parts of India, VII, .. ..	248	Cowell, James, on the culture of foreign cotton in the vicinity of Calcutta, III, .. ..	<i>App.</i> 101
— from Assam and Moulmein, report on samples of, VII, .. ..	45	— report on coffee the produce of Chota-Nagpore, V, .. ..	<i>App.</i> 17
— (Mexican), its culture in India as a tropical plant, VII, .. ..	194	— report on wool from Shanghai sheep, bred at Chittagong, VIII, ..	38
— culture in Malwa, and other states connected with the Indore Residency, VII, .. ..	257	— report on cotton from Chota-Nagpore, and N. S. Wales, VIII, ..	42
— in the Darjeeling Morung, VII, ..	287	— report on coffee, from Tezapore in Upper Assam, VIII, .. ..	63
— (Mexican,) report from the East Indian and China association on certain Indian grown specimens of, VIII, .. ..	22	— report on indigenous cotton and flax from Meerut, VIII, .. ..	187
— from Chota-Nagpore, and New South Wales, report on, VIII, .. ..	42	— report on cotton raised in Assam, from exotic seed, IX, .. ..	340
— (indigenous,) on the growth of at Meerut, VIII, ..	185	— report on cotton, raised in the Society's garden, from N. American seeds, IX, .. ..	364
— (exotic,) culture of in the Punjab, VIII, ..	188	— report on tamarind and sunflower oil, IX, .. ..	366
— plant (American.) further remarks on the naturalization of, in India, VIII, .. ..	27	— E. M., donation of seeds, from the West Indies, VIII, .. ..	<i>Pro.</i> 113
— (exotic,) the Turæe, a good locality for raising, VIII, .. ..	<i>App.</i> 67	Cox, Major H. C. M., on the transmission of plants from one country to the other, I, .. ..	282
— of China, notice of the, VIII, .. ..	95	— on coffee culture in certain localities in India, I, .. ..	285
— (Seychellés,) proposal to supply India with, IX, .. ..	1	— experiments in horticulture and floriculture, I, .. ..	283
— of Pegu, IX, .. ..	153	— on the value of <i>Cissampelos convolvulacea</i> , as an antidote to snake bites, IV, .. ..	<i>Pro.</i> 22
— from Assam, IX, .. ..	336	— on certain specimens of woods, from Central India, V, .. ..	<i>App.</i> 11
— the produce of the Society's garden from N. American stock, IX, ..	358		
— IX, <i>Pro.</i> 60			

CUX	Page.
Cox, Major H. C. M., on coal from the Nerbudda valley, V, ..	App. 18
Crommelin, Major J. A., account of experiments, for the introduction of the tea plant at Darjeeling, VIII,	91
Crops, alternation of, I,	158
— (green,) on manuring with, II, ..	App. 167
— rotation of, IV, App.	193
<i>Crotalaria tenuifolia</i> , report on the fibre of, VIII, ..	113
— its comparative strength, VIII, ..	182
Cultivator, (American,) remarks on the, II, ..	App. 284
Culture, the art of, I, ..	222
Cuttack, mode of growing Otaheite cane in the garden of the Branch Agricultural and Horticultural Society at, III, ..	App. 75
— list of plants, in the garden of the Agricultural and Horticultural Society at, III, App.	93
— result of experiments at, on seeds procured from the Society, III, .. ..	App. 198
— report on the garden of the Agricultural and Horticultural Society at, IV, .. ..	App. 32
— exhibition of vegetables held at, IV, App.	34
— in 1845, V, App.	34
— in 1846, V, App.	78
— in 1848, VI, App.	126
Cuxton, Mr., on the mode and cost of separating cotton wool from the seed in Tinnevely, ..	VII, 251

DAV	Page.
D.	
Dacca, low state of the cotton manufactures of, III,	70
Dalhousie, Lord, consents to become Patron of the Society, VI, ..	Pro. 93
Darjeeling, a gardener's calendar for, III, ..	209
— timber trees of, IV, .. ..	Pro. 46
— V, App.	71
— products and resources of, V, .. ..	181
— the walnut wood of, V, .. ..	App. 175
— oak species, proposed introduction of, into England, VI, ..	Pro. 119
— attempt at culture of tea plant at, VI, ..	123
— VIII, ..	91
— failure of, at, VII,	31
— (Morung), cultivation of cotton in the, VII,	287
— culture of tea at, IX, .. ..	201
Date, palm, (Arabian,) proposal for introduction into Bengal, II, .. ..	198
— (Indian) its application to economic purposes, V, ..	App. 75
— of Mooltan, its saccharine properties undeveloped, VII, ..	Pro. 28
Davies, Dr. J., on the tobacco of Kyoungree, IX,	108
— Capt. T., notice of tamarind seed oil, IX,	366
Davy, Miss, on the value of the pine-apple and Moor-gavie fibre, III, App.	46, 54, 89
— letter from Calcutta Chamber of Commerce, III, .. ..	App. 68

DES	Page.	DUN	Page.
Davy, Dr. John, miscellaneous observations on some tropical plants, IX, .. .. .	App. 72	DeVriesse, Dr., on the transplantation of the Peruvian bark tree into Java, IX, .. .. .	App. 92
DeCruz, Joseph, remarks on certain varieties of sugar-cane in the nursery garden of the Society, VI, .. .. .	56	Deyrah Dhoon, introduction of the coffee plant into the, IV, .. .. .	Pro. 50
———— donation of a box of sandal wood, the produce of the H. C. Bot. Garden, Calcutta, VI, .. .. .	Pro. 26	———— introduction of the Hop plant into, I, .. .. .	204
———— report on the Mexican cotton raised in the Society's Garden, VII, .. .. .	207	———— V, .. .. .	App. 146
———— Mrs., gratuity of 720 Rupees, awarded to, VII, .. .. .	Pro. 91	Dixon, Major C. G. introduction of American Maize into Ajmere and Mairwarra, IV, .. .. .	App. 31
———— donation of Rs. 200 to, VIII, .. .. .	Pro. 87, 90	Dodd, Richard, report on Deccan grown maddar, IV, .. .. .	App. 207
Deccan, report on the progress and state of agriculture in the, II, .. .. .	App. 286	———— hints for the cultivation of <i>Begonias</i> , V, .. .. .	179
Delhi, formation of a Branch A. and H. Society at, VII, .. .. .	Pro. 98	———— the propagation of plants from leaves, VI, .. .. .	App. 3
———— application for assistance from the, VII, .. .. .	Pro. 105	Donald, John, on the culture of wheat at Budaon, II, .. .. .	291
———— VIII, .. .. .	Pro. 18	Dooab, irrigation of, project for, V, .. .. .	119
Dempster, Dr. T. E., on the wild cochineal of the N. W. P. of India, and the Punjab, IX, .. .. .	190	Douglas, S., report on cotton raised in Assam from exotic seed, IX, .. .. .	340
Deneef, M., practical information on the best mode of cultivating flax in Bengal, I, .. .. .	393	———— report on cotton raised in the Society's Garden, from N. American seed, IX, .. .. .	361
Deodars and cedars, remarks on, VIII, .. .. .	App. 99	Draining (under,) beneficial effects of, III, .. .. .	91
———— introduction of, from India into England, VIII, .. .. .	App. 159	———— V, .. .. .	App. 74
Desee akrot, ( <i>Aleurites triloba</i> ), notice of the oil of, VIII, .. .. .	220	Dunbar, John on the low, state of the cotton manufactures of Dacca, III, .. .. .	70
———— IX, .. .. .	47	Duncan, Dr. James, remarks on <i>Pueraria tuberosa</i> , a troublesome plant in the Chittagong district, I, .. .. .	396
		Dundee, Chamber of Commerce, report on flax raised at Allyghur from native seed, IX, .. .. .	379

EAR	Page.
Dunlop, Capt. W., (Secy. A. and H. S., Cuttack,) list of plants in the garden of the branch A. and H. S. of Cuttack, III, .. <i>App.</i>	93
———— mode of growing Otaheite sugar-cane in the garden, III, .. <i>App.</i>	75
———— result of experiments on seeds procured from the Society, III, <i>App.</i>	198
———— report on the garden of the Branch A. and H. Society at Cuttack, IV, .. <i>App.</i>	32
———— on exhibition of vegetables held at Cuttack, IV, .. <i>App.</i>	33
———— as in 1845, V, <i>App.</i>	34
———— as in 1846, V, <i>App.</i>	78
———— as in 1848, VI, <i>App.</i>	126
Dye, (black vegetable) from the Shan country, II, ..	205
———— III, ..	143
———— report on the, from the Society of Arts, IV, <i>App.</i>	205
———— stuffs of Upper Assam, VI, ..	67
———— of Mooltan, VII, <i>App.</i>	44
———— (green vegetable) of China, VIII, ..	232
———— (Room) of Assam, VI, .. <i>Pro.</i>	2
———— VIII, <i>Pro.</i>	94, 123, 142
———— (green vegetable) of China, VIII, .. <i>Pro.</i>	183
———— IX, <i>App.</i>	110

E.

Earle, W., report on sundry specimens of cotton raised in various parts of India, from Mexican seed, VII,	211
———— report on cotton from Chota Nagpore and New South Wales, VIII,	42

E L I	Page.
Earle, W., tribute of respect to the memory of, IX, <i>Pro.</i>	47
East India and China Association, report from the, on certain specimens of cotton raised in India from acclimated Mexican seed, VIII,	22
Edgeworth, M. P., on the culture of Mexican cotton at Banda, VII, ..	197
———— notice of two kinds of dye stuff from Mooltan, VII, .. <i>App.</i>	44
———— notice of the date tree of Mooltan, its saccharine properties undeveloped, VII, .. <i>Pro.</i>	28
Egypt, melon and onion seed of, IV, .. <i>App.</i>	148
Eld, Capt. Percy, observations on the soil of Deebroghur, in Upper Assam, as admirably adapted for the growth of Europe vegetables and flowers, I, ..	392
Electricity, effect of, in promoting the growth of the potato, IV, .. <i>App.</i>	28
———— effects of, on vegetation, IV, .. <i>App.</i>	125
———— V, <i>App.</i>	56, 59
———— experiments with, on cultures of sorts, V, <i>App.</i>	61
———— notice of, on crops, V, .. <i>App.</i>	203
Eliot, Lieut. John, result of trials given to certain seeds at Cawnpore, VI, .. <i>App.</i>	132
———— VII, <i>App.</i>	5
———— mode of cultivating the strawberry at Cawnpore, VII, ..	44
———— mode of cultivating the vegetable marrow at Cawnpore, VII, ..	287

FAL	Page.	FEN	Page.
Elphinstone, Alexander, successful introduction of Carolina paddy into the Malwan Zillah, Bombay Presidency, II, .. <i>App.</i>	162	Falconer, Dr. H., notice of certain fibres from Assam and Chittagong, VI, ..	181
— report on samples of hemp grown and prepared in Zillah Malwan, II, .. .. <i>App.</i>	164	— notice of the Poohah fibre, VI, .. ..	240
Eri, silk-worm, its introduction into Malta and Italy, IX, .. .. <i>App.</i>	29	— notice of the Bread fruit tree having fruited in 1848 in the Botanic Garden, Calcutta, VI, .. <i>Pro.</i>	125
Essays, (Agricultural,) offer of premiums for, IX, .. .. <i>Pro.</i> 52, 58, 74,	224	— on the identity of the <i>Chúmdá</i> plant of China, from which the grass cloth is made, with the <i>Rheea</i> of Assam, VII, .. ..	19
<i>Euphorbia ligularia</i> , on the juice of, as a substitute for gutta percha, VIII, ..	223	— report on the cochineal of the Punjab, VII, ..	33
— <i>dracunculoides</i> , oil from the seed of, II, .. 52, 89		— report on some soap-yielding pods from China, VII, .. ..	280
— IX, .. ..	47	— on the quinine-yielding Cinchonas and their introduction into India, VIII, .. ..	13
Eveleigh, Geo., experiments for reeling the Eri silk, II, .. .. <i>App.</i>	61	— note on the <i>Victoria Regia</i> , in the H. C. Botanic Garden, Calcutta, VIII, .. ..	20
Exhibition, (Great London,) of 1851, proposal to send specimens to the, VII, .. <i>Pro.</i>	68	— remarks on <i>Scævola taccada</i> , quoad rice-paper, VIII, .. ..	66
— report of special Committee on the above subject, VII, .. .. <i>Pro.</i>	71	— remarks on the best mode of tapping the caoutchouc tree of Assam, VIII, .. ..	102
— letter from Government of India, on ditto, VII, .. .. <i>Pro.</i>	82	— notice of the milky juice of <i>Euphorbia ligularia</i> , VIII, .. ..	223
Eyre, Capt. Vincent, notice of certain descriptions of seeds from Cabul, I, ..	202	— a special note of thanks to, IX, .. <i>Pro.</i> 117, 162	
— remarks on a few shrubs collected in Affghanistan, II, ..	98	Fenwick, H., MS. work in the vernacular, on agriculture, horticulture and farming, submitted for the prize offered by Mr. Tucker, IV, .. .. <i>Pro.</i>	12
F.		— the same accepted, IV, .. <i>Pro.</i> 31, 74, 84	
Falconer, Dr. H., report on certain plants despatched in 1841 to the Government garden at Secundra; with suggestions for their transmission in future, II, ..	36		
— memo. respecting timber trees and materials for fuel, VI, ..	163		

FIN	Page.	F I A	Page.
Fenwick, H., completion of the work, VI, Pro. 36, 42		Finnie, T. J., account of operations at the Government experimental cotton farm on the Jumna, I, 114	
— on some of the vegetable products of the Tenasserim Provinces, VII, .. .. . 56	56	— on the causes which have led to the failure of the cotton crops in the Government experimental cotton farms in the Doab, in 1842, with suggestions for further operations, II, .. .. . 53	53
Ferries of Bengal, suggestions for improving the, I, .. .. . 385	385	— on the culture of wheat at Agra, II, .. .. . 288	288
Fibre of <i>Agave cantula</i> , report on the, VIII, .. .. . 148	148	— remarks on the American cultivator, II, App. 284	284
— of various kinds from the Deccan, IX, .. .. . 112	112	— result of experiments on seeds obtained from the Society, II, App. 366	366
— of <i>Asclepias tenacissima</i> , IX, .. .. . 150	150		
— III, .. .. . 221	221	Fischer, G. J., on the manufacture of <i>Nerium</i> indigo, in Southern India, IV, App. 129	129
Fibres, (textile) of Upper Assam, VII, .. .. . 215	215	— further particulars on the same subject, V, App. 7	7
— VIII, .. .. . 88	88	Flax, on the best mode of cultivating in Bengal, I, 393	393
— IX, App. 20	20	— proposed culture of, at Madras, II, .. .. . App. 51	51
— of <i>Sida rhomboides</i> , from Upper Assam, VIII, .. .. . App. 62	62	— directions for the culture and preparation of, II, .. .. . App. 91	91
— from Society's Garden, IX, .. .. . 146	146	— culture of, at Chittagong, II, .. .. . App. 275	275
— of <i>Crotalaria tenuifolia</i> , ("Jubbulpore Hemp.") VIII, .. .. . 112	112	— report of samples of, from Chittagong, and offer of prizes for, II, .. .. . App. 277	277
Fibrous yielding plants of Arracan, notice of, VIII, 146	146	— cultivation of, at Monghyr, III, App. 45, 55, 165	45, 55, 165
Field, G., result of experiments for the introduction of American cotton into the district of Shahabad, II, .. .. . 199	199	— culture of, at Meerut, and preparation of the fibre, VIII, .. .. . 185	185
— IV, App. 142	142	— culture and manufacture of, under new processes, in Great Britain and Ireland, IX, .. .. . 15	15
Figs. culture of, in Calcutta, V, .. .. . Pro. 24	24	— from the Punjab, report on, IX, .. .. . 139	139
Finch, Justin, report on trial in Tirhoot, of N. American fruit trees imported in ice, VII, .. .. . 181	181		

FLO	Page.	FOR	Page.
Flax, analyses of the mineral constituents of, IX,	321	Forests, (tropical) report of the probable effects in an economical and physical point of view of the destruction of, VIII, ..	App. 118
— report on, raised at Allyghur, IX, ..	371	Fortune, Robert, on the transmission of living plants to and from distant countries by sea, VI, App.	44
— its culture in the N. W. P. for the sake of its fibre, IX, ..	App. 31	— on the best method of packing seeds for a voyage to India or China, VI, ..	App. 134
Floricultural exhibition, 1st of 1844 in Town Hall, III, ..	App. 242	— report on the tea plantations in Kemaon and Gurhwal, VIII, ..	App. 1
— 1st, of 1845, III, App.	283	— communication to, though the Government of India, for certain plants and seeds from China, VIII, ..	Pro. 155, 159
— IV, Pro.	18	— communication from, regarding Chinese seeds and plants, VIII, Pro.	180
— 2nd, of 1845, IV, Pro.	29	— sum of £50 placed at his disposal, for purchase of seeds, plants, &c., from China, VIII, Pro.	183
— 3rd, of 1845, IV, Pro.	60	— application to, for information regarding green vegetable dye of China, VIII, ..	App. 183
— 4th, of 1845, V, Pro.	3	— on various seeds and plants collected in the Central and Eastern Provinces of China, IX, ..	91
— 1st, of 1846, V, Pro.	11	— account of the Chinese green indigo plant, IX, ..	105
— 2nd, of 1846, V, Pro.	25	— mode of making green dye from it, IX, ..	274
— 3rd, of 1846, V, Pro.	42	— on a kind of Chinese indigo, IX, ..	App. 35
— 4th, of 1846, VI, Pro.	5	— on scenting teas, by the Chinese, IX, ..	App. 64
— 1st, of 1847, VI, Pro.	13	— on the Shantung bean, IX, ..	App. 82
— 2nd, of 1847, VI, Pro.	19	— special vote of thanks to, IX, ..	Pro. 190
— 3rd, of 1847, VI, Pro.	53		
— 4th, of 1847, VI, Pro.	84		
— 1st, of 1848, VI, Pro.	97		
— 2nd, of 1848, VI, Pro.	106		
— 3rd, of 1848, VI, Pro.	134		
— 4th, of 1848, VII, Pro.	3		
— 1st, of 1849, VII, Pro.	12		
— 2nd, of 1849, VII, Pro.	22		
— 1st, of 1850, (in Auckland Circus.) VII, Pro.	81		
— 2nd, of 1850, VII, Pro.	91		
— 1st, of 1851, VIII, Pro.	12		
— 2nd & 3rd, of 1851, VIII, Pro.	21		
— of 1852, VIII, Pro.	81, 85		
— VIII, Pro.	91		
— of 1853, VIII, Pro.	143, 148, 153		
Flowers, exhibitions of, at monthly meetings, report of Committee on, VII, Pro.	13		

F Y T	Page.	G I B	Page.
Fossil, specimens from Lul- lutpore, near Saugor, no- tice of, VI, .. .. App.	5	Fytche, Capt. A., on the to- bacco of the Sandoway district, its mode of cul- ture, &c., VIII, .. ..	46
Fraser, C., particulars res- pecting the Chundaree and Nurma cotton, I, ..	275, 277	G.	
French, J. G., on the cul- ture and manufacture of safflower, as practised in the district of Dacca, VII,	191	Galvanism, effect of, in pro- moting the growth of po- tatoes, IV, .. .. App.	28
———— a hint for im- proving the size and flavor of the pine-apple, VII, App.	45	Gambier, a preservative of timber, VII, .. .. App.	57
Frith, R. W. G., on the testing and valuation of the indigo of commerce, V,	106	Gardener's Calendar for Darjeeling, III, .. ..	209
———— the cultiva- tion and manufacture of tea in Java, translated from the Dutch by, V, 162,	206	———— <i>Vade mecum</i> , prize offered for, IX, .. .. Pro.	233
———— VI, ..	72	———— proposal to convert the Race Course into a garden, IX, .. .. Pro.	60, 73
———— VII, ..	292	Gardner, George, donation of Angola grass seed ( <i>Pa- nicum spectabile</i> ), V, ..	2
———— on certain species of silk-worms in- digenous to India, VI ..	167	Gardener to the Society, de- mise of Mr. D'Cruz, VII, Pro.	80
———— notice regard- ing <i>Aristolochia anguicida</i> , snake <i>Aristolochia</i> or Birthwort, VI, .. .. App.	131	———— Mr. McMurray, appointed to the post of, VII, .. .. Pro.	90
Fruit trees, from England, receipt of, II, .. .. App.	48	Gardening, as applicable to Bengal, prize of Rs. 1,000 for a treatise on, VIII, .. .. Pro.	91, 96, 100
———— general princi- ples applicable to the ma- nagement of, II, .. .. App.	134	Gibson, Dr. Alex., success- ful introduction of the olive tree into Kaira, by, I, ..	401
———— from N. Ame- rica, successful importa- tion of, in ice, VII, ..	172	———— and into Hewra, in the Deccan, III, .. .. App.	248
———— from N. Ame- rica, result of trials at Musoorree of, VIII, ..	152	———— report on the state and progress of Agricul- ture in the Deccan, II, App.	286
———— hints for the cul- ture in India of, VIII, App.	115	———— remarks on the culture and preparation of senna in the Bombay Pre- sidency, II, .. ..	193
Fytche, Capt. A., on the silk of the Sandoway district and the mode of manufac- turing it, VII, .. ..	281	———— IV, .. .. App.	209
		———— report of trials made of the power of	



GRA	Page	GRA	Page.
Bramah's hydrostatic press, for the extraction of oils from various products, II,	219	Grant, Dr. A., implements of agriculture used by the Chinese, III, .. ..	141
——— on the mode of cultivating Latakia tobacco, III, ..	App. 250	——— on the Chinese mode of tile and brick-making, burning shells for lime, of expressing oils, &c., IV, ..	110
——— notes on Indian Agriculture, as practised in the Bombay Presidency, IV, .. ..	App. 46	Grant, Sir J. P., his views in regard to the usefulness of the Agricultural and Horticultural Society of India, I,	103
——— on the cultivation of madder in the Decan, IV, .. ..	App. 207	——— resignation of the office of President of the Society, VI, ..	Pro. 94
<i>Gisekia pharmaceoides</i> , as a specific for tape worm, IX,	283	——— address to, from the Society, VI, ..	Pro. 95
Glover, F. A., report on the discovery of the tea plant in Sylhet, IX, .. ..	207	——— proposal for a picture of, VI, .. ..	Pro. 100
Goodwyn, Major, report on the teak wood of Arracan, III, .. ..	218	——— letter from, on above proposal, VI, ..	Pro. 102
——— reports on certain kinds of wood from Darjeeling and Poorolea, V, .. ..	App. 73	——— proposal for a medal, in lieu of picture of, VII, .. ..	Pro. 9, 17
Grafting, use of India rubber for, IV, .. ..	App. 128	Grant, W. P., donation of 264 Rs. to encourage the growth of celery on an improved scale, III, App.	176, 182
——— operation of, IV, .. ..	App. 187	——— present of a cask of Peruvian guano, III, App.	183
Grain Committee, formation of a, III, .. ..	App. 170, 184	Grape vine, propagation of the, I, .. ..	294
——— mode of preserving from the ravages of weevil, IV, .. ..	App. 29	——— management of the, in an unpropitious soil and climate, III, ..	89
——— VI, App.	148	——— culture of in the vicinity of Calcutta, V, Pro.	29
——— on the reaping, threshing or winnowing of, by machinery, IX, ..	170	——— (Black Hamburg and Constantia) donation of, V, .. ..	Pro. 42
Grain-grinder, notice of Remington's and Whittton's, VII, .. ..	App. 49	Grass cloth fibre of Chinese, plants yielding it, VI, ..	209
Grant, Dr. A., on manures employed by Chinese agriculturists, II, .. ..	132	——— VI, .. ..	Pro. 48
——— Chinese husbandry, III, .. ..	119	——— its identity with the Rhee of Assam. ( <i>Urtica tenacissima</i> ), VII, ..	91

GRI	Page.	GUA	Page.
Grass cloth, mode of cultivating and preparing in China, VII, .. .. App.	36	Griffith, William, his adventures in Burmah, ..	9
Grass, from Bermuda, ( <i>Paspalum vaginatum</i> ) VI, Pro.	35	— appointed Surgeon to Capt. Pemberton's embassy to Bootan, ..	11
Grass seed, (Angola.) <i>Panicum spectabile</i> , donation of, V, .. .. Pro.	2, 34	— joined the army of the Indus in 1839, ..	12
Grasses, (artificial,) of Cabool, notice of the, I, ..	105	— his adventures, .. ..	13
Green vegetable dye of China, notice of the, VIII, ..	232	— his collections of plants, .. ..	14
— VIII, Pro.	183	— leaves Affghanistan in 1841, ..	12
Greig, Dr. A., result of trials given to various seeds at Seetapore, V, .. App.	33	— appointed Civil Surgeon at Malacca, ..	12
Griffith, William, observations on certain plants collected by Lieut. Eyre in Affghanistan, II, ..	98	— departure for Malacca, .. ..	14
— on the black dye plant of the Shans, III, .. ..	143	— list of his writings, .. ..	15
— on the gutta percha, III, .. ..	146	— points of resemblance between him and the late William Jack, ..	18
— memoir of, IV, .. ..	1	— his acquaintance with zoology, ..	20
— his taste for zoology, IV, .. ..	3	— extracts from his letters from Malacca, ..	21
— studies medical botany, and obtains the Linnæan gold medal for his attainments in that department of the science, ..	4	— account of his death, .. ..	22
— enters the Medical Service of the East India Company, in 1832, .. ..	6	— tribute of respect by the Society to his memory, IV, .. .. Pro.	18
— attached to Mergui, .. ..	6	— notice regarding copies of his private journal and botanical papers, VI, .. Pro.	86, 102
— joins the Assam tea deputation in 1835, ..	7	Groom, H., hints on the management of tulips, ranunculuses and anemones, II, .. ..	334
— retained in Assam for special service, ..	7	Guano, experiments with at Mauritius, II, .. App.	370
— proceeds to the Mishmee mountains, and joins the deputation in Upper Assam to the Burmese authorities, ..	S	— a new manure, II, App.	390
		— nature, history and utility of, with general directions for its application, III, .. .. App.	147

G U T	Page.	H A N	Page.
Guano, present of a cask of Peruvian, III, .. App. 183		Gutta Percha, juice of <i>Euphorbia ligularia</i> , as a substitute for, VIII, .. 223	
— notices regarding Pe- ruvian and Bolivian, III, App. 223		— in India, IX, App. 37	
— experiments on vari- ous plants with, III, App. 227		— of Singapore, IX, .. .. Ibid.	
— experiments with, on garden produce, IV, App. 140		Gutzlaff, the Rev. C., on manures employed by Chinese agriculturists, II, 147	
— result of experiments with, on flowers, IV, App. 202		H.	
— result of experiments with, on roses, &c., V, App. 20		Hall, Melmoth, comparative produce of different varie- ties of wheat in England, III, .. .. App. 5	
— results of experiments with, on sugar cane, V, App. 22		Halls, James, cotton from New South Wales, VIII, 42	
— (Malayan,) notice of, V, .. .. App. 44		Hamilton, R. N. C., on the mode and cost of separating cotton wool from the seed in certain parts of Central India, VII, .. .. 254	
— its value as a manure, V, .. .. App. 51		— on the culture of cotton in Malwa and other states, connected with the Indore Residency, VII, .. .. 257	
Gubbins, Charles, fibrous yielding plants from Simla, VI, .. .. Pro. 46		Hanbury, Daniel, note upon a green dye from China, IX, .. .. App. 110	
— on the growth of indigenous cotton, and on the economical use of the stalk of the flax plant in Upper India, VIII, .. 185		Hands, Rev. Mr., on the propagation of the grape vine, I, .. .. 294	
— on flax raised at Allyghur from foreign and native seed, IX, .. 371		Hannay, Major S. F., on the quality, &c., of the prin- cipal timber trees grow- ing in the vicinity of Jey- pore, in Upper Assam, IV, 117	
Guinea, grass, cultivation of, VI, .. .. App. 173		— further observa- tions on the same subject, VI, .. .. 24	
Gutta Percha, correspon- dence relative to chemical nature, &c., of, II, .. 101		— communication respecting tea grown and manufactured in Jeypore, Upper Assam, by a Chi- naman, V, .. App. 132	
— further particulars on, with description of tree, III, .. .. 146			
— descriptive ac- count of the tree which produces, IV, .. .. 59			
— notice of, IV, App. 221			
— VI, .. App. 50			
— muddar juice; a substitute for, VIII, 107, 226, 231			

HAW	Page.
Hannay, Major S. F., note on some of the dye stuffs in use in Upper Assam, VI, .. ..	67
— donation of certain sorts of fibre from Assam, VI, .. ..	181
— on the Rheas or nettle grasses, and other textile fibres of Assam, VII, .. ..	215
— VIII, .. ..	88
— on the tapioca plant of Assam, VII, ..	236
— Rhea fibre of Assam, and its value in English market, VIII,..	155
— on the fibre of <i>Sida rhomboidea</i> , VIII, ..	62
— notice of various productions from his experimental farm at Deebroghur, in Upper Assam, IX, .. ..	102, 172
— notice on certain samples of cotton, IX,..	336
Hardinge, Lord, consents to become Patron of the Society, III, .. ..	App. 284
Harris, A. L., the mode of cultivating and preparing cacao in the West Indies, IV, .. ..	140
Harton and Co., Messrs., report on the fibre of <i>Crotalaria tenuifolia</i> , VIII,..	112
— report on its comparative strength, VIII, .. ..	182
Haughton, Capt. J. C., cotton and tobacco from Chota Nagpore, VIII, .. ..	42
Haworth, W., report on samples of Delhi grown wheat and barley, II, App.	538
— report on samples of wheat from the Nerbudda, II, .. ..	App. 450
— III, App.	96

HAZ	Page.
Haworth, W., report on samples of rice from Arracan, III, .. ..	App. 2
— effect of galvanism in promoting the growth of potatoes, IV, .. ..	App. 28
— result of experiments on the growth of indigo, under various modes of treatment, IV, App.	135
— the new sugar Bill in its relation to colonial producers, V, .. ..	Pro. 48
— report on oil expressed from the seed of <i>Sterculia fætida</i> , (Junglee Badam,) VIII, .. ..	39
— report on Tibetan sheep's wool, VIII, .. ..	78
— report on new Granada paddy raised in the vicinity of Darjeeling, VIII, .. ..	81
— report on wool from the Jung district (Punjab,) VIII, .. ..	115
— result of experiments with New Granada paddy, VIII, .. ..	179
— on the flowering of the sugar-cane, VIII, Pro.	184
— report on certain fibres from Bijnore, Upper Assam, and Sylhet, IX, .. ..	186
— report on flax, raised at Allyghur, from foreign and native seed, IX, .. ..	374
Hazareebaugh, culture of coffee and tobacco at, VII,	275
— mode of cultivating strawberries at, VII,	285
— culture of coffee at, VII, .. ..	Pro. 36, 39, 48
— VIII, .. ..	32

HEM	Page.	HEN	Page.
Hemp, (Himalayan,) notice of, I, .. .. .	41	Henley, T. F., notes on the <i>Pandanus vacoa</i> , or screw pine, its culture in Bengal recommended for its useful properties, II, .. .. .	92
——— cost of, at place of growth, I, .. .. .	42	——— on the dyeing lichens of Mauritius and Madagascar, II, .. .. .	208
——— carriage of, from Deyrah, I, .. .. .	44	——— experiments with at Mauritius, II, <i>App.</i>	370
——— report on quality &c., of, I, .. .. .	46, 224	——— on the applicability of artificial manures to the cultivation of the sugar cane, with some suggestions for the amelioration and extension of the sugar cultivation in Bengal, IV, .. .. .	61
——— (New-Zealand,) notice regarding, with an account of an unsuccessful attempt to establish a manufactory at Port Macquarie, I, .. .. .	369	——— an artificial manure for the sugar cane, IV, .. .. .	<i>Pro.</i> 40
——— on the useful properties of, II, <i>App.</i>	544	——— on the kunchoora fibre of Rungpore, VI, .. .. .	30
——— report on strength of, III, .. .. .	224	——— report on coffee raised in Chota Nagpore: hints for the culture of the staple, VII, .. .. .	12
——— report on samples, grown and prepared in Zillah Malwan, Bombay Presidency, II, .. .. .	<i>App.</i> 164	——— application of the beet-root drying process to the sugar cane, as an improved and economical method of producing sugar: and on the probable suitability of such a manufacture to the climate and circumstances of Bengal, VIII, .. .. .	1, 181
——— culture of, at Chittagong, II, .. .. .	<i>App.</i> 275	——— on the more extended application of mungeet to economic purposes, VIII, .. .. .	183
——— report of Committee on samples of, and offer of prizes for, II, .. .. .	<i>App.</i> 277	——— notice regarding the green vegetable dye of the Chinese, VIII, .. .. .	232
——— (Moorgavie,) particulars regarding, III, 23, .. .. .	224	Henning, G. W., useful medicinal properties of the drug <i>Atees</i> , IX, <i>Pro.</i>	154, 193, 263, 271
——— (Jeetee,) particulars, regarding, III, .. .. .	221		
——— comparative strength with other fibres, III, .. .. .	224		
——— of various sorts, comparative strength of rope made therefrom, III, .. .. .	224		
——— Arracan, strength of, III, .. .. .	224		
——— particulars respecting its culture in Gurhwal, III, .. .. .	<i>App.</i> 83		
——— (Jubbulpore,) report on, VIII, .. .. .	112		
——— its comparative strength, VIII, .. .. .	182		

HOL	Page.	HON	Page.
Herbert, Rev. W., on hybridization amongst vegetables, VI, ..	App. 19, 69	Hollings, Capt. G. E., report of the state of the Agricultural and Horticultural Society of Lucknow, III, App.	250
Himalaya, climate and vegetation of the, VIII, ..	App. 14	— — — report of the first Horti-floricultural exhibition of the Lucknow Branch Society, IV, App.	35
— — — (Sikkim,) and East Nipal, climate and vegetation of the temperate and cold regions of, VIII, App.	35, 73	— — — report of horticultural operations at the Lucknow garden, IV, App.	82
Hinds, R. B., remarks on the physical aspect, climate and vegetation of Hong-Kong, II, ..	App. 466	— — — account of an exhibition of vegetables, fruits, &c., held at Lucknow in 1845, IV, ..	App. 133
Hodgkinson, G. F., directions for cultivating Maddar, IV, ..	App. 45	— — — in 1846, V, App.	41
Hodgson, B. H., memo. concerning two specimens of Tibetan wool—with drawings of the sheep yielding them, V, ..	205	— — — report of the public garden at Lucknow VI, ..	App. 58
— — — on certain species of silk worms indigenous to India, VI, ..	167	— — — silk culture at Lucknow, VI, ..	App. 17
Hollings, Capt. G. E., replies to queries regarding manures from Lucknow and Fyzabad, II, ..	245	— — — on the culture of Mexican cotton at Lucknow, VII, ..	195
— — — on the culture of wheat at Lucknow and Fyzabad, II, ..	274	— — — on the agricultural capabilities of the district of Leia in the Punjab, VII, ..	228
— — — report on the Horticultural garden at Lucknow, II, ..	App. 155	— — — on the agricultural statistics of the Pergunnah of Leia Khass, VIII, ..	50
— — — second report on ditto, II, ..	App. 213	— — — on the useful properties of the Muddar, <i>Calotropis Hamiltonii</i> , VIII, ..	73, 132, 226
— — — result of experiments at Lucknow, on seeds obtained from the Society, II, ..	App. 363, 496	— — — IX, App.	89
— — — progress of the public garden at Lucknow, III, ..	App. 50	— — — IX, Pro.	12
— — — progress of various cultures at the, III, App.	195	— — — on agricultural and horticultural operations at Leia, VIII, App.	69
		Homfray, P., successful propagation by seed of a superior variety of mango, IV, ..	App. 89
		Hong-Kong, remarks on the physical aspect, climate, and vegetation of, II, App.	466

HOB	Page.	HUM	Page.
Hooghly, report of Horticultural exhibition, by the Branch Society of, II, <i>App.</i>	191	Horticultural Exhibition (in Auckland Circus,) VII, <i>Pro.</i>	92
— announcement of the dissolution of the Branch Society of, III, <i>App.</i>	60	— (1851,) VIII, <i>Pro.</i>	13, 121
— announcement of its resuscitation, III, <i>App.</i>	185	— (1852,) VIII, <i>Pro.</i>	81
— report of annual Horticultural exhibition in 1846, at, V, <i>App.</i>	43	— (1853,) VIII, 143, 143, 153	
Hooker, Dr. D. J., notice of the garden of the branch Agricultural and Horticultural Society at Bhaugleapore, VII, <i>App.</i>	41	Horticulture and floriculture, various experiments in, I, <i>Pro.</i>	232
— on the climate and vegetation of the temperate and cold regions of East Nipal and the Sikim Himalaya mountains, VIII, <i>App.</i>	35, 73	Huddleston, Capt. H., on hemp cultivation in Gurhwal, III, <i>App.</i>	83
Hop cultivation in the Deyrah Dhoon, I, <i>Pro.</i>	204	Huffnagle, Chas., donation of Rs. 500, towards liquidating the debt on the Metcalfe Hall, V, <i>Pro.</i>	3
— V, <i>App.</i>	146	— donation of grape vine cuttings from the Cape of Good Hope, V, <i>Pro.</i>	42
Hopkinson, Capt. H., report on teak forest on the Koldyne river banks in Arracan, IV, <i>Pro.</i>	42	— donation of a number of specimens of veneered American woods, VI, <i>Pro.</i>	133
Horticultural exhibition of 1843, (in Town-Hall,) II, <i>App.</i>	145	— report on sundry specimens of cotton raised in various parts of India from Mexican seed, VII, <i>Pro.</i>	211
— quarterly instead of annual, II, <i>App.</i>	198, 259	Hume, James, appointed Honorary Secretary, II, <i>App.</i>	106
— (quarterly,) 1843, II, <i>App.</i>	480	— elected an Honorary Member, VI, <i>Pro.</i>	82
— (1844,) III, <i>App.</i>	43, 66, 242	— resignation of the office of Honorary Secretary, VIII, <i>Pro.</i>	15
— (1845,) IV, <i>Pro.</i>	11, 30	— private subscription, as an acknowledgment of his services, VIII, <i>Pro.</i>	20, 40
— IV, <i>Pro.</i>	73	— form of testimonial to, VIII, <i>Pro.</i>	57, 121
— (1846,) V, <i>Pro.</i>	6	— receipt of testimonial for, VIII, <i>Pro.</i>	127
— V, <i>Pro.</i>	64	Hume, Joseph, reply from, in reference to petition to Parliament on Indian wheat question, III, <i>Pro.</i>	74
— (1847,) VI, <i>Pro.</i>	7		
— VI, <i>Pro.</i>	27		
— (1848,) VI, <i>Pro.</i>	90, 108, 138		
— (1849,) VII, <i>Pro.</i>	8, 26		
— (1850,) VII, <i>Pro.</i>	73		

IND	Page.
Hurry, W. C., on cotton grown in the vicinity of Midnapore, from Pernambuco seed, I, .. ..	37
Hutton, Capt. Thomas, on certain species of silkworms indigenous to India, IX, .. ..	164
————— remarks on the improvement of silkworms, IX, .. ..	391
Hybridizing, effects of, on flowers and vegetables, IV, .. ..	App. 178
Hybridization amongst vegetables, VI, .. ..	App. 19, 69
Hydraulic Engine (Walker's,) for irrigation in India, I, .. ..	150

I.

Indigo of commerce, practical method of determining the quantity of real indigo in the, I, .. ..	347
————— yielding plants of the Tenasserim coasts, notice of 3 sorts of, III, .. ..	231
————— from <i>Nerium tinctorium</i> , notice of, IV, App. .. ..	86
————— its manufacture in Southern India, IV, .. ..	App. 129
————— further particulars on the same subject, V, .. ..	App. 7, 77
Indigo plant of commerce, experiments on the growth of, under various modes of treatment, IV, .. ..	App. 135
————— testing and valuation of, V, .. ..	106
Indigo giving plants, notes on various kinds of, VI, .. ..	142
Indigo, (Chinese green,) IX, .. ..	105, 274
———— (Chinese,) IX, App. .. ..	34

JAM	Page.
Ingledue, W., on the culture of the mango in the Mysore country, I, .. ..	262
Insect wax of China, VII, .. ..	169
Insects, destruction of, by boiling water, II, .. ..	App. 33
Ireland, proposal for the introduction into of a species of Himalayan barley, VI, .. ..	App. 64
Irvine, Dr. R. H., on cotton raised at Gwalior, from North American seed, I, .. ..	29
————— on the culture of tobacco at Bhilsa, I, .. ..	279
————— on the products and resources of Darjeeling, V, .. ..	181

J.

Jack fruit, monstrous sort of, from Kyouk Phyo, VI, .. ..	Pro. 125
Jackson, Welby, report on the Government experimental cotton cultivation at Rungpore, IV, .. ..	93, 99
————— remarks on the staple products of Rungpore, IV, .. ..	102
Jamaica, the fibres of, IX, App. .. ..	67
Jameson, W., reports on the cultivation and manufacture of tea in Kemaon, II, .. ..	323
————— IV, .. ..	173
————— progress of tea culture in Kemaon, Gurhwal and the Deyrah valley, V, App. .. ..	147
————— on the tea plantations in Kemaon and Gurhwal, the method of treating the tea plant, the manufacture of black and green teas, &c., VI, .. ..	81
————— report on the condition of receipt at Saharunpore of North American fruit trees, imported in ice, VII, .. ..	175



JEN	Page.	JOH	Page.
Jameson, W., report on trial of North American fruit trees, imported in ice, at Mussooree, VIII, ..	152	Jenkins, Col. F., donation of certain sorts of fibres, from Assam, VI, ..	181
———— on the physical aspect of the Punjab, its agriculture and botany, VIII, .. ..	App. 162	———— on the Rhee of Assam, in reference to its identity with the grass cloth fibre of China, VI, .. ..	Pro. 41, 48
———— on the culture of flax in the N. W. P., for the sake of its fibre, IX, App.	31	———— on cotton from the Muttok Division, N. E. district of Assam, VII,	45
Java, cultivation and manufacture of tea in, V, ..	162, 206	———— on the tapioca plant of Assam, VII, ..	236
———— VI, .. ..	72	———— notice of Parson's and Clyburn's patent seed crusher, recommendation for its introduction into India, VII, ..	App. 43
———— VII, .. ..	292	———— description of Ap-pold's pump for draining marshes, &c, VII, App.	46
Jeetee fibre, particulars regarding the, III, ..	221	———— notice of Remington's and Whitton's horse mills, for grinding grain, VII, ..	App. 49
———— report on rope made from it, in comparison with other fibres, III,	224	———— notice of a description of Naga cloth, VII, .. ..	App. 52
———— further notices of, IX, .. ..	150	———— communication from, respecting the offer of another prize for a cotton cleansing machine, VII, Pro.	10
Jenkins, Col. F., sundry samples of Assam caoutchouc from, I, .. ..	390	———— elected an Honorary Member of the Society VIII, .. ..	Pro. 80, 84
———— the propagation of sugar-cane from seed, III, .. ..	App. 87	———— Room dye of Assam, VIII, .. ..	Pro. 142
———— on Assam tea, from plants of 6 months' growth, III, ..	App. 102	———— materials for paper manufacturing, IX, App.	83
———— hints for the management of the grape vine, in an unpropitious soil and climate, III, ..	89	Jephson, Geo., notes on the premium offered by the Society for a new material for the manufacture of paper, IX, .. ..	279
———— beneficial effects of under-draining, III, ..	91	Johnson, Cuthbert, W., the Agriculture of different ages and countries, IV, App.	102
———— V, .. ..	App. 74		
———— notice respecting the churka for cleaning cotton in use at Broach, V, App.	140		
———— on the more profitable application of the silk of the Eri-worm, V, Pro.	43		
———— the Oadal fibre of Assam, VI, .. ..	135		

KIN	Page.	LAR	Page.
Jones, J. B., the manufacture of sugar in India, I, 130, 402		Kino, from the Palamow jungles, IV, ..	App. 215
Jordan, W., on New Granada paddy, its peculiarities, VIII, .. ..	178	———— notice of, V, App.	114
Journal, (Monthly,) adoption of, by the Society, I, ..	89	———— (East Indian,) V, ..	109
———— application to Government for official agricultural papers, for publication in the, II, ..	272, 312	———— ( <i>Butea frondosa</i> ,) report on the tanning properties of, VIII, ..	24
———— quarterly. in lieu of monthly, adopted by the Society, III, ..	App. 65	Knight, Thomas Andrew, a commentary on certain passages in the physiological writings of the late, II, .. ..	App. 506
Joykissen Mookerjee, on a disease affecting the Bombay or red sugar-cane, in certain districts of Bengal, IX, .. ..	355	Kodalies, communication respecting two model, V, .. ..	App. 141
Jubbulpore hemp, report on, VIII, .. ..	113	Kunchoora fibre ( <i>Urtica tenacissima</i> ,) of Rungpore, VI, .. ..	30
———— its comparative strength, VIII, .. ..	182	L.	
Junglee Badam, ( <i>Sterculia foetida</i> ,) oil of the seed of, VIII, .. ..	39	Laidlay, J. W., on cotton raised at Surdah from China seed of the Nankin sort, I, .. ..	38
———— IX, .. ..	47	———— on a method of ascertaining the amount of crystallizable sugar in khar or muscovado, IV, ..	147
K.		———— on the fertilizing properties of the well water of Calcutta, IV, ..	235
Kaine, Mr., report on <i>Cactus</i> plants and sand grass received at the Government garden at Secundra, II, ..	39	———— report on silk fabrics from Bangalore, IV, .. ..	App. 139
Kang, Punneah, Naga Tribe, note on the, IV, ..	App. 199	———— report on silk from Arracan, VI, Pro.	37
Kashmere, (vale of,) natural productions of the, VIII, .. ..	193, 222 <sup>b</sup>	Landers, A. H., on the black vegetable dye of the Shan country, II, ..	205
Kirke, Capt. H., on Indian hemp, and the inducements for speculating therein, I, .. ..	41	———— on the vegetable and other products of the Shan country, II, ..	248
———— progress of hop cultivation in the Deyrah Dhoon, I, .. ..	204	Larkins, T. P., discovery of the tea plant in Sylhet, IX, .. ..	342
Kino, ( <i>Butea frondosa</i> ,) experiments on, III, ..	App. 276		

Lin	Page.	Low	Page.
Latter, Capt. Thomas, remarks on the Government teak plantation at Bancoorah, VI, .. ..	242	Linseed, notice of, IV, <i>Pro.</i>	23
———— report on the teak forests in the Tenasserim Provinces, VI, <i>App.</i>	154	Livingstone, Rev. David, on the esculent roots of Central Africa, III, .. ..	<i>App.</i> 75
Lavender, mode of raising from seed, III, .. ..	<i>App.</i> 264	———— additional particulars respecting, IV, <i>App.</i>	78
Lay, G. T., on manures employed by Chinese agriculturists, II, .. ..	141	———— donation of a box of seeds and bulbs from South Africa, IV, .. ..	<i>Pro.</i> 81
———— a few hints regarding Chinese agriculture, III, .. ..	18	Lloyd, Lieut.-Col. G. W., on the successful cultivation of potatoes at Darjeeling, III, .. ..	<i>App.</i> 61
Ledlie, J. P., on cotton raised at Allahabad from Mexican seed, I, .. ..	25	Long, Rev. J., on the indigenous plants of Bengal IX, .. ..	398
Leia, (in the Punjab,) agricultural capabilities of the district of, VII, .. ..	228	Lotteri, Signor F., process for the extraction of the silky fibres in the bark of the mulberry tree, IX, .. ..	302
———— agricultural statistics of the Pergunna of Leikhash, VIII, .. ..	50	Lowther, Capt. W. H., on the natural productions of the vale of Kashmere, VIII, .. ..	193, 221b
———— agricultural and horticultural operations at, VIII, .. ..	<i>App.</i> 69	———— suggestions for a "plant house," IX, .. ..	11
Lewis, W. T., on the plant yielding the rice paper of China, VIII, .. ..	65	———— on the plant <i>Gisekia pharmaceoides</i> , as a specific for tape-worm, IX, .. ..	283
———— elected a Corresponding Member, VIII, <i>Pro.</i>	109	———— on the Rusot, or inspissated juice of <i>Berberis aristata</i> , IX, .. ..	353
Lichens, from Darjeeling, description of, I, .. ..	292	———— note on specimens of clays from Oude, IX, .. ..	<i>App.</i> 81
———— from Mauritius and Madagascar, notice of, II, .. ..	208	———— on the drug Atees, IX, .. ..	<i>Pro.</i> 154
Life Membership, amount for, reduced from Rs. 400 to Rs. 320, IX, <i>Pro.</i>	247, 255, 267	Lowther, Robert, on cotton raised at Allahabad, from Mexican seed, I, .. ..	27
Lime, making in China, mode of, IV, .. ..	112	———— remarks on the useful property of <i>Aristolochia Indica</i> as an antidote to snake bites, V, <i>App.</i>	138
Lindsay, D. B., on the raising of mushrooms, IX, .. ..	320	———— V, <i>Pro.</i>	65
Linseed, (white,) from the Nurbudda valley, report on, III, .. ..	<i>App.</i> 93	———— VII, .. ..	42
———— white. further information regarding, III, <i>App.</i>	249		

M A C	Page.
Lowther, Robert, culture of Mexican cotton, at Allahabad, VII, .. ..	198
Lucknow, account of public garden at, II, .. ..	<i>App.</i> 155
———— second report of, II, .. ..	<i>App.</i> 213
———— result of experiments at, II, .. ..	<i>App.</i> 363, 497
———— progress of, III, .. ..	<i>App.</i> 50
———— progress of various cultures in the public garden at, III, .. ..	<i>App.</i> 195
———— report on the state of the Agricultural and Horticultural Society, of, III, .. ..	<i>App.</i> 250
———— report of the first horticultural and floricultural exhibition of the Branch Agricultural and Horticultural Society of, IV, .. ..	<i>App.</i> 35
———— report of horticultural operations at the Branch Society's garden at, IV, .. ..	<i>App.</i> 82
———— account of an exhibition of vegetables, fruits, &c., held in June, 1845, at, IV, .. ..	<i>App.</i> 133
———— on 17th February, 1846, at, V, .. ..	<i>App.</i> 41
———— report on the present state of the public garden at, VI, .. ..	<i>App.</i> 58
———— award of a silver medal to the Darogah of the public garden at, VI, .. ..	<i>Pro.</i> 14

M.

Macfarlane, A., report on tea grown at Darjeeling, VI, .. ..	125
Macgowan, Dr. D. J., on the plants yielding the fibre from which the grass cloth of China is manufactured, VI, .. ..	209

M A D	Page.
Macgowan, Dr. D. J., additional information on the same subject, VII, .. ..	18
———— on the uses of the tallow tree, ( <i>Stillingia sebifera</i> ) with a notice of the Pela or insect wax of China, VII, .. ..	164
———— donation of specimens of Chinese vegetable tallow, of insect wax, of pods of vegetable soap, &c., &c., by, VIII, .. ..	<i>Pro.</i> 10
———— elected a Corresponding Member of the Society, VIII, .. ..	<i>Pro.</i> 15, 18
Mackenzie, J., report on Chota Nagpore grown coffee, VII, .. ..	17
MacLagan, Douglas, notice of gutta-percha, IV, .. ..	<i>App.</i> 221
Mactier, T. B., notice regarding the Government teak plantation at Bancoorah, VI, .. ..	<i>App.</i> 242
Madden, Capt. Edward, brief observations on some of the pines and other coniferous trees of the Northern Himalaya, IV, .. ..	<i>App.</i> 223
———— VII, .. ..	75
———— on the occurrence of palms and bambus with pines and other forms considered Northern, at considerable elevations in the Himalaya, VIII, .. ..	<i>App.</i> 149
Madder, the cultivation and preparation of, IV, .. ..	239
———— directions for cultivating, IV, .. ..	<i>App.</i> 45
———— culture of, in the Deccan, IV, .. ..	<i>App.</i> 207
———— seed, receipt of a supply of, from Europe, IV, .. ..	<i>Pro.</i> 32

MAN	Page.	MAS	Page.
Madras, Agricultural and Horticultural Society of, transmission of test samples of silk to, III, <i>App.</i>	178	Manures, queries relating to, I, .. ..	207
————— award of prizes by, for samples of raw silk, IV, .. <i>App.</i>	146	———— replies to queries, — manures employed by Chinese agriculturists, II, ..	132
————— award of prizes by, for samples of staple produce, V, <i>App.</i>	23	———— from Lucknow and Fyzabad, II, ..	245
Mahogany wood, the produce of the H. C. Botanic Garden, Calcutta, notice of, V, .. .. <i>App.</i>	13	———— (organic-mineral,) on, II, .. .. <i>App.</i>	16
———— tree, directions for its culture in Bengal, V, .. .. <i>App.</i>	15	———— estimate of its value by the Chinese, II, <i>App.</i>	99
Maitland, Dr. John, report on seeds received from the Society, VIII, <i>App.</i>	71	———— remarks on, II, <i>App.</i>	411
Maize, (American,) introduction of into Ajmere and Mairwarra, IV, <i>App.</i>	31	———— management and improvement of, II, <i>App.</i>	470
Malabar, the vegetable resources of the forests of, IX, .. ..	285	———— economy of, II, <i>App.</i>	547
Malacca, the timber trees of, IV, .. .. <i>App.</i>	80	———— proposal for experiments on manures of various kinds, in the Society's garden, III, .. <i>App.</i>	166
———— the state of agriculture in the Straits of, VI, .. .. <i>App.</i>	137	———— report on above, III, .. .. <i>App.</i>	282
Maling, W. R., report on the Thoungyeen river (Tenasserim Province) and on the teak forest in its vicinity, IV, .. ..	51	———— IV, <i>Pro.</i>	28
Mango tree, its culture in Mysore, different species known there, I, ..	263	———— on fertilizing the soil by means of, III, <i>Pro.</i>	201
———— (a three years' bearing) of Arracan, account of, IV, .. <i>App.</i>	141	———— (artificial,) on the applicability of, to the cultivation of the sugar-cane, IV, .. ..	61
———— account of the successful propagation by seed of a superior sort of, IV, .. .. <i>App.</i>	89	———— production of by the lower orders of plants, IV, .. .. <i>App.</i>	161
		———— (bone,) theory of, IV, .. .. <i>App.</i>	172
		———— (artificial,) for sugar-cane, IV, .. <i>Pro.</i>	40
		———— application of in the district of Rungpore, V, .. ..	19
		Masters, J. W., a few observations on tea culture in Assam, III, .. ..	1
		———— the Assam tea plant, compared with the tea plant of China, III, ..	61
		———— a list of the most useful timber trees of Upper Assam, III, <i>App.</i>	6

MCC	Page.	MCM	Page.
Masters, J. W., a catalogue of plants growing in the H. C. Botanic Garden, Calcutta, III, .. <i>App.</i>	10, 103	McClelland, John, report on fossil specimens from Saugor, VI, .. <i>App.</i>	5
— botanical observations in Upper Assam, IV, ..	197	— report on the "Teree" plant of Chittagong, VI, .. <i>Pro.</i>	49
— a memoir of some of the natural productions of the Angami Naga Hills, and other parts of Upper Assam, VI, ..	34	— communication from, regarding Mr. Griffith's private Journals and botanical papers, VI, .. <i>Pro.</i>	86, 103
— dried specimens of plants from Upper Assam, collected by, VI, .. <i>Pro.</i>	8	— notice of the cochineal of the Punjab, VII, .. <i>Pro.</i>	25
— on the tapioca plant of Assam, VII, ..	236	McIvor, W. G., report on the Horticultural gardens at Ootacamund, Neilgherry hills, VIII, .. <i>App.</i>	103
Mather, J. H., description of his cotton cleaning machine, to which the Society's gold medal and prize of Rs. 500 were awarded, VI, ..	237	— hints for the culture in India of fruit trees, and the rearing of vegetable and flower seeds, VIII, .. <i>App.</i>	115
— award of gold medal and Rs. 500 to, VI, .. <i>Pro.</i>	139	— report on the vegetable resources of the forests of Malabar, IX, ..	285
— report on Assam cotton cleaned by his churka, VII, ..	46	McLeod, D. F., notice of the cochineal insect of the Punjab, VII, ..	32
Mayer, Dr. John, analyses of the mineral constituents of the flax plants, and of the soils on which the plants had been grown, IX, ..	321	— culture of Mexican cotton at Benares, VII, ..	200
McCallum, C., specimens of woods from Australia, Van Dieman's Land and New Zealand, presented by, VII, .. <i>App.</i>	10	McMurray, J., appointed Head-Gardener, VII, <i>Pro.</i>	90
McClelland, John, a memoir of the late W. Griffith, Esq., IV, ..	1	— a few hints for the treatment of pot-herbs, VIII, ..	79
— note on the Kang Punneah Naga Tribe, IV, .. <i>App.</i>	199	— hints for the raising of anemones and ranunculuses, VIII, ..	191
— analysis of coal from the Nerbudda valley, V, .. <i>App.</i>	18	— increase of pay to, VIII, ..	125
		— on the culture of <i>Sida rhomboidea</i> , and preparation of the fibre, IX, ..	148
		— on the treatment of the green dye plant of China, IX, ..	297

MET	Page.	MON	Page.
McMurray, J., on the treatment of <i>Amherstia nobilis</i> , IX, .. ..	314	Metcalfe Hall, payment of part cost of erection of, IV, .. ..	Pro. 58
———— treatment of <i>Vanilla planifolia</i> and <i>aromatica</i> , IX, .. ..	316	———— consideration of matters connected with, IV, .. ..	Pro. 62
———— pruning and manuring the rose plant, IX, .. ..	317	———— increase of subscription to meet the Society's portion of debt on account of, IV, .. ..	Pro. 64
McMurtrie, W., proposed introduction into India of a superior sort of American cotton gin, II, .. ..	App. 203	———— IV, Pro. 28, 72, 82	
McCosh, Dr. J., suggestions for improving the ferries of Bengal, I, .. ..	385	———— donations of, Dr. Hufnagle, and Rustomjee Cowasjee, towards liquidating debt on, V, .. ..	Pro. 83
Melons, (Northern India,) best mode of acclimating and cultivating in the gardens of Calcutta, I, .. ..	52	———— extra establishment for, V, .. ..	Pro. 13
———— (Persian,) culture of in India, II, .. ..	App. 352	———— erection of out offices, V, .. ..	Pro. 28
———— seed, (Egyptian,) suggestion for its importation, IV, .. ..	App. 148	———— erection of a railing, V, .. ..	Pro. 67
Members, proposal that they be exempted from subscriptions after 20 years, IX, .. ..	Pro. 28, 35	———— settlement of portions of, and appeal to Government to place it in the list of public buildings, VI, .. ..	15, 18, 25, 33, 38
Mercer, W. R., directions for the cultivation of foreign cotton in India, I, .. ..	205	———— settlement of Eastern portico of, VI, 93, 100, 122	
Mercer, G. G., mode of preserving grain from the ravages of weevil, IV, .. ..	29	———— appointment of a "House Committee," VII, .. ..	Pro. 31
Metcalfe Hall, appointment of a Committee in regard to taking possession of, II, .. ..	App. 591	———— erection of out offices for the, VII, .. ..	Pro. 105
———— furniture for, III, .. ..	App. 37	———— thorough repair to, VIII, .. ..	122
———— expenditure on account of, III, .. ..	App. 76, 237	Minchin, Major F., progress of silk culture at Coonoor in the Neilgherries, V, .. ..	App. 128
———— removal into proposed, III, .. ..	App. 163, 178, 188	Monckton, E. H. C., on the manufacture of cloth and paper from the downy substance contained in the follicles of muddâr ( <i>Calotropis Hamiltonii</i> ), VII, .. ..	51
		Montgomerie, Dr. W., on gutta-percha, procured at Singapore, by, II, .. ..	101

M U D	Page.	M U N	Page.
Moorgavie fibre, particulars regarding the, III, <i>App.</i>	23, 89	Muddâr plant, useful properties of the, with reports on fibrous specimens of, VIII, .. ..	73
— cloth made from it, III, .. ..	<i>App.</i> 46, 54	— VIII, 132, 226	
Mornay, Henry, report on white linseed from the Nerbudda valley, III, <i>App.</i>	98	— juice, a substitute for gutta-percha, VIII, .. ..	107, 226
— on culture of Mexican cotton in Upper Assam, VII, .. ..	210	— juice, additional notice of, VIII, .. ..	231
— on the offer of a prize to the inventor of a cotton-cleaning machine, unrestricted by any particular mechanical principle, VII, .. ..	<i>Pro.</i> 4	— IX, <i>App.</i>	89
Motions, (notice of,) resolution regarding, II, <i>App.</i>	256	— IX, <i>Pro.</i>	12
Mouat, Dr. F. J., analysis of Sandoway soils by, I, ..	110	— floss, useful to hatters, IX, .. ..	<i>Pro.</i> 146
— experimental observations on the chemical nature of gutta-percha, by, II, .. ..	101	Muir, W., on indigenous cotton, raised at Pergunnah Jelalpoore, Bundelkund, I, .. ..	39
— report on the black vegetable dye of the Shan country, II, ..	206	Mulberry tree, Chinese mode of cultivating, III, .. ..	20
— report on the oil of the country almond, ( <i>Terminalia catappa</i> ), II, <i>App.</i>	540	— extraction of silky fibre from the, IX, .. ..	302
— notice of the progress of silk culture at Bangalore, IV, .. ..	<i>App.</i> 137	Muller, C. J., on the cultivation of wheat at Patna, II, .. ..	264
Moulmain cotton, report on VII, .. ..	<i>App.</i> 45	Munjeet, particulars respecting, III, .. ..	<i>App.</i> 50
Mowah oil, its application to economical purposes, V, <i>App.</i>	81	— culture of in Nepal, V, .. ..	28, 30
— report from the Society of Arts on, VI, ..	219	— of in Darjeeling, V, .. ..	29
Moxon, Geo., donation of plants of Malacca from, VIII, .. ..	<i>Pro.</i> 1	— in Saugor district, V, .. ..	35
Muddâr plant, ( <i>Calotropis Hamiltonii</i> ), the manufacture of cloth and paper from the downy substance contained in the follicles, of the, VII, .. ..	51	— its more extended application to economical purposes, VIII, ..	183
		— VIII, <i>Pro.</i>	166, 171
		Munneepore, culture and manufacture of tea at, IX, ..	201
		Munro, Lieut. W., formation of an Agricultural Society at Agra, notice of the, by, II, .. ..	<i>App.</i> 369, 399



N A P	Page.
Munro, Lieut. W., notice respecting <i>Aristolochia Indica</i> , as an antidote to snake bites, V, .. .. App.	138
———— on antidotes to snake bites, VI, ..	1
Mushrooms, raising of, IX,	320
Mutteeloll Seal, Baboo, suggestions for the importation of wheat seed from Australia, II, .. App.	545
———— III, App.	47
<i>Myrica cerifera</i> , or vegetable wax tree, notice of, VIII, .. ..	188
Mysore province, successful cultivation of the Sissoo tree in the, V, .. App.	123

## N.

Naga cloth, a description of, VII, .. .. App.	52
Napier, Major R., communication from, respecting the improvement of the agricultural and horticultural produce of the Punjab, VI, .. .. Pro.	115
Napleton, Lieut.-Col. T. E. A., mode of cultivating clover, lucerne, and melon seeds, II, .. .. App.	118
———— formation of a branch agricultural and horticultural Society at Bauglepore, by, II, App.	153
———— report of proceedings of the, communicated by, II, .. .. App.	217
———— progress of, II, App.	324
———— exhibitions of 1844, of the branch Society of Bauglepore, III, App.	3, 159
———— exhibitions of 1845 of, IV, App.	38, 90, 215

N A P	Page.
Napleton, Lieut.-Col. T. E. A., notice of cotton grown at Bauglepore from foreign seed, IV, .. .. App.	20
———— exhibitions of 1846, V, .. App.	35, 82, 180
———— of 1847, VI, .. .. App.	17, 68
———— of 1848, VI, .. .. App.	120
———— of 1848, VI, .. .. App.	149
———— report of the rise and progress of the Bauglepore branch A. and H. Society, VI, App.	97
———— report on cereal grains sent out by the Court of Directors, VI, App.	121
———— culture of Mexican cotton at Bauglepore, VII, .. ..	202
———— report of an agricultural and horticultural produce show held at Bauglepore, VII, .. App.	6
———— his retirement from the office of Honorary Secretary of the branch A. and H. Society of Bauglepore, VII, .. Pro.	39, 49
———— announcing the formation of a branch Agricultural and Horticultural Society at Delhi, VII, .. .. Pro.	98
———— applying for aid in plants, &c., VII, Pro.	105
———— applying for pecuniary aid for the branch Society, of Delhi, VIII, .. .. Pro.	18
———— reporting on the public garden at Delhi, VIII, .. .. Pro.	58

NUR	Page.	NUR	Page.
Napleton Lieut.-Col., T. E. A., tribute of respect to the memory of, VIII, <i>Pro.</i>	80	Nursery garden, cane culti- vation guinea grass, II, .. <i>App.</i> 260, and 442, 479	
Neilgherries (Coonoor) suc- cessful progress in silk culture at Coonoor in the, V, .. .. <i>App.</i>	128	———— fruit trees from England, chocolate plants, sugar cane, II, <i>App.</i>	591
<i>Nemophila maculata</i> , notice of, and its culture, VI, <i>App.</i>	190	———— excellent des- cription of cotton raised at, III, .. .. <i>App.</i>	66
Nettle, (common stinging of England,) net manufact- ured from the, at Suba- thoo, I, .. ..	280	———— formation of a fruit tree nursery, III, .. .. <i>App.</i> 164, 282	
New Granada paddy, report on, raised in the vicinity of Darjeeling, VIII, ..	81	———— IV, <i>Pro.</i>	11
———— result of experiments with, VIII,	178	———— fruit trees to be obtained from various localities, III, .. ..	182, 282
Nicol, Fredk., experiments at manufacturing sugar from the stalks of Indian corn, II, .. .. <i>App.</i>	541	———— extension of cane culture, IV, .. <i>Pro.</i>	11
———— mode of raising la- vender from seed, III, <i>App.</i>	264	———— extension of ground, IV, .. <i>Pro.</i>	25
———— comparative return in liquor and goor from certain descriptions of sugar-cane, IV, .. <i>App.</i>	27	———— IX, <i>Pro.</i> 208, 229	
Nipal (East) and the Sik- kim Himalaya mountains, the climate and vegetation of the temperate and cold regions of, VIII, <i>App.</i>	35, 73	———— cane cultiva- tion, experiments with manures, IV, .. <i>Pro.</i>	23
Nubboocomar Paul, award to, by the Society of Arts of its silver Isis medal, for his clay bust of Dr. Carey, IV, .. .. <i>App.</i>	207	———— formation of flower garden, IV, <i>Pro.</i>	55
Nursery garden, Overseer's dwelling-house, I, .. <i>App.</i>	88	———— VI, .. <i>Pro.</i>	31
———— sugar-cane distribution, I, .. <i>App.</i>	250	———— distribution of cane, erection of a small conservatory, IV, <i>Pro.</i>	73
———— III, <i>App.</i>	282	———— proposal for bonus to Overseer, V, <i>Pro.</i>	7, 10
———— completion of dwelling-house, cane, to- bacco and mulberry culti- vation, American aspa- ragus, II, .. .. <i>App.</i>	47	———— repairs to bungalow, V, .. <i>Pro.</i>	10, 31
		———— sugar cane plantation, &c., V, .. <i>Pro.</i>	31
		———— additional im- provements, V, .. <i>Pro.</i>	40
		———— additional grant of money voted for the above, V, .. .. <i>Pro.</i>	52
		———— remarks on certain varieties of sugar- cane in the, VI, ..	56

NUR	Page.	OIL	Page.
Nursery garden, establishment of a school for gardeners, VI, .. <i>Pro.</i> 12, 31, 36		Nursery garden, appointment of a committee to collect subscriptions for new garden, VIII, .. <i>Pro.</i> 57	
————— VII, <i>Pro.</i> 47		————— report from Council that the proposed removal is not, at present, feasible, VIII, .. <i>Pro.</i> 187	
————— change in its constitution, IX, <i>Pro.</i> 47, 114, 181		Nuthall, Lieut. W. F., a list of woods indigenous to Arracan, IV, .. <i>App.</i> 13	
————— cane and fruit tree plantations, VI, .. 31		————— the Gurjun oil of Arracan, IV, .. <i>App.</i> 14	
————— cane plantation, increase to Overseer's salary, VI, .. .. <i>Pro.</i> 45		Nutmeg, an account of the, and its cultivation, VI, <i>App.</i> 176	
————— formation of additional roads, VI, <i>Pro.</i> 53, 88			
————— plan of the garden prepared, VI, <i>Pro.</i> 88		O.	
————— boundary ditch to, VI, .. <i>Pro.</i> 138		Oadal fibre of Assam, notice of, VI, .. .. 135	
————— orchard, conservatory, VII, .. <i>Pro.</i> 46		Oak from Chittagong, notice of, II, .. .. 99	
————— demise of Head-Gardener, VII, <i>Pro.</i> 81		Oak, (Darjeeling) species of, proposed introduction of into England, VI, <i>Pro.</i> 119	
————— appointment of Mr. McMurray to the vacant office, VII, .. <i>Pro.</i> 90		————— a supply of seed of the, VII, .. .. <i>Pro.</i> 2	
————— orchard, kitchen and flower garden, sugar-cane, VIII, .. <i>Pro.</i> 86		Oil seed (drying) a new description of, from Rohilkund, II, .. .. 52, 89	
————— effects of gale of May, 1852, distribution of plants during one year from, VIII, .. .. <i>Pro.</i> 100		————— IX, .. 47	
————— repairs to Gardener's house, VIII, <i>Pro.</i> 156		————— IX, <i>Pro.</i> 210	
————— under-drainage of a portion of, increase of fruit grafts, maize culture, vanilla, VIII, .. <i>Pro.</i> 176		Oils of various sorts extracted by Bramah's hydrostatic press, II, .. 219	
————— improvements in, notice of various cultures, VIII, .. <i>Pro.</i> 187		————— III, .. <i>App.</i> 248	
————— proposal for removal of the, VIII, <i>Pro.</i> 22, 41, 44, 51		————— of <i>Argemone Mexicana</i> , notice of, II, <i>App.</i> 207	
		————— of the country almond, ( <i>Terminalia catappa</i> ), II, <i>App.</i> 539	
		Oils of India, proposal for improving the, III, <i>App.</i> 183	
		Oil committee, formation of	

O O T	Page.
Oil, mode of expressing, adopted in China, IV, ..	113
— (Gurjun) of Arracan, IV, .. .. .	App. 14
— (edible) certain kinds of, from the Palamow jungles, IV, .. .. .	App. 211
— (Mowah) its application to economic purposes, V, .. .. .	App. 81
— report from the Society of Arts on, VI, App.	219
Oil seed (Ramtil or Sirgooja,) notice of, VII, ..	40
— IX, ..	47
Oil of "Deesee Akroot" ( <i>Aleurites triloba</i> ) notice of, VIII, .. ..	220
— IX, ..	47
Oil of "Junglee Badam," ( <i>Sterculia fatida</i> ), notice of, VIII, .. ..	39
— IX, ..	47
Olibanum tree, notice of the, I, .. ..	290
— (African) notice of the, V, .. App.	117
Olive tree, successful introduction of, at Kaira, I, ..	401
— Particulars of its culture at Hewrah in the Deccan, III, .. App.	247
Oman, John, on the cultivation of wheat at Colgong, II, .. ..	258
Onion (Himalayan), successful culture of, in England, II, .. ..	453
— (Egyptian) suggestion for its importation, IV, .. .. App.	148
Ootacamund (Neilgherry Hills) report on the Horticultural gardens at, VIII, .. .. App.	103

O U S	Page.
Opium, mode of collecting, as pursued in Assam, II, ..	319
O'Riley, Edward, on the culture of coffee and sugar at Amherst on the Tenasserim coast, II, .. App.	211
— remarks on the prospectus of the Chittagong joint stock coffee Company, II, .. App.	405
— observations on specimens of sugar soils and indigo-giving plants from the Tenasserim coast, III, .. ..	228
— on certain descriptions of wood from the coast of Tenasserim V, .. .. App.	145
O'Shaughnessy, W. B., report on muddâr extract as a substitute for gutta percha, IX, .. .. Pro.	12
Oude, clays from, IX, App.	81
Ouseley, Lt. Col. J. R., on the culture of wheat in the Nerbudda valley, II, ..	300
— samples of, and other products from the Nerbudda valley, II, App.	447
— III, App.	96
— further information on the white linseed and wheats of Central India, III, App.	249
— eligibility of Chota Nagpore, for the growth of coffee, IV, App.	76
— V, App.	17, 156
— formation of a Government experimental garden at Kishenpore, for the growth of coffee, IV, .. .. App.	77

PAD	Page.	PAL	Page.
Ouseley, Lt. Col., introduction of the walnut tree into Chota Nagpore, IV, <i>Pro.</i>	34	Paddy (Carolina,) supply of, to be obtained for the Society, II, .. .. <i>App.</i>	316
———— presentation of a supply of Nerbudda wheat and white linseed, IV, .. .. <i>Pro.</i>	74	———— III, .. .. <i>App.</i>	60, 71
———— mode of preserving grain in the Nerbudda valley, VI, <i>Pro.</i>	148	———— suggestions for its extended growth in Arracan, III, .. ..	215
———— proposal to award a gold medal to, VI, .. .. <i>Pro.</i>	109	———— III, <i>App.</i>	285
———— award of a gold medal to, VI, <i>Pro.</i>	113	———— unsuccessful attempt for its introduction into Arracan, V, <i>App.</i>	124
———— acknowledgement of above, by, VI, .. .. <i>Pro.</i>	124	———— V, <i>Pro.</i>	46
———— culture of Mexican cotton at Chota Nagpore, VII, .. ..	203	———— arrival of a large supply of, for the Government of Bengal, V, .. .. <i>Pro.</i>	12
———— culture of the tallow tree of China in Chota Nagpore, VII, <i>Pro.</i>	24	———— second attempt for the introduction of, into Arracan, V, <i>Pro.</i>	53, 64
Owen, John, on the mode of collecting opium in Assam, .. ..	319	———— VI, <i>Pro.</i>	41
———— on the manufacture of black tea, as practised in Assam, II, .. ..	337	———— arrival of above, VI, .. .. <i>Pro.</i>	122
———— on the mode of manufacturing salt by the Nagas, III, .. ..	27	———— third attempt for the introduction of, into Arracan, VII, .. ..	226
Oxley, Thomas, notice respecting gutta percha, VI, <i>App.</i>	50	———— (New Granada) report on, raised in the vicinity of Darjeeling, VIII, .. ..	81
———— some account of the nutmeg and its cultivation, VI, .. .. <i>App.</i>	176	———— result of experiments with, VIII, .. ..	178
———— the botany of Singapore, VII, .. <i>App.</i>	53	———— letter from Mr. Jordan regarding, IX, <i>Pro.</i>	50
P.		Palamow district, its capabilities for sheep rearing, IV, .. .. <i>App.</i>	210
Paddy (Carolina) experiments on at Ceylon, II, .. ..	87	———— certain edible oils, and Butea kino from, IV, .. .. <i>App.</i>	211
———— successful introduction of into the Malwan zillah, Bombay Presidency, II, .. <i>App.</i>	162	Palmer, Peter, on the cultivation of wheat at Monghyr, II, .. ..	258
		———— III, .. ..	94

PEA	Page.	PHA	Page.
Palms and Bambus, with pines and other forms considered Northern, at considerable elevations in the Himalaya; on the occurrence of, VIII, ..	<i>App.</i> 149	Peach tree, treatment of the, VI, ..	241
<i>Pandanus Vacoa</i> , or screw pine, its culture recommended in Bengal for the excellent bagging material it affords, II, ..	92	Peel, Sir Lawrence, annual donation to the Society of 400 rupees, III, ..	<i>App.</i> 166
Paper (Nipal,) its manufacture at Darjeeling, details as to cost, relative value, mode of bleaching and rendering waterproof, I, 210, 273		—— proposal to test the value of manures of different sorts, III, ..	<i>App.</i> 166
—— on the premium offered by the Society for a new material for, IX, ..	279	—— elected President of the Society, VI, ..	<i>Pro.</i> 98
—— material for, IX, <i>App.</i>	83	—— communication from, on above election, VI, <i>Pro.</i>	102
Parish, Lt. W. H., notice of the highest elevation at which the plantain is found, VI, ..	<i>App.</i> 1	—— tribute of respect to, IX, ..	<i>Pro.</i> 43, 59
—— communication from, regarding introduction into England of certain fibrous yielding plants and Himalayan oaks, &c., VI, ..	<i>Pro.</i> 110	—— address to, and reply from, IX, ..	<i>Pro.</i> 150
Patron of the Society, Lord Hardinge's acceptance of the office, III, ..	<i>App.</i> 284	Pegu, cotton of, IX, ..	153
—— Lord Dalhousie's acceptance of the office VI, ..	<i>Pro.</i> 90, 94	—— silk of, IX, ..	159
—— Lord Canning's acceptance of the office IX, ..	<i>Pro.</i> 200, 202	—— trees of, IX, <i>App.</i>	39
Payter, J. W., results of experiments on sugar-cane with Peruvian guano, V, <i>App.</i>	22	Peshawur, soil, climate, and state of horticulture at, VIII, ..	41
—— result of experiments on Carolina paddy, V, ..	<i>Pro.</i> 54	Petrie, J., communication regarding his machine for divesting indigenous cotton of its seed, VI, <i>Pro.</i>	21
Pea (Chinese), a valuable description of, III, <i>Pro.</i>	170	—— further notice of machine, VI, ..	<i>Pro.</i> 29
		Phayre, Capt. A. P., on the tobacco of Sandoway, III, ..	219
		—— on teak forests in the Sandoway district, IV, ..	46, 50
		—— on the common cotton of Amherst Province, VII, ..	49
		—— report on the introduction of Carolina seed paddy into Arracan, VII, ..	226
		—— notice of Burmese basts, IX, ..	141

PLA	Page.	PLA	Page.
Phayre, Capt. A. P., notice of Pegu cotton, IX, ..	153	Plants, suggestions for the better transmission of, from one part of India to another, II, ..	36, 85
———— notice of Pegu silk, IX, ..	159	———— IV, App.	90
Piddington, H., notice of figs produced in his garden in Calcutta, V, ..	Pro. 24	———— the best mode of propagating in India, II, ..	348
———— notice of a grass from Bermuda ( <i>Paspalum vaginatum</i> ), VI, Pro.	35	———— to prepare dried specimens, II, ..	App. 35
———— donation of a small quantity of Creole rice, VI, ..	Pro. 129	———— the azotized nutritive principles of, II, App.	63
Pinckard, Henry, the propagation of sugar-cane by seed, III, ..	App. 84	———— interchange of, between Europe and Asia, II, ..	App. 148
Pine-apple fibre, cloth manufactured from it, III, App.	46, 54, 89	———— on the transmission of cuttings of, to India, II, ..	App. 222, 387
Pine-apple, how to improve its size and flavor, VII, App.	45	———— IV, App.	197
———— IX, Pro.	213	———— on the conveyance of plants and seeds on ship-board, III, ..	App. 264
Pine seeds, (Himalayan), clover, and lucerne seeds from Afghanistan; notice of, I, ..	106	———— collectors, a few hints to, IV, ...	133
———— trees of the northern Himalaya, brief observations on, IV, ..	App. 223	———— effect of electricity on, IV, ..	App. 125
———— VII, ..	75	———— effects of hybridizing on, IV, ..	App. 178
———— and other coniferous seeds,—the best mode of transmitting from the Himalaya to England, V, App.	214	———— transplanting of, IV, ..	App. 184
Plantain, the highest elevation in India in which it is found, VI, ..	App. 1	———— grafting, IV, ..	App. 187
———— fibre, notice of, IX, ..	45	———— raising of, from seeds, IV, ..	App. 190
Plants, mode of successful transmission of, I, ..	282	———— transmission of from England to India, V, App.	69
———— and fruit trees, the transmission of, to foreign countries, I, ..	329	———— radical excretion of, V, ..	App. 86
———— to prepare cuttings of, for India, I, ..	422	———— on the source of the carbon and nitrogen in, as derived from the soil, V, ..	App. 161
		———— experiment at propagating by leaves, V, App.	191
		———— remarks on, ..	VI, 145
		———— VI, ..	App. 1

POT	Page.	PRI	Page.
Plants, experience in the transmission of, to and from distant countries by sea, VI, .. .. App.	44	Potato, and other farinaceous roots, on the cultivation of, in the vicinity of Ellichpore, II, .. App.	1
—— to strike from cuttings, VII, ... .. App.	59	—— creeper, its cultivation at Bangalore, II, App.	126
—— respiration of, VIII, App.	65	—— culture of, in England, II, .. .. App.	417
—— gratuitous distribution of, from H. C. B. Garden, proposal to Government to cease the, VIII, Pro.	27, 31, 44, 51, 53, 60, 76	—— successful cultivation of at Darjeeling, III, .. .. App.	61
—— IX, Pro.	28	—— effect of galvanism in promoting the growth of, IV, .. .. App.	28
—— house, suggestions for a. IX, .. ..	11	—— disease in, in certain parts of India, VI, App.	10
—— (sand-binding) of the Madras beach, IX, ..	174	—— mode of treating, VIII, .. .. App.	157
—— (indigenous) of Bengal, IX, .. ..	398	—— (Chinese) notice of, IX, .. ..	121
—— (tropical) notices of, IX, .. .. App.	72	Potter, James, report on foreign cotton grown at Baugleapore, Buxar, and the Government farm at Goruckpore, IV, .. App.	22
Playfair, Dr. Lyon, queries relating to manure, I, ..	207	President of the Society, Sir Lawrence Peel, elected to the office of, VI, Pro.	98
Pontet, J., culture of Mexican cotton at Rajmahal, VII, .. ..	207	—— Mr. C. R. Prinsep, elected to the office, IX, Pro.	100
Pooah fibre of Nipal and Sikkim, notice of the, VI, .. ..	135, 240	Price, J. O., report of proceedings on the inspection of lands best suited for the culture of foreign cotton in Dacca, III, .. 9, 82, 88,	149
Pooroolia, timber trees of, IV, .. .. Pro.	46	—— IV, .. ..	151, 241
—— V, App.	72	—— on the culture of foreign cotton in the Dacca district, III, .. App.	99
Postage, withdrawal by Government of privilege of free postage, I, II, App.	43, 200	—— V, .. ..	197
Postans, Lieut. T., account of the wool produced in Upper Scinde, Cutchee and Beloochistan, I, ..	433	—— report on the working of the cottage sawgin, VII, .. ..	185
—— on the cultivation of cotton in Upper Scinde, II, .. .. App.	84	Prinsep, James, on the culture of exotic cotton in the Punjab, VIII, ..	188
Pot herbs, a few hints for the treatment of, VIII, ..	79		



QUI	Page.	REN	Page.
Prinsep, James, report of trials made in the Punjab with Chinese seeds, IX, .. .. .	188	Quintin, W., on cotton raised at Gya from American seed, I, .. .. .	31
Prinsep, C. R., appointed President of the Society, IX, .. .. .	Pro. 100	R.	
<i>Pueraria tuberosa</i> , a troublesome plant, common to the Chittagong district, I, .. .. .	396	Rainey, Capt. A. C., on the fibre of the common stinging nettle, I, .. .. .	230
Pump for draining marshes, &c., description of Appold's, VII, .. .. .	App. 46	Ramgopal Ghose, oil of the seed of the "Shial kanta," ( <i>Argemone Mexicana</i> ), II, .. .. .	App. 207
Punjab, measures for improving the agricultural and horticultural produce of the, VI, .. .. .	Pro. 115	Ramgopal Ghose, report on tamarind and sun-flower oil, IX, .. .. .	368
———— cochineal of, notices of the, VII, .. .. .	31	Ramtil oil seed, notice of, VII, .. .. .	40
———— agri-horticulture in the, VII, .. .. .	App. 51	———— VIII, .. .. .	61
———— culture of silk, cotton and other products in the, VIII, .. .. .	132	Ranunculusses, anemones and tulips, hints on the management of, II, .. .. .	334
———— culture of exotic cotton in the, VIII, .. .. .	188	———— VIII, .. .. .	191
———— physical aspect of, its agriculture and botany, VIII, .. .. .	App. 162	Ravenshaw, C. E., result of experiments for the introduction of American cotton and other products into the Province of Behar, II, .. .. .	197
———— establishment of an agricultural and horticultural Society for the, VIII, .. .. .	Pro. 33	Rattans from Arracan, notices of certain sorts, VIII, .. .. .	146
Q.		Rehling, H., culture of foreign cotton and other products at Rungpore, III, .. .. .	App. 262
Quinine-yielding Cincho- nas, their introduction into India, VIII, .. .. .	13	———— replies to queries regarding manures, as applied in the district of Rungpore, V, .. .. .	19
———— communication to Government on the above subject, VIII, .. .. .	Pro. 83	———— mode of cultivating, and preparing tobacco as practised in the district of Rungpore, V, .. .. .	101
———— reply from Government on do., VIII, Pro. .. .. .	92	———— result of trials given to various seeds at Rungpore, V, .. .. .	App. 27
———— further communication from ditto VIII, Pro. .. .. .	177	———— remarks on the propagation of plants by leaves, VI, .. .. .	145
———— further communication to ditto and reply from, IX, .. .. .	Pro. 261		

R I D	Page.	R O B	Page.
Rennie, J., report on sam- ples of tea grown and ma- nufactured at Ava, II, <i>App.</i>	159	Riddell, Dr. R., materials for paper manufacturing, IX, .. .. .	<i>App.</i> 83
Reynolds, Capt. C. S., on coffee raised in Tezpore, in Upper Assam, VIII, ..	63	Ripley, Capt. F. W., notice of certain descriptions of rattans and fibrous yield- ing plants from Arracan, VIII, .. .. .	146
Rheea fibre of Assam, VI, 181		————— IX, .. .. .	143
————— VI, <i>Pro.</i> 41, 48		————— on the culture, drying, and curing of to- bacco in Arracan, IX, ..	160
————— its identity with the grass cloth plant of China, VII, .. ..	19	Robertson, A., proposal to undertake chemical analy- ses for the Society, III, <i>App.</i>	168
Rheea and other nettle grasses of Assam, VII, ..	215	————— his readiness to un- dertake them, III, <i>App.</i>	180
Rheea fibre of Assam, and its value in the English market, VIII, .. ..	155	————— his inability to, com- municated, VI, .. <i>Pro.</i>	33
————— donation of half a bale from the Board of Re- venue, 13 bales to be sent to the Court of Directors VIII, .. .. <i>Pro.</i>	157, 163	Robinson, Lieut. E. J., on cotton raised in the Bhut- tee States from Mexican seed, I, .. .. .	35
————— IX, <i>App.</i>	20	————— on cotton raised at Bawulpore, by Nawab Bhawal Khan, from Mexican seed, I, .. ..	36
Rice, (Carolina,) purchase of I, ( <i>See Paddy, Carolina</i> ), 92, 150		Robinson, S. H., on the cultivation of sugar-cane in Bengal, II, .. ..	345
————— (Arracan,) report on samples, III, .. <i>App.</i>	2	————— successful cultiva- tion of the China sugar- cane at Dhoba, IV, <i>App.</i>	131
————— notice of, clean- ed by machinery in the United States, VI, <i>App.</i>	8	Robison, C. K., on samples of cotton raised at Ceylon, II, .. .. <i>App.</i>	42, 486
————— (Creole,) from Mauritius, notice of, VI, <i>Pro.</i>	129	————— report on coffee from Chota Nagpore, IV, <i>App.</i>	77
Rice meal, or rice dust, composition of, VIII, <i>App.</i>	98	————— timber trees of the province of Malacca, IV, <i>App.</i>	80
Rice paper of China, the plant yielding it, VIII, 65, 66		————— present of two ta- bles, made from teak and sissoo, the produce of the H. C. B. G., Calcutta, V, <i>App.</i>	16
————— VIII, .. <i>App.</i>	67		
Riddell, Dr. R., on muddâr juice, as a substitute for gutta-pursha, VIII, 110, 231			
————— IX, <i>App.</i>	89		
————— notice regard- ing the oil obtained from the kernel of the "Deseek akroot," ( <i>Aleurites triloba</i> ) VIII, .. ..	220		
————— fibres of various kinds from the Deccan, IX,	112		

ROY	Page.	RUS	Page.
Robison, C. K., tribute of respect to the memory of, V, .. .. .	<i>Pro.</i> 25, 31	Royle, Professor J. F., observations on the failure of seeds of cereal grasses, forwarded to the Society by the Court of Directors, VI, .. .. .	197
Robison, Capt. Hugh, mode of preserving seeds for transmission to India, V, <i>App.</i>	179	———— hints for the selection of the senna plant, and its preparation for the European markets, VI, <i>App.</i>	127
Robinson, T. M., capabilities of Chota Nagpore district for culture of coffee, VII, .. .. .	17	———— report on the "Pissee," "and Julalya" wheats of the Nerbudda, VII, .. .. .	<i>App.</i> 1
———— some account of the Ramtil or Sirgooja oil seed, VII, .. .. .	40	———— report on the progress of the culture of the China tea plant in the Himalayas, from 1835 to 1847, VII, .. .. .	<i>App.</i> 11
———— culture of Mexican cotton at Chota Nagpore, VII, .. .. .	204	———— basts of Arracan, report on, IX, .. .. .	8
Room dye of Assam, VI, <i>Pro.</i>	2	———— on the Rheea fibres of Assam and hemp of the Himalayas, IX, <i>App.</i>	20
———— VIII, <i>Pro.</i> 94, 123, 142		Rungpore, the culture of cotton at, by Government, IV, .. .. .	92
Rose plant, pruning and manuring, IX, .. .. .	317	———— staple products of, IV, .. .. .	103
Ross, Robert, on the best mode of propagating plants in India, II, .. .. .	348	———— application of manures, as practised in the district of, V, .. .. .	19
———— a few hints to plant collectors, IV, .. .. .	138	———— mode of cultivating, and preparing tobacco in district of, V, .. .. .	101
———— suggestions for the treatment of foreign vegetable and flower seeds, V, .. .. .	1	———— kunchoora fibre of, VI, .. .. .	30
Royle, Professor J. F., memo., on the Himalaya pine seeds, on clover and lucerne seeds from Afghanistan, I, .. .. .	106	Rusot plant, valuable properties of, IX, .. .. .	353
———— prospectus of a work, on the commercial products of India, II, <i>App.</i>	459	Russell, F. W., practical illustration of the value of bone dust as a manure, III, .. .. .	<i>App.</i> 176
———— communication and report on Indian grown American sumach, V, <i>App.</i>	1	———— experiments with guano on garden produce, IV, .. .. .	<i>App.</i> 140
———— notices regarding E. I. kino, V, .. .. .	<i>App.</i> 109	———— culture of Mexican cotton at Hooghly, VII, .. .. .	209
———— notices regarding African olibanum, V, <i>App.</i>	117		
———— on the export of wheat from India to England, VI, .. .. .	126		

SAW	Page.	SCO	Page.
Rustomjee Cowasjee, donation of Rs. 500, towards liquidating the debt on the Metcalfe Hall, V, .. <i>Pro.</i>	3	Saw-gin, (cottage,) report on the working, of, VII,	189
Ryan, Sir Edward, full length portrait voted to, I,	250	Schenck's patent process for preparing flax, IX, ..	23
——— notice regarding it, IV, .. .. <i>Pro.</i>	76	School (garden,) <i>See Nursery garden,</i>	
——— intimation of its despatch and cost, &c., V, .. <i>Pro.</i>	47	Sconce, Archd., on the oak of the Chittagong hills, II, .. ..	99
——— notice of its arrival, V, .. .. <i>Pro.</i>	55	——— on the culture of coffee at Chittagong by a Joint Stock Company, II, .. .. <i>App.</i>	120
S.		——— on the culture of hemp and flax at Chittagong, II, .. .. <i>App.</i>	275
Safflower, culture and manufacture of, at Dacca, VII,	191	——— on the culture of tea at Chittagong, II, <i>App.</i>	408
Salep-misree plant from the neighbourhood of Nee-much, II, .. ..	226	——— a comparative account of the relative position of landlords, tenants, ryots, produce, labor and wages in India and England, III, .. ..	187
——— description of, II, .. .. <i>App.</i>	435	——— note on the cotton of the Chittagong district, IV, .. ..	135
——— recipe for the preparation of, IV, <i>App.</i>	205	———, communication respecting the duty on East India sugar, suggestion for a Petition to Parliament on the subject, IV, .. .. <i>App.</i>	1
Salsafy, on the cultivation of, II, .. .. <i>App.</i>	38	——— on the "Aroosha" fibre of Chittagong ( <i>Calli-carpa cana</i> ), VI, ..	186
Salt, mode of manufacture adopted by the Nagas, III,	27	——— on the Teree pod of Chittagong, VI, <i>App.</i>	6
Sandal-wood box, the produce of H. C. B. G., Calcutta, donation of a, VI, <i>Pro.</i>	26	——— culture of cotton at Chittagong, VII, ..	205
Sandoway district, silk culture in the, VII, ..	281	——— on wool from Shanghai sheep, bred at Chittagong, VIII, ..	38
——— tobacco of the, its mode of culture, &c., VIII, .. ..	46	——— on the "Junglee Badam," ( <i>Sterculia fatida</i> ), VIII, .. ..	39
Sangster, Mr. W., report on the Rheea fibre of Assam, VIII, .. ..	155	——— on the thatching rush or reed of the Cape of Good Hope, VIII, .. <i>Pro.</i>	103
Saunders, J. O'B., on the culture of wheat at Allahabad and Allyghur, II, ..	271		
Saw-gin, (American hand cotton,) present to the Society of a, II, .. <i>App.</i>	41		

SEE	Page.
Scott, Dr. K. M., on cotton raised at Gowhatty from China seed, I, ..	39
——— report on sun-dry samples of Assam caoutchouc received from I, ..	390
——— on the treatment of the peach tree, VI,	241
——— donation of plants from the Straits, VIII, ..	Pro. 1
Scott, J. G., analysis of soils from the Tenasserim coast, III, ..	233
—— Robert, memo. on the <i>Victoria regia</i> water lily in the H. C. Bot. Garden, Calcutta, VIII, ..	17
——— elected an Associate Member of the Society, VIII, ..	Pro. 35, 39
——— report on the comparative value of vegetable seeds from certain countries, IX, ..	380, 385
Sealkote (Punjab) gardening operations at, VIII, App.	68
Seeds, arrangement for consignments for 1843, II, App.	48
—— for 1844, II, App.	589
——— III, App.	36
—— for 1845, III, App.	284
—— for 1846, IV, Pro.	74, 82
—— for 1847, V, Pro.	52, 61
—— for 1848, VI, Pro.	55
—— for 1850, VII, Pro.	65
—— for 1851, VIII, Pro.	4
—— for 1852, VIII, Pro.	58, 78
—— for 1853, VIII, Pro.	141
—— reply from the Court of Directors to application for free transmissions of, II, ..	App. 201

SEE	Page.
Seeds, manuring and steeping of, II, ..	App. 552
—— (agricultural) application to Court of Directors for transmission of, III, App.	49, 69
—— arrival of a large supply of, IV, ..	Pro. 75
—— result of trials of, in various parts of India, V, App.	57
—— observations on the failure of the above, VI,	197
—— application for another supply, VI, ..	Pro. 5, 126
—— steeping of, IV, App.	191
—— raising of plants from, IV, ..	App. 190
—— (agricultural) donation by the Court of Directors of a large supply of, VI, Pro.	75
—— (vegetable and flower,) suggestions for the treatment of, V, ..	1
—— report of trials given to various kinds of, at Chandamaree, Rungpore, V, ..	App. 27
——— at Ramnuggur, Champarun, V, App.	32
——— at Seetapore, V, ..	App. 33
—— steeping of, in sulphuric acid, V, ..	App. 102
—— for transmission to India, mode of preserving, V, ..	App. 179
—— how to preserve the vitality of, VI, ..	App. 93
—— result of trials of, at Cawnpore, VI, App.	132
—— the best method of packing for a voyage to India or China, VI, App.	134

SEN	Page.	SIL	Page.
Seeds, result trial of a small assortment of cereal and flower seeds in the Society's garden, VI,	<i>App.</i> 145	Senna, its culture and preparation in the Madras Territories, II,	<i>App.</i> 127
— (Agricultural,) proposal for the interchange of between various districts of India, VI,	<i>Pro.</i> 117	— hints for the selection of, and its preparation for the European market, VI,	<i>App.</i> 127
— — — — — report on the above, VI,	<i>Pro.</i> 124	Seychelles cotton seed; proposal to supply India with, from the Seychelles Islands, IX,	1
— — — — — result trials of, received from the Court of Directors, VI,	<i>Pro.</i> 121	Shahabad, result of experiments at introduction of American cotton into the district of, II,	199
— (English flower and American vegetable,) result of trials with at Cawnpore, VII,	<i>App.</i> 5	— — — — — IV, <i>App.</i>	142
— — — — — crusher (patent,) notice of Parson's and Clyburn's, VII,	<i>App.</i> 43	Shan country, the vegetable and other products of the II,	248
— — — — — application to the P. and O. Company for free freight of the Society's annual consignments of seeds from England VII,	<i>Pro.</i> 67, 76	Sheep (Indian,) general observations on, II,	<i>App.</i> 133
— — — — — reply from on the above subject, VII,	<i>Pro.</i> 95, 111	— — — — — on improving the breed of, IV,	114
— — — — — report on trials of, at Lingsogur, VIII,	<i>App.</i> 71	— — — — — capabilities of the climate and natural features of the Palamow district for the rearing of IV,	<i>App.</i> 210
— — — — — hints for the culture in India of, VIII,	<i>App.</i> 115	<i>Sida rhomboidea</i> , the fibre of, VIII,	62
— — — — — application to the G. S. S. S. Company for free freight for seeds from England to the extent of one ton annually, VII,	<i>Pro.</i> 150, 167	— — — — — IX,	146
— — — — — reply from on the above subject, VIII,	<i>Pro.</i> 164	Silk worms, indigenous to India, VI,	167
— (vegetable,) on the comparative value of, from certain countries, IX,	380, 385	— — — — — IX,	164
Senna, practical remarks on the culture and preparation of senna in the Bombay Presidency, II,	193	— — — — — experiments at cross breeding Europe and Indian species, IX,	259
		— — — — — remarks on the improvement of, IX,	391
		— — — — — (Chinese), IX, <i>App.</i>	63
		Silk (mulberry,) manufacture in Bangalore (Mysore;) suggestions for its improvement, I,	196
		— (Eri,) experiments for reeling, II,	<i>App.</i> 61
		— — — — — V,	<i>Pro.</i> 43

SKI	Page.	SOC	Page.
Silk (Eri,) its introduction into Malta and Italy, IX, <i>App.</i>	29	Sleeman, Col. W. H., particulars regarding the Chundaree cotton, I, .	275
— (mulberry,) progress of cultivation in the Mysore province, II, . . . <i>App.</i>	399	— particulars respecting the munjeet of the Saugor district, V, . .	35
— — — — — IV, <i>Pro.</i>	57	Smith, Dr. C. T., on the present mode of manufacturing silk in the Mysore country, I, . . .	196
— — — — — IV, <i>Pro.</i>	137	— on the "potatoe creeper" and hop, as grown at Bangalore, II, <i>App.</i>	126
— — — — — V, <i>App.</i>	23, 131	— progress of silk culture in the Mysore Province, II, . . . <i>App.</i>	399
— transmission to the Madras Agricultural and Horticultural Society of test samples of, III, <i>Pro.</i>	178	Smith, G. H., experimental cultivation of wheat and barley at Delhi, II, <i>App.</i>	537
— satisfactory progress of culture at Coonoor, in the Neilgherries, V, <i>App.</i>	128	Smith, A. T., on oil from the nut of the country Almond ( <i>Terminalia Cattappa</i> ), II, . . . <i>App.</i>	539
— culture at Lucknow, VI, . . . . . <i>Pro.</i>	17	Smith, Robert, report on specimen of the fleece of a Tibetan sheep, I, . .	388
— — — — — at Sandoway, VII, .	281	— report on specimens of wool from a cross-breed, and from a Kohistan ewe, II, . . . <i>App.</i>	159
— of Pegu, IX, . . . .	159	— result of experiments with guano on flowers, IV, . . . . <i>App.</i>	202
— from Lahore, report on IX, . . . . . <i>Pro.</i>	70	Snake bites, antidotes to, IV, . . . . . <i>Pro.</i>	22, 85
Simla, formation of a branch A. and H. Society at, III, . . . . . <i>App.</i>	242, 256	— antidotes to, V, <i>App.</i>	138
— — — — — VIII, <i>Pro.</i>	34	— — — — — V, <i>Pro.</i>	64
Singapore, Botany of, VII, . . . . . <i>App.</i>	53	— — — — — VI, . . . . .	1
Sirgooja oil seed, notice of, VII, . . . . .	40	— — — — — VI, <i>App.</i>	131
— — — — — VIII, . . . . .	61	— — — — — VII, . . . . .	42
Sissoo wood, the produce of the H. C. Botanic Garden, Calcutta, table made of, V, . . . . <i>App.</i>	16	Soap-yielding pods from China, VII, . . . .	280
— tree, successful cultivation of, in the Mysore territory, V, . . . . <i>App.</i>	123	Society of Arts report from, on Shan black vegetable dye, IV, . . . . .	205
Skipwith, F., on two fleeces of wool, a cross between a Southdown ram and Patna ewe, V, . . . . <i>App.</i>	10		
— — — — — on a description of rope from Munneepore, VIII, . . . .	45		

SPR	Page.	SUG	Page.
Society of Arts, presentation of its silver Isis medal to Nubboo Coomar Paul for his clay bust of Rev. Dr. Carey, IV, ..	207	Stacy, Colonel L. R., a mode of conveying cuttings of plants from one part of India to another, IV, <i>App.</i>	90
— report from, on the mowah oil, VI, ..	219	Stalkartt, W., culture of the grape, in the vicinity of Calcutta, V, ..	<i>Pro.</i> 29
— list of premia offered by the, VIII, <i>App.</i>	96	— John, report on flax raised at Allyghur from foreign and native seed, IX, ..	373
Soda (nitrate of,) as a manure, IX, ..	<i>App.</i> 1	Stallard, W., on two fleeces of wool, a cross between a Southdown ram and Patna ewe, V, ..	<i>App.</i> 10
Soils from the islands of Ramree, and Akyab in the province of Arracan, notice of, I, ..	109	<i>Sterculia villosa</i> , "Oodal," fibre of Assam, VI, ..	135
— analysis of, I, ..	110	— <i>fetida</i> ("Junglee Badam") oil of the seed of, VIII, ..	39
— on the physical properties of, and means of investigating them, I, 299, 411		— IX, ..	47
— from the Tenasserim coast, analysis of, III, ..	233	Stewart, Lt. R., on Cachar, its inhabitants and its products, IX, ..	211
— production of, by the lower orders of plants, IV, ..	<i>App.</i> 161	Stikeman, John, particulars regarding the cultivation of sugar-cane in the West Indies, I, ..	125
— distinction between the dormant and active ingredients of, V, <i>App.</i>	183	Storm, Wm., specimens of woods from Jamaica, presented by, VII, ..	<i>App.</i> 10
Soldier's barrack gardens, seeds for, IX, ..	<i>Pro.</i> 250	Strawberry, mode of cultivating in the public garden at Lucknow, IV, ..	<i>App.</i> 83
Solly, E., on pine-apple fibre, III, ..	<i>App.</i> 92	— mode of cultivating at Cawnpore, VII, ..	44
— on the yellow colour of the herberry, and its uses in the arts, III, <i>App.</i>	272	— mode of cultivating at Hazareebaugh, VII, ..	285
— experiments on the Dhak Gond, a natural exudation of <i>Butea frondosa</i> III, ..	<i>App.</i> 276	Subscription, arrears of, rule regarding, II, <i>App.</i>	268
Southey, Thomas, on improving the breed of sheep in India, IV, ..	114	Sugar-cane, cultivation in the West Indies, particulars regarding, I, ..	125
Spry, Dr. H. H., note on the butter tree of Kemaon, by, I, ..	19	— grown in France and the Antilles, chemical examination of the juice of the, I, ..	297
— tribute of respect to the memory of, I, ..	<i>Pro.</i> 247		
— II, <i>App.</i>	42, 103		



SUG	Page.	SUM	Page.
Sugar-cane, supposed identity of the Otaheite with the yellow Batavia cane, I,	257	Sugar (East India), on the present imperfect mode of manufacture, and its attendant evils, I,	49, 363
————— IV,	143	———— on the manufacture of, in India, I,	130, 402
————— cultivation in Bengal, notes on, &c., II,	345	———— (East India,) appointment of a committee, in reference to the customs duty on, III,	App. 238
————— its propagation by seed, III,	App. 84	———— correspondence and minutes on the same subject, IV,	App. 1
————— VIII,	Pro. 185	———— petition to Parliament, IV,	Pro. 3, 5, 12, 31
————— (Otaheite,) mode of growing in the garden of the Branch Agricultural and Horticultural Society at Cuttack, III,	App. 75	———— duties, notice of, V,	Pro. 48
————— comparative return in liquor and goor, from certain descriptions of, IV,	App. 27	———— manufacture of, from the stalks of maize or Indian corn, II,	App. 140, 541
————— (China,) its successful cultivation at Buxar and Dhoba, IV,	App. 131	———— from the Tenasserim coast, report on samples of, III,	228
————— an artificial manure for, IV,	Pro. 40	———— average quantity of yielded by the date tree, V,	App. 75
————— on the applicability of artificial manures to the cultivation of the, IV,	61	———— Planter's Companion, the, II,	41, 64, 107, 149, 161, 208, 229
————— (crystallizable,) a method of ascertaining the amount of, in khar or Muscovado, IV,	147	————— III,	30, 99, 153
————— (West Indian,) analysis of the ashes of, V,	App. 105	Sumach (American) or Divi-divi, on the best mode of treating, IV,	App. 26
————— remarks on certain varieties of, in the Society's nursery garden, VI,	56	————— character of, IV,	App. 41
————— culture of, without irrigation, peculiar mode of, as adopted in some villages in the Agra zillah, VII,	1	————— its value, for dyeing and tanning, IV,	App. 42
————— application of the beet root drying process to the, VIII,	1, 181	————— further notices of, IV,	App. 57
————— (Bombay or Red,) disease affecting the, in certain districts of Bengal, IX,	355	————— additional correspondence on trials made in Calcutta with, IV,	App. 65
		————— and at Madras, IV,	App. 71

T A Y	Page.
Sumach (American) further particulars on the valuable properties of, V, <i>App.</i>	1
— particulars as to its profitable culture in India, V, .. <i>App.</i>	135
Sumach (Sicilian), experiments with, at Kidderpore tannery, V, .. <i>App.</i>	4
Sunflower seed oil, report on, IX, .. ..	366
Sykes, Lieut.-Col., his views on the policy of the Society, with reference to its applicability and usefulness, I, .. .. II, <i>App.</i>	101 59
Sylhet, discovery of the tea plant in the district of, IX, .. ..	207, 343
T.	
<i>Tacca Pinnatifida</i> , powder prepared from the roots of, IV, .. .. <i>App.</i>	24
Tallow tree of China, VII, .. .. VII, <i>Pro.</i>	164 20
— its culture in Chota-Nagpore, VII, .. <i>Pro.</i>	24
— (vegetable) of China, donation of specimen of, VIII, .. .. <i>Pro.</i>	10
Tamarind seed oil, report on, IX, .. ..	366
Tape-worm, the <i>Gisekia pharmaceoides</i> , a specific for, IX, .. ..	283
Tapioca plant of Assam, VII, ..	236
Taylor, C. B., experiments at manufacturing sugar from the stalks of Indian corn, II, .. .. <i>App.</i>	541
— particulars regarding the fibrous properties of the Jeetee plant ( <i>Asclepias tenacissima</i> ), III, ..	221
— notice regarding the indigo of <i>Nerium tinctorium</i> , IV, .. .. <i>App.</i>	86
— — V, .. <i>App.</i>	7, 77

T E A	Page.
Taylor, C. B., capabilities of the climate and natural features of the Palamow district for the rearing of sheep, IV, .. .. <i>App.</i>	210
— remarks on certain kinds of edible oils, and on the Butea kino of the Palamow jungles, IV, <i>App.</i>	211
— suggestions towards an effective and economical mode of divesting cotton of its seed, V, ..	83
— on the application of mowah oil to economic purposes, V, .. <i>App.</i>	81
— Capt. Meadows, on the juice of the muddar as a substitute for gutta-percha, VIII, .. ..	107
Tea plant, cultivation of at Kumaon and Gurhwal, I, ..	288
— report on the cultivation and manufacture of, in Kumaon, II, ..	323
— — — — — IV, ..	173
— — — — — VI, ..	81
— culture of at Chittagong, II, .. <i>App.</i>	408
— (black) memorandum on the manufacture of, as practised in Assam, II, ..	337
— (Paraguay) some account of, II, .. <i>App.</i>	5
— (Ava) presentation of samples of from Mr. Agabeg and Capt. Speirs, II, <i>App.</i>	161
— culture in Assam, a few observations on, III, ..	1
— plant of Assam compared with that of China, III, .. ..	61
— (Assam,) from plants of six months' growth, III, .. .. <i>App.</i>	102
— (Assam,) reports on the sale of, in London, in Feb. and March, 1846, V, ..	79

TEI	Page.	TEL	Page.
Tea in Java, cultivation and manufacture of, V, ..	162, 206	ject, and on Sicilian sumach, V, ..	<i>App.</i> 1
----- VI, ..	72	Teil, John, particulars as to the profitable culture of American sumach in India, V, ..	<i>App.</i> 135
----- VII, ..	292	----- award of gold medal to, for his services in shewing the value of the Indian grown American sumach, V, ..	<i>App.</i> 25, 30
— (Assam,) notice of, grown, and manufactured by a Chinaman at Jeypore in Upper Assam), V, <i>App.</i>	132	----- report on the tanning properties of the "Teree" pod of Chittagong, VI, ..	246
— progress of the culture of, in Kemaon, Gurhwal, and the Deyrah valley, V, ..	<i>App.</i> 146	----- VI, <i>App.</i>	6
— culture of at Darjeeling, VI, ..	123	----- report on the tanning properties of the gum of the "Dhak" or "Pulass" tree, ( <i>Butea frondosa</i> .) VIII, ..	24
— failure of culture at Darjeeling, VII, ..	31	Teak of Arracan, III, ..	218
— grown and manufactured in the Deyrah Dhoon, report on, by London brokers, VI, ..	<i>App.</i> 14	— forests, on the banks of the Koladyne River in Arracan, IV, ..	40
— cheap mode of packing, VII, ..	<i>App.</i> 3	— in the Sandoway district, IV, ..	46, 50
— plant (Chinese), report on the progress of the, in the Himalayas from '35 to '47, VII, ..	<i>App.</i> 11	— in the vicinity of the Thoungyeen River, Tenasserim Province, IV, ..	51
— plant, a brief account of the experiments that have been made, with a view to the introduction into Darjeeling of the, VIII, ..	91	— wood, the produce of the H. C. Botanic Garden, table made of, V, <i>App.</i>	16
— plantations in Kemaon and Gurhwal, report on the, VIII, ..	<i>App.</i> 1	— plantation at Bancoorah, notice of the, VI, ..	242
— culture and manufacture at Cachar, Muneepore, and Darjeeling. IX, ..	201	— forests in the Tenasserim Provinces, report on the, VI, ..	<i>App.</i> 154
— plant, discovery of, in Sylhet, IX, ..	207, 342	— of Bancoorah, two tea-ploys and two boxes made from the, VIII, ..	<i>Pro.</i> 29
— (scented,) IX, ..	<i>App.</i> 64	<i>Telfairia pedata</i> , its introduction into India, proposal for, II, ..	<i>App.</i> 283
Teil, John, reports on the tanning property of American sumach, IV, <i>App.</i>	67		
----- further particulars on the same sub-			

THE	Page	TIT	Page.
Tenasserim Coast, notice of certain sorts of wood from the, V, ..	App. 145	"Rheea," <i>Bauhinia scandens</i> , <i>Celtis orientalis</i> , and <i>Callicarpa cana</i> ("Arosha," VI, ..	181
Provinces, report on the teak forests of the, VI, ..	App. 154	Thompson, Capt. A., report on a description of rope from Munneepore, VIII,	45
some of the vegetable products of, VII, ..	56	the fibre of <i>Sida rhomboides</i> , VIII, ..	62
Teree pod of Chittagong, report on its tanning properties, VI, ..	246	report on fibrous specimens of the Muddâr, VIII, ..	75
VI, App.	6	Dr. Thomas, sketch of the climate and vegetation of the Himalaya, VIII, ..	App. 14
VI, Pro.	49	John, on the flowering of the sugar-cane, VIII, ..	Pro. 184
Terry, Charles, report on tea the produce of Assam plants, six months' old, III, ..	App. 103	W., report on certain fibres from Bijnore, Upper Assam and Sylhet, IX, ..	183
T. J., report on the Government experimental cotton cultivation at Rungpore, IV, ..	94	Thrashing machine, on the, with reference to the construction of those employed in East Lothian, I, ..	335
Thomas, E. B., mode and cost of separating cotton wool from the seed in Coimbatore, VII, ..	250	from England, introduction of, into the district of Boolundshohur, II, App.	191
Thompson, Dr. J. V., culture of cotton at Sydney: notes on the growth, varieties, culture, crossing, and productiveness of the different kinds known in commerce, I, ..	183	Tickell, Capt. S. R., timber trees of Pooroolea, IV, Pro.	46
II, ..	243	V, App.	73
remarks on the variety of sugar-cane termed Otaheite, but which is supposed to be identical with the yellow Batavia cane, I, ..	257	Timber, gambier as a preservative of, VII, ..	App. 57
further remarks on the same subject, and on certain sorts of canes grown in Madagascar, IV, ..	143	procurable in Bengal for railway purposes, result of enquiries as to the different kinds of, VIII,	116
Capt. A., report on the Pooah and Oodal fibres, VI, ..	139	Tirhoot, medical topography of, II, ..	App. 499
Thompson, Capt. A., report on certain fibres from Assam and Chittagong, viz., the		Titulya Fair, establishment of annual exhibitions of cattle and country produce at the, VI, ..	Pro. 95
		annual donation by the Society of Rs. 100 towards the above object, VI, ..	Pro. 97

TRA	Page.	TUC	Page.
Titalya Fair, account of the distribution of prizes for country produce at, VII, <i>App.</i>	4	superintendence of the, to be called "the Indian Agricultural Miscellany," VII, .. .. .	<i>Pro.</i> 108
Tobacco, its cultivation and preparation, I, .. ..	231	Translation Committee, report from, with first number of the "Miscellany," VIII, .. .. .	<i>Pro.</i> 150
——— its cultivation at Bhilsa, I, .. ..	279	——— report from, with second number, VIII, <i>Pro.</i>	162
——— from Sandoway, III, .. ..	219	Tranter, Dr. Geo., on the fibre of <i>Agave cantula</i> , VIII, .. ..	148
——— ( <i>Latakia</i> ) mode of culture, III, .. .. <i>App.</i>	250	Treatise on gardening, as applicable to Bengal, prize of Rs. 1,000 for a, VIII, .. ..	<i>Pro.</i> 91, 96, 100
——— mode of cultivating and preparing as practised in the district of Rungpore, V, .. ..	101	Tree cultivation in the Upper Provinces; proposed transfer of Mr. H. C. Tucker's prize for that object to some other of practical utility, III, .. .. <i>App.</i>	37
——— its culture at Hazareebaugh, VII, .. ..	275	Trees (timber) of Upper Assam, list of the most useful kinds of, III, <i>App.</i>	6
——— specimen of from Chota Nagpore, VIII, ..	42	——— on the quality, &c., of the, IV, .. ..	117
——— from Sandoway, its mode of culture, &c., &c., VIII, .. ..	46	——— VI, .. ..	24
——— of Kyoungree in Arracan, IX, .. ..	108	——— indigenous to Arracan, IV, .. .. <i>App.</i>	13
——— of Arracan, IX, ..	160	——— of the Province of Malacca, IV, .. ..	80
Tonnochy, Thomas, on an unknown sort of drying oil seed from Rohilkund, II, 52, 89		——— of Darjeeling, IV, <i>Pro.</i>	46
——— on the culture of wheat at Boolundshuhur, II, .. ..	292	——— V, <i>App.</i>	71
——— on the extended cultivation of the aloe in the district of Boolundshuhur, II, .. .. <i>App.</i>	3	——— of Pooroolia, IV, <i>Pro.</i>	46
——— introduction of a thrashing machine from England into the district of Boolundshuhur, II, <i>App.</i>	191	——— V, <i>App.</i>	73
——— culture of Egyptian wheat at Boolundshuhur, II, .. .. <i>App.</i>	409	——— and materials for fuel, VI, .. ..	163
Translation Committee, appointment of a, VII, <i>Pro.</i>	97, 100	Tucker, H. C., precis of Liebig's organic chemistry, in its application to agriculture and physiology, II, .. .. .	<i>App.</i> 113
——— establishment of a periodical, under the		——— proposed transfer of his prize for tree-planting in Upper India to some other useful object, III, .. .. .	<i>App.</i> 37, 62

VAN	Page.
Tucker, H. C., notice of cotton grown from foreign seed at the Government farm at Gorruckpore, IV, <i>App.</i>	21
— culture of Mexican cotton at Gorruckpore, VII, .. .. .	202
Tulips, ranunculuses and anemones, hints on the management of, II, ..	334
Tussack grass of the Falkland Islands, II, .. <i>App.</i>	251
Twemlow, Brig. G., on the properties of the Dowree plant, and <i>Olibanum</i> tree, I,	290
— on the culture of the potato, and other farinaceous roots in the neighbourhood of Ellichpore, II, .. <i>App.</i>	1

U.

<i>Urtica tenacissima</i> , or "Kunchoora" fibre of Rungpore, notice of, VI,	30
— or "Rheea" fibre of Assam, ,, VI, ..	181
— VI, <i>Pro.</i>	41, 48
— its identity with the grass-cloth plant of China, VII, ..	19
— and other nettle grasses of Assam, VII,	215
— its value in the English market, VIII, ..	155
— half a bale of, from the Board of Revenue—13 bales to be sent to the Court of Directors, VIII, .. <i>Pro.</i>	157, 163

V.

Vanilla in Europe, on the production of, VI, <i>App.</i>	96
<i>Vanilla aromatica</i> , culture of in the H. C. Botanic Garden, Calcutta, VI, <i>Pro.</i>	38

WAL	Page.
Vanilla, treatment of, in the Society's garden, IX,	316
— report on, IX, <i>Pro.</i>	125, 210
Vansittart, W., introduction of the coffee plant into the Deyrah Dhoon, IV, <i>Pro.</i>	49
Vegetation, action of metallic poisons on, I, ..	347
Vegetables and fruits, proposals for quarterly exhibitions of, in lieu of annual, II, .. <i>App.</i>	198, 259
— on hybridization amongst, VI, <i>App.</i>	18, 69
— marrow, mode of cultivating the, at Cawnpore, VII, ..	286
— wax tree, ( <i>Myrica cerifera</i> ), notice of the, VIII, ..	188
Verner, Capt. G., on the tea of Cachar, IX, ..	201
Vetch, Capt. H., report on sundry specimens of Assam caoutchouc received from, I, ..	390
— Room dye of Assam, VIII, .. <i>Pro.</i>	94, 123
<i>Victoria regia</i> , its culture in the H. C. Bot. Garden, Calcutta, VIII, ..	17
— donation of seeds of, VIII, .. <i>Pro.</i>	8
— germination and growth of, VIII, <i>Pro.</i>	116, 148, 165, 169
— report on, VIII, .. <i>Pro.</i>	173, 176, 183

W.

Wade, Sir C. M., on the culture of cotton and hemp at Indore, II, .. <i>App.</i>	4
Wallace, J., cultivation of flax at Monghyr, III, <i>App.</i>	45
— proposes that the Society suggest assistance to him from Government, III, .. .. .	ib.

WAL	Page.	WES	Page.
Wallace, J. detailed account of his operations, III, <i>App.</i>	55	Wallich, Dr. N. award of honorary membership to, V,	12
——— opinions of flax committee, in reference to Mr. Wallace's suggestion for an appeal to Government for pecuniary assistance, III, .. .. <i>App.</i>	165	——— donation of seeds of <i>Victoria regia</i> from, VIII, .. .. <i>Pro.</i>	9
——— A., report on a small experimental shipment of "Ram til," or "Sirgooja." ( <i>Verbena sativa</i> ), VIII, .. ..	61	——— communication from, respecting the testimonial voted to Mr. Hume, VIII, .. <i>Pro.</i>	121, 127
Wallich, Dr. N., report by, on the effects of the gale of 1842, at the Botanic Garden, Calcutta, I, ..	3	——— communication regarding despatch of seeds from Paris and Ghent, VIII, .. <i>Pro.</i>	178
——— on the "Dowree" plant, and <i>Olibanum</i> tree, I,	290	——— tribute of respect to the memory of, IX, <i>Pro.</i>	43
——— on <i>Pueraria tuberosa</i> , a troublesome plant in the Chittagong district, I,	396	Walnut wood of Darjeeling, notice of the, V, .. <i>App.</i>	175
——— communication from, regarding the esculent roots of Central Africa, III, .. .. <i>App.</i>	75	Ward, N. B., on the conveyance of plants and seeds on ship-board, III, <i>App.</i>	264
——— IV, <i>App.</i>	78	Warwick, W., on the black vegetable dye of the Shan States, II, .. ..	205
——— on the best mode of treating the American Sumach, IV, .. <i>App.</i>	26	Watt's patent process for preparing flax, IX, ..	25
——— correspondence on the same subject with Mr. Teil and the Honorable Mr. Chamier, IV, <i>App.</i>	65	Wax (Insect) of China, VII,	169
——— further correspondence respecting American Sumach, with particulars respecting Sicilian Sumach. V, .. <i>App.</i>	1	——— donation of VIII, <i>Pro.</i>	10
——— notice of the mahogany of the H. C. Botanic Garden, Calcutta, V, <i>App.</i>	13	——— IX, <i>App.</i>	61, 79
——— and a box made from it, and a section of the tree, V, .. .. <i>Pro.</i>	23	——— (vegetable) of Cape of Good Hope, VIII, ..	188
——— directions for the culture of mahogany in Bengal, V, .. .. <i>Pro.</i>	15	Weevil, the ravages of, on wheat, III, <i>App.</i>	88, 139, 200
		——— mode of preserving grain from the ravages of, IV, .. .. <i>App.</i>	29
		——— V, <i>App.</i>	147
		——— VI, <i>App.</i>	148
		Well-water of Calcutta, the fertilizing properties of, IV,	235
		Weller, Major J. A., on the water rush of Southern Africa, with a recommendation for its cultivation in India, IX, .. ..	187
		Westerhout, J. W., on the timber trees of Malacca, IV, .. .. <i>App.</i>	80

WHE	Page.	WIG	Page.
Wheat, its cultivation and production in India, II, ..	257	Wheat, mode of preserving from the ravages of weevil, IV, .. ..	Pro. 29
— petition to Parliament for the admission into England of Indian grown wheat on the same terms as granted to Canada, II, .. ..	317	— IV, App.	29
— appointment of a Committee for the above purpose, II, ..	App. 256, 267	— and barley cultivation in Upper India, III, Pro.	193
— (Egyptian,) its culture at Boolundshuhur, II, .. ..	App. 409	— of Central India, information regarding, III, .. ..	Pro. 249
— (Nerbudda,) report on samples of, II, ..	App. 447	— IV, Pro.	23
— III, App.	96	— culture of at Broach in the season 1843, V, ..	135
— VII, App.	1	— sale of Broach wheat in the Liverpool market, V, .. ..	148
— and barley, experimental cultivation of at Delhi, II, .. ..	App. 537	— its export from India to England, VI, .. ..	126
— suggestions for the importation of, from Australia, II, .. ..	App. 545	— culture of in India, and practicability of exporting it to the English market, VI, .. ..	154
— III, App.	47, 62	Wheeler, C., on the culture of coffee and tobacco at Hazareebaugh, VII, ..	275
— letter to Lord Auckland, with petition, III, ..	57	— a mode of cultivating strawberries, at Hazareebaugh, VII, ..	285
— from Lord Auckland, III, .. ..	App. 73	— culture of coffee at Hazareebaugh, VI, Pro.	36, 39, 48
— from Joseph Hume, Esq., III, .. ..	App. 74	— VIII, ..	32
— from Secretary Court of Directors on ditto, III, ..	74	White, the Rev. E., a descriptive account of the tree which produces the gutta-percha, IV, ..	59
— from Secretary E. I. and China Association, on ditto, IV, .. ..	Pro. 29	Wight, Dr. Robert, suggestions for the better transmission of plants from one part of India to another, II, .. ..	85
— from Secretary E. I. and China Association on ditto, IV, .. ..	Pro. 49	— progress of cotton cultivation in the Government experimental farms at Coimbatore, II, .. App.	2, 158, 281, 321
— cultivation of in the Monghyr district, III, ..	94	— practical remarks on the culture and preparation of senna in the Madras territories, II, App.	127
— (English) comparative produce of different sorts of, III, .. ..	App. 5		
— the ravages of the weevil on, III, App.	88, 139, 200		



WIL	Page.	WIL	Page.
Wight, Dr. Robert, on American cotton agriculture, as practised in the Government cotton farms in Coimbatore, III, <i>App.</i>	126	Williams, Major D., account of a three years bearing mango tree of Arracan, IV, .. .. <i>App.</i>	141
———— on the culture of American cotton in India, and the proper time for sowing it in various localities, VI, .. ..	118	———— account of a monstrous kind of jack-fruit from Kyouk Phyou, VI, .. .. <i>App.</i>	125
———— on the culture of the Mexican cotton plant in India, and the proper season for sowing VI, .. ..	189	Williams, Mr., (Supt. School of Industry at Jubbulpore) on the fibre of the "Jubbulpore Hemp," ( <i>Crotalaria tenuifolia</i> ), VIII, ..	114
———— further remarks on same subject, VII, .. ..	20, 211	Willis and Earle, Messrs., report on coffee raised in the Government plantation in Chota Nagpore, VII, ..	9
———— on an improved machine, invented by Mr. J. Petrie, for divesting indigenous cotton of its seed, VI, .. .. <i>Pro.</i>	20, 37	———— on the tobacco of Kyoungree, IX, .. ..	108
———— on the mode and cost of separating cotton wool from the seed in Coimbatore, VII, ..	249	———— Joseph, report in detail on samples of various East India grown American and other cottons, I, .. ..	24
———— donation of a churka as used in the Coimbatore district, VII, <i>Pro.</i>	70	———— report on samples of cotton from Ceylon, II, .. <i>App.</i>	485
———— further remarks on the naturalization of the American cotton plant in India, VIII, <i>App.</i>	27	———— report on samples of cotton raised at Dacca, Tirhoot, and the vicinity of Calcutta, III, <i>App.</i>	102
———— remarks on Mr. Melvor's report on the Horticultural Gardens at Ootacamund, Neillgherry hills, VIII, .. .. <i>App.</i>	107	———— report on the fibre of <i>Sida rhomboidia</i> , VIII, .. ..	62
Williams, Mr., on New Zealand hemp, with an account of an unsuccessful attempt to establish a manufactory at Port Macquarie, I, .. ..	369	———— report on fibrous specimens of the muddâr, VIII, .. ..	76
———— Major D., notice of the <i>Tacca pinnatifida</i> of Arracan, and powder prepared from the roots of it, IV, .. .. <i>App.</i>	24	———— report on new Granada paddy raised in the vicinity of Darjeeling, VIII, .. ..	85
		———— report on cotton raised in Assam from exotic seeds, IX, ..	341
		———— report on cotton raised in the Society's garden from N. American seed, IX, ..	362
		———— report on flax raised at Allyghur from foreign and native seed, IX, ..	375

W O O	Page.	Y U L	Page.
Wilson, J. C., on the Te- raee as a good locality for raising cotton, VIII, <i>App.</i>	68	Wool of Tibetan sheep, re- port on specimen of I,	388
— N., on the vegeta- ble products and fibres of Jamaica IX, .. <i>App.</i>	67	— V,	205
Wind-mill, power for rais- ing water in India, appli- cation of, IV, .. <i>Pro.</i>	55	— produced in Upper Scinde, Cutchee, and Be- loochistan, account of the, I, ..	433
— VI, .. <i>Pro.</i>	33	— samples from a cross breed and from a Kohis- tan ewe, II, .. <i>App.</i>	159
Wingfield, C., on certain vegetable fibres from Bij- nore, IX, ..	179	— offer of prizes for best samples of, II, <i>App.</i>	198
Wood, on the collecting of, and other vegetable sub- stances in distant coun- tries, I, ..	429	— Tibetan, notice of sheep yielding it, V, ..	205
— list of, indigenous to Arracan, IV, .. <i>App.</i>	13	— report on, a cross between a Southdown ram and Patna ewe, V, <i>App.</i>	10
— specimens of from Central India, V, .. <i>App.</i>	11	— report on the pro- duce of the first cross be- tween Cape, Merino and Jussulmere sheep, V, <i>App.</i>	160
— specimens of from the Tenasserim coast, V, <i>App.</i>	145	— growth of, at the Cape of Good Hope, VI, .. <i>Pro.</i>	10
— specimens of Ameri- can veneered, VI, .. <i>App.</i>	133	— from Shanghai sheep, VIII, ..	38
— specimens used in the Straits for ornamental work, VI, .. <i>Pro.</i>	50	— Tibetan, report on, VIII,	78
— specimens of, from Australia, VanDieman's Land and New Zealand, VII, .. <i>App.</i>	10	— from the Jhung district (Punjab) report on, VIII,	115
— specimens of, from Jamaica, VII, .. <i>App.</i>	10	Wray, L., the Sugar Plan- ter's companion by, II, 41, 64 107, 149, 161, 208, 229	
— James A., on the useful properties of New Zealand Hemp, II, .. <i>App.</i>	544	— III, 30, 99, 153	
— practicability of ex- porting wheat from India to other countries in good order, II, ..	316	— the propagation of sugar-cane by seed, III, <i>App.</i>	84
— A. W., present of an American hand cotton saw-gin, II, .. <i>App.</i>	41	— award of 300 Rs. to, for his work entitled the "Sugar Planter's Compa- nion," IV, .. <i>Pro.</i>	23
Woodcock, E. E., culture of American cotton at Beer- bhoom, VII, .. <i>App.</i>	204	Wyatt, Geo., on the cultiva- tion of wheat at Benares, II, ..	270
		Y.	
		Yule, J. W., result of trials given to various seeds in the district of Champa- run, IV, .. <i>App.</i>	143
		— V, .. <i>App.</i>	32



LIST OF MEMBERS  
OF THE  
**Agricultural & Horticultural Society**  
OF  
INDIA.

---

*DECEMBER 31st, 1857.*

---

ALPHABETICALLY ARRANGED

AND

DISTINGUISHING THE YEAR OF ADMISSION.

## OFFICE-BEARERS.

### **President :**

THE HON'BLE SIR ARTHUR BULLER.

### **Vice-Presidents :**

A. GROTE, ESQ.

RAJAH PERTAUP CHUNDER  
SING, BAHADOOR.

DR. THOMAS THOMSON.

BABOO PEARY CHAND  
MITTRA.

### **Secretary and Treasurer :**

A. H. BLECHYNDEN, ESQ.

### **Members of Council :**

C. A. CANTOR, ESQ.

BABOO SHIB CHUNDER DEB.

J. CHURCH, ESQ.

BABOO GOBIND CHUNDER SEN.

J. AGABEG, ESQ.

S. P. GRIFFITHS, ESQ.

W. G. ROSE, ESQ.

BABOO RAMGOPAL GHOSE.

REV. JAMES LONG.

S. H. ROBINSON, ESQ.

GEORGE MAY, ESQ.

C. B. WOOD, ESQ.

---

**Patron :**

**THE RIGHT HONORABLE CHARLES JOHN, VISCOUNT CANNING,**  
GOVERNOR-GENERAL OF INDIA, ETC., ETC. ETC.

**List of Members.**

\* This Mark denotes Members who have compounded for their Annual Subscriptions.

† This Mark denotes Members who are absent from India, and therefore Non-contributors.

‡ This Mark denotes Members who, though absent, are desirous of continuing their Subscriptions.

**HONORARY MEMBERS.**

The Right Honorable Sir Edward Ryan, A. M., F.A.S., London, .. .. .	1828
Charles Hufnagle, Esq., M. D., .. .. .	1837
John Forbes Royle, Esq., M.D., F.R.S., FL.S., F.G.S., Professor of Materia Medica, King's College, London, ..	1841
Colonel John Colvin, C.B., London, .. .. .	1830
J. Mackay, Esq., .. .. .	
Don Ramon de la Sagra, Island of Cuba, .. .. .	
Dr. Justus Liebig, Professor of Chemistry in the University of Giessen, .. .. .	1843
James Hume, Esq. Magistrate, Calcutta, .. .. .	1839
Lt.-Col. Francis Jenkius, Commissioner of Assam, ..	1828
The Right Honorable Sir Lawrence Peel, London, ..	1842
R. Fortune, Esq., .. .. .	1856

**CORRESPONDING MEMBERS.**

D. J. Macgowan, Esq., M.D., Ningpo, .. .. .	1851
Dr. J. V. Thompson, Sydney, . .. .	1840
Dr. R. Riddell, London, .. .. .	1853

**ASSOCIATE MEMBERS.**

Mr. Robert Scott, Head-Gardener, H. C. Botanic Garden, Calcutta, .. .. .	1851
Capt. E. P. Nisbet, London, .. .. .	1843

## ORDINARY MEMBERS.

*Admitted.*

ASBOOL Guffar Khazee, Zemindar, Dacca, .. ..	1854
Abercrombie,† Major Wm., (Beng. Engineers,) .. ..	1837
Ackland, C. J., Esq., Calcutta, .. ..	1855
Ackland,† George, Esq., Merchant, .. ..	1853
Aga Syud Hossein Shoostree, Merchant, Calcutta, ..	1857
Agabeg, J. Esq., Merchant, Calcutta, .. ..	1854
Ainslie, W. Esq., Civil service, Bhaugulpore, .. ..	1847
Alexander, Henry, Esq., Civil service, Calcutta, .. ..	1846
Alexander, H. A. R., Esq., Civil service, Backergunge, ..	1855
Alexander, Robert, Esq., Civil service, Comr. of Rohilkund, Bareilly, .. ..	1856
Allardice, Geo., Esq., Calcutta, .. ..	1854
Allen, J. H., Esq., Merchant, Calcutta, .. ..	1850
Allen, W. J., Esq., Civil service, Calcutta, .. ..	1850
Alloowallee,* Rajah of Kapoorthullea, Jullunder, ..	1853
Anderson, P., Esq., Merchant, Calcutta, .. ..	1854
Anderson,† Major W., C. B. (Artillery,) .. ..	1847
Andrew, David, Esq., Indigo planter, Aurungabad, ..	1851
Armstrong,† Major G. C., .. ..	1849
Atherton, H., Esq. Civil service, Chuprah, .. ..	1845
Aubrey, John H., Esq., Calcutta, .. ..	1856
Auld, S. J., Esq., Indigo planter, Surdah, .. ..	1846
BALFOUR,† G. G. Esq., Civil service, .. ..	1841
Balfour,† Lewis, Esq., Merchant, .. ..	1842
Barry, Dr. J. R., Medical Practitioner, Calcutta, .. ..	1856
Barry, G. R., Esq. Serajunge, .. ..	1849
Barry, Thomas H., Esq., Merchant, Calcutta, .. ..	1856
Barstow, Colonel John, (58th N. I.,) Comd. at Jhelum, ..	1853
Barton, George, Esq. Merchant, Calcutta, .. ..	1838
Battersby, Arthur, Esq., Indigo planter, Bahukansi, Joynagore,	1855
Baugh, Capt. F. W., (26th N. I.,) Superintendent Keddah establishment, Kemaoon, .. ..	1855
Bax, J. H. Esq., Civil service, Ghazee pore, .. ..	1855
Bayley, H. V., Esq., Civil service, Calcutta, .. ..	1856
Beadon, C., Esq. Civil service, Calcutta, .. ..	1855
Bean, J., Esq., Sub-Deputy Opium Agent, Monghyr, ..	1850
Beaufort, Francis L., Esq., Civil service, Calcutta, ..	1838
Becher, William, Esq., Gowhatti, .. ..	1855
Becher, Col. A. M., Quarter Master General of the Army,	1856
Beddy, H. W., Esq., Junr. Asst.-Commissioner of Arracan, Ramree, .. ..	1855
Begbie, C. N. W., Esq., Merchant, Moulmein, .. ..	1854
Begg, Dr. D., Calcutta, .. ..	1850
Bell,† J. D., Esq., Barrister-at-law, .. ..	1855
Bennett, T. B., Esq., Indigo planter, Purneah, .. ..	1854
Bennett, T. H. Esq., Merchant, Calcutta, .. ..	1857

Admitted.

Bentall,* † Edward, Esq., Civil Service, .. ..	1837
Berkeley, L., Esq. Officiating Sudder Ameen, Delhi, ..	1855
Berkeley, R. Esq. Asst.-Commissioner, Lahore, .. ..	1857
Berrill, W. Esq., Allahabad, .. ..	1857
Bindabun Chunder Mittra, Baboo, Calcutta, .. ..	1853
Birch, Lieut.-Colonel R. J. H., C. B., Secretary to Government, Military Department, Calcutta, .. ..	1841
Bishop,* Lt. H. P., (Artillery,) Umballa, .. ..	1853
Bissumbhur Sing, Baboo, Zemindar, Beerbhoom, .. ..	1857
Bivar, Lieut. H. S., (18th Regiment N. I.), Principal Assistant Commissioner, North Cachar, .. ..	1854
Blacker, G. M. Esq., Merchant, Calcutta, .. ..	1856
Blagrove, † Capt. T. C., (26th Regt. N. I.) .. ..	1850
Blechynden, R., Esq. Merchant, Calcutta, .. ..	1854
Blechynden, A. H., Esq., Secy. Agri-Horticultural Socy. of India, Calcutta, .. ..	1851
Blundell, Honorable E. A., Civil service, Penang, ..	1848
Blundell, † Wm., Esq., Merchant, .. ..	1853
Blyth, Philip, Esq., Merchant, Calcutta, .. ..	1857
Boaz, Rev. Dr. T., Calcutta, .. ..	1854
Bogle, † Lt. Colonel Sir Archibald, K. C. B., .. ..	1836
Bourne Walter, Esq., Resident Engineer, E. I. Railway, Monghyr, .. ..	1855
Bowers, J. F., Esq. Bamundee Factory, Kishnaghur, ..	1851
Bowring, † Samuel, Esq., Civil service, .. ..	1843
Bracken, † William, Esq., Civil service, .. ..	1835
Bradbury, S. W., Esq., Kishnaghur, .. ..	1857
Brae, T., Esq. Indigo planter, Hatherria, Jessore, ..	1854
Brandis, Dr., Supt. of Forests, Rangoon, .. ..	1857
Bridgman, † J. H., Esq., Indigo planter, .. ..	1856
Brine, Frederick, Esq. Darjeeling, .. ..	1857
Bristow, † Capt. J. W., (19th N. I.) .. ..	1855
Brodie,* † Major T., (5th Regiment N. I.,) .. ..	1836
Brooke, Captain John C., (63rd N. I.) Commandant Meywar Bheel Corps, and Assistant Political Agent in Meywar, Neemuch, .. ..	1843
Brown, Forbes Scott, Esq. Merchant, Penang, .. ..	1840
Brown, Lt.-Col. W. G., (H. M. 24th Regt.,) Umritsur, ..	1852
Brown, Capt. D., 1st Madras Fusiliers, Asst.-Commissioner Bassein, Burmah, .. ..	1856
Brown, George, Esq., Merchant, Calcutta, .. ..	1856
Buller,* † Frederick Pole, Esq., Civil service, .. ..	1837
Buller, Sir Arthur, Puisne Judge, Supreme Court, Calcutta, (President,) .. ..	1849
Burbank, Capt. Charles, Comg. H. C. Steamer Fire Queen, ..	1857
Burkinyoung, † J. A., Esq. Solicitor, Supreme Court, ..	1849
Burnett, † Major F. C., (Bengal Artillery,) .. ..	1839



	<i>Admitted.</i>
Burton, John St. Edmund., Esq., Calcutta, .. ..	1850
Butler Wells, Esq., Civil service, Gya, .. ..	1857
Buzlall Rhoman, Moonshee, Zemindar, Sealdah, .. ..	1857
Byng, Hon'ble Capt. R., (62nd Regt. N. I.) Cherra Poonjee,	1852
 CALCUTTA, The Right Rev. the Lord Bishop of, ..	1850
Cameron, J. T. D., Esq., Head Master, La Martinière, Cal.,	1853
Campbell, W. F., Esq., Tipperah, .. .. .	1838
Campbell,* Archibald, Esq., M. D., Medical service, Superintendent of Darjeeling, .. .. .	1838
Campbell, T. A., Esq., Rajharra, via Shergotty, .. ..	1851
Campbell, Capt. A. M., (16th M. N. I.) Burmah, .. ..	1855
Campbell, Capt. Ivie, Dy.-Commr., North Berar, Bouldana,	1854
Campbell, Lieut. Henri, (63rd Regt. N. I.) Berhampore,	1856
Canning, The Right Hon'ble, Charles John, Viscount, ..	1856
Cantor, C. A., Esq. Merchant, Calcutta, .. .. .	1851
Carberry, R. J., Esq., Calcutta, .. .. .	1853
Carew,† R. R., Esq. .. .. .	1846
Carnegy, P., Esq. Asst.-Commissioner, Pertabghur, Oude,	1857
Carshore, Rev. J. J., D. D., Chaplain, Murree, .. ..	1846
Carter,† J. W., Esq. Merchant, .. .. .	1843
Carter, T. E., Esq., Calcutta, .. .. .	1852
Caspersz, H., Esq., Beerbhoom, .. .. .	1854
Cautley,† Lieut.-Colonel Sir P. T., (Bengal Artillery,) ..	1833
Cave, Charles, A., Esq., Indigo planter, Konah factory, Purnea, .. .. .	1857
Cave, H. S., Esq., Indigo planter, Purneah, .. .. .	1852
Cavenagh, Lieut.-Colonel O., (32nd N. I.) Town and Fort Major, Calcutta, .. .. .	1848
Champneys, Major E. G., (33rd N. I.) Deputy-Military- Auditor-General, Calcutta, .. .. .	1848
Chapman, C. E., Esq., Civil service, Rajshaye, .. ..	1857
Chariol, J. A., Esq., Merchant, Calcutta, .. .. .	1857
Cheap, Brigr.-Genl. Sir John, K. C. B., .. .. .	1841
Cheek, Alfred H., Esq., Civil Surgeon, Benares, .. ..	1855
Chesney, Lieut. G. T., Engineers, Roorkee, .. .. .	1855
Chunder Coomar Chatterjee, Baboo, Merchant, Calcutta,	1856
Church, James, Esq., Merchant, Calcutta, .. .. .	1850
Church, James, Esq., Junior, Merchant, Calcutta, .. ..	1851
Clark, A. N., Esq., Calcutta, .. .. .	1856
Clark, Dr. Stewart, Offg.-Post-Master-Genl., N. W. P., Agra,	1855
Clarke, H. R., Esq., Civil service, Pooree, .. .. .	1856
Clarke,† John, Esq., .. .. .	1855
Clarke, G. R., Esq., Indigo planter, Roodeipoor via Bongong, .. .. .	1855
Clarke, Longueville, Esq., F. R. S., Barrister, Supreme Court, Calcutta, .. .. .	1839

*Admitted.*

Clemen, Edward, Esq., Tobacco planter, Sandoway, .. ..	1855
Clerk, Dr. D. G., Dentist, Calcutta, .. ..	1856
Cockburn, G. F., Esq. Civil service, Cuttack, .. ..	1856
Cockburn, Wm., Esq. Raneegunge, .. ..	1846
Cockerell, H. E., Esq. Civil service, Banda, .. ..	1856
Colebroke,† Capt. T. E., .. ..	1850
Collins, Dr. J. C., Civil Surgeon, Darjeeling, .. ..	1856
Colville,* Sir J. W., Chief Justice, Supreme Court, Calcutta, .. ..	1849
Colvin, B. J., Esq., Civil service, Calcutta, .. ..	1842
Comber, Lieut. A. R., (Adj. Assam L. I.) Deebroghur, .. ..	1854
Congreve, Lieut-Col. G., C. B., (H. M. 29th Regt.) Qr. Mr. General Queen's Troops, .. ..	1848
Cooke, H. W., Esq., Sub-Deputy Opium Agent, Bhaugulpore, .. ..	1857
Cope, Henry, Esq., Hurreekie, viâ Umritsur, .. ..	1847
Cosserat, P., Esq., Lall Seriah Mootehary, .. ..	1857
Cossinauth Chowdry, Baboo, Cossipore, .. ..	1849
Courjon, F., Esq., Indigo planter, Chandernagore, .. ..	1839
Court, M. H., Esq., Civil service, Allahabad, .. ..	1852
Cowell, James, Esq., Merchant, Calcutta, .. ..	1838
Cowie,* Henry, Esq., Merchant, .. ..	1837
Cox, Major-General H. C. M., (58th Regt. N. I.) Mussooree, .. ..	1838
Cox,† J. H. W., Esq. Indigo planter, .. ..	1845
Craster, Lieut. G. A., Engineers, Dinagepore, .. ..	1855
Crawford, J. A., Esq., Civil Service, Hooghly, .. ..	1857
Creswell, C. E., Esq., Calcutta, .. ..	1855
Crommellin, Lieut., Col. J. A., Darjeeling, .. ..	1857
Cumaratta, Chevalier, Merchant, Umeerapoor, .. ..	1857
Cumming, William, Esq., Indigo planter, Malda, .. ..	1851
Cunliffe,† R. E., Esq., Civil service, .. ..	1851
Cunliffe,† David, Esq. Civil service, .. ..	1853
Currie, Charles, Esq., Civil service, Meerut, .. ..	1855
Currie, Edward, Esq., Civil service, Calcutta, .. ..	1840
Curtis, Capt. J. C., (Comm. 6th Irr. Cav.) Jacobabad, Scinde, .. ..	1853
DALRYMPLE,† James, Esq., Indigo planter, .. ..	1846
Dalton, Capt. E. T., (9th N. I.) Commissioner of Chota Nagpore, .. ..	1848
Dampier, H. L., Esq., Civil Service, Tirhoot, .. ..	1857
Dampier, William, Esq., Civil service, Calcutta, .. ..	1844
Daunt, W., Esq., Indigo planter, Peepra, Champaran, .. ..	1857
Davidson,† H., Esq., .. ..	1848
Davies, Capt. T., Comm. Police Battn., Booldanah, .. ..	1855
Davis, Capt. J. S., Senior Asst.-Commissioner, Chota Nagpore, .. ..	1857
Davis, H. M., Esq., Civil Surgeon, Noacolly, .. ..	1856
D'Cruz, A., Esq., Junior, Secretariat, Govt. of India, .. ..	1852
Dearman,† George, Esq., Merchant, .. ..	1845
Decruz, E., Esq., Financial Department Calcutta, .. ..	1857

Denman, W. T., Esq., Solicitor, Calcutta, .. ..	1856
Demmonauth Sen, Baboo, Merchant, Calcutta, ..	1856
DePenning, George, Esq., Calcutta... ..	1856
Deverell, H., Esq., Indigo planter, Ackergunge factory, Berhampore, .. ..	1854
Dick,† R. K., Esq., Civil service, .. ..	1846
Dickens, Capt. C. H., Artillery, Calcutta, .. ..	1856
Dickey, Lt.-Col. E. J., Stud Dept., Saharunpore, .. ..	1851
Dirom,† William Maxwell, Esq., Civil service, .. ..	1837
Dixon, Geo., Esq., Sub-Deputy Opium Agent, Moteharry, ..	1855
Dorin, Joseph Alexander, Hon'ble, Member Supreme Council, Calcutta, .. ..	1837
Douglas,† Stewart, Esq., Merchant, .. ..	1851
Doveton, H., Esq., Deputy-Magistrate, Buheera, .. ..	1856
Doyne, Richard, Esq., Barrister-at-law, Calcutta, .. ..	1855
Drabble,† R. R., Esq., Merchant, .. ..	1850
Drummond, The Hon'ble R., Civil service, Agra, .. ..	1852
Duff, Wm., Esq., Indigo planter, Bhaugulpore, .. ..	1847
Dumergue, J. S., Esq., Civil service, Allyghur, .. ..	1847
Dunford, Hamilton E. A., Esq., Calcutta, .. ..	1856
Durand, P., Esq. Indigo planter, Jessore, .. ..	1852
Durrschmidt, Chas., Esq. Merchant, Calcutta .. ..	1847
EAMES, R., Esq., Merchant, Calcutta, .. ..	1855
Edgeworth,† Michael Pakenham, Esq., Civil service, ..	1836
Egerton, James, Esq., Cajah factory, Purneah, .. ..	1856
Elias,* Owen John, Esq., Merchant, Calcutta, .. ..	1837
Eliot, Capt. John, (Artillery,) Barrackpore, .. ..	1839
Elliot, J. B., Esq., Civil service, Patna, .. ..	1851
Elliot, J. Scott, Esq., Merchant, .. ..	1851
Elliott, W. Henry, Esq., Civil service, Burdwan, .. ..	1839
Emin, E. J., Esq., Merchant, Calcutta, .. ..	1849
Ernsthausen, Oscar Von, Esq., Merchant, Calcutta, ..	1837
Erskine, H. C., Esq., Indigo planter, Elambazar, .. ..	1855
Eshanchunder Bose, Baboo, Merchant, Calcutta, .. ..	1848
Ewing,† William, Esq., Merchant, .. ..	1851
Eyre,† Major Vincent, (Artillery,) .. ..	1851
FADDY, Major. S. B., (36th N. I.) Jullundur, .. ..	1851
Fagan, G. S., Esq., Barrister, Supreme Court, Calcutta, ..	1855
Falconer, Dr. D. McL., Civil Surgeon, Amherst, .. ..	1857
Falconer,† H., Esq., M. D., .. ..	1839
Farquharson, R. N., Esq., Civil Service, Patna, .. ..	1857
Fayrer, Dr. J., Medical service, Secy. Char Baugh, Lucknow,	1854
Fell, H. H., Esq., Zeemaneeah Factory, Ghazeepore, ..	1850
Fergusson, F. J., Esq., E. I. Railway, Luckey Serai, via Monghyr, .. ..	1856

Fergusson,† William Fairlie, Esq., Merchant, .. ..	1837
Field, George, Esq., Sub-Deputy Opium Agent, Arrah, ..	1857
Finch, Justin, Esq., Indigo planter, Shahpore, Oondee, Tirhoot, .. ..	1852
Findley, J., Esq., Merchant, Moulmein, .. ..	1854
Firminger, Rev. T. A. C., Howrah, .. ..	1851
FitzGerald, Capt. C. M., (31st N. I.,) Assist.-Comy.-Genl., Sealkote, .. ..	1855
Fitzwilliam, Wm. Shelford, Esq., Agent, Commercial Bank of India, Calcutta, .. ..	1856
Flouest, E. F., Esq., Indigo planter, Allumchund, Allahabad, ..	1857
Foly, W. Esq., Merchant, Dacca, .. ..	1856
Foord,† E. B., Esq., Madras Civil service, .. ..	1853
Forbes, Alexander, Esq., Agent, Dacca Bank, Dacca, ..	1855
Forbes, Lieut. H. T., Supt. Nuddea Rivers, Kishnaghur, ..	1856
Forlong, James, Esq., Indigo planter, Bongong, .. ..	1850
Fraser,† Thomas, Esq., Indigo planter, .. ..	1856
Freeland, David Horn, Esq., Merchant, Calcutta, .. ..	1856
Freuch, Gilson R., Esq., Indigo planter, .. ..	1841
French, Henry G., Esq., Indigo planter, Jessore, .. ..	1839
Fytche, Major A., (70th Regiment N. I.,) Comr. of Tenasserim Provinces, Moulmein, .. ..	1849
GALE, C. W., Esq., Doora factory, Tirhoot, .. ..	1856
Galiffe, J. F., Esq., Collector of Canal Tolls, Calcutta, ..	1856
Garbett, Lt.-Col. H., (Commg. Artillery Divn.,) Ferozepore, ..	1853
Garstin, Capt. H. M., (36th Regt. N. I.) Meerut, .. ..	1855
Garstin, Genl. Edward, (Engineers,) Darjeeling, .. ..	1834
Gaspar, G. M., Esq., Merchant, Calcutta, .. ..	1846
Gatfield, E. W., Esq., Mohenderpore factory, Purneah, ..	1856
George, Adam, Esq., Calcutta, .. ..	1853
Gerrard, Lt.-Col. John Grant, (14th N. I.,) Jhelum, ..	1838
Gilmore, W. F., Esq., Merchant, Calcutta, .. ..	1850
Glover, F. A., Esq., Civil service, Rungpore, .. ..	1852
Gobindchunder Dutt, Baboo, Merchant, Calcutta, .. ..	1857
Gobind Chunder Sen, Baboo, Merchant, Calcutta, .. ..	1850
Gooroohurn Sen, Baboo, Merchant, Calcutta, .. ..	1846
Gopaul Lall Tagore, Baboo, Merchant, Calcutta, .. ..	1850
Gordon, Thomas, Esq., Merchant, Mirzapore, .. ..	1846
Gouldhawke, J., Esq., Indigo planter, Rungpore, .. ..	1851
Graham, H., Esq., Superintending-Surgeon, Pegu, .. ..	1855
Grant, Hon'ble John Peter, Civil service, Calcutta, .. ..	1836
Grant, James, Esq., Civil service, Dinagepore, .. ..	1837
Grant, Thomas, Esq., Indigo planter, Bhaugulpore, .. ..	1848
Grant, Wm., Esq., Merchant, Calcutta, .. ..	1853
Gray, J. J., Esq., Indigo planter, Malda, .. ..	1846
Grey, J. R., Esq., Merchant, Calcutta, .. ..	1849

Griffiths, S. P., Esq., Merchant, Calcutta, .. ..	1844
Grote,* Arthur, Esq., Civil service, Calcutta, (Vice-President,) .. ..	1837
Gubbins,† Charles, Esq., Civil service, .. ..	1833
Gubbins, M. R., Esq., Civil service, Oude; .. ..	1842
Guise, J. A., Esq. Secy., Public Garden, Banda, .. ..	1855
HADDOW, The Rev. C. E., B. A., Chinsurah, .. ..	1857
Hale, Lieut. G. H., (Adj. 2nd Regiment Inf. Oude Irregular Force,) Secrora, .. ..	1857
Hall, Capt. G. M., (4th Regt. Irr. Cavalry,) Hansi, .. ..	1854
Hall, James M., Esq., Merchant, Calcutta, .. ..	1851
Hamilton, H. C. Esq., Civil service, Benares, .. ..	1851
Hamilton, Rowland, Esq., Merchant, Calcutta, .. ..	1855
Hamilton, Sir R. N. C., Civil service, Resident at Indore, ..	1836
Hampton, J. P., Esq., Indigo planter, Baraset, .. ..	1856
Hampton, R., Esq., Civil service, Tumlook, .. ..	1854
Hannington, Lt.-Col. John C., (63rd Regiment N. I.) Berhampore, .. ..	1837
Hannay, Lt.-Col. Simon Fraser, (43rd Regiment N. I.) Commanding Assam Light Infantry, Debrooghur, .. ..	1837
Harrison, R. P., Esq., Civil service, Calcutta, .. ..	1842
Hastings,† T. Esq., Medical service, .. ..	1856
Haughton, Lt.-Col. R., (16th Regt. N. I.,) Lahore, .. ..	1847
Hawkins,*† John Abraham Francis, Esq., .. ..	1837
Haworth,† William, Esq., Merchant, .. ..	1851
Haywood, Joseph, Esq., Civil Engineer, E. I., Railway, River Soane, Shahabad, .. ..	1856
Hearsey, Major-General Sir J. B., K. C. B., Comg. Presy. Divn. Barrackpore, .. ..	1856
Hedger, J. F., Esq., Radakissenpore, <i>via</i> Kamra, .. ..	1853
Helbert,† Lt. F. J. H., (5th Madras Cavalry,) .. ..	1855
Herriot,† John, Esq., Merchant, .. ..	1852
Hickey, W. R. Gilbert, Esq., Civil Engineer, Colgong, .. ..	1856
Higgs, Rev. E., Debrooghur, Upper Assam, .. ..	1853
Hill,† Geo, Esq., .. ..	1851
Hills,* James, Esq., Senior, Indigo planter, Kishnaghur, ..	1837
Hitchens, Lt. C. J., (late 5th N. I.) Ex.-Officer, Dacca, ..	1857
Hodgson, Brian Houghton, Esq., Darjeeling, .. ..	1839
Hogge, Lt.-Col., Charles, (Artillery,) Meerut, .. ..	1840
Hollingberry, R. H., Esq., Calcutta, .. ..	1856
Hollings, Charles, Esq., Gyah, .. ..	1841
Holroyd, Lieut. Chas., Asst.-Commr., Sibsagur, Assam, ..	1849
Hopkinson, Capt. H., Offg. Commissioner, Pegu, .. ..	1856
Horee Mohun Sen, Baboo, Calcutta, .. ..	1837
Horne, C., Esq., Civil service, Benares, .. ..	1854
Horseford,† Lt.-Col. R., (Artillery,) .. ..	1854

Hudson, C. K., Esq., Offg. Political Asst. to Commr. Assam, Cherra,	1855
Hudson, W. S.,† Esq., Jun.-Assist. to Commissioner of Assam,	1854
Hume, A. O., Esq., Civil service, Secy. Horticultural Garden, Etawah,	1856
Huthwaite, Col. Edward, C. B., (Horse Arty.,) Nainee Tal,	1841
Hutton, Capt. Thos., Mussooree,	1855
IMPEY, Capt. Archibald, Bengal Engineers, Darjeeling,	1856
Inglis, Henry, Esq., Cherra Poonjee,	1835
Inglis,† J., Esq., Civil service,	1851
Ingram, Lieut. J. S., (1st European Bengal Fusiliers,) Asst.-Supt. Pegu and Arracan Mountain Road,	1855
Ishore Persaud Narain Sing Bahadoor, Rajah of Benares,	1854
Issur Chunder Sing Rajah, Zemindar, Calcutta,	1857
JACKSON, A. J., Esq., Civil service, Bogra,	1853
Jackson,† C. C., Esq., Civil service,	1843
Jackson, Capt. F. C., Stud Dept., Buxar,	1854
Jackson, L. S., Esq., Civil service, Bauleah,	1852
James, Capt. H. C., (32nd Regt. N. I.) Calcutta,	1842
James,† Capt. Hugh R., Depy.-Commr., Punjab,	1846
Jameson, W., Esq., Supt. H. C. Bot. Garden, Saharunpore,	1852
Jenkins,† Lieut. H. G., (10th Light Cavalry,)	1852
Jenkinson, Joshua, Esq., Barr,	1855
Jennings, C. R., Esq., Indigo planter, Rampore Bauleah,	1848
Jennings,† Frederick, Esq.,	1856
Jerdon, T. C., Esq., Surgeon, Madras Cavalry, Kamptee,	1853
Johnson, Edward, Esq., Narcoolbarea <i>via</i> Merai,	1856
Johnson, John, Esq., Merchant, Calcutta,	1856
Johnson, P., Esq., Merchant, Calcutta,	1846
Johnstone, Capt. H. C., Revenue Survey, Punjab,	1852
Johnstone, W. Esq., Civil Service, Shajehanpore,	1857
Joykissen Mookerjee, Baboo, Zemindar, Ooterparah,	1852
Judge,† Spencer, Esq., Solicitor, Supreme Court,	1843
Juggobundhoo Bannerjee, Ooterparah,	1855
Jye Mungul Sing, Rajah, Ghadour, Monghyr,	1852
KALEE Prosono Sing, Baboo, Calcutta,	1857
Keene, H. G., Esq., Civil service, Deyrah-Dhoon,	1856
Kemp, F. B., Esq., Civil service, Backergunge,	1856
Kenny, T., Esq., Indigo planter, Salgamudea, Commercolly,	1852
Kettlewell,† W. W., Esq., Merchant,	1837
Khalutch Chunder Ghose, Baboo, Calcutta,	1857

King, Robert, Esq., Sub-Deputy Opium Agent, Patna, ..	1850
Kinleside, Lt.-Col. R. R., (Artillery,) Meerut, .. ..	1847
Kirby, Capt. Gravenor, (Artillery,) Bareilly, .. ..	1856
Kissenkishore Ghose, Baboo, Pleader, Sudder Court, Calcutta,	1853
Kistogopal Ghose, Zemindar, Calcutta, .. ..	1853
Knowles, H., Esq. Merchant, Calcutta, .. ..	1852
LAMB, Major Wm., (51st Regt. N. I.,) Dy.-Assist.-Adjt.-	
Genl., Saugor Division, .. ..	1847
Landale, R. B., Esq., Indigo planter, Dheeree <i>viâ</i>	
Shergotty, .. ..	1853
Landale, Walter, Esq., Indigo planter, Lutteepore factory,	
Bhaugulpore, .. ..	1851
Lane, Major-Genl. J. T., C. B., Nainee Tal., .. ..	1851
Lane,† T. B. Esq., Civil service, .. ..	1855
Larkins, T. P., Esq., Civil service, Sylhet, .. ..	1853
Larmour, R. T., Esq., Indigo planter, Mulnauth, <i>viâ</i> Bon-	
gong, .. ..	1848
Larruleta,* A., Esq., Indigo planter, Jeygunge, .. ..	1837
Lauder, Richard, Esq., E. I., Railway, Calcutta, . . .	1856
Lautour, E. F., Esq., Civil service, Patna, .. ..	1847
Lautour, Edward, Esq., Civil service, Calcutta, .. ..	1851
Lee, H. J., Esq., Depy. Secy., Bank of Bengal, Calcutta,	1851
Levinge, H. C., Esq., E. I., Railway Dept., Bhaugul-	
pore, .. ..	1855
Lewis, Capt. H., Principal Commy., of Ordnance, Meerut,	1853
Lewis, W. T., Hon'ble, Resident Councillor, Penang, ..	1855
Lind, F. M., Esq., Civil service, Benares. . . . .	1851
Lindsay, D. B., Esq., Merchant, Calcutta, .. ..	1855
Little,† Lt.-Col. Archibald, (H. M. 9th Lancers),..	1853
Lloyd, Major-Genl. G. W. A., C. B., (28th N. I.,) Dina-	
pore, .. ..	1838
Loch, George, Esq., Civil service, Calcutta, .. ..	1852
Loch, J. A., Esq., Civil service, Agra, .. ..	1852
Loch, T. C., Esq., Civil service, .. ..	1854
Login,*† Sir J. S., Medical service, .. ..	1843
Lomer,† Major W. H., (21st Regt. N. I.,) .. ..	1854
Long, The Rev. James, Church Missionary Society, Cal-	
cutta, .. ..	1855
Longden, E. H., Esq., Agra, .. ..	1854
Low, Henry M., Esq., Thyet Myoo, Burmah, .. ..	1855
Low, The Hon'ble Major-Genl. J., C. B., Calcutta, ..	1854
Lowther, Capt. W. H., (1st Assam, Lt. Infy.,) Debroghur,	1856
Lowther,*† Robert, Esq., Civil service, .. ..	1836
Lumsden, Capt. P. S., Dy. Asst. Qr. Mr. Genl., Peshawur,	1851
Lushington, Edward, Esq., Civil service, Calcutta, ..	1848
Lushington, C. H., Esq., Civil service, Calcutta, .. ..	1855

Lyall,† John, Esq., Merchant, .. .. .	1849
MacCrea, R., Esq., Commissariat Dept., Thyet-Mhew, ..	1856
Macdonald, A. G., Esq., Civil service, Rungpore, ..	1852
Macdonell, Capt. A. A., (40th N. I.,) Poosa, Tirhoot, ..	1855
Mackenzie, Brigr. J., (8th Lt. Cavalry,) Ferozepore, ..	1851
Mackenzie, H. Esq., Indigo planter, Jingerghatchie, Jessore,	1850
Mackey, D. C., Esq., Merchant, Calcutta, ..	1854
Mackintosh,† George, G., Esq., Civil service, ..	1838
Mackintosh,† Æneas, Esq., Indigo planter, ..	1849
Mackintosh,† A. B., Esq., Solicitor, ..	1850
MacLagan,* Frederick, Esq., Indigo planter, Kishnaghur, ..	1837
Macnair,† George, Esq., Indigo planter, ..	1851
Macpherson,*† George G., Esq., ..	1836
Mactier, T. B., Esq., Civil service, Pooree, ..	1846
Maharaj* Dheraj Matabchunder Bahadoor, Rajah of	
Burdwan, .. .. .	1836
Maharajah of Cooch Behar, .. .. .	1856
Malchus, G., Esq., Merchant, Calcutta, ..	1852
Malet, O. W., Esq., Civil service, Beerbhoom, ..	1857
Manderson,† Robert, Esq., Civil service, ..	1855
Mangles,† J. H., Esq., Civil service, ..	1853
Manickjee,* Rustumjee, Esq., Merchant, Calcutta, ..	1837
Mansell,† Charles Grenville, Esq., Civil service, ..	1837
Marquis, J., Esq., Indigo planter, Pubna, ..	1839
Marriott, Major E., (57th N. I.,) ..	1852
Marshall, F. C., Esq., Asst. Civil Engineer, Punjab, ..	1854
Martin, Major T., Offg. Presy. Pay Master, Calcutta, ..	1852
Martin, Simon N., Esq., Civil service, Cawnpore, .	1855
Mason,† Lt. C., Crauford, (48th M. N. I.,) ..	1853
Masters*, J. W., Esq. Assist.-Commissioner of Assam,	
Golah Ghat, .. .. .	1835
Mathie*† Lt.-Col James, (21st N. I.,) ..	1836
Maunsell, Lt. F. R., Engineers, Roorkee, ..	1855
Maxwell, David, Esq., Indigo planter, Futteyghur, ..	1852
May, George, Esq., Merchant, Calcutta, ..	1857
McArthur, Peter, Esq., Indigo planter, Malda, ..	1836
McCallum,† D., Esq., Merchant, ..	1836
McDonell, E., Esq., Sub-Deputy Opium Agent, Chumparun,	
Tirhoot, .. .. .	1842
McLeod, Donald Friel, Esq., Civil service, Finl.-Com. for	
the Punjab, Lahore, .. .. .	1836
Meares, Geo., Esq. Indigo planter, Sindoorree, Jessore, ..	1855
Mercer,*† G. G., Esq., Indigo planter, ..	1846
Miles, Capt. C. W., (Com. 3rd Regt. Oude Irregular Infy.,)	
Gonda, .. .. .	1857
Miller, Edward, Esq., Merchant, Calcutta, ..	1856



Mills,*† Andrew John Moffat, Esq., Civil service,	..	1836
Mohr, Edward, Esq., Merchant, Arracan, ..	..	1857
Molloy, R., Esq., Attorney, Supreme Court, ..	..	1842
Monckton, H., Esq., Civil service, Jhung, Punjab, ..	..	1847
Money,*† William James Henry, Esq., Civil service, ..	..	1836
Montgomery, R., Esq., C. S., Judicial Commr. of the Punjab, Lahore, ..	..	1853
Morgan, R. B., Esq., Civil service, Agra, ..	..	1852
Mornay, H., Esq., Secretary Assam Company, Calcutta, ..	..	1843
Morrell, R., Esq., Zemindar, Backergunge, ..	..	1853
Morrieson, Major R., Political Agent, Bhurtapore, ..	..	1853
Morris,† James, Esq., Merchant, ..	..	1855
Morton, B. W. D., Esq., Jun. Asst.-Comr. Assam, Tezapore, ..	..	1854
Morton, Capt. William Elliot, (Bengal Engineers,) Supg. Engineer, Central Provinces, Allahabad, ..	..	1851
Mouat, Dr. F. J., Inspector of Jails, L. P., ..	..	1856
Murray, Capt. James, Mussooree, ..	..	1855
Murray, J. C., Esq., Serampore, ..	..	1856
Murray, Lt. C., Commg. Sebundy Sappers, Darjeeling, ..	..	1855
Muspratt,† J. R., Esq., Civil service, ..	..	1847
NAESMYTH, J., Esq., Civil service, Punjab, ..	..	1852
Nicol, F. A. M., Esq., Chowkeedangah, Mungulpore, ..	..	1851
OAKES, Capt. W. H., Deputy-Commissioner, Chota Nagpore, ..	..	1857
O'Brien,† Captain Wm., (8th Regiment Nizam's Infantry,) ..	..	1846
Oboychurn, Goho, Baboo, Merchant, Calcutta, ..	..	1856
Ockelton, T. P., Esq., Calcutta, ..	..	1856
Oliva,† L. B., Esq., Merchant, ..	..	1857
Omachurn Mittra, Baboo, Merchant, Calcutta, ..	..	1857
Onraet, P. T., Esq., Bhaugulpore, ..	..	1857
Ouseley,† Major R., ..	..	1845
Outram, General Sir James, K. C. B., Lucknow, ..	..	1855
Owen, Capt. W. G., (11th Madras N. I.,) Nursapatam, near Payakerowpett, ..	..	1846
PALMER,† R. S., Esq., Merchant, ..	..	1844
Palmer, Charles, Esq., Medical service, Howrah, ..	..	1848
Palmer, Dr. W. J., Civil Surgeon, Ghazee-pore, ..	..	1856
Parish, Revd. Charles, Chaplain, of Moulmein, ..	..	1856
Parry, John, Esq., Merchant, Calcutta, ..	..	1856
Parsons, Major-Genl. James, C. B., (50th Regiment, N. I.,) Commanding Rohilkund District, ..	..	1838
Paul, G. C., Esq., Barrister-at-law, Calcutta, ..	..	1856
Peacock, the Honorable Barnes, Legislative Member of the Supreme Council, Calcutta, ..	..	1852
Pearson, E. S., Esq., Civil service, Dacca, ..	..	1852

Peary Chand Mittra, Baboo, Secretary Public Library, Calcutta, (Vice-President), .. .. .	1847
Pereira, Francisco, Esq., Merchant, Calcutta, .. .. .	1850
Pertap Chunder Sing,* Rajah, Zemindar, Pakpara, (Vice-President), .. .. .	1847
Peskett, William, Esq., M. D., Civil Surgeon, Simlah, .. .. .	1856
Peterson, A. T. T., Esq., Barrister, Supreme Court, Calcutta, .. .. .	1849
Phayre, Major A. P., Commissioner of Pegu, .. .. .	1841
Phillippe, Clement, Esq., Indigo planter, Balacole, Pubna, .. .. .	1851
Pittar, C. J., Esq., Calcutta, .. .. .	1857
Poe, H. H., Esq., Solicitor, Calcutta, .. .. .	1854
Pogose, J. G. N., Esq., Zemindar, Dacca, .. .. .	1856
Pogson, Lieut. J. F., Invalid Establishment, Simla, .. .. .	1856
Pottit Pabun Sen, Baboo, Merchant, Calcutta, .. .. .	1847
Power, Capt. E. H., Dy.-Judge-Advocate-Genl. Rangoon, .. .. .	1856
Preonauth Sett, Baboo, Calcutta, .. .. .	1852
Price,† J. O., Esq., .. .. .	1843
Prinsep,† Charles Robert, Esq., L. L. D., .. .. .	1831
Prinsep,† J. H., Esq., Civil service, .. .. .	1851
Prosono Coomar Tagore, Baboo, Calcutta, .. .. .	1833
Prosononath Roy, Rajah, Zemindar, Digaputi, Nattore, .. .. .	1851
Puddumlochun Mundul, Baboo, Balasore, .. .. .	1857
RAIKES, Charles, Esq., Civil service, Secy. Local Committee, Mynpooree, .. .. .	
	1850
Raikes, H. T., Esq., Civil service, Calcutta, .. .. .	1857
Rait, Henry, Esq., Galimpore, near Surdah, .. .. .	1856
Rajendralal Mittra, Baboo, Calcutta, .. .. .	1851
Rajendur Dutt, Baboo, Merchant, Calcutta, .. .. .	1848
Rajkissen Mookerjee,* Baboo, Landholder, Ooterpara, .. .. .	1836
Ramanauth Tagore, Baboo, Calcutta, .. .. .	1842
Ramanauth Banerjee, Baboo, Calcutta, .. .. .	1855
Ramapersaud Roy, Baboo, Calcutta, .. .. .	1848
Ramchand Sing, Rajah, Calcutta, .. .. .	1843
Ramchunder Rao, Mortund, Baboo, Indore, .. .. .	1856
Ramgopal Ghose, Baboo, Calcutta, (Vice-President), .. .. .	1840
Ramsay, Major George, Resident at Nepal, .. .. .	1855
Ravenshaw, T. E., Esq., C. S., Secy. Public Garden, Monghyr, .. .. .	1853
Reddie,† R. M., Esq. Merchant, Calcutta, .. .. .	1846
Reid, H. M., Esq., Civil service, Burdwan, .. .. .	1857
Reid, Capt. David, (Executive Officer,) Debrooghur, .. .. .	1851
Richards,*† J., Esq., Merchant, .. .. .	1834
Richardson, H. C., Esq., Civil service, Tirhoot, .. .. .	1856
Ricketts, H. Esq., Civil service, Calcutta, .. .. .	1852
Riddell, H. B., Esq., Civil service, Calcutta, .. .. .	1855
Rigby, Major Henry, (Engineers,) Punjaub, .. .. .	1852

Ripley, Capt. F. W., (22nd Regt. N. I.,) Assist.-Commis- sioner of Arracan, Kyauk Phyoo, .. ..	1849
Ritchie, W., Esq., Advocate-General, Calcutta, .. ..	1851
Robinson, G. B., Esq., Merchant, Calcutta, .. ..	1845
Robinson, S. H., Esq., Merchant, Calcutta, .. ..	1854
Robinson, T. M., Esq., Merchant, Calcutta, .. ..	1848
Rogers, Captain T. E., I. N., Calcutta, .. ..	1843
Rose,† Henry, Esq., Civil service, .. ..	1847
Rose, W. Grant, Esq., Merchant, Calcutta, .. ..	1837
Ross, J. G., Esq., Deputy-Magistrate, Rohtuk, .. ..	1852
Ross, R. F., Esq., Merchant, Calcutta, .. ..	1855
Row, John, Esq., Medical service, Calcutta, .. ..	1849
Row, Lieut. W. S., (33rd N. I.,) Rampore Bauleah, .. ..	1854
Rowlatt, Capt. E. A., Principal Assist.-Commr. of Assam, Kamroop, .. ..	1855
Ruffeoodeen, Prince Mahomed, Russapuglah, near Tally- gunge, .. ..	1851
Rummanauth Gossain, Zemindar, Serampore, .. ..	1857
Russell,† A. E., Esq., Civil service, .. ..	1847
Russell,† C. D., Esq., Civil service, .. ..	1839
Russell,† R. H., Esq., Civil service, .. ..	1855
Russickissen Mullick, Baboo, Deputy-Collector, Berhampore, .. ..	1847
SAGE, Brigr. W., (22nd Regt. N. I.,) Commanding at Saugor, .. ..	1845
Sage, R. P., Esq., Indigo planter, Jessore, .. ..	1853
Sagore Dutt, Baboo, Merchant, Calcutta, .. ..	1850
Samuells,* Edwards, A., Esq., Civil service, Patna, .. ..	1836
Sandeman,† Hugh, Esq., Civil service, .. ..	1850
Sandes, Falkner, C., Esq., Solicitor, Calcutta, .. ..	1855
Sandes,† M. F., Esq., .. ..	1851
Sandys, J. U., Esq., Allahabad, .. ..	1855
Sapte,† Brand, Esq., Civil service, .. ..	1851
Sarkies, P. J., Esq., Merchant, Calcutta, .. ..	1838
Sarkies, S. J., Esq., Serampore, .. ..	1854
Saubolle, C. A., Esq., Nopara, Kishnaghur, .. ..	1857
Saunders,† John O'Brien, Esq., Merchant, .. ..	1856
Savi,† John Robert, Esq., Indigo planter, .. ..	1836
Savi, Thomas, Esq., Indigo planter, Kishnaghur, .. ..	1851
Schiller,† F., Esq., Merchant, .. ..	1854
Schmidt, Herman, Esq., Merchant, Calcutta, .. ..	1856
Sconce, Archibald, Esq., Civil service, Calcutta, .. ..	1839
Scott, Dr. D., Medical service, Delhi, .. ..	1852
Seymour, S. F., Esq., Admr. General's Office, Calcutta, .. ..	1853
Shakespear, Cornet W., (Madras Light Cavy.,) Asst. to Govr.-General's Agent, Central India, Indore, .. ..	1854
Sham Churn Mullick, Baboo, Calcutta, .. ..	1857
Shamachurn Law, Baboo, Merchant, Calcutta, .. ..	1855

Shamchand Mittra, Baboo, Merchant, .. .. .	1854
Sharpe, the Reverend James, Chaplain, Ferozepore, .. .. .	1843
Shawe, M., Esq., Civil service, Sylhet, .. .. .	1842
Shearin, E., Esq., Merchant, Calcutta, .. .. .	1856
Shib Chunder Deb, Baboo, Deputy-Collector, Calcutta, .. .. .	1847
Shib Kissen Banerjea, Baboo, Merchant, Calcutta, .. .. .	1850
Shillingford, Jos., Esq., Indigo planter, Purneah, .. .. .	1853
Sieveking, F. H., Esq., Engineer, E. I. Railway, Bhaugul- pore, .. .. .	1857
Simson, James, Esq., Civil service, Azimghur, .. .. .	1856
Simson,† D., Esq., Civil service, .. .. .	1854
Simpson,† H., Esq., Indigo planter, .. .. .	1854
Sinclair, Lieut. J. J. De. C., Artillery, Aurungabad, .. .. .	1851
Skinner, A., Esq., Hansi, .. .. .	1854
Skinner, C. B., Esq., Civil service, Muggoorah, .. .. .	1856
Skipwith,† F., Esq., Civil service, .. .. .	1842
Slade, James, Esq., Indigo planter, Tirhoot, .. .. .	1855
Small, James, Esq., Calcutta, .. .. .	1843
Smith, Adam Hume, Esq., Indigo planter, Jessore, .. .. .	1857
Smith,† Edward, Esq., Merchant, .. .. .	1841
Smith, Jas. White, Esq., Indigo planter, Kattullee, Kishna- ghur, .. .. .	1854
Smith, Lt.-Col. L. H., (Invalids,) Umballa, .. .. .	1849
Smith, Major E., Fleetwood, (23rd Regt. N. I.) Supt. Keddah Establishment, Dacca, .. .. .	1852
Smith, Rev. Thomas, of the Free Church Inst. Calcutta, .. .. .	1857
Smith, Samuel, Esq., Calcutta, .. .. .	1835
Smith, W. M., Esq., Indigo planter, Jutropore, Kishnaghur, .. .. .	1857
Smyth,† Capt. J. H., (Artillery,) .. .. .	1851
Sorodapersaud Roy, Baboo, Zemindar, Chukdegye, Burdwan, .. .. .	1857
South, G. E., Esq., Agent Beerbhoom Coal Co., Calcutta, .. .. .	1856
Sparkes, Capt. T. P., (17th M. N. I.) Kurnool, .. .. .	1852
Spears, Robert, Esq., Agriculturist, Golah Ghat, Upper Assam, .. .. .	1855
Sreekissen Sing, Baboo, Calcutta, .. .. .	1835
Stalkart, William, Esq., Merchant, Calcutta, .. .. .	1845
Stanton, Lieut., (Engineers,) Shergotty, .. .. .	1857
Steer, Charles, Esq., Civil service, Chittagong, .. .. .	1853
Steers,† Thomas, Esq., Merchant, .. .. .	1852
Stephen, J., Esq., Dacca, .. .. .	1855
Sterndale, W. C., Esq., Calcutta, .. .. .	1856
Stevens, Major J., Invalid Establist., Deyra Dhoon, .. .. .	1854
Stevenson,*† William, Esq., Junior, M. D., .. .. .	1834
Stewart, C. B., Esq., Merchant, Calcutta, .. .. .	1854
Stewart, Lt. R., (22nd N. I.) Commandant Kookie Levy, Cachar, .. .. .	1856
Stewart,† Wm., McAdam, Esq., Merchant, .. .. .	1851

	<i>Admitted.</i>
Stiven,† W. S., Esq., Medical service, Allahabad, .. ..	1853
Story, Major-General F. P., C. B., Cawnpore, .. ..	1854
Strachey, Lt. Col. R., (Engineers,) Calcutta, .. ..	1857
Strover, Crawford, Esq., Inspecting Post Master, Dacca Division, .. ..	1852
Stuart, James, Esq., Merchant, Calcutta, .. ..	1847
Sumbonauth Pundit, Baboo, Pleader, Sudder Court, Calcutta, .. ..	1853
Sutherland, Charles J., Esq., Merchant, Calcutta, .. ..	1838
Sutish Chunder Roy, Rajah of Nuddea, .. ..	1857
Suttoshurn Ghosal, Rajah, Bahadoor, Calcutta, .. ..	1856
Swanston, Lieut. W. O. (7th Regt. Madras N. I.,) Assist.-Commissioner, Roy Bareilly, .. ..	1857
Swatman,† Lt.-Col. Wm., (3rd European Regt), .. ..	1845
Swinden, T. G., Esq., Calcutta, .. ..	1855
TAYLOR, Lieut. F. S., (Bengal Engineers,) Nowshera, Punjab, .. ..	1853
Taylor, W., Esq., Civil service, Mymensing, .. ..	1853
Teil, Thos., Esq., Merchant, Calcutta, .. ..	1855
Terry, W., Esq., Indigo planter, Midnapore, .. ..	1846
Thelwall, Capt. J. B., (H. M. 24th Regt.) Rawul Pindee, .. ..	1851
Theobald,† W., Esq., Barrister-at-law, .. ..	1855
Thomas,† J. P., Esq., Merchant, Calcutta, .. ..	1852
Thomas, R. M., Esq., Solicitor, Calcutta, .. ..	1849
Thompson, George, Esq., Calcutta, .. ..	1856
Thomson, Thomas, Esq., M. D., Supt. H. C. Bot. Garden, Calcutta, (Vice-President), .. ..	1855
Thomson, William, Esq., Merchant, Calcutta, .. ..	1848
Thornton,† John, Esq., Civil service, .. ..	1842
Thorpe, E. C., Esq., M. D., Civil Assist.-Surgeon, Jessore, .. ..	1857
Tonnochy, Thomas, Esq., Deputy-Collector, Bolundshuhur, .. ..	1833
Travers,† Lt.-Col. J., (2nd Gredrs.) Commandant, Bhopal Contingent, .. ..	1854
Trevor, Edward Tayler, Esq., Civil service, Calcutta, .. ..	1840
Tripp, H. D., Esq., Indigo planter, Salgumudea, Commercolly, .. ..	1852
Trotter, T. C. Esq., Civil service, Patna, .. ..	1856
Tucker, Henry Carre, Esq., Civil service, Benares, .. ..	1837
Tucker, Henry Carre, Esq., or Secy. for the time being, Local Committee, Allahabad, .. ..	1851
Tucker, W. T., Esq., Civil service, Monghyr, .. ..	1855
Tuckerman, N. C., Esq., Merchant, Calcutta, .. ..	1856
Turnbull,† Lieut. A. D., (Bengal Engineers,) .. ..	1851
Turner,*† Thos. Jacob, Esq., Civil service, .. ..	1836
Twemlow,† Brigadier George, (Nizam's Army,) .. ..	1843
Twynam, Lt. E. J. L., Executive Officer, Arracan, Akyah, .. ..	1856
UTTERSON,† Lieut. E. V., (27th Regt. N. I.,) .. ..	1854

*Admitted.*

VARDEN, A. M., Esq., Merchant, Calcutta,	..	..	1851
Vetch,† Major H., (54th Regt. N. I.)	..	..	1842
Vincent,‡ W., Esq., Bordeaux,	..	..	1846
Vizianagram, His Highness the Rajah of,	..	..	1847
Vos, J. M., Esq., Assessor of House Tax, Calcutta,	..	..	1847
Walker,† Alexr., Esq., Merchant,	..	..	1855
Wallace,† A., Esq., Merchant,	..	..	1843
Wallis, J. J., Esq., Merchant, Rangoon,	..	..	1856
Walters,*† Henry, Esq.,	..	..	1836
Ward, J. D., Esq., Civil service, Rajshaye,	..	..	1857
Ward, J. J., Esq., Civil service, Cuttack,	..	..	1852
Warner, J. E., Esq., Indigo planter, Kishnaghur,	..	..	1856
Warwick,† B., Esq., Merchant,	..	..	1849
Waterfield, E., Esq., Civil service, Balasore,	..	..	1846
Watson, John, Esq., Merchant, Calcutta,	..	..	1852
Watson,*† Robert, Esq.,	..	..	1837
Watson,† T. J., Esq., Merchant,	..	..	1845
Wauchope, S., Esq., Civil service, Calcutta,	..	..	1848
Weld, Lieut. Geo., Fort Adjutant, Chunar,	..	..	1856
Weskins, Charles, Esq., Merchant, Calcutta,	..	..	1854
West, C. H., Esq., Merchant, Lahore,	..	..	1850
Western, † Major J. R., (Engineers),	..	..	1842
Whampoa, Mr., Merchant, Singapore,	..	..	1850
Wienholt, John, Esq., Merchant, Calcutta,	..	..	1857
Wienholt, W., Esq., Merchant, Calcutta,	..	..	1848
Wight,*† Robert, Esq., M. D., Madras Medical service,	..	..	1836
Wigram, R. J., Esq., Civil service, Beerbhoom,	..	..	1856
Williams, Fleetwood, Esq., Civil service, Meerut,	..	..	1840
Williamson, Lieut. James, Commandant 9th Regt. Punjab N. I., Kohat,	..	..	1849
Willis, Joseph, Esq., Merchant, Calcutta,	..	..	1827
Willock,† H. D., Esq., Civil service,	..	..	1855
Willocks, W., Esq., Deputy-Supt. Eastern Jumna Canals, Saharunpore,	..	..	1857
Wilson, A. G., Esq., Deputy-Magistrate, Gyah,	..	..	1847
Wilson, H. R., Esq., Deputy-Collector, Budaon,	..	..	1852
Wilson, Thomas, Esq., Deputy Opium Agent, Ghajeeepore,	..	..	1848
Wilsone, C. M., Esq., Indigo planter, Munglepore,	..	..	1853
Wingrove, E., Esq., Merchant, Calcutta,	..	..	1846
Wingrove, G. W., Esq., Merchant, Calcutta,	..	..	1856
Wingfield, C. J., Esq., Civil service, Oude,	..	..	1855
Witthecombe,† J. R., Esq., Medical service,	..	..	1851
Wright, H., Esq., Shahpore, Punjab,	..	..	1854
Wood, C. B., Esq., Merchant, Calcutta,	..	..	1856
Wood,† Dr. Andrew, Medical service,	..	..	1852
Wood, J. N. T., Esq., Merchant, Calcutta,	..	..	1854

	<i>Admitted.</i>
Wray, G. O. Esq., Solicitor, Calcutta, .. ..	1857
Wagentrieber, W. Esq., Tea planter, Debrooghur, ..	1857
Wylie, Macleod, Esq., Judge Small Cause Court, Calcutta,	1844
Young, G. L., Esq., Indigo planter, Midnapore, .. ..	1845
Young, James, H. Esq., Civil service, Calcutta, .. ..	1857

LIST OF MEMBERS

OF THE

**Agricultural & Horticultural Society**

OF

I N D I A.

---

*DECEMBER 31st, 1858.*

---

ALPHABETICALLY ARRANGED

AND

DISTINGUISHING THE YEAR OF ADMISSION.



## OFFICE-BEARERS.

### President :

THE HON'BLE SIR ARTHUR BULLER.

### Vice-Presidents :

DR. THOMAS THOMSON.  
BABOO PEARY CHAND  
MITTRA.

W. G. ROSE, ESQ.  
BABOO GOBIND CHUNDER  
SEN.

### Secretary and Treasurer :

A. H. BLECHYNDEN, ESQ.

### Members of Council :

C. A. CANTOR, ESQ.

BABOO SHIB CHUNDER DEB.

J. CHURCH, ESQ.

J. AGABEG, ESQ.

S. P. GRIFFITHS, ESQ.

BABOO RAMGOPAL GHOSE.

REV. JAMES LONG.

S. H. ROBINSON, ESQ.

C. B. WOOD, ESQ.

A. GROTE, ESQ.

RAJAH PERTAUP CHUNDER SING, BAHADOOR.

REV. T. A. C. FIRMINER.

---

**Patron :****THE RIGHT HONORABLE CHARLES JOHN, VISCOUNT CANNING,****VICEROY AND GOVERNOR-GENERAL OF INDIA, ETC., ETC., ETC.****List of Members.**

\* This Mark denotes Members who have compounded for their Annual Subscriptions.

† This Mark denotes Members who are absent from India, and therefore Non-contributors.

‡ This Mark denotes Members who, though absent, are desirous of continuing their Subscriptions.

**HONORARY MEMBERS.**

The Right Honorable Sir Edward Ryan, A. M., F.A.S.,	
London, .. .. .	1828
Charles Hufnagle, Esq., M. D., .. .. .	1837
Colonel John Colvin, C.B., London, .. .. .	1830
J. Mackay, Esq., .. .. .	
Don Ramon de la Sagra, Island of Cuba, .. .. .	
Dr. Justus Liebig, Professor of Chemistry in the University	
of Giessen, .. .. .	1843
James Hume, Esq., Magistrate, Calcutta, .. .. .	1839
Lt.-Col. Francis Jenkins, Commissioner of Assam, .. .. .	1828
The Right Honorable Sir Lawrence Peel, London, .. .. .	1842
R. Fortune, Esq., China, .. .. .	1856

**CORRESPONDING MEMBERS.**

D. J. Macgowan, Esq., M.D., Ningpo, .. .. .	1851
Dr. J. V. Thompson, Sydney, .. .. .	1840
Dr. R. Riddell, London, .. .. .	1853
Mons. Natalis Rondot, Paris, .. .. .	1858

**ASSOCIATE MEMBERS.**

Mr. Robert Scott, Head-Gardener, H. C. Botanic Garden,	
Calcutta, .. .. .	1851
Capt. E. P. Nisbet, London, .. .. .	1843

# ORDINARY MEMBERS.

	<i>Admitted.</i>
Abbott, Horace, Esq., Sampore Factory, Surdah, .. ..	1858
Ackland, C. J., Esq., Calcutta, .. ..	1855
Ackland,† George, Esq., Merchant, .. ..	1853
Aga Syud Hossein Shooostree, Merchant, Calcutta, .. ..	1857
Agabeg, J., Esq., Merchant, Calcutta, .. ..	1854
Agabeg, M., Esq., Merchant, Calcutta, .. ..	1858
Ahmuty, R., Esq., Supt. Govt. Estates, Mymensing, .. ..	1858
Ainslie, W., Esq., Civil service, Calcutta, .. ..	1847
Alexander, Henry, Esq., Civil service, Calcutta, .. ..	1846
Alexander, H. A. R., Esq., Civil service, Backergunge, .. ..	1855
Allardice, Geo., Esq., Calcutta, .. ..	1854
Allan, Dr. James, Civil Surgeon, Gowhatti, .. ..	1858
Allen, J. H., Esq., Merchant, Calcutta, .. ..	1850
Allen, W. J., Esq., Civil service, Calcutta, .. ..	1850
Alloowallee,* Rajah of Kapoorthullea, Jullunder, .. ..	1853
Anderson, P., Esq., Merchant, Calcutta, .. ..	1854
Andrew, David, Esq., Indigo planter, Aurungabad, .. ..	1851
Annesley, Capt. R. M. S. (Meywar Bheel Corps) Kerwarah, Meywar, .. ..	1858
Apcar, T. A. Esq., Merchant, Calcutta, .. ..	1858
Armstrong, C. M., Esq., Opium Dept., Gya, .. ..	1858
Atherton, H., Esq., Civil service, Chuprah, .. ..	1845
Aubrey, John H., Esq., Calcutta, .. ..	1856
Augier, P., Esq., Calcutta Mint, .. ..	1858
Auld,† S. J., Esq., Indigo planter, .. ..	1846
BALFOUR,† G. G. Esq., Civil service, .. ..	1841
Balfour Lewis, Esq., Merchant, Calcutta, .. ..	1842
Barnes, C. H., Esq., Colgong, .. ..	1858
Barry, Dr. J. R., Medical Practitioner, Calcutta, .. ..	1856
Barry, G. R., Esq. Serajunge, .. ..	1849
Barry, Thomas, H., Esq., Merchant, Calcutta, .. ..	1856
Battersby, Arthur, Esq., Indigo planter, Babukansi, Joynagore, .. ..	1855
Baugh, Capt. F. W., (26th N. I.) Superintendent Keddah Establishment, Barrackpore, .. ..	1855
Bax, J. H. Esq., Civil service, Ghazeepore, .. ..	1855
Bayley, H. V., Esq., Civil Service, Calcutta, .. ..	1855
Beadon, C., Esq. Civil service, Calcutta, .. ..	1855
Bean, J., Esq., Sub-Deputy Opium Agent, Monghyr, .. ..	1850
Beaufort, Francis L., Esq., Civil service, Calcutta, .. ..	1838
Becher, William, Esq., Gowhatti, .. ..	1855
Becher,† Col. A. M., Quarter Master General of the Army, .. ..	1856
Beddy, H. W., Esq., Junr. Assist.-Commissioner of Arracan, Ranree, .. ..	1855
Begbie, C. N. W., Esq., Merchant, Moulmein, .. ..	1854
Begg,† Dr. D., .. ..	1850
Bell, J. D., Esq., Barrister-at-law, Calcutta, .. ..	1855

	<i>Admitted.</i>
Bennett, T. B., Esq., Indigo planter, Purneah, .. ..	1854
Bennett, T. H., Esq., Merchant, Calcutta, .. ..	1857
Bentall,* † Edward, Esq., Civil Service, .. ..	1837
Berkeley, L., Esq., Officiating Sudder Ameen, Delhi, ..	1855
Berkeley, R., Esq., Assist.-Commissioner, Mulaon, ..	1857
Berrill, W., Esq., Allahabad, .. ..	1857
Bhurutchunder Doss, Baboo, Merchant, Calcutta, ..	1858
Bindabun Chunder Mittra, Baboo, Calcutta, .. ..	1853
Birch, Major General, R. J. H., C. B., Secretary to Govern- ment, Military Department, Calcutta, .. ..	1841
Birch, Capt. R. C., Senior Assist.-Commissioner, Chota- Nagporé, .. ..	1858
Bishop,* Lt. H. P., (Artillery,) Bareilly, .. ..	1853
Bissumbhur Sing, Baboo, Zemindar, Soorool, .. ..	1857
Bivar, Lieut. H. S., (18th Regiment N. I.), Principal Assistant Commissioner, Deebroghur, .. ..	1854
Blacker, G. M., Esq., Merchant, Calcutta, .. ..	1856
Blake, Major, H. W., Comg. Pegu Police Battn., Rangoon,	1858
Blechynden, R., Esq., Merchant, Calcutta, .. ..	1854
Blechynden, A. H., Esq., Secy. Agri-Horticultural Socy. of India, Calcutta, .. ..	1851
Blundell, Honorable E. A., Civil service, Singapore, ..	1848
Blyth, Philip, Esq., Merchant, Calcutta, .. ..	1857
Boaz, Rev. Dr. T., Calcutta, .. ..	1854
Bogle, † Colonel Sir Archibald, K. C. B., .. ..	1836
Bourne Walter, Esq., Resident Engineer, E. I. Railway, Monghyr, .. ..	1855
Bowers, J. F., Esq., Indigo planter, Purneah, .. ..	1851
Bowring, † Samuel, Esq., Civil service, .. ..	1843
Bracken, † William, Esq., Civil service, .. ..	1835
Bradbury, S. W., Esq., Kishnaghur, .. ..	1857
Braddon, E. N. C., Esq., Assist.-Commissioner, Sonthal Per- gunnahs, Deoghur, .. ..	1858
Brae, T., Esq., Indigo planter, Hatberria, Jessore, ..	1854
Brandis, Dr., Supt. of Forests, Rangoon, .. ..	1857
Bridgman, † J. H., Esq., Indigo planter, .. ..	1856
Brine, Frederick, Esq., Darjeeling, .. ..	1857
Bristow, Capt. J. W., (19th N. I.), Depy.-Comr., Jheelum,	1855
Brodie,* † Major T., .. ..	1836
Brooke, Captain John C., (63rd N. I.) Commandant Meywar Bheel Corps, and Assistant Political Agent in Meywar, Neemuch, .. ..	1843
Brown, Forbes Scott, Esq., Merchant, Penang, .. ..	1840
Brown, Brigr. W. G., (H. M. 24th Regt.,) Commanding in Fort William, .. ..	1852
Brown, Capt. D., 1st Madras Fusiliers, Assist.-Commis- sioner, Bassein, Burmah, .. ..	1856

	<i>Admitted.</i>
Brown, George, Esq., Merchant, Calcutta, .. ..	1856
Brown, John, Esq., Merchant, Calcutta, .. ..	1858
Brownlow, Lieut. H. A., (Engineers), Supt. Eastern Jumna Canals, Saharunpore, .. ..	1858
Buller,*† Frederick Pole, Esq., Civil service, .. ..	1837
Buller, Sir Arthur, Puisne Judge, Supreme Court, Calcutta, (President,) .. ..	1849
Burbank, Capt. Charles, Comg. H. C. Steamer "Fire Queen",	1857
Burkinyoung,† J. A., Esq. Solicitor, Supreme Court, ..	1849
Burnett,† Lieut.-Col. F. C., (Bengal Artillery,) .. ..	1839
Burton, John St. Edmund., Esq., Calcutta, .. ..	1850
Butler, Wells, Esq., Civil service, Gya, .. ..	1857
Buzlall Rhoman, Moonshee, Zemindar, Scaldah, .. ..	1857
Cadogan, T. C., Esq., Merchant, Calcutta, .. ..	1858
Cameron, J. T. D., Esq., Head Master, La Martinière, Cal.,	1853
Campbell, W. F., Esq., Tipperah, .. ..	1838
Campbell,* Archibald, Esq., M. D., Medical service, Superintendent of Darjeeling, .. ..	1838
Campbell, T. A., Esq., Gya, .. ..	1851
Campbell, Capt. A. M., (16th M. N. I.) Penang, .. ..	1855
Campbell, Capt. Ivie, Deputy-Commr., North Berar, Bool- dana, .. ..	1854
Campbell,† Lieut. Henri, (63rd Regt. N. I.) .. ..	1856
Campbell, George, Esq., Civil service, Lucknow, .. ..	1858
Canning, The Right Hon'ble, Charles John, Viscount, ..	1856
Cantor, C. A., Esq., Merchant, Calcutta, .. ..	1851
Carbery, R. J., Esq., Calcutta, .. ..	1853
Carew, R. R., Esq. Shajehanpore, .. ..	1846
Carnegy, P., Esq., Assist.-Commissioner, Pertabghur, Oude,	1857
Carshore, Rev. J. J., D. D., Chaplain, Murree, .. ..	1846
Carter,† J. W., Esq. Merchant, .. ..	1843
Carter, T. E., Esq., Secretary, Assam Company, Calcutta, ..	1852
Caspersz, H., Esq., Beerbhoom, .. ..	1854
Cave, Charles, A., Esq., Indigo planter, Konah factory, Purnea,	1857
Cave, H. S., Esq., Indigo planter, Purneah, .. ..	1852
Cavenagh, Lieut.-Colonel O., (32nd N. I.) Town and Fort Major, Calcutta, .. ..	1848
Champneys, Lt.-Col., E. G., (33rd N. I.) Deputy-Military- Auditor-General, Calcutta, .. ..	1848
Chapman, C. E., Esq., Civil service, Bijnore, .. ..	1857
Chardon, E., Esq., Indigo Planter, Goldar factory, Kishna- ghur, .. ..	1858
Chariol, J. A., Esq., Merchant, Calcutta, .. ..	1857
Cheap,† Brigr.-Genl. Sir John, K. C. B., .. ..	1841
Cheek, Alfred H., Esq., Civil Surgeon, Benares, .. ..	1855
Chunder Coomar Chatterjee, Baboo, Merchant, Calcutta,	1856

Church, James, Esq., Merchant, Calcutta, .. ..	1850
Church, James, Esq., Junior, Merchant, Calcutta,.. ..	1851
Clark, A. N., Esq., Calcutta, .. ..	1856
Clark, Dr. Stewart, Offg.-Post-Master-Genl., N. W. P., Allighur, .. ..	1855
Clarke, H. R., Esq., Civil service, Bareilly, .. ..	1856
Clarke,† John, Esq., .. ..	1855
Clarke, G. R., Esq., Indigo planter, Roodeipoor <i>vid</i> Bongong, .. ..	1855
Clarke, Longueville, Esq., F. R. S., Barrister, Supreme Court, Calcutta, .. ..	1839
Cleghorn, Dr. H. Conservator of Forests, Madras, .. ..	1858
Clemen, Edward, Esq., Tobacco planter, Sandoway, .. ..	1855
Clerk, Dr. D. G., Dentist, Calcutta, .. ..	1856
Clerk, Lieut. Malcolm G., (D. P. W.) Lucknow, .. ..	1858
Cockburn, G. F., Esq., Civil service, Cuttack, .. ..	1856
Cockburn, Wm., Esq., Raneegunge, .. ..	1846
Colebroke,† Major T. E., .. ..	1850
Collins, Dr. J. C., Civil Surgeon, Darjeeling, .. ..	1856
Colville,* Sir J. W., Chief Justice, Supreme Court, Calcutta,	1849
Colvin, B. J., Esq., Civil service, Calcutta,.. ..	1842
Congreve, Lieut-Col. G., C. B., H. M. 29th Regt. Qr. Mr. General Queen's Troops, Simlah, .. ..	1848
Connew, C., Esq., Calcutta, .. ..	1858
Cooke, H. W., Esq., Sub-Deputy Opium Agent, Bhaugulpore,	1857
Cope, Henry, Esq., Merchant, Umritsur, .. ..	1847
Cosserrat, P., Esq., Ghazeepore, .. ..	1857
Cossinauth Chowdry, Baboo, Cossipore, .. ..	1849
Courjon, F., Esq., Indigo planter, Chandernagore, .. ..	1839
Court,† M. H., Esq., Civil service, .. ..	1852
Cowell,† James, Esq., Merchant, .. ..	1838
Cowie,* Henry, Esq., Merchant, Calcutta, .. ..	1837
Cox, Major-General H. C. M., 58th Regt. N. I. Mussooree,	1838
Cox,† J. H. W., Esq. Indigo planter, .. ..	1845
Craster, E. C., Esq., Civil service, Maldah, .. ..	1858
Craster, Lieut. G. A., Engineers, Darjeeling, .. ..	1855
Crawford, J. A., Esq., Civil Service, Calcutta, .. ..	1857
Creswell, C. E., Esq., Merchant, Calcutta, .. ..	1855
Crommellin, Lieut.-Col., J. A., Darjeeling, .. ..	1857
Crooke, Henry, Esq., Merchant, Calcutta, .. ..	1858
Cumaratta, Chevalier, Merchant, Umeerapoor, .. ..	1857
Cumming, William, Esq., Indigo planter, Malda, .. ..	1851
Cunliffe,† R. E., Esq., Civil service, .. ..	1851
Cunliffe, David, Esq. Civil service, Rajshaye, .. ..	1853
Currie, Charles, Esq., Civil service, Bolundshuhur, .. ..	1855
Currie, Edward, Esq., Civil service, Calcutta, .. ..	1840
Curtis, Capt. J. C., Commt. 6th Irr. Cav. Jacobabad, Scinde,	1853

	<i>Admitted.</i>
DALRYMPLE,† James, Esq., Indigo planter, .. ..	1846
Dalton, Capt. E. T., 9th N. I., Commissioner of Chota Nagpore, .. ..	1848
Dampier, H. L., Esq., Civil Service, Tirhoot, .. ..	1857
Dampier, William, Esq., Civil service, Calcutta, .. ..	1844
Daunt, W., Esq., Indigo planter, Peepra, Champarun, .. ..	1857
Davies, Capt. T., Comm't. Police Battn., Booldanah, .. ..	1855
Davis, Capt. J. S., Senior Asst.-Commissioner, Chota Nagpore, .. ..	1857
Davis, H. M., Esq., Civil Surgeon, Noacolly, .. ..	1856
D'Cruz, A., Esq., Junior, Secretariat, Govt. of India, .. ..	1852
Dearman,† George, Esq., Merchant, .. ..	1845
Decruz, E., Esq., Financial Department, Calcutta, .. ..	1857
Degumber Mitter, Baboo, Merchant, Calcutta, .. ..	1858
Denman, W. T., Esq., Solicitor, Calcutta, .. ..	1856
Dennonauth Sen, Baboo, Merchant, Calcutta, .. ..	1856
DePenning, George, Esq., Calcutta, .. ..	1856
DeSaran, Eugene Dubois, Esq., Kootooreah factory, Kishna- ghur, .. ..	1858
Deverell, H., Esq., Indigo planter, Ackergunge factory, Ber- hampore, .. ..	1854
Dickey, Capt. Wm., Asst. Master Attendant, Calcutta, .. ..	1858
Dick,† R. K., Esq., Civil service, .. ..	1846
Dickens, Capt. C. H., Artillery, Calcutta, .. ..	1856
Dickey, Col. E. J., Stud Dept., Meerut, .. ..	1851
Dirom,† William Maxwell, Esq., Civil service, .. ..	1837
Dorin,† Joseph Alexander, Hon'ble, .. ..	1837
Douglas,† Stewart, Esq., Merchant, .. ..	1851
Doveton, H., Esq., Deputy-Magistrate, Buhcera, Tirhoot, .. ..	1855
Dow, E. A., Esq., Solicitor, Supreme Court, Calcutta, .. ..	1858
Doyle, Richard, Esq., Barrister-at-law, Calcutta, .. ..	1855
Drabble,† R. R., Esq., Merchant, .. ..	1850
Drummond,† The Hon'ble R., Civil service, .. ..	1852
Duff,† Wm., Esq., Indigo planter, .. ..	1847
Dumergue, J. S., Esq., Civil service, Allyghur, .. ..	1847
Dunford, Hamilton E. A., Esq., Bengal Yeomanry Cavalry, Hoshingabad, .. ..	1856
Durand, P., Esq. Indigo planter, Jessore, .. ..	1852
Durrschmidt, Chas., Esq., Merchant, Calcutta, .. ..	1847
EAMES, R., Esq., Merchant, Calcutta, .. ..	1855
Eddis, W. U., Esq., Hizlabut Factory, Pubna, .. ..	1858
Edgeworth,† Michael Pakenham, Esq., Civil service, .. ..	1836
Egerton, James, Esq., Cajah factory, Purneah, .. ..	1856
Elias,* Owen John, Esq., Merchant, Calcutta, .. ..	1837
Eliot,† Capt. John, Artillery, .. ..	1839
Elliot, J. B., Esq., Civil service, Patna, .. ..	1851
Elliot, J. Scott, Esq., Merchant, Calcutta, .. ..	1851
Elliott, W. Henry, Esq., Civil service, Burdwan, .. ..	1839

	<i>Admitted.</i>
Erskine, H. C., Esq., Indigo planter, Elambazar, Panaghur, .. ..	1855
Eshanchunder Bose, Baboo, Merchant, Calcutta, .. ..	1848
Ewing,† William, Esq., Merchant, .. ..	1851
Eyre,† Major Vincent, (Artillery,) .. ..	1851
FADDY, Major S. B., 36th N. I., Nynee Tal, .. ..	1851
Fagan, G. S., Esq., Barrister, Supreme Court, Calcutta, .. ..	1855
Falcon, A. B., Esq., Civil service, Noacolly, .. ..	1858
Falconer, Dr. D. McL., Civil Surgeon, Moulmein, .. ..	1857
Falconer,† H., Esq., M. D., .. ..	1839
Farquharson, R. N., Esq., Civil Service, Patna, .. ..	1857
Fell, H. H., Esq., Zemaneah Factory, Ghazeeepore, .. ..	1850
Fergusson, F. J., Esq., Calcutta, .. ..	1856
Fergusson, William Fairlie, Esq., Merchant, Calcutta, .. ..	1837
Field, George, Esq., Sub-Deputy Opium Agent, Arrah, .. ..	1857
Finch, Justin, Esq., Indigo planter, Shahpore, Oondee, Tirhoot, .. ..	1852
Findley, J., Esq., Merchant, Moulmein, .. ..	1854
Firminger, Rev. T. A. C., Howrah, .. ..	1851
FitzGerald, Capt. C. M., (31st N. I.,) Assist.-Comy.-Genl., Sealkote, .. ..	1855
Fitzwilliam, Wm. Shelford, Esq., Agent, Commercial Bank of India, Calcutta, .. ..	1856
Foley, W. Esq., Merchant, Dacca, .. ..	1856
Foord,† E. B., Esq., Madras Civil service, .. ..	1853
Forbes,† Alexander, Esq., .. ..	1855
Forbes, Lieut. H. T., Supt. Nuddca Rivers, Berhampore, .. ..	1856
Forlong, James, Esq., Indigo planter, Neechindapore, Kishnaghur, .. ..	1850
Fraser,† Thomas, Esq., Indigo planter, .. ..	1856
French, Gilson R., Esq., Indigo planter, .. ..	1841
French, Henry G., Esq., Indigo planter, Jessore, .. ..	1839
Fytche, Major A., (70th Regiment N. I.,) Comr. of Tenasserim Provinces, Moulmein, .. ..	1849
GALE, C. W., Esq., Doora factory, Tirhoot, .. ..	1856
Galiffe, J. F., Esq., Collector of Canal Tolls, Calcutta, .. ..	1856
Garstin, Capt. H. M., (36th Regt. N. I.) Meerut, .. ..	1855
Garstin, Genl. Edward, (Engineers,) Darjeeling, .. ..	1834
Gaspar, G. M., Esq., Merchant, Calcutta, .. ..	1846
Gatfield, E. W., Esq., Mohenderpore factory, Purneah, .. ..	1856
George, Adam, Esq., Calcutta, .. ..	1853
George, R. G. St. Esq., B. A., Colgong, .. ..	1858
Gilmore, W. F., Esq., Merchant, Calcutta, .. ..	1850
Glinn, G. J. H., Esq., Engineer, E. I. Railway, Colgong, .. ..	1858
Glover, F. A., Esq., Civil service, Rungpore, .. ..	1859
Gobindchunder Dutt, Baboo, Merchant, Calcutta, .. ..	1857



Gobind Chunder Sen, Baboo, Merchant, Calcutta, ( <i>Vice-President</i> ,)	1850
Gooroochurn Sen, Baboo, Merchant, Calcutta,	1846
Gopaul Lall Tagore, Baboo, Merchant, Calcutta,	1850
Gordon, Thomas, Esq., Merchant, Mirzapore,	1846
Gouldhawke, J., Esq., Indigo planter, Rungpore,	1851
Graham, H., Esq., Superintending-Surgeon, Pegu,	1855
Graham, Joseph, Esq., Barrister at Law, Calcutta,	1858
Grant, Hon'ble John Peter, Civil service, Calcutta,	1836
Grant, James, Esq., Civil service, Dinagepore,	1837
Grant, Thomas, Esq., Indigo planter, Bhaugulpore,	1848
Gray, J. J., Esq., Indigo planter, Malda,	1846
Griffiths,† S. P., Esq., Merchant,	1844
Grote,* Arthur, Esq., Civil service, Calcutta,	1837
Gubbins,† M. R., Esq., Civil service,	1842
Guise, J. A., Esq., Secy., Public Garden, Banda,	1855
HADDOW, The Rev. C. E., B. A.,	1857
Hale† Lieut. G. H., (Adj't. 2nd Regiment Inf. Oude Irregular Force,)	1857
Hall, Capt. G. M., (4th Regt. Irr. Cavalry,) Delhi,	1854
Hall, James M., Esq., Merchant, Calcutta,	1851
Hamilton, H. C. Esq., Civil service, Benares,	1851
Hamilton, Rowland, Esq., Merchant, Calcutta,	1855
Hamilton, Sir R. N. C., Civil service, Resident at Indore,	1836
Hampton, J. P., Esq., Indigo planter,	1856
Hampton, R., Esq., Civil service, Tumlook,	1854
Hannington, Lt.-Col. John C., (63rd Regiment N. I.,) Berhampore,	1837
Hannay, Lt.-Col. Simon Fraser, (43rd Regiment N. I.,) Commanding Assam Light Infantry, Debrooghur,	1837
Harrison, R. P., Esq., Civil service, Calcutta,	1842
Haughton, Lt.-Col. R., (16th Regt. N. I.,) Mussooree,	1847
Hawkins,*† John Abraham Francis, Esq.,	1837
Haworth, William, Esq., Merchant, Calcutta,	1851
Hay, John Ogilvie, Esq., Merchant, Akyab,	1858
Haywood, Joseph, Esq., Civil Engineer, E. I. Railway, River Soane, Dinapore,	1856
Hearsey, Major-General Sir J. B., K. C. B., Comg. Presy. Divn. Barrackpore,	1856
Hedger, J. F., Esq., Radakissenpore, <i>via</i> Kamra,	1853
Helbert, Lt. F. J. H., (5th Madras Cavalry,) Indore,	1855
Heralall Seal,* Baboo, Calcutta,	1858
Herriot,† John, Esq., Merchant,	1852
Hickey, W. R. Gilbert, Esq., Civil Engineer, Colgong,	1856
Higgs, Rev. E., Debrooghur, Upper Assam,	1853
Hill, James, Esq., Allahabad,	1858

Hills,*† James, Esq., Senior, Indigo planter, .. ..	1837
Hitchens, Lt. C. J., (late 5th N. I.) Ex.-Officer, Dacca, ..	1857
Hollingberry, R. H., Esq., Calcutta, .. ..	1856
Hollings, Charles, Esq., Gyah, .. ..	1841
Holroyd, Lieut. Chas., Assist.-Commr., Sibsagur, Assam, ..	1849
Hopkinson, Capt. H., Offig.-Commissioner, Arracan, ..	1856
Horee Mohun Sen, Baboo, Calcutta, .. ..	1837
Horne, C., Esq., Civil service, Benares, .. ..	1854
Hudson, C. K., Esq., Offig.-Political Assist. to Commr. Assam, Cherra, .. ..	1855
Hudson,† W. S., Esq., Jun.-Assist. to Commissioner of Assam, .. ..	1854
Hume, A. O., Esq., Civil service, Secy. Horticultural Garden, Etawah, .. ..	1856
Huthwaite, Col. Edward, C. B., (Horse Arty.,) Nainee Tal, ..	1841
Hutton, Capt. Thos., Mussooree, .. ..	1855
IMPEY, Capt. Archibald, Bengal Engineers, Calcutta, ..	1856
Ilbery, J. W. H., Esq., Merchant, Calcutta, .. ..	1858
Inglis, Henry, Esq., Cherra Poonjee, .. ..	1835
Inglis,† J., Esq., Civil service, .. ..	1851
Ingram, Lieut. J. S., (1st European Bengal Fusiliers,) Assist.-Supt. Pegu and Arracan Mountain Road, .. ..	1855
Ishore Persaud Narain Sing Bahadoor, Rajah of Benares, ..	1854
Issur Chunder Sing Rajah, Zemindar, Calcutta, .. ..	1857
JACKSON, A. J., Esq., Civil service, Bogra, .. ..	1853
Jackson, L. S., Esq., Civil service, Bauleah, .. ..	1852
James,† Capt. H. C., (32nd Regt. N. I.) .. ..	1842
Jameson, W., Esq., Supt. H. C. Bot. Garden, Saharunpore, ..	1852
Jenkins,† Lieut. H. G., (10th Light Cavalry,) .. ..	1852
Jenkinson, Joshua, Esq., Calcutta, .. ..	1855
Jennings, C. R., Esq., Indigo planter, Rampore Bauleah, ..	1848
Jennings,† Frederick, Esq., .. ..	1856
Jogenderchunder Roy, Rajah, Zemindar, Sharafooly near Serampoor, .. ..	1858
Johnson, Edward, Esq., Narcoolbarea, <i>viâ</i> Merai, .. ..	1856
Johnson, John, Esq., Merchant, Calcutta, .. ..	1856
Johnson, P., Esq., Merchant, Calcutta, .. ..	1846
Johnstone, Capt. H. C., Revenue Survey, Punjab, .. ..	1852
Johnstone, W. Esq., Civil Service, Allahabad, .. ..	1857
Jotendromohun Tagore, Baboo, Calcutta, .. ..	1858
Joygopal Bysack, Baboo, Calcutta, .. ..	1858
Joygopal Mullick Baboo, Merchant, Calcutta, .. ..	1858
Joykissen Mookerjee, Baboo, Zemindar, Ooterparah, ..	1852
Judge, W. J. Esq., Solicitor, Calcutta, .. ..	1858
Judge,† Spencer, Esq., Solicitor, Supreme Court, .. ..	1843

KALEE Prasoon Sing, Baboo, Calcutta, .. ..	1857
Kalee Comar Dey, Baboo, Merchant, Calcutta, .. ..	1858
Kelner, G. F., Esq., Burdwan, .. ..	1858
Kemp, F. B., Esq., Civil service, Backergunge, .. ..	1856
Kendal, B. Esq., Civil Surgeon, Balasore, .. ..	1858
Kenny, T., Esq., Indigo planter, Salgamudea, Commercolly, .. ..	1852
Ketromohun Chatterjee, Baboo, Asst. Civil Auditor, Calcutta, .. ..	1858
Khalutch Chunder Ghose, Baboo, Calcutta, .. ..	1857
King, Arthur Kaye, Esq., Merchant, Calcutta, .. ..	1858
King, Robert, Esq., Sub-Deputy Opium Agent, Patna, .. ..	1850
Kinleside, Lt.-Col. R. R., (Artillery,) Meerut, .. ..	1847
Kissenkishore Ghose, Baboo, Pleader, Sudder Court, Calcutta, .. ..	1853
Kistogopal Ghose, Zemindar, Calcutta, .. ..	1853
Knowles, H., Esq. Merchant, Calcutta, .. ..	1852
Knox, T. J., Esq., Madras Civil service, Vizagapatam, .. ..	1858
Knyvett, Lt.-Col. W. J. W. (31st Lt. Infy.) Mussooree, .. ..	1851
LAMB, Major Wm., (51st Regt. N. I.,) Dy.-Assist.-Adjt.-Genl., Saugor Division, .. ..	1847
Landale, R. B., Esq., Indigo planter, Dheeree <i>viâ</i> Shergotty, .. ..	1853
Landale, Walter, Esq., Indigo planter, Lutteepore factory, Bhaugulpore, .. ..	1851
Lance, C. E. Esq., Civil service, Mymensing, .. ..	1858
Lane, Major-Genl. J. T., C. B., Nainee Tal., .. ..	1851
Lane,† T. B., Esq., Civil service, .. ..	1855
Larkins, T. P., Esq., Civil service, Chittagong, .. ..	1853
Larmour, R. T., Esq., Indigo planter, Mulnauth, <i>viâ</i> Bongong, .. ..	1848
Lauder, Richard, Esq., Merchant, Calcutta, .. ..	1856
Lautour, E. F., Esq., Civil service, Patna, .. ..	1847
Lautour, Edward, Esq., Civil service, Calcutta, .. ..	1851
Lee,† H. J., Esq., Depy.-Secy., Bank of Bengal, .. ..	1851
Leonard, H., Esq., Supt. of the Mutlah, .. ..	1858
Levinge, H. C., Esq., E. I., Railway Dept., Colgong, .. ..	1855
Lewis, W. T., Hon'ble, Resident Councillor, Penang, .. ..	1840
Lind,† F. M., Esq., Civil service, .. ..	1851
Lindsay, D. B., Esq., Merchant, Calcutta, .. ..	1855
Little,† Lt.-Col. Archibald, (H. M. 9th Lancers,) .. ..	1853
Lloyd, Major-Genl. G. W. A., C. B., .. ..	1838
Loch, George, Esq., Civil service, Calcutta, .. ..	1852
Loch, J. A., Esq., Civil service, Agra, .. ..	1852
Login,*† Sir J. S., Medical service, .. ..	1843
Lomer,† Major W. H., ( 1st Regt. N. I.,) .. ..	1854
Long, The Rev. James, Church Missionary Society, Calcutta, .. ..	1855
Longden, E. H., Esq., Agra, .. ..	1854

	<i>Admitted.</i>
Lord, G. T. Esq., Manager, Bengal Coal Company, ..	1858
Low,† The Hon'ble Major-Genl. J., C. B., .. ..	1854
Lowther, Capt. W. H., (1st Assam, Lt. Infy.,) Debrooghur, ..	1856
Lowther,*† Robert, Esq., Civil service, .. ..	1836
Lumsden, Capt. P. S., Dy. Asst. Qr. Mr. Genl., Peshawur, ..	1851
Lushington, Edward, Esq., Civil service, Calcutta, .. ..	1848
Lyall,† John, Esq., Merchant, .. .. .	1849
MacCrea, R., Esq., Commissariat Dept., Thyet-Mhew, ..	1856
Macdonald, A. G., Esq., Civil service, Rungpore, .. ..	1852
Macdonell, Capt. A. A., (40th N. I.,) Poosa, Tirhoot, ..	1855
Mackay, R. B., Esq. Merchant, Calcutta, .. .. .	1858
Mackenzie, Brigr. J., (8th Lt. Cavalry,) Ferozepore, ..	1851
Mackenzie, H. Esq., Indigo planter, Jingerghatchie, Jessore, ..	1850
Mackenzie, W. L., Esq., Deputy-Magistrate, Serajgunge, ..	1858
Mackey, D. C., Esq., Merchant, Calcutta, .. .. .	1854
Mackinnon, Lieut. W. C., H. M. 87th Fusiliers, Gyah, ..	1858
Mackintosh,† George, G., Esq., Civil service, .. ..	1838
Mackintosh,† Aeneas, Esq., Indigo planter, .. .. .	1849
Maclagau,* Frederick, Esq., Indigo planter, Kishnaghur, ..	1837
Macleau, A. Esq., Civil service, Kishnaghur, .. ..	1858
Macleod, George, Esq., Rajapore Factory, Rajshaye, ..	1858
Macnair,† George, Esq., Indigo planter, .. .. .	1851
Macpherson,*† George G., Esq., .. .. .	1836
Mactier, T. B., Esq., Civil service, Pooree, .. ..	1846
Maharaj* Dheraj Matabchunder Bahadoor, Rajah of Burdwan, .. .. .	1836
Maharajah of Cooch Behar, .. .. .	1856
Malchus, G., Esq., Merchant, Calcutta, .. .. .	1852
Malet, O. W., Esq., Civil service, Beerbhoom, .. ..	1857
Main, Richard, Esq., Merchant, Calcutta, .. .. .	1858
Manderson,† Robert, Esq., Civil service, .. .. .	1855
Mangles,† J. H., Esq., Civil service, .. .. .	1853
Manickjee,* Rustumjee, Esq., Merchant, Calcutta, ..	1837
Mansell,† Charles Grenville, Esq., Civil service, ..	1837
Menzies, T., Esq., Merchant, Mirzapore, .. .. .	1858
Marquis, J., Esq., Indigo planter, Pubna, .. .. .	1839
Marriott,† Major E., (57th N. I.,) .. .. .	1852
Marshall, F. C., Esq., Asst. Civil Engineer, Dinapore, ..	1854
Martin, Major T., Offg. Presy. Pay Master, Calcutta, ..	1852
Martin, Simon N., Esq., Civil service, Lucknow, ..	1855
Maseyk, Henry, Esq. Neemtolla, Moorshedabad, .. ..	1858
Maseyk, J. W., Esq., Indigo Planter, Jungypore, .. ..	1858
Mason,† Lt. C., Crauford, (48th M. N. I.,) .. ..	1853
Mason, Capt. James, Darjeeling, .. .. .	1858
Masters*, J. W., Esq., Assist.-Commissioner of Assam, Golahi Ghat, .. .. .	1835

Mathie*† Lt.-Col. James, (21st N. I.,)	.. ..	1836
Maunsell, Lt. F. R., Engineers, Roorkee, ..	.. ..	1855
Maxwell, David, Esq., Indigo planter, Futteyghur, ..	.. ..	1852
May,† George, Esq., Merchant, .. ..	.. ..	1857
McCallum,† D., Esq., Merchant, .. ..	.. ..	1836
McDonell, E., Esq., Sub-Deputy Opium Agent, Chumparun, Tirhoot, .. ..	.. ..	1842
McLeod, Donald Friel, Esq., Civil service, Finl.-Com. of the Punjab, Lahore, .. ..	.. ..	1836
Meares, Geo., Esq., Indigo planter, Sindoooree, Jessore, .	.. ..	1855
Mercer,* G. G., Esq., Indigo planter, Futtyghur, ..	.. ..	1846
Miles, Capt. C. W., (Com. 3rd Regt. Oude Irregular Infy.,) Azimghur, .. ..	.. ..	1857
Miller, Edward, Esq., Merchant, Calcutta, .. ..	.. ..	1856
Mills,*† Andrew John Moffat, Esq., Civil service, ..	.. ..	1836
Mills, R. Esq., E. I. Railway, Howrah, .. ..	.. ..	1858
Mohr, Edward, Esq., Merchant, Arracan, .. ..	.. ..	1857
Molloy, R., Esq., Attorney, Supreme Court, .. ..	.. ..	1842
Monckton, H., Esq., Civil service, Simla, .. ..	.. ..	1847
Moncrieff, R. S., Esq., Bank of Bengal, Calcutta, ..	.. ..	1858
Money,*† William James Henry, Esq., Civil service, ..	.. ..	1836
Montgomery, R., Esq., C. S., Judicial Commr. of Lucknow, ..	.. ..	1853
Morgan, R. B., Esq., Civil service, Agra, .. ..	.. ..	1852
Mornay, H., Esq., Secretary Assam Company, Calcutta, ..	.. ..	1843
Morrell, R., Esq., Zemindar, Backergunge, .. ..	.. ..	1853
Morrieson, Major R., Political Agent, Bhurtpore, .. ..	.. ..	1853
Morris,† James, Esq., Merchant, .. ..	.. ..	1855
Morton, Capt. William Elliot, (Bengal Engineers,) Roorkee, ..	.. ..	1851
Mouat, Dr. F. J., Inspector of Jails, L. P., .. ..	.. ..	1856
Murdoch, H. H., Esq., Merchant, Calcutta, .. ..	.. ..	1858
Murray, Capt. James, Mussooree, .. ..	.. ..	1855
Murray, J. C., Esq., Calcutta, .. ..	.. ..	1856
Murray, Lt. C., Commg. Sebundy Sappers, Darjeeling, ..	.. ..	1855
Muspratt, J. R., Esq., Civil service, Bhaugulpore, ..	.. ..	1847
NAESMYTH, J., Esq., Civil service, Punjab, .. ..	.. ..	1852
Nilmoney Muttyloll, Baboo, Calcutta, .. ..	.. ..	1858
Nicol, F. A. M., Esq., Chowkeedangah, Mungulpore, ..	.. ..	1851
Nuthall, R. D., Esq., Assist. Supt. Kheddahs, Deebroghur, ..	.. ..	1858
OAKES, Capt. W. H., Deputy-Commissioner, Chota Nagpore, .. ..	.. ..	1857
O'Brien,† Captain Wm., (8th Regiment Nizam's Infantry,) ..	.. ..	1846
O'Brien, E. H., Esq., Calcutta, .. ..	.. ..	1858
Oboychurn Goho, Baboo, Merchant, Calcutta, .. ..	.. ..	1856
Ockelton, T. P., Esq., Calcutta, .. ..	.. ..	1856
Oliva, L. B., Esq., Merchant, Calcutta, .. ..	.. ..	1857

Omachurn Mittra, Baboo, Merchant, Calcutta, .. ..	1857
Onraet, P. T., Esq., Bhaugulpore, .. ..	1857
Ouseley,† Major R., .. ..	1845
Outram, the Hon'ble. Lieut.-General Sir James, Bart., G. C. B., Member of the Supreme Council, Calcutta, .. ..	1855
Owen, Capt. W. G., (11th Madras N. I.,) Nursapatam, near Payakerowpet, .. ..	1846
<b>PALMER, R. S., Esq., Merchant, Calcutta, .. ..</b>	<b>1844</b>
Palmer, Charles, Esq., Medical service, Howrah, .. ..	1848
Palmer, Dr. W. J., Civil Surgeon, Ghazeepore, .. ..	1856
Palmer, A. V., Esq., Civil service, Tirhoot, .. ..	1858
Parish, Revd. Charles, Chaplain of Moulmein, .. ..	1856
Parry, John, Esq., Merchant, Calcutta, .. ..	1856
Parsons, Major-Genl. James, C. B., (50th Regiment, N. I.,) Commanding Rohilkund District, Bareilly, .. ..	1838
Paterson, C. Esq., Indigo planter, Colgong, .. ..	1858
Paul, G. C., Esq., Barrister-at-law, Calcutta, .. ..	1856
Peacock, the Honorable Barnes, Legislative Member of the Supreme Council, Calcutta, .. ..	1852
Pearson, E. S., Esq., Civil service, Sylhet, .. ..	1852
Peary Chand Mittra, Baboo, Secretary Public Library, Cal- cutta, (Vice-President,) .. ..	1847
Peary Mohun Chowdry, Baboo, Zemindar, Calcutta, .. ..	1858
Pereira,† Francisco, Esq., Merchant, .. ..	1850
Pertap Chunder Sing,* Bahadoor, Rajah, Zemindar, Pakpara, .. ..	1847
Peskett, William, Esq., M. D., Civil Surgeon, Simlah, .. ..	1856
Peterson, A. T. T., Esq., Barrister, Supreme Court, Calcutta, .. ..	1849
Phayre, Major A. P., Commissioner of Pegu, .. ..	1841
Phillippe, Clement, Esq., Indigo planter, Balacole, Pubna, .. ..	1851
Phillips, James, Esq., Indigo Planter, Dhoolorry factory, Pubna, .. ..	1858
Pittar, C. J., Esq., Calcutta, .. ..	1857
Poe,† H. H., Esq., Solicitor, .. ..	1854
Pogose, J. G. N., Esq., Zemindar, Dacca, .. ..	1856
Pogson, Lieut. J. F., Invalid Establishment, Simla, .. ..	1856
Pottit Pabun Sen, Baboo, Merchant, Calcutta, .. ..	1847
Power, Capt. E. H., Dy.-Judge-Advocate-Genl. Rangoon, .. ..	1856
Prankissen Mookerjee, Baboo, Merchant, Calcutta, .. ..	1858
Preonauth Sett, Baboo, Calcutta, .. ..	1852
Prestwick, E., Esq., Merchant, Calcutta, .. ..	1858
Price,† J. O., Esq., .. ..	1843
Prinsep, H. T., Esq., Civil service, Midnapore, .. ..	1858
Prinsep,† Charles Robert, Esq., L. L. D., .. ..	1831
Prinsep, J. H., Esq., Civil service, Sealkote, .. ..	1851
Prosono Coomar Tagore, Baboo, Calcutta, .. ..	1833
Prosononath Roy, Rajah, Zemindar, Digaputi, Nattore, .. ..	1851

	<i>Admitted.</i>
Puddumlochun Mundul, Baboo, Balasore, .. ..	1857
Punchannun Mookerjee, Baboo, Calcutta, .. ..	1858
<b>RABAN, Capt. H. (36th N. I.) Calcutta, .. ..</b>	<b>1858</b>
Raikes, Charles, Esq., Civil service, Secy. Local Committee, Mynpooree, .. ..	1850
Raikes, H. T., Esq., Civil service, Calcutta, .. ..	1857
Rait, Henry, Esq., Galimpore, near Surdah, .. ..	1856
Rajendralal Mittra, Baboo, Calcutta, .. ..	1851
Rajendur Dutt, Baboo, Merchant, Calcutta, .. ..	1848
Rajkissen Mookerjee, * Baboo, Landholder, Ooterparah, ..	1836
Ramanauth Tagore, Baboo, Calcutta, .. ..	1842
Ramanauth Banerjee, Baboo, Ooterpara, .. ..	1855
Ramapersaud Roy, Baboo, Calcutta, .. ..	1848
Ramchand Sing, Rajah, Calcutta, .. ..	1843
Ramgopal Ghose, Baboo, Calcutta, .. ..	1840
Ramkissen Doss, Baboo, Calcutta, .. ..	1858
Ramnarain Mookerjee, Baboo, Zemindar, Jonaye, .. ..	1858
Ram Rutton Roy, Baboo, Zemindar, Burrnagore, .. ..	1858
Ramsay, Major George, Resident at Nepal, .. ..	1855
Ravenshaw, T. E., Esq., C. S., Secy. Public Garden, Monghyr, .. ..	1853
Reddie, † R. M., Esq. Merchant, Calcutta, .. ..	1846
Reid, H. M., Esq., Civil service, Burdwan, .. ..	1857
Reid, Capt. David, (Executive Officer,) Debrooghur, ..	1851
Reid, F., Esq., Supt. of Irrigation, Rohilkund, .. ..	1858
Richards, * † J., Esq., Merchant, .. ..	1834
Richardson, H. C., Esq., Civil service, Bancoorah, ..	1836
Ricketts, H. Esq., Member Supreme Council, Calcutta, ..	1852
Riddell, Col. C. J. B., C. B., Royal Artillery, Benares, ..	1858
Riddell, † H. B., Esq., Civil service, .. ..	1855
Righy, Major Henry, (Engineers,) Punjaub, .. ..	1852
Ripley, Capt. F. W., (22nd Regt. N. I.,) Assist.-Commissioner of Arracan, Kyouk Phyoo, .. ..	1849
Ritchie, W., Esq., Advocate-General, Calcutta, .. ..	1851
Roberts, J. B., Esq., H. M. Coroner for Calcutta, .. ..	1858
Robinson, † G. B., Esq., Merchant, .. ..	1845
Robinson, S. H., Esq., Merchant, Calcutta, .. ..	1854
Robinson, T. M., Esq., Merchant, Calcutta, .. ..	1848
Rogers, † Captain T. E., .. ..	1843
Rogers, George, Esq., Solicitor, Calcutta, .. ..	1858
Rose, † Henry, Esq., Civil service, .. ..	1847
Rose, W. Grant, Esq., Merchant, Calcutta, ( <i>Vice-President</i> ,) ..	1837
Ross, Alexander, Esq., Civil service, Furruckabad, .. ..	1858
Ross, † J. G., Esq., .. ..	1852
Ross, R. F., Esq., Merchant, Calcutta, .. ..	1855
Ross, Lieut. D. (10th N. I.) Berhampore, .. ..	1858

Row, Lieut. W. S., (33rd N. I.), Rampore Bauleah, ..	1854
Rowlatt, Capt. E. A., Principal Assist.-Commr. of Assam, ..	1855
Kamroop, .. .. .	1851
Ruffeooodeen, Prince Mahomed, Russapuglah, near Tally- gunge, .. .. .	1857
Rummanauth Gossain, Zemindar, Serampore, ..	1847
Russell, A. E., Esq., Civil service, Malda, ..	1839
Russell,† C. D., Esq., Civil service, ..	1855
Russell,† R. H., Esq., Civil service, ..	1858
Ryder, Lt. C. D., (14th N. I.), Sasseram, ..	1845
SAGE,† Col. W., (22nd Regt. N. I.), ..	1850
Sagore Dutt, Baboo, Merchant, Calcutta, ..	1836
Samuells,* Edwards A., Esq., Civil service, Patna, ..	1855
Sandes, Falkner C., Esq., Solicitor, Calcutta, ..	1851
Sandes,† M. F., Esq., ..	1855
Sandys, J. U., Esq., Allahabad, ..	1851
Sapte,† Brand, Esq., Civil service, ..	1838
Sarkies, P. J., Esq., Merchant, Calcutta, ..	1854
Sarkies, S. J., Esq., Serampore, ..	1857
Saubolle, C. A., Esq., Nopara, Kishnaghur, ..	1856
Saunders,† John O'Brien, Esq., Merchant, ..	1836
Savi,† John Robert, Esq., Indigo planter, ..	1851
Savi, Thomas, Esq., Indigo planter, Kishnaghur, ..	1854
Schiller, F., Esq., Merchant, Calcutta, ..	1839
Sconce, Archibald, Esq., Civil service, Calcutta, ..	1852
Scott, Dr. D., Medical service, Delhi, ..	1858
Scott, Lieut. J. F. O., Adj. Sylhet Light Infy., Cherra, ..	1858
Secretary, for the time being, Artillery, Head Quarter Mess., ..	1858
Secretary, Lucknow Botanical Garden, Lucknow, ..	1853
Seymour, S. F., Esq., Admr. General's Office, Calcutta, ..	1857
Sham Churn Mullick, Baboo, Calcutta, ..	1855
Shamachurn Law, Baboo, Merchant, Calcutta, ..	1854
Shamchand Mittra, Baboo, Merchant, ..	1843
Sharpe, the Reverend James, Chaplain, Mussooree, ..	1842
Shawe, M., Esq., Civil service, Sylhet, ..	1856
Shearin, E., Esq., Merchant, Calcutta, ..	1847
Shib Chunder Deb, Baboo, Deputy-Collector, Calcutta, ..	1850
Shib Kissen Banerjea, Baboo, Merchant, Calcutta, ..	1853
Shillingford, Jos., Esq., Indigo planter, Purneah, ..	1857
Sieveling, F. H., Esq., Engineer, E. I. Railway, Bhaugul- pore, .. .. .	1856
Simson, James, Esq., Civil service, Azimghur, ..	1854
Simson, D., Esq., Civil service, Hosheyarpore, ..	1854
Simpson,† H., Esq., Indigo planter, ..	1851
Sinclair,† Lieut. J. J. DeC., Artillery, ..	1854
Skinner, A., Esq., Hansi, ..	



Skinner, C. B., Esq., Civil service, Muggoorah,	.. ..	1856
Skipwith,† F., Esq., Civil service,	.. ..	1842
Slade, James, Esq., Indigo planter, Tirhoot,	.. ..	1855
Small, James, Esq., Calcutta,	.. ..	1843
Smith, Adam Hume, Esq., Indigo planter, Jessore,	.. ..	1857
Smith,† Edward, Esq., Merchant,	.. ..	1841
Smith, George, Esq., Indigo planter, Tirhoot,	.. ..	1858
Smith, Jas. White, Esq., Indigo planter, Kattullee, Kishnaghur,	.. ..	1854
Smith, Lt.-Col. L. H., (Invalids,) Umballa,	.. ..	1849
Smith, Major E., Fleetwood, (23rd Regt. N. I.) Supt. Keddah Establishment, Dacca,	.. ..	1852
Smith,† Rev. Thomas, of the Free Church Institution,	.. ..	1857
Smith, Samuel, Esq., Calcutta,	.. ..	1835
Smith, W. M., Esq., Indigo planter, Jutropore, Kishnaghur,	.. ..	1857
Smyth,† Capt. J. H., (Artillery,) .. ..	.. ..	1851
Sonatun Bysack, Baboo, Calcutta,	.. ..	1858
Soorauth Nauth Mullick, Baboo, Zemindar, Ishera,	.. ..	1858
Sorodapersaud Roy, Baboo, Zemindar, Chukdegye, Burdwan,	.. ..	1857
Sparkes, Capt. T. P., (17th M. N. I.) Kurnool,	.. ..	1852
Spears, Robert, Esq., Agriculturist, Golah Ghat, Upper Assam,	.. ..	1855
Sreekissen Sing, Baboo, Calcutta,	.. ..	1835
Stalkart, William, Esq., Merchant, Calcutta,	.. ..	1845
Stanton, Lieut., (Engineers,) Shergotty,	.. ..	1857
Steer, Charles, Esq., Civil service, Chittagong,	.. ..	1853
Stephen, J., Esq., Dacca,	.. ..	1855
Sterndale, W. C., Esq., Calcutta,	.. ..	1856
Stevens, Major J., Invalid Establist., Dehra Doon,	.. ..	1854
Stevenson,*† William, Esq., Junior, M. D.,	.. ..	1834
Stewart, C. B., Esq., Merchant, Calcutta,	.. ..	1854
Stewart, Lt. R., (22nd N. I.) Commandant Kookie Levy, Cachar,	.. ..	1856
Stewart,† Wm., McAdam, Esq., Merchant,	.. ..	1851
Story, Major-General F. P., C. B., Cawnpore,	.. ..	1854
Strachey, Lt. Col. R., (Engineers,) Calcutta,	.. ..	1857
Stuart,† James, Esq., Merchant,	.. ..	1847
Sumbonauth Bundit, Baboo, Pleader, Sudder Court, Calcutta,	.. ..	1853
Sutherland, Charles J., Esq., Merchant, Calcutta,	.. ..	1838
Sutish Chunder Roy, Rajah of Nuddea, Kishnaghur,	.. ..	1857
Suttochurn Ghosal, Rajah, Bahadoor, Calcutta,	.. ..	1856
Swanston, Lieut. W. O., (7th Regt. Madras N. I.) Assist.-Commissioner, Cawnpore,	.. ..	1857
Swatman,† Lt.-Col. Wm., (3rd European Regt),	.. ..	1845
Swinden, T. G., Esq., Calcutta,	.. ..	1855
Taylor, W., Esq., Civil service, Mymensing,	.. ..	1853

	<i>Admitted.</i>
Taylor, G. B., Esq., Benares, .. .. .	1858
Taylor, W. C., Esq., Assist.-Comr., Sonthal Pergunnahs, Nya-Doomka, .. .. .	1858
Teil, Thos., Esq., Merchant, Calcutta, .. .. .	1855
Terry, W., Esq., Indigo planter, Midnapore, .. .. .	1846
Thelwall, Capt. J. B., (H. M. 24th Regt.) Com. 29th Punjab Infantry, Fyzabad, .. .. .	1851
Theobald,† W., Esq., Barrister-at-law, .. .. .	1855
Thomas,† J. P., Esq., Merchant, Calcutta, .. .. .	1852
Thomas, R. M., Esq., Solicitor, Calcutta, .. .. .	1849
Thomas, Col. Charles Thynne, Dehra-Doon, .. .. .	1858
Thompson,† George, Esq., .. .. .	1856
Thomson, Thomas, Esq., M. D., Supt. H. C. Bot. Garden, Calcutta, (Vice-President), .. .. .	1855
Thomson, William, Esq., Merchant, Calcutta, .. .. .	1848
Thorpe,† E. C., Esq., M. D., Assist.-Surgeon, .. .. .	1857
Townsend, M. W., Esq., Serampore, .. .. .	1858
Travers,† Lt.-Col. J., (2nd Grendrs.) Commandant, Bhopal Contingent, .. .. .	1854
Trevor, Edward Tayler, Esq., Civil service, Calcutta, .. .. .	1840
Tripp, H. D., Esq., Indigo planter, Salgumudea, Commercolly, .. .. .	1852
Trotter, T. C. Esq., Civil service, Patna, .. .. .	1856
Tucker,† Henry Carre, Esq., Civil service, .. .. .	1837
Tucker, Henry Carre, Esq., or Secy. for the time being, Local Committee, Allahabad, .. .. .	1851
Tucker, W. T., Esq., Civil service, Monghyr, .. .. .	1855
Tuckerman, N. C., Esq., Merchant, Calcutta, .. .. .	1856
Turnbull, G. D., Esq., Civil service, Meerut, .. .. .	1853
Turnbull, Lieut. A. D., (Bengal Engineers,) Gwalior, .. .. .	1851
Turner,*† Thos. Jacob, Esq., Civil service, .. .. .	1836
Tweedie, Maurice, Esq., Indigo Planter, Buzunghaut factory, Kishnaghur, .. .. .	1858
Twemlow,† Brigadier George, (Nizam's Army,) .. .. .	1843
Twynam, Lt. E. J. L., Executive Officer, Arracan, Akyab, .. .. .	1856
UTTERSON,† Lieut. E. V., (27th Regt. N. I.,) .. .. .	1854
VARDEN, A. M., Esq., Merchant, Calcutta, .. .. .	1851
Vetch,† Major H., (54th Regt. N. I.) .. .. .	1842
Vincent,† W., Esq., Bordeaux, .. .. .	1846
Vindrajnaidoo, Baboo, Deputy-Postmaster, Mooltan, .. .. .	1858
Vizianagram, His Highness the Rajah of, .. .. .	1847
Vos, J. M., Esq., Assessor of House Tax, Calcutta, .. .. .	1847
Walker,† Alexander, Esq., Merchant, .. .. .	1855
Wallace,† A., Esq., Merchant, .. .. .	1843
Wallis, J. J., Esq., Merchant, Rangoon, .. .. .	1856

Walters,*† Henry, Esq.,	1836
Ward, J. D., Esq., Civil service, Jamalpore,	1857
Ward, J. J., Esq., Civil service, Cuttack,	1852
Warner, J. E., Esq., Indigo planter, Baraset,	1856
Warwick, B., Esq., Merchant, Calcutta,	1849
Waterfield, E., Esq., Civil service, Balasore,	1846
Watson, Hartley, Esq., C. E., E. I. Railway, Monghyr,	1858
Watson, John, Esq., Merchant, Calcutta,	1852
Watson,*† Robert, Esq.,	1837
Watson,† T. J., Esq., Merchant,	1854
Wauchope, S., Esq., Civil service, Calcutta,	1848
Weld, Lieut. Geo., Fort Adjutant, Chunar,	1856
Weskins, Charles, Esq., Merchant, Calcutta,	1854
West, C. H., Esq., Merchant, Lahore,	1850
Western,† Major J. R., (Engineers),	1842
Whampoa, Mr., Merchant, Singapore,	1850
Wienholt,† W., Esq., Merchant,	1848
Wight,*† Robert, Esq., M. D., Madras Medical service,	1836
Wigram, R. J., Esq., Civil service, Burdwan,	1856
Williams, Fleetwood, Esq., Civil service, Meerut,	1840
Williamson, Lieut. James, Commandant 18th Regt. Punjab N. I., Peshawur,	1849
Williamson, Geo., Esq., Cumamara Tea Factory, Jorehaut, Assam,	1858
Willis, Joseph, Esq., Merchant, Calcutta,	1827
Willock,† H. D., Esq., Civil service,	1855
Willocks, W., Esq., Deputy-Supt. Eastern Jumna Canals, Barasuth, near Delhi,	1857
Wilson, A. G., Esq., Deputy-Magistrate, Gyah,	1847
Wilson, I., Esq., Barrister, Calcutta,	1858
Wilson, Thomas, Esq., Deputy Opium Agent, Ghazeepore,	1848
Wilsone, C. M., Esq., Indigo planter, Munglepore,	1853
Wingrove,† E., Esq., Merchant,	1846
Wingrove,† G. W., Esq., Merchant,	1856
Wingfield, C. J., Esq., Civil service, Lucknow,	1855
Withecombe,† J. R., Esq., Medical service,	1851
Wright, H., Esq., Shahpore, Punjab,	1854
Wood, C. B., Esq., Merchant, Calcutta,	1856
Wood,† Dr. Andrew, Medical service,	1852
Wood, J. N. T., Esq., Merchant, Calcutta,	1854
Wood, R. A. Esq., Indigo Planter, Khabulpore, Kishnaghur,	1858
Wray, G. O., Esq., Solicitor, Calcutta,	1857
Wagentrieber, W., Esq., Tea planter, Debrooghur,	1857
Wylie, Macleod, Esq., Judge Small Cause Court, Calcutta,	1844
Young, James H., Esq., Civil service, Calcutta,	1857





# **Indian Agricultural Research Institute (Pusa)**

**LIBRARY, NEW DELHI-110012**

**This book can be issued on or before .....**

<b>Return Date</b>	<b>Return Date</b>